



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

NINETEENTH
DETAILED ANNUAL REPORT
OF THE
REGISTRAR-GENERAL
OF
BIRTHS, DEATHS, AND MARRIAGES
IN SCOTLAND.

[ABSTRACTS OF 1873.]

Presented to both Houses of Parliament by Command of Her Majesty.



NEW YORK
PUBLIC
LIBRARY

EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

1877.

C.—1847. *Price 1s. 8d.*

7021

THE NEW YORK
PUBLIC LIBRARY
382158
ASTOR, LENOX AND
TILDEN FOUNDATIONS
1900

YROY WEM
CLUB
YHABLI

REPORT.

TO THE

RIGHT HON^{BLE} R. ASSHETON CROSS, M.P.,
Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, 9th August 1877.

SIR,

ON the 4th May 1874, I had the honour, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 and 18 Vic. cap. 80, to submit to the Secretary of State for the Home Department the usual General Abstracts of the Births, Deaths, and Marriages registered in Scotland during the year 1873, along with some explanation and commentary.

On the same date, my Ninth Annual Report on Vaccination was transmitted, in accordance with the nineteenth section of the Scottish Vaccination Act, 26 and 27 Vic. cap. 108.

I have now the honour to transmit the Detailed Annual Report, together with the relative Tables, regarding the Births, Deaths, and Marriages registered in Scotland during the same year (1873).

It will be observed that the Marriage-rate in 1873 has been the highest hitherto recorded in my Reports. The Birth-rate too has been well sustained. The Death-rate has been high, and this circumstance there appears reason to connect with an unusual prevalence of Diseases of the Respiratory Class, no doubt dependent upon the inclemency of the weather, especially towards the close of the year.

In the present Report will be found some Tables illustrative of the Mortality from Small-pox experienced by infants under twelve months of age.

These Tables seem to furnish the most conclusive evidence as to the great saving of human life effected, even at the earliest ages, by the Vaccination Act. They are inserted chiefly for the purpose of fortifying the public mind against the erroneous doctrines promulgated by anti-vaccinators, which, if left unnoticed, might ultimately be received as true.

Appended to my Report will be found an approximate Life Table for Scotland, computed in our Statistical Department from the data which became available on the publication of the Scottish Census of 1871. The Table will be found of interest, when compared with the Life Table founded on the Census data of 1841, contributed by Dr. Farr to the Fifth Annual Report of the Registrar-General for England.

I have the honour to be,

SIR,

Your obedient Servant,

W. PITT DUNDAS,

Registrar-General.

CONTENTS.

	Page
Report of Registrar-General to the Secretary of State, ...	iii
Report by Dr Robertson to the Registrar-General, ...	ix
Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855-1873 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths, ...	ix
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855-1873, ...	x
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1873, ...	xii
Occasional Table, showing the State of Illegitimacy in all Scotland, in the Five Groups of Districts, Principal Towns, and Two Counties in 1873, ...	xii
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1873, ...	xiii

BIRTHS.

Births in 1873, and their Proportion to the Population, with relative Tables, ...	xi
Tables showing particulars relative to the Births during each of the years 1855 to 1873 inclusive, ...	xiv
Number and Proportion of Twins and Triplets, ...	xiv

MARRIAGES.

Number of Marriages in 1873, and their Proportion to the Population, ...	xv
Influence of Density of Population on the Marriages, ...	xvi
Proportion of Legitimate Children to the Marriages in Scotland and England, ...	xviii
Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1873, and 1855-1873, with relative Tables, ...	xvi & xix
Number and Proportion of Persons marrying at different Ages, with relative Tables, ...	xviii
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables, ...	xxi
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark, ...	xx & xxi

	Page
DEATHS.	
Number of Deaths in Scotland in 1873, and their Proportion to the Population, . . .	xxii
Death-rates in Scotland, and in its Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855-1873, with relative Tables, . . .	xxii
Death-rates in each of the Eight Principal Towns of Scotland during each of the years 1861-1873, . . .	xxiii
Series of Tables of the Deaths at different Ages in Scotland, its Five Great Groups of Districts, during the year 1873, . . .	xxiv
Mortality of Female lower than that of the Male at about every period of life, . . .	xxv
High Mortality in Towns at every period of life, as compared with that of the Rural Districts, . . .	xxvi
Causes of Death in 1873, with relative Tables, . . .	xxviii
Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables, . . .	xxviii
Small-pox Deaths in Scotland for nineteen years, . . .	xxvii
Particulars relative to Vaccination in Scotland, with relative Tables, . . .	xxviii
Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths, . . .	xl
The Nineteen most fatal Diseases in England and Scotland in 1873, . . .	xli

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1873.

Weather, Weekly and Monthly, and its Influence on the Mortality, . . .	xlv
Table showing the Meteorology of Scotland during each month of the year 1873, together with the Monthly and Daily Number of Births, Deaths, and Marriages, . . .	xlvii
Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland, during each month of the year 1873, . . .	xlviii
Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland, during each week of the year 1873, . . .	xlviii
Influence of Season, etc., on the Mortality at different Ages . . .	li
Deaths in Scotland compared with the average price of Wheat and Potatoes during each of the years 1855 to 1873, showing that the high price of provisions has no apparent effect on the Death-rate in Scotland, . . .	li

APPENDIX.

Letter from Dr. Robertson to Registrar-General, with Life-Table, . . .	liv
Vaccinations in the several Counties of Scotland during 1873, . . .	lxiv

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Groups of Districts, Divisions, and Counties of Scotland in 1873, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1861 and 1871, the Excess of Births over Deaths, and the Number of Statute Acres in each County, . . .	1
Tables of the Population in 1861 and 1871, and of the Births, Deaths, and Marriages during the year 1873, also of the Illegitimate Births, in every Registration District, . . .	2-23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1873; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, . . .	24
---	----

Table of the Civil Condition of the Parties who married in 1878; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex,	25
Table of the Ages of all Males who married in Scotland and its Counties in 1878,	26
Table of the Ages of all Females who married in Scotland and its Counties in 1878,	28

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1878, together with the Populations in 1861 and 1871,	30
Table of the Ages of all Males who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1878, together with the Male Populations in 1861 and 1871,	32
Table of the Ages of all Females who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1878, together with the Female Populations in 1861 and 1871,	34
Deaths at different Ages in both Sexes in each of the Large Towns, and in the Small Town Districts of the Counties of Scotland in 1878,	36
Do. Males,	38
Do. Females,	40
Deaths at different Ages in both Sexes in the Mainland-Rural and in the Insular Districts of Scotland in 1878,	42
Do. Males,	44
Do. Females,	46
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1878,	48-51
Do. Males,	52-55
Do. Females,	56-59
Summary Table of the Causes of Death in both Sexes in each of the Principal Towns of Scotland in 1878,	60
Do. Males,	62
Do. Females,	64
Summary Table of the Causes of Death in both Sexes in each of the Large Towns of Scotland in 1878,	66
Do. Males,	68
Do. Females,	70
Summary Table of the Causes of Death in both Sexes in each of the Small Town Districts of the Counties of Scotland in 1878,	72-75
Do. Males,	76-79
Do. Females,	80-83
Summary Table of the Causes of Death in both Sexes in the Mainland-Rural Districts of Scotland in 1878,	84-87
Do. Males,	88-91
Do. Females,	92-95
Summary Table of the Causes of Death in both Sexes, and in Males and Females in the Insular-Rural Districts of Scotland in 1878,	96
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life,	98-101
Do. Males,	102-105
Do. Females,	106-109
Table of the Causes of Death in both Sexes in the Principal Town Districts of Scotland at different Periods of Life,	110-118
Do. Males,	114-117
Do. Females,	118-121
Table of the Causes of Death in both Sexes in the Large Town Districts of Scotland at different Periods of Life,	122-125
Do. Males,	126-129
Do. Females,	130-133

	Page
Table of the Causes of Death in both Sexes in the Small Town Districts of Scotland at different Periods of Life, ...	184-187
Do. Males, ...	188-191
Do. Females, ...	192-195
Table of the Causes of Death in both Sexes in the Mainland-Rural Districts of Scotland at different Periods of Life, ...	196-199
Do. Males, ...	200-203
Do. Females, ...	204-207
Table of the Causes of Death in both Sexes in the Insular-Rural Districts of Scotland at different Periods of Life, ...	208-211
Do. Males, ...	212-215
Do. Females, ...	216-219
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, ...	220-223
Do. Males, ...	224-227
Do. Females, ...	228-231
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, ...	232-235
Do. Males, ...	236-239
Do. Females, ...	240-243
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, ...	244-247
Do. Males, ...	248-251
Do. Females, ...	252-255
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, ...	256-259
Do. Males, ...	260-263
Do. Females, ...	264-267
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, ...	268-271
Do. Males, ...	272-275
Do. Females, ...	276-279
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, ...	280-283
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, ...	284-287
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, ...	288-291
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, ...	292-295
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1873, in each of the Groups of Districts, Divisions, and Counties of Scotland, ...	296
Constitution of the Compound Districts, ...	297
List of Registration Districts which include Burghs or Towns of 2000 Inhabitants and upwards, or parts thereof, bearing a different name from the Districts in which they are situated, ...	298
Index to Districts, ...	299

REPORT TO THE REGISTRAR-GENERAL,

BY WILLIAM ROBERTSON, M.D., F.R.S.E.

SIR,

DURING 1873 the condition of the people of Scotland was materially affected by the marked fall in the prices of coal and iron, by a tendency to general reduction in the rate of wages, by the disappointments of those engaged in the cotton trade, by an indifferent harvest, and by excessive rainfall in autumn. It might naturally have been expected that such circumstances would have led to a diminished Marriage-rate; but this was by no means the case, for the marriage-rate of 1873 was the highest ever recorded in these Reports. It must be noted, however, that it was towards the end of the year that the disturbance of commercial activity was most apparent, and that till the beginning of autumn the prosperity of the country had experienced no check. The Death-rate was unusually high, and during the last nineteen years has only thrice (namely, in 1863, 1864, and 1869) been higher. The causes of this excessive death-rate were pro-

TABLE I.—POPULATION estimated to the middle of each year; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each of the Years 1855 to 1873, and their Proportion to the Population; also the Excess of Births over Deaths, the Illegitimate Births, and their Proportion to the Total Births.

YEARS	Estimated Population.	BIRTHS.		Deaths.	Marriages.	Excess of Births over Deaths.	Percentage to Population.			Percent. of Illegit. to Total Births.
		Total.	Illegit.				Births.	Deaths.	Marriages.	
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3-1491	2-0820	0-6608	7-8
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3-3988	1-9537	0-6923	8-5
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3-4381	2-0551	0-7094	8-5
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3-4356	2-0986	0-6492	8-9
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3-5026	2-0288	0-6969	9-1
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3-5578	2-2316	0-6948	9-2
1861	3,069,404	107,009	9,929	62,341	20,896	44,668	3-4863	2-0310	0-6808	9-2
1862	3,097,009	107,069	10,376	67,195	20,597	39,874	3-4572	2-1697	0-6651	9-7
1863	3,126,879	109,341	10,948	71,481	22,234	37,860	3-4968	2-2860	0-7160	10-0
1864	3,156,021	112,333	11,197	74,416	22,725	37,917	3-5694	2-3579	0-7200	9-9
1865	3,185,437	113,070	11,262	70,891	23,611	42,179	3-5496	2-2255	0-7412	9-9
1866	3,215,129	113,667	11,673	71,348	23,688	42,319	3-5354	2-2191	0-7867	10-2
1867	3,245,098	114,044	11,148	69,067	22,618	44,976	3-5063	2-1284	0-6970	9-7
1868	3,275,350	115,514	11,354	69,416	21,855	46,098	3-5287	2-1193	0-6673	9-8
1869	3,305,885	113,354	11,066	75,875	22,144	37,479	3-4288	2-2951	0-6698	9-7
1870	3,336,707	115,390	11,108	74,165	23,854	41,225	3-4582	2-2227	0-7149	9-6
1871	3,367,922	116,128	11,077	74,712	24,019	41,416	3-4481	2-2183	0-7182	9-5
1872	3,399,225	118,765	10,927	75,794	25,641	42,971	3-4939	2-2298	0-7543	9-2
1873	3,430,923	119,700	10,925	76,946	26,748	42,754	3-4889	2-2427	0-7796	9-1

bably atmospheric, as is indicated by the unusual frequency of deaths from diseases of the respiratory organs, which are notoriously apt to prove most formidable in cold and rainy weather, such as our meteorological record shows to have prevailed during 1873. Many deaths were likewise due to Small-pox, though the violence of the epidemic seemed to have considerably abated since 1872.

POPULATION.

The estimates of Population used in this Report are understood to apply to the middle of the year. They are obtained from the Census Enumerations of males and females in 1861 and 1871, the average rates of increase or decrease during the decennial period being assumed to have prevailed since the Census of 1871. In Table II. are stated the estimated

TABLE II.—POPULATION of SCOTLAND in its FIVE new GROUPS of DISTRICTS, by the Censuses of 1861 and 1871, and estimated to the middle of 1873.

FIVE NEW GROUPS OF DISTRICTS.	CENSUS 1861.			CENSUS 1871.			Estimated to 30th June 1873.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Principal Towns .	407,839	477,116	884,955	502,021	566,535	1,068,556	526,046	588,861	1,114,907
Large Towns .	129,933	144,448	274,381	160,176	174,081	334,257	166,945	180,441	347,386
Small Towns .	835,856	869,024	1,704,880	371,118	404,969	776,087	878,512	412,869	791,381
Mainland-Rural .	513,554	548,239	1,061,793	508,787	540,327	1,049,114	507,720	538,568	1,046,288
Insular-Rural .	63,166	73,619	136,785	61,041	70,963	132,004	60,586	70,380	130,966
SCOTLAND .	1,449,848	1,612,446	3,062,294	1,603,143	1,756,875	3,360,018	1,639,809	1,791,114	3,430,923

TABLE III.—BIRTHS, DEATHS, and MARRIAGES in the FIVE new GROUPS of DISTRICTS in SCOTLAND, 1855–1873.

YEARS.	PRINCIPAL TOWNS.			LARGE TOWNS.			SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1855	28113	22706	6937	8374	8954	1980	16042	10015	3371	37994	21656	6829	2826	1678	563
1856	31719	22254	7507	9221	5874	1975	17289	9542	3428	39649	19462	7106	3943	1897	724
1857	32674	23363	7476	9387	5860	2113	17848	10009	3442	39466	20706	7493	4040	1968	855
1858	32563	23445	6865	9282	6163	1824	17678	10076	3133	40307	21789	7044	4188	2066	789
1859	33027	22352	7554	9545	5775	1918	18533	10045	3613	41210	21090	7222	4228	2452	864
1860	32958	26066	7688	9223	6042	1983	18239	11070	3443	41043	22593	7408	4166	2399	703
1861	34351	23149	7753	9695	5831	1940	18453	10366	3365	40432	20820	7032	4078	2175	806
1862	34436	24960	7724	9618	6566	1837	18376	10933	3289	40621	22108	6998	4018	2628	749
1863	35888	27045	8544	9895	6780	2086	18707	11542	3521	40975	23509	7416	3876	2605	667
1864	37058	28845	8897	10263	7132	2234	19389	12294	3750	41704	23805	7178	3919	2341	666
1865	38109	28515	9347	10594	6896	2304	19283	11256	3776	40449	22080	7512	4635	2144	669
1866	38541	27466	9458	10453	6906	2279	19326	11809	3839	41485	22905	7430	3862	2262	682
1867	39012	26519	8870	10651	6776	2156	19178	11557	3607	41339	21986	7271	3864	2230	714
1868	39492	28037	8589	10733	6684	2101	19563	11392	3469	41840	21164	7090	3886	2139	606
1869	39517	31467	9156	10618	7486	2201	18895	11901	3398	40640	22616	6806	3684	2405	563
1870	40452	28508	9733	10999	7712	2369	18958	12097	3762	41378	23654	7383	3603	2194	607
1871	40442	31426	9819	12599	8071	2656	26507	16200	5081	32825	17180	5863	3755	1835	600
1872	41673	30199	10427	13318	8940	2967	28059	16478	5545	32157	18093	6063	3658	2084	639
1873	41500	30008	10594	14033	9306	3140	28841	17857	6130	31963	18098	6291	3363	2177	598

Principal Towns above 25,000 inhabitants. Large Towns above 10,000 and under 25,000 inhabitants. The Small Towns from 3000 to 10,000 inhabitants from 1855 to 1871—but from 1871 and upwards the Small Towns have from 2000 to 10,000 of population.

number of males and females in each of the Groups of Registration Districts, into which, for some years past, we have, in the construction of these Reports, considered Scotland as divided. It is unnecessary again to explain the constitution of these Groups of Districts—this having been very fully done in the Seventeenth Detailed Annual Report. The new mode of grouping has been found very useful for statistical purposes, and especially when information is required as to the growth of communities, and as to the influence on public health that proceeds from the more or less dense aggregation of human beings in the Towns and Rural Districts of Scotland. It will be observed that the population is supposed to be slowly decreasing in the Rural Districts, both Mainland and Insular, and to be increasing at a far more rapid rate in the Groups constituted by Small Towns, the Large Towns, and Eight Principal Towns.

The population of Scotland, as on 30th June 1873, according to our estimate, consisted of 1,639,809 males, 1,791,114 females, or, in all, of 3,430,923 persons.

BIRTHS.

The Births registered in Scotland during 1873 were 119,700—the largest number hitherto recorded. The births were consequently 349 for every ten thousand of estimated population; or, in other words, the birth-rate was 3·49 per cent., and scarcely differed from the high rate recorded in 1872. This rate, however, falls slightly short of the average rate of the last ten years. Since 1868 it does not appear to have been surpassed. It may be well here incidentally to remark that there is in Scotland no provision for the registration of still-births, such as exists in various foreign countries. The statistician cannot but regret the absence of such a provision, when he finds it impossible to ascertain with anything like precision the number of females who become mothers in any given year; and the

TABLE IV.—PERCENTAGE of BIRTHS, DEATHS, and MARRIAGES in the FIVE new GROUPS of DISTRICTS of SCOTLAND, to the Population during each of the years 1855–1873.

YEARS.	PRINCIPAL TOWNS.			LARGE TOWNS.			SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1855	3·397	2·747	0·838	3·525	2·506	0·833	3·324	2·075	0·698	2·956	1·684	0·531	2·192	1·298	0·487
1856	3·787	2·657	0·896	3·835	2·235	0·821	3·554	1·962	0·705	3·080	1·512	0·552	3·078	1·481	0·565
1857	3·856	2·757	0·882	3·858	2·409	0·868	3·641	2·042	0·702	3·062	1·606	0·580	3·173	1·546	0·672
1858	3·797	2·734	0·801	3·771	2·504	0·741	3·579	2·040	0·684	3·052	1·689	0·546	3·310	1·633	0·623
1859	3·807	2·577	0·871	3·838	2·319	0·770	3·724	2·018	0·732	3·190	1·632	0·559	3·362	1·950	0·668
1860	3·756	2·971	0·876	3·662	2·398	0·787	3·637	2·207	0·686	3·173	1·747	0·573	3·334	1·920	0·563
1861	3·863	2·603	0·872	3·797	2·284	0·760	3·663	2·058	0·668	3·121	1·607	0·543	3·282	2·115	0·603
1862	3·809	2·761	0·854	3·701	2·521	0·705	3·621	2·155	0·648	3·122	1·703	0·539	3·177	2·126	0·606
1863	3·887	2·929	0·925	3·724	2·552	0·767	3·631	2·240	0·683	3·150	1·807	0·569	3·153	2·119	0·543
1864	3·939	3·073	0·946	3·699	2·631	0·824	3·751	2·378	0·725	3·199	1·826	0·550	3·205	1·914	0·545
1865	3·975	2·906	0·975	3·831	2·493	0·833	3·718	2·170	0·728	3·096	1·690	0·562	3·810	1·762	0·550
1866	3·945	2·811	0·968	3·705	2·448	0·808	3·699	2·260	0·735	3·169	1·750	0·567	3·191	1·869	0·563
1867	3·958	2·691	0·900	3·701	2·354	0·749	3·645	2·196	0·685	3·151	1·675	0·554	3·210	1·862	0·593
1868	3·893	2·763	0·866	3·656	2·276	0·716	3·690	2·149	0·654	3·182	1·610	0·539	3·245	1·786	0·487
1869	3·822	3·044	0·886	3·545	2·499	0·735	3·539	2·229	0·636	3·085	1·717	0·517	3·092	2·019	0·478
1870	3·836	2·703	0·923	3·559	2·524	0·775	3·525	2·249	0·699	3·134	1·791	0·559	3·040	1·851	0·512
1871	3·767	2·927	0·915	3·751	2·408	0·791	3·408	2·083	0·653	3·130	1·638	0·559	2·847	1·891	0·455
1872	3·809	2·760	0·953	3·887	2·609	0·866	3·681	2·103	0·708	3·070	1·727	0·579	2·707	1·586	0·486
1873	3·722	2·692	0·980	4·039	2·679	0·904	3·657	2·193	0·775	3·056	1·730	0·601	2·568	1·662	0·453

medical inquirer well knows that it is precisely in the cases of mothers who have given birth to dead children that fatal consequences are most apt to follow delivery. No record being kept of still-births, it becomes very probable that many mothers of still-born children (and especially of illegitimate still-born children) have their deaths erroneously attributed to causes unconnected with recent delivery. Hence, by reference to official statistics, it cannot be ascertained with desirable accuracy, either here or in England, what proportion of females die in consequence of the act of parturition.

The birth-rate was in the Large Towns higher than in any other of the Registration Groups; the births being 14,033, and at the rate of 4·039 per cent. A rate so high as this has not hitherto been recorded in any of the Registration Groups. In the Eight Principal Towns, the 41,500 births were at the rate of 3·722. In the Small Towns the births were 28,841, and at the rate of 3·657, which slightly exceeds the rates of the last four years. In the Mainland-Rural Districts there were

TABLE V_a.—NUMBER OF BIRTHS, DEATHS, and MARRIAGES in each of the EIGHT PRINCIPAL TOWNS of SCOTLAND during 1873, and their Proportion to the estimated Population; also the Illegitimate Births, and their Proportion to the Total Births.

TOWNS.	Esti- mated Popula- tion, 1873.	BIRTHS.		ILLEGITIMATE BIRTHS.		DEATHS.		MARRIAGES.	
		Births.	Per cent. to Pop.	Illegit. Births.	Per cent. to Total Births.	Deaths.	Per cent. to Pop.	Mar- riages.	Per cent. to Pop.
Glasgow .	498,697	19487	3·908	1835	9·4	14499	2·907	4910	0·984
Edinburgh .	208,822	6788	3·256	571	8·4	4578	2·198	1958	0·940
Dundee .	128,250	4955	3·864	596	12·0	3281	2·558	1229	0·958
Aberdeen .	91,626	3090	3·372	325	10·5	2120	2·314	725	0·791
Greenock .	64,029	2678	4·182	168	6·3	2220	3·469	556	0·868
Paisley .	48,437	1875	3·871	109	5·8	1589	3·281	520	1·074
Leith .	49,099	1885	3·839	109	5·8	1084	2·208	485	0·988
Perth .	26,447	747	2·825	67	9·0	687	2·409	211	0·798

OCCASIONAL TABLE V_b.—Showing the state of Illegitimacy in ALL SCOTLAND: in the Five New Groups of Registration Districts, in each of the Principal Towns, and in Two Counties during 1873.

LOCALITIES.	Estimated Number of Unmarried Women and of Widows living between the ages of 15 and 45 at middle of 1873.	Number of Illegitimate Children born during 1873.	Percentage of Illegitimate Children to the Unmarried and Widowed Women, aged 15-45.	Percentage of Illegitimacies in Total Births.
All Scotland . . .	460,611	10,925	2·37	9·1
Principal Towns . . .	161,662	3,780	2·34	9·1
Large Towns . . .	45,643	1,088	2·38	7·6
Small Towns . . .	99,595	2,318	2·33	8·0
Mainland-Rural . . .	134,290	3,547	2·64	11·1
Insular-Rural . . .	19,421	192	0·99	5·7
Glasgow	67,256	1,885	2·73	9·4
Edinburgh	35,876	571	1·61	8·4
Dundee	22,289	596	2·67	12·0
Aberdeen	13,485	325	2·41	10·5
Greenock	6,850	168	2·45	6·3
Paisley	7,187	109	1·52	5·8
Leith	5,404	109	2·02	5·8
Perth	3,815	67	1·76	9·0
County Wigtown . . .	5,585	208	3·72	18·6
County Banff	7,753	276	3·56	15·4

registered 31,963 births, being at the rate of 3·056 per cent.—the lowest rate that has prevailed in these districts since 1858. In the Insular-Rural Districts there were 3363 births, which occurred at the rate of 2·568—the lowest rate that has been recorded since 1855. The above numbers, and a glance at the birth columns of Tables III. and IV., show that the popula-

TABLE VI.—NUMBER OF BIRTHS, DEATHS, AND MARRIAGES in 1878, and their Proportion to the Population, estimated to the middle of the year, in Scotland, its Groups of Districts, its Divisions and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

DIVISIONS AND COUNTIES.		Population Estimated to middle of year 1878.	TOTAL BIRTHS.		ILLEGIT. BIRTHS.		DEATHS.		MARRIAGES.	
			No.	Per-cent. to Pop.	No.	Per-cent. to Births.	No.	Per-cent. to Pop.	No.	Per-cent. to Pop.
SCOTLAND		8,430,928	119700	3·4889	10925	9·1	76946	2·2427	26748	0·7796
1. PRINCIPAL TOWN DISTRS. .		1,114,907	41500	3·722	3780	9·1	30008	2·692	10594	0·950
2. LARGE TOWN DISTRICTS .		347,386	14083	4·039	1088	7·8	9306	2·679	3140	0·904
3. SMALL TOWN DISTRICTS .		791,881	28841	3·657	2318	8·8	17357	2·193	6180	0·775
4. MAINLAND-RURAL DISTRS.		1,046,283	31963	3·056	3547	11·1	18098	1·730	6291	0·601
5. INSULAR-RURAL DISTRS. .		130,966	3363	2·568	192	5·7	2177	1·662	593	0·453
DIVISIONS.										
I.	NORTHERN	126,478	3065	2·423	236	7·7	2084	1·648	624	0·493
II.	NORTH-WESTERN	166,151	4258	2·563	279	6·6	2843	1·711	788	0·444
III.	NORTH-EASTERN	899,044	12654	3·171	1807	14·3	6804	1·705	2546	0·638
IV.	EAST-MIDLAND	567,816	18542	3·265	1794	9·7	11719	2·064	4168	0·784
V.	WEST-MIDLAND	252,918	8306	3·284	593	7·1	5584	2·188	1719	0·680
VI.	SOUTH-WESTERN	1,225,750	50280	4·038	3859	7·7	38783	2·756	11592	0·946
VII.	SOUTH-EASTERN	490,365	16569	3·379	1402	8·5	10242	2·089	4030	0·822
VIII.	SOUTHERN	202,401	6076	3·002	955	15·7	3937	1·963	1331	0·658
COUNTIES.										
1	Shetland	31,594	713	2·257	80	4·2	440	1·893	144	0·456
2	Orkney	31,027	781	2·517	50	6·4	518	1·670	179	0·577
3	Caithness	40,748	1032	2·532	118	11·4	729	1·789	199	0·488
4	Sutherland	23,109	539	2·332	88	7·1	397	1·718	102	0·441
5	Ross and Cromarty	82,018	2037	2·484	84	4·1	1267	1·545	358	0·436
6	Inverness	84,183	2221	2·640	195	8·8	1576	1·873	380	0·452
7	Nairn	8,378	247	2·949	14	5·7	154	1·839	45	0·537
8	Elgin	44,604	1212	2·717	192	15·8	786	1·672	244	0·547
9	Banff	59,477	1788	3·006	276	15·4	984	1·671	371	0·624
10	Aberdeen	251,417	8320	3·309	1176	14·1	4376	1·741	1681	0·669
11	Kincardine	36,168	1087	3·091	149	13·7	554	1·575	206	0·583
12	Forfar	247,897	8662	3·494	965	11·1	5474	2·208	1982	0·800
13	Perth	127,877	3385	2·657	339	10·0	2560	2·010	770	0·605
14	Fife	162,092	5490	3·387	415	7·5	3064	1·890	1207	0·745
15	Kinross	7,737	178	2·301	19	10·7	159	2·055	44	0·569
16	Clackmannan	22,718	827	3·641	56	6·8	462	2·084	165	0·727
17	Stirling	94,447	3658	3·873	280	7·7	2149	2·275	815	0·863
18	Dumbarton	62,721	2292	3·654	138	6·0	1437	2·291	448	0·706
19	Argyll	78,553	1971	2·506	147	7·5	1568	1·994	366	0·465
20	Bute	17,097	385	2·252	28	7·3	380	2·223	95	0·556
21	Renfrew	201,568	7787	3·861	518	6·7	5838	2·897	1793	0·895
22	Ayr	201,084	8033	3·995	633	7·9	4816	2·395	1822	0·906
23	Lanark	823,098	34410	4·181	2708	7·9	23129	2·810	7977	0·969
24	Linlithgow	41,874	1714	4·093	148	8·6	928	2·204	337	0·805
25	Edinburgh	341,032	11503	3·373	932	8·1	7308	2·143	2394	0·878
26	Haddington	37,782	1162	3·076	109	9·4	782	2·070	255	0·675
27	Berwick	36,359	1017	2·797	107	10·5	615	1·691	200	0·550
28	Peebles	12,429	362	2·921	35	9·7	190	1·529	66	0·531
29	Selkirk	20,889	811	3·882	71	8·8	424	2·030	178	0·852
30	Roxburgh	47,947	1562	3·258	181	11·6	941	1·963	344	0·717
31	Dumfries	74,605	2169	2·907	343	15·8	1544	2·070	474	0·635
32	Kirkcudbright	41,955	1229	2·929	223	18·1	747	1·780	272	0·648
33	Wigtown	37,894	1116	2·945	208	18·6	705	1·860	241	0·636

tion of our Rural Districts continues to decrease, or at least that it is less prolific than our town population.

Of the 119,700 births registered in the whole of Scotland, 10,925 were

TABLE VII.—BIRTHS IN SCOTLAND, 1855-1873; with the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births during each year, and the Proportion of Mothers who had Multiple Births.

YEARS.	TOTAL BIRTHS.		LEGITIMATE BIRTHS.		ILLEGIT. BIRTHS.		TWIN BIRTHS.	TRIPLT BIRTHS.	Proportion of Males to every 100 Females in the			Proportion of Mothers who had Multiple Births. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	...	...	104.9	104.9	104.5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105.3	105.2	106.1	77
1857	53158	50257	48632	45924	4526	4338	1300	16	105.7	105.8	104.4	76
1858	53694	50324	48743	45921	4951	4408	1262	17	106.6	106.1	110.2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105.2	104.7	110.0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106.2	106.1	107.3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104.2	103.7	108.5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106.6	106.5	107.3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105.8	105.7	107.3	84
1864	57374	54959	51644	49492	5780	5467	1332	12	104.4	104.3	104.3	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106.1	106.2	105.4	81
1866	58360	55307	52386	49608	5974	5699	1366	12	105.5	105.6	104.8	81
1867	58517	55527	52751	50145	5766	5382	1365	13	105.4	105.1	107.1	82
1868	59222	56292	53375	50785	5847	5507	1443	15	105.2	105.1	106.1	78
1869	58321	55038	52711	49577	5610	5456	1407	15	105.9	106.3	102.8	78
1870	58959	56481	53254	51028	5705	5408	1384	9	104.4	104.8	105.6	81
1871	60029	56099	54220	50831	5809	5268	1299	17	107.0	106.7	110.3	87
1872	61293	57472	55641	52197	5652	5275	1333	11	106.6	106.6	107.1	85
1873	61467	58233	55925	52850	5542	5383	1410	15	105.5	105.6	103.0	84

TABLE VIII.—BIRTHS, 1873. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Five Groups of Districts, distinguishing the Sexes. Also the Number of Twin and Triplet Births.

FIVE GROUPS OF DISTRICTS.	TOTAL BIRTHS.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Principal Towns	21223	20277	41500	19312	18408	37720	1911	1869	3780	463	1
Large Towns . .	7241	6792	14033	6696	6249	12945	545	543	1088	175	-
Small Towns . .	14912	13929	28841	13722	12801	26523	1190	1128	2318	348	6
Mainland-Rural .	16344	15619	31963	14551	13865	28416	1793	1754	3547	382	3
Insular-Rural .	1747	1616	3363	1644	1527	3171	103	89	192	42	-
SCOTLAND . . .	61467	58233	119700	55925	52850	108775	5542	5383	10925	1410	15

TABLE IX.—PROPORTION OF BIRTHS IN 1873. Percentage of Births to Population, and of Illegitimate to the Total Births; also the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; with the Proportions of Mothers who bare Twins and Triplets in Scotland and the Five Groups of Districts in 1873.

FIVE GROUPS OF DISTRICTS.	Per-centage of Births to Population.	Per-centage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bare TWINS. — One in every	Proportion of Mothers who bare TRIPLETS. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Principal Towns	3.722	9.1	104.7	104.9	102.2	90	41500
Large Towns . .	4.040	7.8	106.6	107.2	100.4	80	-
Small Towns . .	3.657	8.3	107.2	107.2	105.5	83	4307
Mainland-Rural .	3.056	11.1	104.6	104.9	102.2	84	3995
Insular-Rural .	2.568	5.7	108.1	107.7	115.7	80	-
SCOTLAND . . .	3.4889	9.1	105.5	105.8	103.0	85	7980

illegitimate. The rate of illegitimacy for the whole country was accordingly 9·1 per cent. of the total births; and it is satisfactory to observe that this rate has been steadily decreasing for the last six years, and that it has not been lower since 1858. From Tables Va. and VI. all the usual information may be gathered regarding the comparative frequency of illegitimate births in various localities; but it is to Table Vb. that we would refer the reader who is inclined to regard the amount of illegitimacy in Towns or Districts as inversely proportionate to the amount of female virtue in each. It is obvious that the unmarried and widowed women living between the ages of, say, 15 and 45, are the only possible mothers of bastard children; and hence the morality of unmarried females in any locality can be more fairly gauged by comparing the numbers of possible mothers with the numbers of illegitimate children, than by contrasting the number of bastards with the total number of births. The last two columns of the Occasional Table Vb. give very different views of the frequency of illegitimacy, according as the total births, or total numbers of possible mothers, are contrasted with the registered numbers of illegitimates. It is right here to explain, that among the legitimate births are included a certain number of children, which, in accordance with the statements of the mothers, we might possibly be held warranted in relegating to the category of illegitimate children. In our Tables, however, it has been our invariable practice to enter as legitimate all children born in wedlock.

Of the 119,700 children born in Scotland in 1873, 61,467 were males and 58,233 females. For every hundred female births there were 105·5 male births. This preponderance of males is not so great as usual; and it is rather remarkable that it is decidedly more conspicuous among the legitimate than among the illegitimate births. This is quite contrary to what has been hitherto almost uniformly observed in Scotland. For every hundred legitimate female births there were 105·8 males; for every hundred illegitimate female births, only 103 males.

In England, during 1873, there were for every hundred legitimate female births, 103·9 males; for every hundred illegitimate female births, only 103·1 males.

In Holland, for every hundred legitimate female births there were 104·7 males; and for every hundred illegitimate female births, 104·2 males.

In Austria, for every hundred live and legitimate female births there were 106·4 males, while among the live illegitimate births, there were for every hundred boys, 105·6 girls.

In Sweden, for every hundred live legitimate female births there were 105·1 males; and for every hundred live illegitimate female births, 104·3 males.

Twin births occurred in Scotland 1410 times during 1873; triplet births, 15 times. Hence it appears that one mother in 84·9 gave birth to twins, and that one in 7980 bore triplets.

MARRIAGES.

The number of Marriages registered in Scotland in 1873 was 26,748, being 1107 more than were registered in 1872. This corresponds to a marriage-rate of 77·96 for every ten thousand of estimated population. So high a rate has never been recorded in these reports. The nearest approximation to it was the rate of 1872, which, however, amounted to only

normal
the next
year

75·43 per ten thousand of population. The average rate of the ten years terminating with 1872 was nearly 71·3 per ten thousand. The increase in the marriage-rate may be held as a proof that the population of the country at large was not during 1873 subjected to any very serious depressing influence, and, in particular, that there was no considerable amount of commercial distress during the greater part of the year. As has uniformly been observed in Scotland, there was an obvious connection between the density of the population and the marriage-rate in the different Groups of Registration Districts. The rate was highest in the Principal Towns, being 95 per ten thousand inhabitants, or a trifle lower than the rate experienced in 1872. In the Large Towns the rate was 90·4 per ten thousand, and much above the rate of any former year. In the Small Towns the rate of 77·5 per ten thousand likewise surpassed that of any year for which record exists.

TABLE X.—MARRIAGES, 1873. Number of Marriages contracted in Scotland and in its Five Groups of Districts according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages in each Group.

RELIGIOUS DENOMINATIONS.	Number of Marriages.						Proportion in every 100 Marriages.					
	SCOTLAND.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.	SCOTLAND.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
<i>Regular Marriages.</i> { Established Church .	12187	3728	1850	3094	3736	279	45·56	35·18	42·99	50·47	59·39	47·05
Free Church .	5806	2347	592	1038	1592	237	21·71	22·15	18·86	16·93	25·31	40·00
United Presb. Church .	3596	1455	441	1053	609	38	18·44	18·73	14·04	17·18	9·68	6·41
Roman Catholic Ch.	2451	1361	434	486	146	24	9·16	12·87	13·82	7·93	2·82	4·05
Episcopal Church .	648	426	76	83	63	-	2·42	4·02	2·42	1·35	1·00	0·00
Other Denominations	1853	1087	244	372	186	14	6·93	10·26	7·77	6·07	2·16	2·36
Denomin. not stated	10	-	-	1	9	-	0·04	0·00	0·00	0·02	0·14	0·00
Irregular Marriages .	197	190	3	3	-	1	0·74	1·79	0·10	0·05	0·00	0·13
Total Marriages .	26748	10694	3140	6130	6291	593	100·00	100·00	100·00	100·00	100·00	100·00

TABLE XI.—MARRIAGES, 1855-1873. Number of Marriages in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855-1873.

YEARS.	Total MARRIAGES.		REGULAR MARRIAGES according to Rites of the							IRREGULAR MARRIAGES.
	Number.	Percentage to Population.	Established Church of Scotland.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	2
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21869	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21301	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20697	0·666	9307	4930	2846	1778	371	990	348	27
1863	22234	0·711	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·720	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·743	10177	5636	3345	2399	476	1516	30	32
1866	23638	0·737	10392	5570	3385	2259	516	1483	41	42
1867	22618	0·697	10066	5347	3247	2039	488	1323	65	43
1868	23855	0·667	9736	5015	3244	1872	467	1403	58	60
1869	22144	0·669	9761	5095	3277	2043	450	1393	56	69
1870	23854	0·7149	10678	5465	3422	2121	538	1496	60	74
1871	24019	0·7102	10985	5404	3325	2087	551	1498	64	105
1872	25641	0·7543	11794	5661	3312	2461	579	1681	5	148
1873	26748	0·7796	12187	5806	3596	2451	648	1853	10	197

In the Mainland-Rural Districts the rate was 60·1 per ten thousand, being likewise greatly in excess of former years. In the Insular-Rural Districts alone the rate was considerably below the average of former years, and only amounted to 45·3 per ten thousand inhabitants.

TABLE XII.—Proportion of MARRIAGES, 1855-1873. Percentage of Marriages contracted in Scotland, according to the Rites of the several Religious Denominations during each of the Years 1855-1873.

YEARS.	PERCENTAGE OF REGULAR MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·07
1856	47·55	22·40	18·87	9·42	1·73	4·74	0·12	0·14
1857	47·71	22·41	18·69	8·98	1·95	4·76	0·47	0·08
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·84	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·62	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·18	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·28	2·08	6·29	0·25	0·31
1870	44·76	22·91	14·35	8·89	2·26	6·26	0·26	0·31
1871	45·73	22·50	13·85	8·69	2·29	6·24	0·26	0·44
1872	46·00	22·08	12·92	9·60	2·26	6·55	0·02	0·57
1873	45·66	21·71	13·44	9·16	2·42	6·93	0·04	0·74

TABLE XIII.—MARRIAGES, 1873. Ages of Men and Women at Marriage.

AGES.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15	-	1	-	-	-	-	-	-	-	1	-	-
15-16	-	18	-	7	-	2	-	7	-	1	-	1
16-17	4	93	2	29	1	14	-	28	1	22	-	-
17-18	26	447	9	149	2	83	9	104	6	106	-	5
18-19	180	1220	67	451	34	186	53	331	26	240	-	12
19-20	745	2007	306	887	100	256	190	503	144	395	5	16
20-21	1274	2343	490	946	188	283	326	572	261	515	9	27
21-25	9344	9809	3646	3824	1153	1131	2320	2263	2128	2382	97	209
25-30	7652	6066	3052	2395	901	692	1676	1275	1831	1506	192	198
30-35	3373	2311	1360	915	358	227	647	521	860	577	158	71
35-40	1618	1242	642	582	144	136	857	278	429	271	46	25
40-45	995	642	389	262	92	71	235	124	238	165	41	20
45-50	673	317	288	147	81	85	130	74	149	59	25	2
50-55	406	134	179	64	41	11	77	26	100	29	9	4
55-60	220	57	75	26	21	7	55	14	62	9	7	1
60-65	127	13	56	4	13	3	24	4	33	2	1	-
65-70	59	7	18	1	6	1	22	2	13	3	-	-
70-75	22	-	7	-	2	-	5	-	7	-	1	-
75-80	7	-	2	-	1	-	1	-	3	-	-	-
80-85	2	-	2	-	-	-	-	-	-	-	-	-
Not stated	21	21	4	5	2	2	3	4	10	8	2	2
TOTAL	26748	26748	10594	10594	3140	3140	6130	6130	6291	6291	593	593

The number of marriages that were registered during the year was 26748; and the number of live legitimate births registered during the same period being 108775, the births may be stated as in the proportion of 4·07 live legitimate children to each marriage. The extraordinary number of marriages during the last two years makes the above number rather lower than that obtained from the facts analysed in our Report for 1871. The marriages during 1873 in England were 205,615, the live legitimate births, 786,617; hence, for every marriage there were 3·82—a number which is, as usual, lower than that obtained from the experience of Scotland. In Sweden, a country in which the Life Statistics are believed to be kept with great accuracy, the marriages of 1873 numbered 31,257, and the live legitimate births, 117,159. From these figures it is computed that for each marriage there were 3·75 live legitimate children—a number lower than that above stated for England, and of course considerably lower than that which we have recorded for Scotland.

In Table X. will be found the number of marriages celebrated in the whole country, and in its several Groups of Registration Districts, by clergymen of each of the principal religious denominations, and likewise the

TABLE XIV.—MARRIAGES, 1873. Percentage of Men and Women at different Ages who contracted Marriage in Scotland in 1873.

AGES.	MEN.						WOMEN.					
	SCOTLAND.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular Rural.	SCOTLAND.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
15—20 years	3·57	3·62	4·86	4·11	2·81	0·84	14·15	13·90	17·28	15·87	12·16	5·73
20—25	39·69	39·05	42·71	48·17	37·97	17·88	45·43	45·03	45·02	46·24	46·05	89·80
25—30	28·63	28·81	28·69	27·35	29·11	32·89	22·68	22·62	22·03	20·80	23·94	33·39
30—35	12·61	12·85	11·40	10·55	13·51	26·64	8·65	8·64	7·22	8·50	9·17	11·98
35—40	6·05	6·06	4·59	5·82	6·82	7·76	4·64	5·02	4·32	4·54	4·81	4·21
40—45	3·72	3·66	2·98	3·88	3·78	6·91	2·40	2·48	2·26	2·03	2·62	3·37
45—50	2·51	2·72	2·58	2·12	2·37	4·21	1·19	1·38	1·11	1·20	0·94	0·84
50 and above	3·15	3·20	2·68	3·00	3·47	3·03	0·79	0·89	0·70	0·75	0·68	0·84
Not stated	0·07	0·03	0·06	0·05	0·16	0·34	0·07	0·04	0·06	0·07	0·13	0·34
TOTAL	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

TABLE XV.—MARRIAGES, 1855—1873. Number and Proportion of Men and Women in Scotland, at each quinquennial period of age, who contracted Marriage during the Years 1855—1873.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Percentage at each Age to Total Marriages.	Number who married at each Age.	Percentage at each Age to Total Marriages.
15—20 years	12489	2·95	53991	12·74
20—25	162278	38·30	193082	45·57
25—30	126332	29·82	102125	24·10
30—35	58080	12·53	87051	8·75
35—40	27763	6·55	18903	4·46
40—45	16752	3·95	9742	2·80
45—50	10571	2·49	4794	1·13
50 and above	18853	3·27	2961	0·70
Age not stated	601	0·14	1070	0·25
TOTAL	423719	100·00	423719	100·00

number registered as *irregular*, by which expression is to be understood, marriages that were registered but in which there was no previous publication of banns.

Of 26,748 marriages, 12,187 are registered as having been celebrated by ministers of the Established Church of Scotland, 5806 by ministers of the Free Church, 3596 by clergymen of the United Presbyterian Church, 2451 by Roman Catholic priests, 648 according to the forms of the Church of England, 1853 according to the customs of various other denominations, which it is deemed unnecessary to enumerate, 10 by ministers of unspecified denominations, and 197 in an Irregular manner.

TABLE XVI.—MARRIAGES in SCOTLAND, 1855-1873. Numbers.

YEARS.	Number who Married under 21 years of Age.		Number who Married				Number who Signed				Number of Marriages between					
			Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Spinsters.	Widows.	Spinsters.	Widows.
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.						
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	619		
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	605		
1857	1596	4568	8995	12513	12374	8856	18781	16064	2588	5805	17030	521	1648	601		
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	538		
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603		
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1788	558		
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517		
1862	1569	4496	8663	12206	11912	8358	18535	16405	2062	4192	17392	464	1747	501		
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	848	1856	584		
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	631		
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	642		
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	715		
1867	1532	4611	9180	12991	13414	9595	20224	17931	2394	4687	19067	578	2075	689		
1868	1459	4463	8668	12439	13169	9384	19712	17701	2143	4154	18609	484	1966	671		
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18618	625	1949	651		
1870	1744	5175	9657	13723	14176	10102	21403	19194	2451	4660	20262	653	2132	759		
1871	1821	5321	9895	13945	14124	10074	21630	19315	2389	4704	20440	610	2099	778		
1872	1978	5666	10714	14953	14927	10688	22965	20380	2676	5261	21637	798	2269	889		
1873	2229	6129	11578	15938	15175	10810	24175	21754	2573	4994	22648	813	2368	851		

TABLE XVII.—MARRIAGES in SCOTLAND, 1855-1873. Proportions.

YEARS.	Percentage who Married under 21 years.		Percentage who Married				Percentage who Signed				Proportion in every 100 Marriages between					
			Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Spinsters.	Widows.	Spinsters.	Widows.
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.						
1855	?	?	39.44	57.99	60.56	42.01	88.60	77.10	11.40	22.90	83.48	3.04	10.20	8.88		
1856	?	?	40.79	58.44	59.21	41.56	89.13	76.05	10.87	23.95	85.62	2.69	8.65	3.04		
1857	7.47	21.48	42.19	58.84	57.81	41.16	87.89	75.34	12.11	24.66	86.01	2.63	8.32	3.04		
1858	7.38	21.23	41.25	58.70	58.75	41.30	88.16	75.95	11.84	24.05	85.95	2.61	8.62	2.82		
1859	7.42	21.60	41.22	58.80	58.78	41.20	89.58	77.80	10.42	22.10	85.25	2.76	9.06	2.93		
1860	7.36	21.77	40.89	58.89	59.11	41.11	89.68	78.28	10.32	21.72	86.62	2.42	8.29	2.67		
1861	7.09	21.13	40.96	58.72	59.04	41.28	89.89	78.67	10.21	21.33	86.48	2.19	8.77	2.66		
1862	7.62	21.86	42.11	59.35	57.89	40.65	89.99	79.65	10.01	20.35	86.51	2.31	8.69	2.49		
1863	7.91	22.05	43.79	59.93	56.21	40.07	89.14	77.89	10.86	22.11	87.29	1.59	8.46	2.66		
1864	7.46	21.99	42.57	59.73	57.42	40.26	88.54	76.12	11.46	23.88	86.41	2.21	8.57	2.81		
1865	7.16	21.26	41.38	58.84	58.62	41.16	88.58	77.78	11.42	22.22	85.97	2.53	8.77	2.78		
1866	7.20	20.69	41.91	58.52	58.09	41.48	88.78	78.50	11.22	22.00	85.49	2.55	8.92	3.04		
1867	6.77	20.41	40.63	57.47	59.37	42.53	89.41	79.27	10.59	20.73	85.09	2.58	9.26	3.07		
1868	6.68	20.45	39.69	57.00	60.31	43.00	90.11	80.99	9.81	19.01	85.64	2.22	9.05	3.09		
1869	7.08	20.87	39.70	57.34	60.30	42.66	89.92	80.04	10.08	19.96	85.38	2.83	8.84	2.95		
1870	7.82	21.72	40.52	57.60	59.48	42.40	89.77	80.46	10.27	19.54	85.11	2.74	8.96	3.19		
1871	7.58	22.15	41.20	58.06	58.80	41.94	90.05	80.42	9.95	19.58	85.10	2.54	8.74	3.24		
1872	7.71	22.10	41.78	58.32	58.22	41.68	89.56	79.48	10.44	20.52	84.38	3.11	8.35	3.47		
1873	8.83	22.91	43.26	59.58	56.74	40.42	90.38	81.83	9.62	18.67	84.89	3.05	8.88	3.18		

It must not, however, be understood that these numbers warrant any deduction as to the relative strength of the various religious denominations

TABLE XVIII.—MARRIAGES, 1878. Percentage of Men and Women who signed by Writing or by Mark, of Persons under 21 years of age, and of Marriages between Persons in different conjugal conditions, in Scotland, its Groups of Districts, Divisions, and Counties; also the percentage of the same in Edinburgh and Glasgow.

1878.		Signed by Writing.		Signed by Mark.		Persons under 21 Years.		Percentage of Marriages between			
		Percent. of Men.	Percent. of Women.	Percent. of Men.	Percent. of Women.	Percent. of Men.	Percent. of Women.	Bachelors and Spinsters.	Bachelors and Widows.	Widows and Spinsters.	Widows and Widows.
SCOTLAND		90.88	81.33	9.62	18.67	8.33	22.91	84.67	3.04	8.85	3.18
GROUPS.											
PRINCIPAL TOWNS . .		89.56	77.86	10.44	22.14	8.25	22.83	82.30	4.24	9.17	4.11
LARGE TOWNS		87.29	77.48	12.71	22.52	10.35	26.21	84.96	3.34	8.02	3.53
SMALL TOWNS		90.03	81.96	9.97	18.04	9.43	25.20	85.58	2.56	8.92	2.79
MAINLAND-RURAL . .		94.93	90.30	5.07	9.70	6.96	20.35	87.27	1.51	8.77	1.73
INSULAR-RURAL . . .		76.73	61.89	23.27	38.11	2.36	10.29	88.53	1.19	7.59	1.62
DIVISIONS.											
I.	NORTHERN	94.39	85.10	5.61	14.90	2.56	10.74	90.54	1.76	5.98	1.44
II.	NORTH-WESTERN . .	74.98	58.13	25.07	41.87	1.49	10.70	87.26	0.68	10.16	1.22
III.	NORTH-EASTERN . .	97.83	93.44	2.67	6.56	5.70	19.86	86.57	2.16	8.88	2.20
IV.	EAST-MIDLAND . . .	95.15	86.49	4.85	13.51	9.19	19.08	84.72	2.45	9.41	3.24
V.	WEST-MIDLAND . . .	89.99	82.90	10.01	17.10	6.28	22.11	85.46	3.03	8.03	3.20
VI.	SOUTH-WESTERN . .	85.60	78.46	14.40	26.54	10.89	28.04	84.13	3.68	8.20	3.88
VII.	SOUTH-EASTERN . .	94.99	89.78	5.01	10.22	6.70	20.55	83.30	3.40	10.42	2.66
VIII.	SOUTHERN	96.99	98.99	3.01	6.01	6.85	17.96	85.35	1.88	9.77	2.25
COUNTIES.											
1	Shetland	98.06	74.81	6.94	25.69	4.17	4.17	88.19	2.08	6.95	2.08
2	Orkney	97.77	94.41	2.23	5.59	4.47	17.32	89.94	1.12	6.71	2.24
3	Caithness	96.48	93.47	3.52	6.53	0.05	10.55	92.46	2.51	4.52	0.50
4	Sutherland	86.27	67.65	13.73	32.35	0.98	8.82	91.18	0.98	5.88	0.98
5	Ross & Cromarty . .	70.95	53.07	29.05	46.93	1.40	8.88	88.27	0.84	9.22	1.12
6	Inverness	78.68	62.89	21.32	37.11	1.58	12.89	86.82	0.58	11.05	1.32
7	Nairn	86.67	82.22	13.33	17.78	4.44	22.22	88.88	6.67	4.44	0.00
8	Elgin	94.67	89.35	5.33	10.65	4.51	20.08	87.70	1.64	8.61	2.05
9	Banff	95.42	88.41	4.58	11.59	5.89	15.96	86.79	1.08	8.62	2.96
10	Aberdeen	98.33	95.24	1.67	4.76	6.25	20.34	86.26	2.37	8.92	2.26
11	Kincardine	98.05	95.12	1.95	4.88	3.41	16.10	86.79	1.95	10.24	0.98
12	Forfar	92.28	77.75	7.72	22.25	10.54	20.38	84.05	3.83	8.43	4.14
13	Perth	98.05	95.71	1.95	4.29	6.10	12.21	84.65	2.08	10.52	2.86
14	Fife	97.68	94.12	2.32	5.88	9.86	19.55	85.58	1.33	10.19	2.65
15	Kinross	100.00	95.45	0.00	4.55	4.54	20.45	90.91	2.27	4.54	2.27
16	Clackmannan	96.86	90.30	3.64	9.70	9.70	30.30	84.85	1.82	11.52	1.21
17	Stirling	91.90	85.40	8.10	14.60	9.57	27.24	85.08	2.58	7.24	4.05
18	Dumbarton	87.36	78.33	12.64	21.67	4.29	21.67	83.07	5.64	8.35	2.71
19	Argyll	88.53	82.24	11.47	17.76	1.91	15.03	86.61	0.82	9.56	1.91
20	Bute	91.59	85.28	8.41	14.72	4.21	7.37	85.26	3.16	7.37	8.16
21	Renfrew	84.83	70.50	15.17	29.50	8.53	26.49	82.43	3.01	8.87	5.30
22	Ayr	88.47	77.00	11.53	23.00	12.62	29.92	85.84	3.07	7.85	2.96
23	Lanark	85.12	73.20	14.88	26.80	10.29	27.83	84.12	3.96	8.12	3.77
24	Linlithgow	85.76	78.04	14.24	21.96	12.76	38.27	85.58	4.15	6.22	2.37
25	Edinburgh	95.69	90.31	4.81	9.69	6.11	29.81	82.23	3.67	11.12	2.94
26	Haddington	92.16	89.02	7.84	10.98	7.06	16.08	88.24	1.18	9.41	1.18
27	Berwick	98.50	94.00	1.50	6.00	6.50	10.50	85.00	2.00	9.50	3.00
28	Peebles	100.00	90.92	0.00	9.08	3.03	21.21	83.33	1.52	13.64	0.00
29	Selkirk	98.88	98.88	1.12	1.12	6.18	16.85	87.64	2.81	7.87	1.12
30	Roxburgh	97.97	94.48	2.03	5.52	7.27	21.22	89.53	1.45	7.56	1.45
31	Dumfries	98.73	95.78	1.27	4.22	5.06	16.67	84.60	2.11	9.28	3.16
32	Kirkcudbright . . .	97.06	95.59	2.94	4.41	6.62	16.91	81.25	2.21	12.87	1.84
33	Wigtown	92.12	87.97	7.88	12.03	9.96	17.01	85.48	1.66	10.87	2.07
EDINBURGH		96.88	92.13	3.12	7.87	4.95	18.90	82.18	3.78	11.08	2.96
GLASGOW		85.95	72.36	14.05	27.64	8.94	24.54	82.38	4.62	8.51	4.48

throughout Scotland. It often happens that in selecting the celebrant of a marriage the choice of the contracting parties is determined by necessity, convenience, or even it may be by caprice. All that can be fairly assumed from the circumstance of a marriage being registered as performed by the clergyman of any denomination of Christians, is that the parties married were understood by him to profess the faith of Christians.

Of the whole marriages, 45·56 per cent. were celebrated by ministers of the Established Church of Scotland, 21·71 per cent. by ministers of the Free Church, 13·44 by those of the United Presbyterian Church, 9·16 per cent. by those of the Roman Catholic Church, 2·42 per cent. by Episcopalian clergymen, 6·93 per cent. according to the rites of minor denominations, 0·04 per cent. according to the practice of unspecified denominations, and 0·74 per cent. in an irregular manner, without previous proclamation of banns, or without religious ceremony.

Of 26,748 men who married in 1873, the age was recorded in all but 21 instances. In 2229 cases, or 8·33 per cent. of all the marriages recorded, the husband had not attained the age of 21 years. Of the females married during the year, the ages of 21 were not ascertained, 20 were aged 60 years and upwards, and 6129, or 22·91 per cent., were under 21 years of age. One girl in the Mainland-Rural Group of Districts is stated to have been married under the age of 15 years.

In 22,648 instances, or 84·89 per cent. of all marriages, bachelors espoused spinsters; in 2368 cases, or in 8·88 per cent., widowers were united to spinsters; in 851, or 3·18 per cent. of all marriages, widowers and widows entered into wedlock; and 813 bachelors became the husbands of widows, constituting 3·05 per cent. of the whole marriages of 1873. The percentage of men and women who at the time of their marriage signed the register in writing, or merely appended their mark, is illustrated in the first four columns of Table XVIII., which thus furnish a rude approximation to the state of elementary education in each county of Scotland. It appears that in the Counties of Ross and Cromarty, and of Inverness, from 21 to 29 per cent. of men who are married sign the marriage register with a mark; while the females marrying in these counties exhibit their marks in from 37 to nearly 47 out of every hundred instances of marriage. In other parts of the country a much larger proportion of the males who marry can write their names; but in no less than ten counties one-fifth at least of the females resort to a 'mark' when called upon to sign the marriage register. Although some improvement in national education is indicated by the figures given in Table XVIII. in successive years, it is probable that some time must yet elapse before the accomplishment of writing becomes very general among the adult population of such Counties as Ross, Sutherland, and Inverness. It will naturally be some years before the recent Education Acts, which apply to the young, will produce their full effect upon men and women aged 21 and upwards.

In accordance with custom there are appended to Table XVIII. two lines in which the state of Edinburgh and Glasgow is contrasted in relation to the frequency of 'marks' in the marriage-register. Every year there seems to be some slight sign of improvement in the numbers that apply to Glasgow; but when one considers the large influx of poor and uneducated Irish children by which its population is annually recruited, it seems hopeless to expect that for a generation at least the state of education among all adults will be as satisfactory in Glasgow as in Edinburgh.

D E A T H S.

The Deaths registered in all Scotland during 1873 were 76,946, and consequently occurred at the rate of very nearly 224 for every ten thousand of estimated population. During the ten years terminating with 1872, the average death-rate for every ten thousand inhabitants of Scotland was 223, which was likewise the average death-rate of the year 1872. Hence the mortality of 1873 contrasts unfavourably with that which prevailed during the last few years.

In England, the death-rate of 1873 was 211 per ten thousand, and the mean of the ten previous years having been 226, the rate of mortality in 1873 was 15 per ten thousand of population below the average, thus indicating a more satisfactory state of public health than existed in Scotland.

TABLE XIX.—DEATHS of MALES and FEMALES in SCOTLAND, and its Five Groups of Districts, during each of the Years 1855-1873.

YEARS.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	80626	81378	11189	11517	2972	2982	4968	5052	10681	10975	821	852
1856	29418	29111	11155	11099	2708	2671	4785	4757	9855	9607	920	977
1857	30937	30969	11692	11671	2917	2943	4911	5098	10421	10285	996	972
1858	31652	31887	11770	11675	3034	3129	5046	5030	10792	10997	1010	1056
1859	30588	31126	11075	11277	2946	2829	4975	5070	10418	10672	1174	1278
1860	33610	34560	12814	13252	2972	3070	5480	5590	11169	11424	1175	1224
1861	30890	31451	11464	11685	2869	2962	5150	5216	10846	10474	1061	1114
1862	33179	34016	12270	12690	3286	3280	5368	5565	10967	11141	1288	1340
1863	35631	35850	13624	13421	3358	3422	5862	5680	11510	11999	1277	1328
1864	37010	37406	14504	14841	3544	3588	6132	6162	11722	12082	1108	1233
1865	35190	35701	14263	14252	3352	3544	5598	5668	10906	11174	1071	1073
1866	35355	35993	13742	13724	3378	3528	5777	6032	11334	11571	1124	1138
1867	34363	34705	13219	13900	3322	3454	5786	5771	10964	11022	1072	1158
1868	34662	34754	14154	13883	3359	3325	5640	5732	10522	10642	987	1152
1869	37868	38007	15744	15723	3647	3839	6022	5879	11274	11342	1181	1224
1870	36868	37299	14234	14274	3858	3854	5929	6168	11760	11894	1085	1109
1871	36827	37885	15478	15948	4003	4068	7913	8287	8527	8653	906	929
1872	37939	37855	15192	15007	4363	4240	8500	8315	8876	9217	1008	1076
1873	39037	37909	15227	14781	4766	4540	8869	8488	9155	8943	1020	1157

TABLE XX.—Percentage of MALE and FEMALE DEATHS to the Population in SCOTLAND, and its Five Groups of Districts, during each of the Years 1855-1873.

YEARS.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	2.162	2.003	2.929	2.584	2.644	2.382	2.163	1.995				
1856	2.065	1.850	2.887	2.460	2.378	2.107	2.070	1.863				
1857	2.161	1.958	2.991	2.556	2.539	2.292	2.109	1.981				
1858	2.202	2.005	2.976	2.527	2.612	2.407	2.152	1.939				
1859	2.120	1.940	2.769	2.412	2.509	2.179	2.107	1.938				
1860	2.321	2.156	3.168	2.801	2.336	2.304	2.304	2.125				
1861	2.125	1.946	2.796	2.438	2.386	2.198	2.157	1.924				
1862	2.260	2.087	2.931	2.603	2.675	2.384	2.231	2.085				
1863	2.402	2.181	3.188	2.706	2.676	2.441	2.363	2.114				
1864	2.470	2.256	3.324	2.842	2.764	2.512	2.510	2.277				
1865	2.325	2.135	3.202	2.777	2.559	2.435	2.274	2.076				
1866	2.313	2.134	3.021	2.628	2.524	2.379	2.329	2.198				
1867	2.226	2.040	2.853	2.504	2.430	2.286	2.315	2.088				
1868	2.222	2.025	2.985	2.569	2.405	2.159	2.240	2.067				
1869	2.404	2.196	3.252	2.860	2.556	2.448	2.374	2.098				
1870	2.317	2.137	2.880	2.552	2.647	2.412	2.319	2.185				
1871	2.291	2.152	3.069	2.802	2.486	2.326	2.127	2.042	1.676	1.602	1.486	1.310
1872	2.337	2.132	2.949	2.593	2.654	2.379	2.268	2.034	1.746	1.709	1.658	1.523
1873	2.381	2.117	2.895	2.510	2.855	2.511	2.343	2.056	1.803	1.661	1.684	1.554

As regards the Five Groups of Districts into which for Registration purposes it has been found convenient to divide Scotland, the deaths were,—30,008 in the Eight Principal Towns, 9306 in the Large Towns, 17,357 in the Small Towns, 18,098 in the Group of Mainland-Rural Districts, and 2177 in the Insular-Rural Districts.

The proportion of deaths to estimated population was in the Principal Towns, 26·92 per thousand, 26·79 in the Large Towns, 21·93 in the Small Towns, 17·3 in the Mainland-Rural Group, and 16·62 in the Insular-Rural Districts. It may be here remarked that in every Group, except the Principal Towns, the general death-rate of 1873 was somewhat higher than that of 1872.

It seems superfluous to occupy our space in pointing out how clearly the general death-rate of each Group of Districts is seen to be influenced by the degree of aggregation of its population. The general death-rate is, however, by no means an infallible guide to the relative salubrity of different localities. As we have in former Reports pointed out, the composition of the population in each locality is a very important element in all such comparative views. The relative numbers of infants, of adolescents, of adults, of males and of females, and the mortality that prevails among those belonging to each of these classes, should all be known before any very decided opinions as to the salubrity of different localities are warranted. The Census data for 1861 and 1871, and the information arranged in our Tables XIX.—XXVII., enable any one interested in such subjects to study the mortality of each of our Registration Groups and Principal Towns in a thorough manner. However such mortality is regarded, whether as affecting males or females, infants, children under five years of age, or persons of adult age, the doctrine appears to be amply justified which connects the general death-rate of a population with the degree of density with which it is aggregated.

The death-rate in the Eight Principal Towns of Scotland was, in 1873,

TABLE XXI.—TOWN DEATHS, 1863-1878. Annual Number of Deaths in the Eight Principal Towns of Scotland.

TOWNS.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.
Glasgow . . .	13329	13674	13914	12829	12578	13832	15648	18955	15790	14053	14499
Edinburgh . . .	4593	4678	4858	4813	4765	4781	5406	4715	5447	5484	4578
Dundee . . .	2714	3105	3000	3130	2952	2917	3564	3185	3336	3491	3281
Aberdeen . . .	1750	2139	1981	2324	1824	2029	1787	1927	1997	2119	2120
Greenock . . .	1876	1929	1675	1488	1433	1658	1750	1674	1772	1697	2220
Paisley . . .	1218	1521	1410	1345	1335	1221	1449	1852	1453	1430	1589
Leith . . .	913	928	948	924	1064	973	1169	1059	1081	1338	1084
Perth . . .	652	871	729	613	569	626	694	641	550	587	687

TABLE XXII.—Proportion of TOWN DEATHS, 1863-1878. Annual Percentage of Deaths to the Population in each of the Principal Towns of Scotland.

TOWNS.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	Mean Annual Mortality.	1873.
Glasgow .	3·22	3·25	3·25	2·93	2·82	3·04	3·37	2·96	3·29	2·87	3·104	2·91
Edinburgh	2·59	2·60	2·65	2·58	2·52	2·48	2·77	2·38	2·70	2·67	2·547	2·20
Dundee .	2·78	3·09	2·91	2·95	2·71	2·60	3·09	2·69	2·75	2·80	2·811	2·56
Aberdeen	2·27	2·73	2·48	2·66	2·20	2·41	2·09	2·21	2·26	2·35	2·386	2·31
Greenock	3·99	3·97	3·34	2·88	2·69	3·01	3·09	2·87	2·94	2·73	2·780	3·47
Paisley .	2·55	3·19	2·95	2·81	2·78	2·54	3·01	2·80	3·01	2·96	3·022	3·28
Leith .	2·39	2·37	2·36	2·24	2·51	2·24	2·63	2·82	2·81	2·79	2·358	2·21
Perth . .	2·49	2·94	2·77	2·33	2·16	2·38	2·62	2·43	2·08	2·22	2·461	2·41

26·92 for every thousand of estimated population (Table XXVIII.). The highest death-rate, 3·47 per cent., was recorded in Greenock. In Glasgow the rate was 2·91 per cent.; in Edinburgh, 2·2 per cent.; in Dundee, 2·56 per cent.; in Aberdeen, 2·31 per cent.; in Paisley, 3·28 per cent.; in Leith, 2·21 per cent.; and in Perth, 2·41 per cent. (Table XXII.). In Greenock and Paisley only these rates were higher than those furnished by the ten years ending with 1872. In Edinburgh, Leith, and Dundee, so low a death-rate had not prevailed in any one of the ten years.

The deaths in All Scotland were 76,946, and of these 39,037 occurred in males and 37,909 in females. When these numbers are contrasted with

TABLE XXIII.—AGES of MALES and FEMALES who died in SCOTLAND, and in each of its GROUPS of DISTRICTS, during the year 1873.

AGE.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	8322	6628	3580	2876	1113	876	1989	1494	1527	1256	163	126
— 2	8320	2981	1692	1458	413	426	716	664	452	386	47	47
— 3	1450	1415	680	686	179	199	338	330	237	176	16	24
— 4	951	902	449	424	130	120	199	192	156	149	17	17
— 5	695	677	306	308	79	98	176	160	123	112	11	9
0-5 Years	14788	12603	6707	5747	1914	1714	3368	2840	2495	2079	254	223
5-10	1870	1748	801	768	249	175	420	434	367	342	33	29
10-15	1055	958	429	355	137	126	247	236	220	213	22	28
15-20	1324	1262	474	475	169	155	319	299	325	298	37	40
20-30	2817	2640	1075	1116	349	336	654	567	642	544	97	77
30-40	2264	2396	1028	1001	293	290	423	501	460	517	60	87
40-50	2543	2462	1131	1114	318	320	558	480	489	491	47	57
50-60	2977	2798	1163	1156	353	312	704	617	698	637	59	76
60-70	3620	3623	1237	1323	438	399	799	804	1042	992	104	105
70-80	3629	4286	856	1156	373	448	872	1039	1384	1429	144	214
80-90	1892	2642	290	505	145	220	432	585	901	1153	124	179
90-100	273	459	30	63	21	43	68	76	121	238	33	39
100 and above	8	16	—	1	1	1	3	5	3	8	1	1
Not stated	27	16	6	1	6	1	2	5	8	7	5	2
ALL AGES	39037	37909	15227	14781	4766	4540	8869	8488	9155	8943	1020	1157

TABLE XXIV.—PERCENTAGE of DEATHS to the POPULATION at each AGE, 1873.

AGE.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	15·934	13·025	19·945	16·511	19·968	16·012	15·509	12·329	10·343	8·715	10·773	8·273
— 2	7·825	6·788	11·369	10·114	8·614	9·161	6·811	6·332	3·328	2·954	3·333	3·618
— 3	3·076	3·039	4·581	4·658	3·653	4·105	2·922	3·002	1·655	1·292	1·051	1·615
— 4	2·053	1·998	3·091	2·982	2·715	2·593	1·771	1·728	1·104	1·093	1·043	1·092
— 5	1·542	1·553	2·211	2·259	1·721	2·058	1·612	1·514	0·878	0·828	0·644	0·583
0-5 Years	6·242	5·498	8·819	7·746	7·762	7·107	5·921	5·138	3·524	3·046	3·261	3·023
5-10	0·893	0·857	1·288	1·247	1·160	0·838	0·825	0·876	0·550	0·529	0·420	0·395
10-15	0·543	0·516	0·758	0·637	0·695	0·668	0·524	0·522	0·351	0·364	0·282	0·382
15-20	0·774	0·736	0·874	0·803	0·973	0·872	0·799	0·768	0·608	0·594	0·598	0·615
20-30	1·082	0·884	1·069	0·988	1·261	1·088	1·185	0·872	0·913	0·681	1·320	0·752
30-40	1·198	1·046	1·489	1·219	1·490	1·231	1·016	0·979	0·875	0·855	0·928	0·689
40-50	1·688	1·374	2·294	1·842	2·040	1·801	1·617	1·183	1·064	0·974	0·881	1·085
50-60	2·952	2·090	3·608	2·778	3·240	2·466	2·782	2·019	1·861	1·494	1·298	1·217
60-70	4·900	3·792	6·778	4·925	6·652	4·623	4·734	3·647	3·706	3·007	2·766	2·197
70-80	10·255	8·639	13·198	9·950	13·411	10·646	10·544	9·017	9·147	7·527	5·882	5·720
80-90	22·757	19·746	26·752	21·227	26·459	21·696	24·913	20·447	21·880	19·533	16·387	15·911
90-100	48·271	36·673	37·975	36·500	65·625	45·745	54·400	34·081	42·606	38·720	46·479	35·455
100 and above	50·000	29·630	0·000	8·491	65·890	18·483	28·572	55·555	29·703	36·864	41·264	47·398
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
TOTAL	2·381	2·117	2·895	2·512	2·915	2·516	2·343	2·066	1·803	1·661	1·683	1·644

the estimates of male and female population which are contained in Table II., it is found that for every thousand persons the deaths amounted to 22·43; for every thousand males, 23·81; and for every thousand females only 21·17. The general death-rate for males is consequently higher than in 1872; that for females is, however, rather less than it was last year. It is of course well understood that the male deaths are always more numerous than the female. For every hundred females born in Scotland there are at least 105·5 male births, yet our estimates of population, founded upon the Census enumeration of 1871, show that for every hundred males living at the middle of 1873 there were living fully 109·2 females. The preponderance of male births, we have good reason to believe, has been annually occurring for generations; hence the present redundancy of the female population can only have been brought about by a comparatively rapid disappearance of the male population. This may, perhaps, be in some slight degree due to the greater numbers of males that emigrate; but it is perfectly understood that the greater mortality of the males at almost every period of life is the only cause that deserves serious consideration, when we seek for an explanation of the living females having become more numerous than the living males. This cause is effective in every district of Scotland, as reference to Tables XIX.—XXV. will clearly show. It is most instructively illustrated by Table XXIV. From this Table it may readily be seen that during the first year of life, that in which deaths are by far most numerous, the mortality of males greatly exceeded that of females, not only in Scotland at large, but in every one of its Five Groups of Registration Districts. During the second year of life, there was an excess of male mortality in all the Groups except the Large Towns and the Insular-Rural Districts. During the third year of life, the death-rate of females exceeded that of males in all the Town Districts, though not in either of the Rural Groups; but during the fourth year of life, the deaths of males again preponderated. Of those aged between four and five years, the females died at a comparatively high rate in the Principal Towns and Large Towns, and although elsewhere the male mortality was the larger, yet the influence of the large numbers constituting the population of the great towns causes the

TABLE XXV.—PERCENTAGE OF DEATHS at each AGE to the TOTAL DEATHS, 1873.

AGE.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	21·32	17·48	23·51	19·46	23·35	19·30	21·86	17·60	16·68	14·04	15·98	10·89
— 2	8·50	7·86	11·11	9·86	8·67	9·38	8·07	7·82	4·94	4·32	4·61	4·06
— 3	3·71	3·73	4·47	4·64	3·76	4·38	3·81	3·89	2·59	1·97	1·57	2·07
— 4	2·44	2·38	2·95	2·87	2·73	2·64	2·24	2·26	1·70	1·67	1·67	1·47
— 5	1·78	1·79	2·01	2·05	1·66	2·05	1·98	1·89	1·34	1·25	1·08	0·78
0—5	37·75	33·24	44·05	38·88	40·17	37·75	37·96	33·46	27·25	23·25	24·91	19·27
5—10	4·79	4·61	5·26	5·20	5·22	3·85	4·74	5·11	4·01	3·82	3·24	2·51
10—15	2·70	2·58	2·72	2·40	2·87	2·78	2·78	2·78	2·40	2·38	2·16	2·42
15—20	3·39	3·33	3·11	3·21	3·55	3·41	3·60	3·52	3·55	3·28	3·63	3·46
20—30	7·22	6·06	7·06	7·55	7·32	7·40	7·37	6·68	7·01	6·08	9·51	6·66
30—40	5·80	6·32	6·75	6·77	6·15	6·39	4·77	5·90	5·02	5·78	5·88	7·52
40—50	6·51	6·49	7·48	7·54	6·67	7·05	6·29	5·66	5·34	5·49	4·61	4·93
50—60	7·63	7·38	7·64	7·82	7·40	6·87	7·94	7·27	7·62	7·12	5·78	6·57
60—70	9·27	9·54	8·22	8·94	9·19	8·79	9·02	9·47	11·39	11·09	10·19	9·08
70—80	9·80	11·34	5·62	7·82	7·83	9·87	9·84	12·24	15·13	15·99	14·11	18·49
80—90	4·85	6·97	1·90	3·42	3·04	4·85	4·87	6·89	9·84	12·89	12·15	15·46
90—100	0·70	1·21	0·20	0·43	0·44	0·95	0·77	0·90	1·32	2·66	3·24	3·87
100 and above	0·02	0·04	0·00	0·01	0·02	0·02	0·03	0·06	0·03	0·09	0·10	0·09
Not stated	0·07	0·04	0·04	0·01	0·13	0·02	0·02	0·06	0·09	0·08	0·49	0·17
TOTAL	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

excessive female mortality felt in them slightly to preponderate likewise in Scotland regarded as a whole.

At every period of life after the fifth year the rate of male mortality in 1873 exceeded the female rate. This must, however, be regarded as in some slight degree an exceptional circumstance, for between the ages of 10 and 15 the female death-rate is in general slightly higher than the male rate.

The subject of infant mortality is well illustrated in several of our Tables, and especially in Table XXIV., which exhibits the percentage of deaths to the population of each Group of Districts at certain ages. During the whole period of childhood, and more particularly during the first year of life, the mortality is seen to vary exceedingly in the different groups. Thus the male mortality of infants under one year of age was in the Principal Towns and Large Towns about 20 per cent.; in the Small Towns, 15½ per cent.; in the Mainland-Rural, 10·3; and in the Insular-Rural, 10·8 per cent. If attention be directed to the figures expressing the male mortality during the first quinquennial period of life, it may be seen that in the Principal Towns, it was in 1873, 8·8 per cent.; in the Large Towns, 7·8 per cent.; in the Small Towns, 5·9 per cent.; in the Mainland and Insular-Rural Districts, 3·5 and 3·3 per cent. respectively. Similar figures occur year after year in these Detailed Reports, and very clearly demonstrate that life in a crowded city is far more trying to the health of children than residence in our agricultural or island districts, accompanied as it too often must be in the latter case with poverty and privation.

But it is not merely at the earlier stages of life that the baneful effects of town life and dense aggregation of population are made manifest. If Table XXIV. be examined, it will be found that at every age, even up to the utmost limit of life, there is a decided increase of mortality as we proceed from the sparsely-peopled Insular and Mainland-Rural Districts to the Towns, and that it is in the Principal and Large Towns that this mortality has its maximum. In former years notice has been taken of the great mortality of males aged between 20 and 30 years in the Insular-Rural

TABLE XXVI.—DEATHS at different Ages in each of the Eight Principal Towns of Scotland during the Year 1873.

AGE.	Glasgow.	Edinburgh	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	3255	876	804	422	471	266	265	97
— 2	1783	402	280	181	234	135	113	22
— 3	782	134	127	90	142	78	50	18
— 4	475	85	86	49	83	58	30	7
— 5	328	67	59	30	71	33	16	5
0- 5 Years	6573	1564	1356	772	1001	570	474	144
5-10	326	159	132	111	160	127	83	21
10-15	395	87	73	60	74	55	17	23
15-20	495	120	89	69	61	70	26	19
20-30	1088	329	204	151	211	104	64	40
30-40	964	345	239	124	143	81	77	51
40-50	1053	395	239	118	139	108	83	60
50-60	1072	422	277	136	141	117	88	66
60-70	1077	507	336	190	135	152	96	67
70-80	714	428	209	239	108	137	84	98
80-90	219	198	71	132	84	57	40	44
90-100	20	24	6	18	5	9	2	9
100 and above	1	—	—	—	—	—	—	—
Not stated	2	—	—	—	3	2	—	—
ALL AGES	14499	4578	3281	2120	2220	1589	1084	637

Districts, which is so great as considerably to exceed that of males of like age in the Principal and Large Towns. The same observation again meets our view in the Tables for 1873. Perhaps it cannot be better explained than by reference to the fact, that the Deaths by Drowning constitute a considerable proportion of the deaths of males at this age in the Insular Districts. We know what a number of young fishermen annually meet a watery grave on the coasts of our islands, and it has been explained in our Report for 1872, that bodies washed ashore on our islands are presumed to have belonged to natives of the soil in which they are interred.

In Tables XXIII. and XXV. another mode of regarding the mortality in different places, and at various ages, is afforded. The numbers dying at each specified age are here contrasted with the total deaths at All Ages; and again the gradation in the death-rates of the several Groups of Districts becomes apparent. During the first five years of life, 44 per cent. of All Deaths of males occur in the Principal Towns; 40 per cent. in the Large Towns; 38 per cent. in the Small Towns; 27 per cent. in the Mainland-Rural, and 25 per cent. in the Insular-Rural Districts. It is unnecessary to review the facts of a similar nature stated for other ages; it may, however, be mentioned that the excess of male deaths between the ages of 20 and 30 in the Insular Districts, to which attention was called in the preceding paragraph, is again very distinctly brought out in Table XXV. Such deaths constitute no less than $9\frac{1}{2}$ per cent. of all male deaths occurring in the Insular-Rural Districts, while they amount to only 7 per cent. in the Mainland-Rural Districts; and in no District, except the Islands, do they constitute much above 7 per cent. of All Deaths.

Table XXV. affords likewise great facilities for estimating the comparative longevity of the inhabitants of the Five Groups of Districts. Of course implicit credence should not be accorded to the wonderful tales of extreme old age which pass current in our Highland and Island Districts; but it may be safely assumed that the number of deaths occurring at the age of seventy and upwards in each district are annually stated with great accuracy. If then the cases of females only be considered, we can find from Table XXV. that there died at the age of seventy and upwards in 1873, 19·6 per cent. of those dying in All Scotland, 11·7 per cent. in the Principal Towns, 15·7 per cent. in the Large Towns, 20·2 per cent. in

TABLE XXVII.—PERCENTAGE OF DEATHS to the POPULATION at each AGE in each of the PRINCIPAL TOWNS of SCOTLAND, in 1873.

AGE.	Glasgow.	Edinburgh	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	19·60	14·68	20·69	14·47	21·23	18·36	15·95	14·56
— 2	13·83	8·06	8·62	7·22	12·39	10·95	7·94	8·44
— 3	5·52	2·61	3·57	3·75	7·74	6·17	3·85	2·04
— 4	3·73	1·74	2·49	1·95	4·51	4·60	2·12	1·09
— 5	2·72	1·42	1·77	1·30	4·06	2·71	1·25	0·85
0-5 Years	9·66	6·09	7·76	6·10	10·50	8·87	6·52	4·54
5-10	1·50	0·74	0·89	1·04	2·13	2·28	0·56	0·72
10-15	0·79	0·44	0·54	0·63	1·18	1·01	0·34	0·85
15-20	0·99	0·56	0·65	0·75	1·05	1·32	0·59	0·75
20-30	1·08	0·80	0·88	1·00	1·71	1·31	0·71	0·95
30-40	1·41	1·20	1·40	1·09	1·58	1·37	1·11	1·48
40-50	2·14	1·91	2·21	1·36	2·32	2·82	1·76	2·06
50-60	3·41	2·83	3·35	2·02	3·67	3·42	2·82	3·14
60-70	6·10	5·26	6·73	3·93	5·97	6·42	5·28	4·48
70-80	11·86	10·01	11·24	10·68	12·63	12·95	11·59	12·02
80-90	19·73	24·21	22·19	24·40	20·73	27·67	30·77	26·35
90-100	21·74	38·10	20·00	42·86	25·00	47·37	28·57	56·25
100 and above	12·50	—	—	—	—	—	—	—

the Small Towns, 31·7 per cent. in the Mainland-Rural Districts, and 37·6 per cent. in the Insular-Rural Group.

NOTE.—In reference to Table XX., the last four columns of which are left blank, except for the years 1871, 1872, and 1873, it is necessary to explain that the alterations upon the constitution of the Mainland and Insular-Rural Districts have been such that we do not feel justified in attempting to adjust the numbers of males and females in these Districts between 1855 and 1870.

CAUSES OF DEATH.

The total number of registered Deaths was 76,946, but the actual cause of death was certified so as to be available for statistical purposes in only 75,397 cases; hence 1549 deaths, or 2·05 per cent. of all that occurred, were due to Unspecified Causes. In must not, however, be inferred that a medical certificate stating the cause of death was obtained in almost every instance; on the contrary, the authority for the assigned cause of death is frequently obtained by the Registrars from the parents, relatives, or intelligent friends of the deceased, but effect is never given to their information when medical testimony can be procured. Whenever a certificate from a duly registered medical practitioner is forthcoming, it is the duty of the Registrar to record the fact. Of course the sparseness of the population, and the scarcity of medical men, render the occurrence of deaths from Unknown or Unspecified Causes more frequent in some parts of the country than in others. In Edinburgh, the percentage of Deaths from Unspecified Causes in 1873 was only 0·2, while in the Insular-Rural Districts it was nearly 13·4, and in Shetland alone about 13·9.

The deaths from Diseases of the Zymotic Class were 14,956, constituting 19·84 per cent. of all deaths from Specified Causes. This mortality from Zymotic Diseases is considerably lower than that which we have had occasion of late years to report. On referring to Table XXVIII. it will be seen that these diseases proved fatal to 469 out of every hundred thousand males, to 423 out of a like number of females, and to 445 out of every hundred thousand persons in Scotland.

In Table XXXII. the principal Zymotic Diseases are so arranged as to show, firstly, the number of deaths which each has caused at five different periods of life; and, secondly, the percentage of deaths from each cause at each period. When it is considered that the contagious exanthemata, and such diseases as Hooping-cough, Croup, and Diarrhoea are classified among the Zymotic Diseases, it is only natural to expect that an enormous proportion of deaths from this class of complaints must be found among infants and children. Such indeed is the case, and of the total deaths from Zymotic Diseases that were registered in 1873, fully 73 per cent. occurred among persons under 15 years of age, and nearly 58 per cent. among children under five years old. There are, however, certain diseases in this class which do not obey this law. Thus, of the deaths from the Group of Fevers, including five distinct forms of disease, at least 58 per cent. are seen to have taken place among persons aged 15 and upwards; and if the deaths from Typhus and Typhoid Fevers only be reviewed, it will be found that about 63 per cent. of them occurred among adults. Smallpox too is another important exception to the law—not, as we have excellent reason for believing, because the young are less liable to suffer from Smallpox than the old, but because such is the protective influence of vaccination,

that a fatal case of Smallpox in a vaccinated child is now fortunately a rarity. There can be little doubt that an unvaccinated child is more likely to contract, and to die of, Smallpox than an unvaccinated adult.

To children during the first five years of life, Hooping-cough was the most fatal Zymotic, and more than 94 per cent. of deaths from this cause took place at this tender age. Diarrhœa was next in order of fatality, and of a hundred deaths from this cause, nearly 67 per cent. occurred at ages under five years. Next followed Scarlatina, with 60 per cent., and Measles, with 91 per cent. of deaths at this early age; then Croup and Diphtheria with 88 and 66 per cent. of deaths respectively. In this brief review the diseases are ranged according to the number of deaths which each caused at the first period of life in Table XXXII.

Between the ages of 15 and 60, there were 1203 deaths from Fevers, constituting very nearly 49 per cent. of all registered deaths from these complaints; there were likewise 683 deaths from Smallpox, being nearly 67 per cent. of all that occurred. It may be here observed that the benefits of vaccination were not secured by statute to children in Scotland till 1864; and consequently the proportion of the unvaccinated among the members of the population aged between 15 and 60 must in 1873 have been far greater than in a few years it will become.

Among persons above 60 years of age there were 463 deaths from Diarrhœa, being $21\frac{1}{2}$ per cent. of all deaths from this cause; 228 deaths from Fevers, or 9 per cent. of all that occurred; 144 deaths from Dysentery, or 49 per cent. of all fatal cases.

For every hundred thousand persons living in the Principal Towns, there were from Zymotic Diseases 591 deaths. In the other Groups of Districts the rates were: 557 in the Large Towns, 456 in the Small Towns, 265 in the Mainland; and 256 in the Insular-Rural Group.

We have next to pass in review the deaths from Zymotic Diseases registered in each of the Eight Principal Towns of Scotland. In doing this, it will be merely necessary to note the chief particulars contained in Tables XXX. and XXXI., and to arrange the towns as in former Reports according to the proportion of the population of each which was in 1873 destroyed by diseases of the Zymotic Class.

(1.) In Greenock Zymotic Diseases cut off 1118 of every hundred thousand inhabitants, and thus caused 32·25 per cent. of All Deaths that occurred. Smallpox, with 9·14 per cent., Scarlatina with 6·05 per cent., Measles with 4·11 per cent., and Fevers (principally Enteric) with 3·23 per cent. of All Deaths, were the ruling epidemics.

(2.) In Paisley the Zymotic deaths were 832 to every hundred thousand of estimated population, and constituted 25·36 per cent. of the mortality from All Causes. Scarlatina alone caused 13·64 per cent. of all deaths. Other epidemic disorders appear to have been comparatively in abeyance. Even Fevers contributed only 2·29 per cent. to the general mortality.

(3.) In Glasgow there were 631 Zymotic deaths for every hundred thousand persons living, and the deaths of this class consequently amounted to 21·82 per cent. of the total mortality of the city. Measles and Scarlatina each caused 4 per cent. of the deaths from All Causes; Diarrhœa, 3·23 per cent.; Fevers, and especially Enteric Fever, 2·59 per cent.; Hooping-cough, 2·12 per cent.; and Smallpox, 1·58 per cent.

(4.) In Dundee the Zymotic deaths were 578 to every hundred thousand inhabitants, and thus bore the proportion of 22·57 per cent. to the gross mortality. By far the most fatal epidemic disorder was Diarrhœa, which accounted for 6·5 per cent. of all deaths. Next in order of fatality are

found Fevers (Typhus being by far the most frequent form), causing 3·44 per cent. of the deaths; Diphtheria, with 3·2 per cent.; Hooping-cough, with 1·98 per cent.; and Scarlatina, with 1·13 per cent.

TABLE XXVIII.—Proportion of Deaths from different Diseases to every

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SCOTLAND.			PRINCIPAL TOWN DISTRICTS.			LARGE TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2243	2381	2117	2692	2895	2510	2679	2855	2516
1. Zymotic Class . . .	445	469	423	591	639	548	557	579	536
2. Uncertain Seat . . .	83	71	93	84	71	96	89	80	98
3. Tubercular Class . . .	858	866	846	448	462	486	460	466	455
4. Nervous System . . .	215	232	199	258	285	235	261	287	237
5. Organs of Circulation . . .	134	145	124	146	153	140	151	154	148
6. Respiratory Organs . . .	873	406	842	524	571	481	455	511	408
7. Organs of Digestion . . .	155	167	144	173	183	164	186	206	168
8. Urinary Organs . . .	41	59	24	46	65	29	34	47	22
9. Generative Organs . . .	16	-	31	19	-	85	15	-	84
10. Locomotive Organs . . .	15	18	13	18	23	13	16	21	11
11. Skin, etc.	8	3	3	4	3	4	3	4	2
12. Malformation	7	9	6	7	9	6	6	7	6
13. Premature Debility . . .	112	132	93	138	168	112	143	173	116
14. Atrophy	17	15	18	19	19	19	25	23	26
15. Age	185	158	214	118	86	187	190	158	220
16. Sudden Deaths . . .	4	4	4	6	7	4	6	7	5
17. Violent Deaths . . .	84	132	41	99	152	51	82	123	85
Small-pox	33	41	26	42	54	32	75	89	62
Measles	43	44	42	81	89	74	46	42	50
Scarlatina	66	72	61	102	111	94	56	59	54
Diphtheria	36	37	34	85	87	35	42	44	41
Hooping-cough	48	45	50	57	56	58	67	58	76
Croup	34	40	28	38	45	32	46	55	37
DIARRHŒA	64	68	61	96	105	89	78	75	82
Dysentery	9	10	8	8	8	8	18	15	11
Cholera	4	5	2	4	6	3	7	10	4
Influenza	4	8	4	3	2	4	3	2	8
ALL FEVERS, viz.	78	76	70	84	94	73	83	92	73
Typhus	19	20	17	28	31	25	17	21	14
Enteric	44	46	43	48	50	36	57	66	48
Relapsing	1	1	1	1	1	1	1	1	2
Continued	6	5	6	7	6	8	6	4	7
Infantile	3	4	3	5	6	3	2	1	2
Metria	7	-	14	10	-	19	8	-	16
Erysipelas	9	11	8	12	13	11	10	13	7
Droopy	19	18	20	19	19	20	21	18	24
Cancer	46	34	57	44	29	58	49	39	58
Scrofula	21	23	19	27	29	26	20	24	15
Tabes Mesenterica	30	36	24	40	51	31	42	44	43
PHTHISIS	246	240	252	304	294	313	300	281	318
Hydrocephalus	58	67	51	77	88	67	98	116	83
Apoplexy	49	61	47	61	63	59	50	51	49
Paralysis	63	64	62	59	63	54	78	82	74
Epilepsy	8	8	8	9	11	8	11	10	12
Convulsions	33	37	29	49	58	42	46	56	37
BRONCHITIS	247	255	240	369	390	350	304	307	300
Pneumonia	90	111	70	118	140	97	117	157	80
Teething	23	25	21	35	38	33	24	22	25
Enteritis	27	31	24	30	34	26	37	42	33
All Liver Diseases	35	37	33	37	40	35	40	43	36
CHILDBIRTH	10	-	19	12	-	24	8	-	16
Burns and Scalds	8	8	7	9	10	8	7	7	7
Drowning	19	34	6	17	32	4	20	35	5
Fracture & Contusion . . .	31	56	9	41	72	12	31	57	7

(5.) In Aberdeen the Zymotic Diseases were fatal to 492 out of a hundred thousand living, and caused 21·27 per cent. of deaths from All Causes. To Scarlatina, 4·92 per cent.; to Hooping-cough, 3·92 per cent.;

Hundred Thousand Persons of the Population in 1873, allowing for Causes not specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS to every 100,000 Persons living.								
	SMALL TOWN DISTRICTS.			MAINLAND- RURAL DISTRICTS.			INSULAR-RURAL DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2193	2343	2143	1780	1803	1661	1662	1683	1644
1. Zymotic Class . . .	456	477	436	265	272	257	256	251	259
2. Uncertain Seat . . .	80	71	89	83	72	93	71	57	83
3. Tubercular Class . .	855	870	840	236	242	230	236	251	221
4. Nervous System . . .	212	217	206	168	178	159	107	150	68
5. Organs of Circulation .	132	151	114	128	138	119	47	59	86
6. Respiratory Organs . .	326	363	292	238	256	222	197	181	210
7. Organs of Digestion . .	160	171	150	130	143	118	81	80	81
8. Urinary Organs . . .	38	51	26	41	62	21	27	49	8
9. Generative Organs . .	16	-	30	14	-	27	16	-	29
10. Locomotive Organs . .	12	15	11	13	15	12	27	27	28
11. Skin, etc.	3	3	2	3	8	2	2	-	8
12. Malformation	10	12	7	7	7	6	1	2	-
13. Premature Debility . .	119	141	98	75	82	67	46	68	31
14. Atrophy	19	16	22	11	10	12	11	2	18
15. Age	165	143	186	244	205	282	464	382	565
16. Sudden Deaths . . .	2	1	2	3	3	2	2	4	-
17. Violent Deaths . . .	89	140	42	69	109	32	62	110	20
Small-pox	33	43	24	18	14	11	16	19	13
Measles	35	35	36	10	9	11	14	11	16
Scarlatina	69	78	61	32	34	31	35	42	29
Diphtheria	42	42	42	32	35	29	16	17	15
Hooping-cough	52	48	55	29	29	29	41	36	44
Croup	38	45	31	21	25	17	37	34	39
DIARRHŒA	59	63	54	34	36	33	12	15	10
Dysentery	10	11	10	7	9	6	8	6	10
Cholera	4	5	3	2	3	1	-	-	-
Influenza	3	4	3	4	4	4	10	10	10
ALL FEVERS, viz.	82	78	84	55	54	56	55	44	61
Typhus	15	15	15	11	11	11	22	25	20
Enteric	55	50	59	37	37	37	26	17	34
Relapsing	2	2	1	-	-	-	2	2	2
Continued	6	6	6	4	3	5	5	-	5
Infantile	4	5	3	3	3	3	-	-	-
Metria	7	-	14	5	-	10	4	-	7
Erysipelas	9	15	6	8	9	7	3	4	2
Dropsy	19	17	21	18	18	17	30	23	36
Cancer	45	36	54	48	36	59	35	29	41
Scrofula	22	25	19	16	18	14	9	10	8
Tuberc. Mesenterica . .	27	32	23	18	22	15	11	17	7
PHTHISIS	248	242	250	172	171	173	197	200	194
Hydrocephalus	58	69	48	30	31	28	19	25	13
Apoplexy	49	51	47	38	41	36	19	29	11
Paralysis	68	63	72	62	60	64	36	49	24
Epilepsy	8	5	11	6	6	6	8	10	7
Convulsions	26	27	26	16	17	16	17	21	11
BRONCHITIS	209	216	203	145	145	145	33	78	86
Pneumonia	33	103	64	62	80	46	30	25	34
Teething	23	28	19	11	13	9	2	2	2
Enteritis	32	35	30	21	25	17	8	11	5
All Liver Diseases . . .	33	33	34	33	35	31	29	32	26
CHILDBIRTH	9	-	17	7	-	15	11	-	21
Burns and Scalds . . .	8	8	9	6	6	5	4	4	5
Drowning	20	34	7	21	34	8	28	59	2
Fracture & Contusion . .	30	58	8	25	43	8	16	25	8

to Fevers, 3·64 per cent.; to Diarrhoea, 2·88 per cent.; and to Diphtheria, 118 per cent. of the total deaths were attributed.

(6.) In Leith the Zymotic deaths were 439 per hundred thousand of

TABLE XXIX.—Proportion of Deaths from different

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SCOTLAND.			PRINCIPAL TOWN DISTRICTS.			LARGE TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class . . .	1984	1969	1998	2194	2206	2182	2079	2029	2130
2. Uncertain Seat . . .	369	300	439	318	244	383	333	278	389
3. Tubercular Class . . .	1585	1536	1635	1666	1595	1738	1718	1680	1808
4. Nervous System . . .	958	973	942	959	984	935	975	1005	948
5. Organs of Circulation . . .	598	608	588	543	530	556	563	538	590
6. Respiratory Organs . . .	1661	1705	1615	1945	1972	1918	1697	1789	1600
7. Organs of Digestion . . .	691	700	681	643	683	654	695	722	666
8. Urinary Organs . . .	181	246	115	171	225	115	127	165	87
9. Generative Organs . . .	72	-	145	69	-	140	56	-	114
10. Locomotive Organs . . .	68	76	59	65	78	52	59	78	45
11. Skin, etc.	13	14	12	13	12	14	10	18	7
12. Malformation	32	36	28	27	30	24	23	24	22
13. Premature Debility . . .	498	555	439	514	580	447	535	606	460
14. Atrophy	74	64	85	69	65	74	92	81	103
15. Age	823	641	1010	420	298	545	711	555	874
16. Sudden Deaths . . .	17	19	15	21	24	18	22	24	20
17. Violent Deaths . . .	877	556	192	364	525	204	307	467	141
Small-pox	149	174	124	157	186	126	281	318	248
Measles	192	187	198	302	307	297	172	146	199
Scarlatina	295	302	288	379	384	374	210	206	215
Diphtheria	159	157	162	182	126	137	159	154	163
Whooping-cough	212	189	235	212	192	231	250	201	302
Croup	150	166	134	142	155	129	171	193	147
DIARRHŒA	285	284	286	358	362	354	292	261	324
Dysentery	39	40	38	29	27	30	48	51	45
Cholera	16	20	12	15	20	11	26	34	18
Influenza	16	14	18	11	9	14	11	9	13
ALL FEVERS, viz.	326	321	331	308	324	294	309	324	293
Typhus	83	84	82	104	108	101	65	73	56
Enteric	198	194	202	158	171	145	211	229	192
Relapsing	4	4	4	3	8	8	4	2	7
Continued	25	21	30	26	20	33	22	15	29
Infantile	16	18	13	17	22	12	7	5	9
Metria	33	-	68	37	-	75	31	-	63
Erysipelas	42	47	37	43	44	42	37	45	29
Dropsy	86	77	96	72	67	78	79	64	94
Cancer	204	141	268	164	101	229	183	135	232
Scrofula	94	98	89	101	99	102	73	86	60
Tabes Mesenterica	132	150	115	150	176	123	155	154	156
PHTHISIS	1099	1008	1192	1129	1016	1246	1121	986	1263
Hydrocephalus	260	280	239	285	303	267	368	405	329
Apoplexy	217	215	219	227	219	235	187	178	197
Paralysis	280	267	293	218	219	216	291	287	295
Epilepsy	36	32	40	35	36	33	43	36	49
Convulsions	145	154	136	183	199	167	173	197	150
BRONCHITIS	1102	1072	1133	1369	1347	1393	1133	1076	1194
Pneumonia	399	465	333	437	485	388	486	549	320
Teething	102	106	98	131	132	131	89	77	101
Enteritis	123	132	113	111	118	103	139	143	130
All Liver Diseases	156	155	156	138	137	140	148	152	143
CHILDBIRTH	43	-	87	46	-	94	31	-	63
Burns and Scalds	34	33	34	35	36	33	25	24	27
Drowning	86	144	27	63	109	15	73	124	20
Fracture & Contusion . . .	140	233	44	151	249	50	115	199	27

population, and constituted 19·88 per cent. of deaths from All Causes. Fevers were the most fatal epidemic diseases, causing 5·08 per cent. of the total deaths. It may be here remarked that in Dundee, Leith, and Perth the most

Diseases to the Total Deaths from Specified Causes in 1873.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SMALL TOWN DISTRICTS.			MAINLAND- RURAL DISTRICTS.			INSULAR-RURAL DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class . . .	2077	2085	2121	1543	1516	1550	1543	1507	1574
2. Uncertain Seat . . .	866	803	483	478	899	559	480	842	505
3. Tubercular Class . . .	1617	1581	1654	1366	1345	1388	1421	1507	1347
4. Nervous System . . .	965	927	1004	974	991	957	642	902	416
5. Organs of Circulation . . .	601	645	555	741	767	715	281	354	218
6. Respiratory Organs . . .	1486	1548	1421	1880	1423	1836	1182	1073	1277
7. Organs of Digestion . . .	730	728	732	753	798	708	488	479	495
8. Urinary Organs . . .	174	219	128	236	347	124	164	297	49
9. Generative Organs . . .	72	-	148	81	-	164	95	-	178
10. Locomotive Organs . . .	57	62	52	77	81	73	164	160	168
11. Skin, etc.	12	14	10	15	19	10	11	-	20
12. Malformations	44	52	36	38	40	36	5	11	-
13. Premature Debility . . .	542	603	479	432	458	405	276	377	188
14. Atrophy	87	70	106	62	53	70	64	11	109
15. Age	755	610	906	1415	1139	1697	2853	2295	3836
16. Sudden Deaths . . .	9	8	11	16	19	14	11	23	-
17. Violent Deaths . . .	405	596	206	402	605	194	371	662	119
Small-pox	150	182	116	74	79	68	95	114	79
Measles	161	148	174	58	52	65	85	68	99
Scarlatina	315	332	296	188	190	186	212	251	178
Diphtheria	190	178	203	184	195	173	95	103	89
Whooping-cough	235	205	267	166	159	173	244	217	267
Croup	173	193	151	123	141	105	223	205	237
DIARRHŒA	267	270	264	199	198	201	74	91	59
Dysentery	48	48	47	43	49	37	48	34	59
Cholera	19	22	17	10	15	6	-	-	-
Influenza	14	15	13	23	20	25	58	57	59
ALL FEVERS, viz.	373	339	410	321	304	339	335	296	267
Typhus	69	66	73	66	63	69	133	148	119
Enteric	250	213	289	213	207	221	159	103	108
Relapsing	7	10	4	2	1	2	11	11	10
Continued	28	28	28	23	18	29	32	34	30
Infantile	19	22	16	17	15	18	-	-	-
Metria	34	-	70	29	-	59	20	-	40
Erysipelas	42	53	30	45	50	40	16	23	10
Dropsy	88	72	104	102	100	104	180	134	218
Cancer	207	154	263	278	200	358	212	171	247
Scrofula	98	105	91	93	100	85	53	57	50
Tuberc Mesenterica . . .	125	136	114	104	120	89	69	103	40
PHthisis	1180	1047	1216	996	950	1043	1188	1199	1188
Hydrocephalus	264	298	233	173	175	171	111	148	79
Apoplexy	223	217	228	223	229	216	116	171	69
Paralysis	310	269	353	357	332	383	217	296	149
Epilepsy	35	19	52	33	32	35	48	57	40
Convulsions	120	116	125	94	98	96	96	126	69
BRONCHITIS	953	921	986	840	808	873	498	468	525
Pneumonia	378	441	313	361	442	277	180	148	208
Teething	107	120	94	64	72	57	11	11	10
Enteritis	146	148	144	119	138	100	48	68	30
All Liver Diseases . . .	153	143	163	190	195	185	175	194	153
CHILD BIRTH	41	-	84	43	-	88	69	-	129
Burns and Scalds	38	35	42	33	33	32	27	23	30
Drowning	89	144	32	120	192	47	170	354	10
Fracture & Contusion . .	186	228	40	144	238	48	95	148	50

prevalent form of Fever during 1873 was Typhus, although in most of the other large towns, in Scotland viewed as a whole, and in every one of its Five Registration Group of Districts, Enteric Fever seems to have caused a far greater number of deaths. 4·44 per cent. of the total mortality of Leith was due to Diarrhœa; 2·31 per cent. to Croup and to Measles; 2·22 per cent. to Hooping-cough; and 1·2 per cent. to Scarlatina.

(7.) In Edinburgh the Zymotic deaths removed 390 out of every hundred thousand of estimated population, constituting 17·73 per cent. of the whole mortality of the city. Fevers seem to have been the most destructive epidemic, causing 3·7 per cent. of all deaths registered: 3·52 per cent. of deaths were due to Diarrhœa; 2·95 per cent. to Measles; 2·01 per cent. to Hooping-cough; 1·16 per cent. to Scarlatina; and 1·03 per cent. to Croup.

(8.) In Perth the Zymotic deaths to a hundred thousand of population were 381, or 13·72 per cent. of All Deaths. Fevers (chiefly Typhus) caused 4·41 per cent. of the gross mortality; Diarrhœa, 3·78 per cent.; Croup, 1·1 per cent.

Small-pox, during 1873, was still epidemic in some parts of Scotland. The total deaths attributed to this disease were 1126, being 33 out of every hundred thousand of the population of the whole country, and 1·49 per

TABLE XXX.—Proportion of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland during the year 1873, allowing for causes not specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of Deaths to every 100,000 Persons living.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
TOTAL DEATHS . . .	2893	2198	2558	2314	3467	3281	2208	2409
Zymotic Class . . .	631	390	578	492	1118	832	489	831
Tubercular Class . . .	584	354	358	331	436	562	327	414
Brain, etc.	255	246	243	269	296	309	228	308
Heart, etc.	132	178	148	127	160	138	125	232
Respiratory Organs . .	680	397	510	368	511	454	451	350
Organs of Digestion . .	195	126	148	148	195	250	161	148
Premature Debility . .	147	101	181	102	179	125	181	118
Old Age	82	103	124	164	119	266	102	255
Violent Deaths . . .	105	74	98	78	179	98	76	84
Small-pox	46	7	11	1	317	19	6	—
Measles	116	65	20	23	143	52	51	11
Scarlatina	116	25	29	114	210	447	27	4
Diphtheria	33	16	82	27	64	31	8	19
Hooping-cough	61	44	60	91	62	19	49	8
Croup	40	23	51	28	50	52	51	27
Diarrhœa	93	77	166	67	90	82	98	91
Dysentery	7	4	17	9	8	8	4	19
Cholera	8	7	2	2	10	4	6	—
Fevers, viz.	75	81	88	84	113	76	112	106
Typhus	14	37	54	36	16	17	59	65
Enteric	50	40	31	36	50	23	35	30
Relapsing	1	1	1	1	—	2	2	—
Continued	6	1	—	3	42	21	8	11
Infantile	4	2	2	8	5	13	8	—
Dropsy	18	7	23	23	37	52	16	8
Cancer	33	76	30	48	42	52	48	49
Phthisis	353	229	282	228	308	422	182	300
Apoplexy	56	67	66	59	80	84	29	57
Paralysis	50	55	65	54	53	111	88	103
Bronchitis	455	260	358	275	301	332	323	228
Pneumonia	133	95	133	60	167	84	102	103
Teething	44	11	30	33	60	54	20	23

cent. of the mortality from All Diseases. There were 533 deaths from Small-pox in the county of Lanark, 227 in that of Renfrew, 85 in Ayrshire, and 67 in Stirlingshire. In other parts of the country the violence of the epidemic appeared to have expended itself during the preceding years. The town of Greenock suffered rather severely, and the disease assumed epidemic proportions likewise (though in a decidedly less degree) in Glasgow and in Paisley.

The mortality from Small-pox in the Large Towns was 75 for every ten thousand of population; in the Principal Towns, 42; in the Small Towns, and in the whole of Scotland, 33; in the Insular-Rural Districts, 16; and in the Mainland-Rural Districts, 13, in a like number of inhabitants.

Of children under five years of age 263 were cut off by Small-pox during 1873. Every physician knows what a rare event is the death, by Small-pox, of a properly vaccinated child, and it seems hardly possible to resist the conclusion that a very large proportion of these 263 deaths might have been saved but for the apathy of parents and guardians who neglected the statutory duty of securing for the infants under their charge the benefits of vaccination within a reasonable period after their birth. While again introducing the Tables XXXV. and XXXVI., which have already been published in our Tenth Annual Report on Vaccination, we feel once more

TABLE XXXI.—Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in each of the Eight Principal Towns of Scotland, during the year 1873.

DISEASES AND CLASSES OF DISEASE.	Proportion of Deaths in every 10,000 Specified Causes of Death.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Zymotic Class	2182	1773	2257	2127	3225	2536	1988	1872
Tubercular Class	1844	1613	1400	1432	1257	1714	1480	1719
Brain, etc.	880	1120	952	1163	854	943	1008	1277
Heart, etc.	455	810	576	548	462	420	564	962
Respiratory Organs	2177	1805	1995	1589	1474	1383	2044	1451
Organs of Digestion	674	571	580	638	563	765	730	615
Premature Debility	507	462	708	440	517	382	592	489
Old Age	284	468	485	709	341	809	462	1058
Violent Deaths	364	337	384	336	517	299	342	847
Small-pox	158	30	43	5	914	57	27	—
Measles	400	295	79	99	411	159	231	47
Scarlatina	400	116	113	492	605	1364	120	16
Diphtheria	114	74	320	118	184	95	87	78
Whooping-cough	212	201	235	392	180	57	222	81
Croup	137	103	198	123	143	159	231	110
Diarrhoea	323	352	650	288	258	248	444	878
Dysentery	24	17	67	38	9	25	18	78
Cholera	11	31	9	9	27	13	27	—
Fever, viz.	259	370	344	364	323	229	508	441
Typhus	47	169	210	156	46	51	268	268
Enteric	178	182	122	156	144	70	157	126
Relapsing	3	4	3	5	—	6	9	—
Continued	21	4	—	14	120	64	87	47
Infantile	15	11	9	33	13	38	87	—
Dropsy	64	83	91	99	106	159	74	31
Cancer	114	344	119	208	120	159	194	205
Phthisis	1221	1044	1101	983	887	1287	823	1246
Apoplexy	193	306	256	255	231	255	129	286
Paralysis	171	252	253	232	152	338	397	425
Bronchitis	1574	1182	1400	1187	868	1018	1461	946
Pneumonia	461	433	522	260	452	255	462	425
Teething	152	48	116	142	184	166	92	94

called upon to record here our opinion, that the period during which a newly-born child may legally be permitted in Scotland to remain unvaccinated is too long, and should be reduced to two months as in England, or at the very utmost to four months after birth. It may be gathered from our Tables that, out of 119,810 children born in 1873, there were still alive six months after birth 109,283, and that of these there had been vaccinated, as the Act directs, 105,177, or 96·243 per cent.; that 39, or 0·036 per cent., were insusceptible to vaccination in consequence of having had Small-pox; and that 163, or 0·149, were insusceptible, having been vaccinated in an irregular manner without having certificates from the operator; that 2629, or 2·406, were lost sight of and were presumed to remain unvaccinated; and finally, that in no less than 1113 instances, or 1·018 per cent., post-

TABLE XXXII.—NUMBER and PROPORTION of DEATHS at different Ages from the Zymotic and Ordinary Diseases in SCOTLAND in 1873.

DISEASES.	NUMBER OF DEATHS AT EACH AGE.						PERCENTAGE AT EACH AGE.					
	0—5 yrs.	5—10	10—15	15—60	Above 60	Total.	0—5	5—10	10—15	15—60	Above 60	Total.
Small-pox . . .	263	70	89	683	21	1126	23·4	6·2	7·9	60·6	1·9	100
Measles . . .	1320	100	13	16	1	1450	31·0	6·9	0·9	1·1	0·1	100
Scarlatina . . .	1346	639	145	94	3	2227	60·4	28·8	6·5	4·2	0·1	100
Diphtheria . . .	799	276	61	58	9	1203	66·4	22·9	5·1	4·8	0·8	100
Hooping-cough . . .	1508	82	6	1	1	1598	94·3	5·1	0·4	0·1	0·1	100
Croup . . .	992	128	8	4	—	1132	87·6	11·3	0·7	0·4	—	100
Diarrhoea . . .	1434	45	7	203	463	2152	66·7	2·1	0·3	9·4	21·5	100
Dysentery . . .	60	2	2	86	144	294	20·4	0·7	0·7	29·2	49·0	100
Cholera . . .	54	9	1	40	17	121	44·6	7·4	0·8	33·1	14·1	100
All Fevers, viz. . .	493	339	200	1203	228	2463	20·0	13·8	8·1	48·9	9·2	100
Typhus . . .	49	39	43	418	79	628	7·8	6·2	6·8	66·6	12·6	100
Enteric . . .	267	240	139	722	127	1495	17·8	16·1	9·3	48·3	8·5	100
Relapsing . . .	7	2	3	14	5	31	22·6	6·4	9·7	45·2	16·1	100
Simple Contd. . .	79	32	15	49	17	192	41·1	16·7	7·8	25·5	8·9	100
Infantile . . .	91	26	—	—	—	117	77·8	22·2	—	—	—	100
Syphilis . . .	147	—	—	29	4	180	81·7	—	—	16·1	2·2	100
Erysipelas . . .	137	4	6	82	87	316	43·4	1·3	1·9	25·9	27·5	100
All Zymotics . .	8649	1724	571	2929	1083	14956	57·8	11·5	3·8	19·6	7·3	100
All other Diseases, } exclud'g Zymotics }	18692	1894	1442	20554	19408	61990	30·1	8·1	2·3	33·2	81·3	100
Total Deaths . .	27341	3618	2013	23483	20491	76946	35·6	4·7	2·6	30·5	26·6	100

TABLE XXXIII.—Percentage of Deaths from the ZYMOTIC and ORDINARY Diseases at each Age.

AGE.	NUMBER OF DEATHS.			PERCENTAGE OF DEATHS AT EACH AGE FROM	
	Total Deaths.	Zymotic Deaths.	All other Diseases.	Zymotics.	All other Diseases.
0—5	27,341	8,649	18,692	31·7	68·3
5—10	3,618	1,724	1,894	47·7	52·3
10—15	2,013	571	1,442	28·4	71·6
15—60	23,483	2,929	20,554	12·5	87·5
Above 60	20,491	1,083	19,408	5·3	94·7
0—15	32,972	10,944	22,028	33·2	66·8
15 and upwards	43,974	4,012	39,962	9·1	90·9

ponements had on medical authority been authorized. Adding together these two last classes, it may be computed that from various circumstances 3742, constituting 3.424 per cent. of those who attained the age of six months, had been suffered to escape the provisions of the Vaccination Act.

TABLE XXXIVa.—SMALL-POX DEATHS in SCOTLAND.

YEAR.	Small-pox Deaths.	YEAR.	Small-pox Deaths.
1855	1,809	1865	388
1856	1,306	1866	200
1857	845	1867	100
1858	332	1868	15
1859	682	1869	64
1860	1,495	1870	114
1861	766	1871	1,442
1862	426	1872	2,448
1863	1,648	1873	1,126
1864	1,741		

TABLE XXXIVb.—Illustrating the MORTALITY FROM ALL CAUSES, and from SMALL-POX alone, among Children in the First Year of Life, in Scotland; distinguishing those aged between 0 and 6 months from those aged between 6 and 12 months.

N.B.—The data embraced in this Table have reference to the Ten Years, 1855–1864 inclusive, i.e., to the period immediately before that at which the Scottish Vaccination Act came into operation.

YEARS.	Children at Middle of Year.	Living at Ages from 0 to 6 mths.	Died by All Causes.	Rate per 100000.	Died of Small-pox.	Rate per 100000.	Living at Ages from 6 to 12 mths.	Died by All Causes.	Rate per 100000.	Died of Small-pox.	Rate per 100000.
1855	89498	46250	7650	14378	189	409	43243	4041	9345	242	560
1856	90025	46525	7893	16965	169	363	43500	4165	9575	226	520
1857	90522	46782	8032	17169	120	256	43740	4159	9508	144	329
1858	90963	47020	8325	17705	69	147	43963	4297	9774	44	100
1859	91408	47240	7514	16906	70	148	44168	4009	9077	92	208
1860	91797	47441	8599	18126	202	426	44356	4814	10853	220	495
1861	92237	47668	7906	16585	110	231	44569	3963	8892	118	265
1862	93067	48097	8163	16972	50	104	44970	4393	9769	71	158
1863	93965	48561	8445	17391	248	511	45404	4680	10308	188	414
1864	94840	49014	9360	19097	245	500	45826	4820	10518	168	367
Totals	918337	474598	81887	17254	1472	310	443739	43341	9769	1513	341

TABLE XXXIVc.—Illustrating the MORTALITY FROM ALL CAUSES, and from SMALL-POX alone, among Children in the First Year of Life, in Scotland, during the nine years 1865–1873; distinguishing those aged between 0 and 6 months from those aged between 6 and 12 months.

YEARS.	Living at Middle of Year.	Living at Ages from 0 to 6 mths.	Died by All Causes.	Rate per 100000.	Died of Small-pox.	Rate per 100000.	Living at Ages from 6 to 12 mths.	Died by All Causes.	Rate per 100000.	Died of Small-pox.	Rate per 100000.
1865	95732	49473	9329	18857	83	168	46259	4770	10812	19	41
1866	96624	49944	9296	18616	43	86	46690	4619	9893	21	45
1867	97523	50399	9074	18004	22	44	47124	4447	9487	9	19
1868	98434	50869	8979	17651	5	10	47565	4621	9715	8	6
1869	99352	51344	9539	18598	12	23	48008	5115	10654	5	10
1870	100278	51822	9545	18419	22	42	48456	4621	9536	11	23
1871	101208	52303	9917	18961	167	319	48905	5217	10668	39	80
1872	102149	52789	9972	18895	298	565	49360	4748	9619	80	162
1873	103101	53281	10069	18898	153	287	49820	4881	9797	25	50
Totals	894401	462214	85720	18546	805	174	432187	48039	9958	212	49

How desirable it is that this number should in future years be diminished most reasonable men will agree; and how the curtailment of the period of permissive inaction at present accorded to parents and guardians of infants would operate in securing such diminution need not again be explained.

It seems necessary here to introduce some notice of a doctrine of a very astounding and mischievous kind which is being paraded by certain anti-vaccinators in England; and which, as it wears a semblance of medical authority, it is worth while to contradict and prove to be contrary to fact. It appears that an Austrian physician of the name of Keller had medical charge, during the years 1871 and 1872, of the employés on some of the German railways, and had occasion to witness the progress of an epidemic of Small-pox among them and their families. Keller appears to have arrived at the conclusion, that the circumstance of vaccination having been performed, is a matter of absolute indifference as affecting the chances of a child's dying of Small-pox. Now a paradox like this was of course very welcome to our native anti-vaccinators, many of whom have no doubt accepted it. But before enunciating such a doctrine Dr Keller should have published the numbers of children vaccinated and unvaccinated at each age,—say under 12 months of age,—who belonged to the families of his railway employés, and should have given a separate note of all the deaths from Small-pox that occurred in each of these classes during the time over which his observations extended. This, however, Dr Keller has not done, and possibly never may do; but, till it is done, no statistician will attach much value to his doctrine regarding the inefficacy of Vaccination. It is well known that since the Vaccination Act was introduced into Scotland in 1864, less than $3\frac{1}{2}$ per cent. of all children living between the ages of 6 months and 12 months are unvaccinated. This may be at once seen by any one who carefully examines Table XXXVI. But of the somewhat larger number of children living at

TABLE XXXV.—VACCINATIONS in SCOTLAND, 1864–1878, and proportion to the Births each year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL BIRTHS.
				From Constitutional Insusceptibility.	From having had Small pox.	From previous Vaccination.			
1864	Numbers	95047	662	667	154	440	9180	2701	106851
1865	Numbers	99648	719	474	34	207	9366	2622	113070
1866	Numbers	100408	579	332	80	237	9488	2658	119667
1867	Numbers	101139	670	238	16	151	9355	2490	114044
1868	Numbers	102140	914	277	7	230	9440	2606	115514
1869	Numbers	99265	966	177	17	174	10069	2773	115441
1870	Numbers	101875	848	215	28	229	9724	2532	115446
1871	Numbers	101938	841	241	142	175	10280	2582	116184
1872	Numbers	104902	811	184	64	322	10325	2351	118959
1873	Numbers	106177	1113	162	39	163	10527	2629	119810
10 Years.	Average	101152.4	811.8	296.2	53.1	231.3	9769.9	2620.0	114938.2
1864	Percentage	87.313	0.608	0.618	0.142	0.404	8.438	2.481	100.000
1865	Percentage	88.130	0.636	0.419	0.030	0.183	8.283	2.319	100.000
1866	Percentage	88.335	0.510	0.292	0.026	0.200	8.299	2.338	100.000
1867	Percentage	88.684	0.587	0.204	0.014	0.132	8.203	2.176	100.000
1868	Percentage	88.423	0.791	0.240	0.005	0.199	8.172	2.170	100.000
1869	Percentage	87.504	0.852	0.166	0.015	0.153	8.876	2.444	100.000
1870	Percentage	88.246	0.730	0.186	0.024	0.198	8.423	2.193	100.000
1871	Percentage	87.726	0.724	0.208	0.122	0.150	8.848	2.222	100.000
1872	Percentage	88.188	0.682	0.165	0.054	0.271	8.679	1.976	100.000
1873	Percentage	87.786	0.930	0.135	0.033	0.136	8.786	2.194	100.000
10 Years.	Percentage	88.008	0.706	0.258	0.046	0.202	8.500	2.230	100.000

ages under six months, a far larger proportion, probably not less than 85 per cent., are unvaccinated. The mortality from Small-pox is, as might naturally be expected, very different in these two classes of infants. It is exhibited for each of the nine years, 1865-1873, in Table XXXIVc. In each year the result of the comparison is to the same effect; and it appears that, on an average, the Small-pox mortality of the younger exceeds that of the older class in the ratio of 3·5 to 1. But there is no difference between these two classes of infants by which this great difference in mortality can be explained except that, while the older class are with a few exceptions vaccinated, fully a third of the younger class are not so protected. The natural conclusion is, that many lives of children aged from six to twelve months would be sacrificed to Small-pox but for the protection afforded to them through the wise provisions of the Vaccination Act. A thorough anti-vaccinator, however, would certainly not accept this conclusion, but would rather seek to explain the diminished death-rate from Small-pox during the second period by reference to the acknowledged fact, that deaths from All Causes united are more frequent during the first than during the second six months of life. He would urge that the more numerous deaths from Small-pox at the earlier age are due to an assumed greater liability to Small-pox on the part of very young children. Possibly this explanation might likewise occur to a statistician professing to examine the subject dispassionately, but without reference to the probabilities suggested by accumulated medical observation. There are, however, two answers which completely demolish this assumption. In Table XXXIVc. it may be seen that the mortality from All Causes was among children under six months old *less than double* of that which prevailed among children aged between six and twelve months; while the mortality from Small-pox was among the former class *nearly four times* greater than in the latter. No rejoinder to this can be imagined, except the

TABLE XXXVI.—VACCINATIONS IN SCOTLAND, 1864-1873, deducting from the Births those who died before they could be Vaccinated, and giving the proportion of the Vaccinated to the surviving Births of each year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL LIVING
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination		
1864	Numbers .	95047	662	667	154	440	2701	99671
1865	Numbers .	99648	719	474	34	207	2622	108704
1866	Numbers .	100408	879	382	80	227	2668	104234
1867	Numbers .	101189	870	238	16	151	2480	104689
1868	Numbers .	102140	914	277	7	280	2506	108074
1869	Numbers .	199265	966	177	17	174	2778	108372
1870	Numbers .	101875	843	216	28	229	2532	108722
1871	Numbers .	101923	841	241	142	175	2682	108904
1872	Numbers .	104902	811	184	64	322	2351	108634
1873	Numbers .	106177	1113	162	39	163	2629	109288
10 Years.	Average .	101162·4	811·8	296·2	53·1	231·8	2620·0	108165·3
1864	Percentage	95·361	0·664	0·669	0·155	0·441	2·710	100·000
1865	Percentage	96·068	0·694	0·487	0·038	0·199	2·622	100·000
1866	Percentage	96·329	0·856	0·318	0·029	0·217	2·681	100·000
1867	Percentage	96·609	0·840	0·233	0·015	0·144	2·870	100·000
1868	Percentage	96·292	0·861	0·261	0·007	0·216	2·668	100·000
1869	Percentage	96·027	0·985	0·171	0·016	0·168	2·683	100·000
1870	Percentage	96·262	0·797	0·208	0·026	0·217	2·395	100·000
1871	Percentage	96·241	0·794	0·228	0·134	0·165	2·438	100·000
1872	Percentage	96·665	0·747	0·169	0·059	0·296	2·164	100·000
1873	Percentage	96·248	1·018	0·148	0·036	0·149	2·406	100·000
10 Years.	Percentage	96·184	0·772	0·283	0·061	0·220	2·491	100·000

anti-vaccinators should think proper to assert that vaccination has nothing to do with it, but that children under six months old are at least four times as prone to Small-pox as children aged from six to twelve months are. But our second answer thoroughly disposes of any such anticipated rejoinder. We simply introduce Table XXXIV*b*., which exhibits the state of matters in Scotland as regards deaths from All Causes and from Small-pox during each of the ten years 1855-1864, and we beg careful attention to the fact that during these years the Vaccination Act had not come into operation, although it became the law of the land in 1864, and had been anticipated by the voluntary efforts of many medical men who bestirred themselves in diffusing the benefits of Vaccination in 1863. It is perfectly certain that the proportion of unvaccinated children, aged between six and twelve months, must have been far higher during the years 1855-1864, than during the years 1865-1873. But what now becomes of the explanation which we have supposed an anti-vaccinator to make? Considering the deaths from All Causes in Table XXXIV*b*. we find those of the younger to bear to those of the older class of infants a ratio of less than two to one. But the average rate of mortality from Small-pox is seen to have been during these years somewhat higher among the older than among the younger infants; and that too in spite of the fact that the numbers for 1864 are included in Table (*b*). The supposition that infants under six months old are enormously more prone to Small-pox than infants between six and twelve months old is consequently quite untenable; and, on the contrary, our figures would rather tend to support the old doctrine, that there are certain contagious diseases (Small-pox being one of them) to which infants at the breast are not so subject as infants a little older are. Whatever may be the state of matters in Austria, it is tolerably clear that Dr. Keller's doctrine does not apply to

TABLE XXXVII.—DEATHS from FEVER in 1873.

FEVERS.	RURAL DISTRICTS.		TOWN DISTRICTS.	
	Deaths from each Fever.	Percentage to Total Fever Deaths.	Deaths from each Fever.	Percentage of Total Fever Deaths.
Typhus . . .	140	22.4	488	26.6
Enteric . . .	404	64.6	1091	59.3
Relapsing . . .	5	0.8	26	1.4
Simple Continued . .	47	7.5	145	7.9
Infantile . . .	29	4.7	88	4.8
ALL FEVERS . .	625	100.0	1838	100.0

TABLE XXXVIII.—Monthly Deaths from FEVER in the Eight Principal TOWNS of SCOTLAND during the Nine Years 1865-1873; specifying those from Typhus and Enteric Fever.

MONTHS.	Total Fever Deaths.	Typhus.	Enteric.	MONTHS.	Total Fever Deaths.	Typhus.	Enteric.
January .	1421	944	829	July .	987	660	244
February .	1259	828	297	August .	874	527	268
March .	1344	905	816	September .	851	495	285
April .	1195	829	268	October .	1042	578	856
May .	1150	765	289	November .	1201	724	883
June .	1050	715	259	December .	1232	699	383

Scotland in the case of children aged between nothing and twelve months; and we shall say no more about it.

The death of an infant duly vaccinated and under a year old from Small-pox is quite a rare event, and there can be little doubt that almost every death of the 4002 recorded in Tables XXXIV. (b) and (c) occurred among the unvaccinated. Now of these deaths, 1725 occurred at ages between six and twelve months; and these deaths, it is our settled conviction, would, under a perfectly administered Vaccination Act, have been few indeed.

The deaths attributed to Fevers during 1873 were 2463, constituting 73 deaths to every hundred thousand of estimated population, and 3.26 per cent. of the whole deaths from Specified Causes. In these Reports the attempt is made to classify separately five different forms of disease which in common parlance are included under the general term Fever. Till within the last few years, by far the most common form of Fever in Scotland was Typhus. At times, too, there have been extensive outbreaks of what is termed Relapsing Fever; but of late there has been a marked abatement in the frequency of deaths registered as Typhus, and the disease termed Enteric, Gastric, or Typhoid Fever has become the most destructive fever in all the Registration Groups of our country. Relapsing Fever may be said to have become nearly unknown. The relative frequency of Typhus and Enteric Fever during 1873, in all Scotland, was as 19 to 44; in the Principal Towns, as 28 to 43; in the Large Towns, as 17 to 57; in the Small Towns, as 15 to 55; in the Mainland-Rural Districts, as 11 to 37; in the Insular-Rural Districts, as 22 to 26. In Glasgow the relative frequency of deaths from Typhus and Enteric Fever was as 14 to 50; in Edinburgh, as 37 to 40; in Dundee, as 54 to 31; in Aberdeen, as 36 to 36; in Greenock, as 16 to 50; in Paisley, as 17 to 23; in Leith, as 59 to 35; and in Perth, as 65 to 30. These numbers likewise express the mortality from each cause in every hundred thousand of population. There seems to

TABLE XXXIX.—The Nineteen most fatal Diseases in Scotland and England in 1878, arranged in the order of their fatality.

SCOTLAND.		ENGLAND.	
DISEASES.	Proportion of Deaths to 100,000 living.	DISEASES.	Proportion of Deaths to 100,000 living.
Bronchitis	247	Bronchitis	228
Phthisis	246	Phthisis	228
Age	185	Atrophy, Debility, and Prema- }	176
Heart, etc., Diseases of . .	134	turo Birth	
Atrophy, Debility, Premature } Birth	129	Age	127
Pneumonia	90	Heart, etc., Diseases of . .	128
All Fevers	78	Convulsions	114
Scarlatina	66	Pneumonia	99
Diarrhoea	64	Diarrhoea	95
Paralysis	63	All Fevers	59
Hydrocephalus	58	Scarlatina	57
Apoplexy	49	Paralysis	55
Whooping-cough	48	Apoplexy	53
Cancer	46	Cancer	45
Measles	43	Whooping-cough	42
Diphtheria	36	Liver Diseases	35
Liver Diseases	35	Measles	32
Croup	34	Hydrocephalus	31
Smallpox & Convulsions (each)	33	Fractures and Contusions .	31
		Tubercles Mesenterica . .	30

be considerable fluctuation in the annual relation of deaths from Typhus and Typhoid or Enteric Fever—thus, in Dundee, the relative frequency of Typhus was in 1873 rather remarkable, while in 1872 the predominance of Enteric Fever was even more decided. Perhaps the most rational course for the statistician would be to disregard the circumstance of *relative* frequency in the case of these two diseases, and to confine himself to recording merely the death-rate from each cause in each locality.

Scarlatina caused 66 deaths in every hundred thousand of population, and as usual was most fatal in the Principal Towns, of which Greenock, and especially Paisley, suffered severely.

Diarrhœa ranked next in order of fatality among the epidemic diseases, proving the cause of 64 deaths to every hundred thousand of the people of Scotland. Its incidence was most severely felt in the Principal Towns, and especially in Dundee.

Hooping-cough was fatal to 48 out of every hundred thousand of population. It prevailed more extensively in the Large Towns than in any of the other Registration Groups. Of the Principal Towns, Aberdeen alone can be said to have been seriously visited by this epidemic. It is generally observed that females are more apt than males to succumb to Hooping-cough; and during 1873 there were from this cause 121 female for every 100 male deaths.

Measles caused 43 deaths in every hundred thousand of population. The deaths from this disease were very trifling in number in the Mainland-Rural Districts, but as usual were far more frequent in the Principal Towns. In Glasgow, and still more in Greenock, the deaths from Measles considerably exceeded the average experienced in the other towns.

The deaths from Diphtheria and from Croup were 36 and 34 respectively for every hundred thousand of population, and were rather more frequent in the Large Towns than in any other of the Registration Groups. Of the Principal Towns, Dundee suffered most from Diphtheria, and Paisley from Croup.

The deaths from the remaining Zymotic diseases were not so numerous as to require special comment here.

To Diseases of Uncertain Seat, 2779 deaths were ascribed. This is equivalent to a mortality of 83 per hundred thousand of population, or of 3.69 per cent. on the total deaths. A large majority of such deaths occurred in females.

Dropsy was the registered cause of 651 deaths. It is presumed that such a cause would seldom occur in a death-certificate given by a qualified medical man; he would prefer to state the pathological condition on which the *symptom* dropsy depended. It is quite certain that just in proportion to the frequency with which Dropsy figures in our statistics, the numbers of deaths referred to such headings as Disease of the Heart, of the Kidney, of the Liver, Ovary, etc., become too few. When, however, as in many cases is inevitable, the cause of death is not certified by a medical informant, such entries as 'Dropsy' must be expected to be frequent. In the Insular-Rural Districts, they constitute, in the case of females, fully 2 per cent. of all recorded causes of death. It is, however, obvious that even in certain of our Principal Towns there is still some laxity in returning or accepting Dropsy as a cause of death. Thus, in Edinburgh, out of every ten thousand deaths in 1873, only 33 were certified as due to Dropsy, but in Greenock the corresponding number was 106, and in Paisley actually 159!

To Cancer there were ascribed 542 deaths of males and of 995 females.

For every hundred thousand of each sex there accordingly died of Cancer 34 males and 57 females.

115 deaths were attributed to Hæmorrhage of Unspecified Seat; 199 to Abscess; 64 to Ulcers; 13 to Fistula; 183 to Mortification; and 17 to Gout, whereof 7 occurred in persons who had not attained the age of 60.

This exhausts the catalogue of Diseases of Uncertain Seat. Tubercular Diseases accounted for 11,952 deaths, of which 5872 occurred in males and 6080 in females. This mortality is equivalent to 356 for every hundred thousand of population, and to 15·85 per cent. of the total deaths registered during the year. These numbers look sufficiently formidable, and yet they do not much exceed the average of former years, and are decidedly lower than those which we had occasion to record for 1872. The deaths were rather more frequent in the Large Towns than in the Eight Principal Towns; but in each of these groups the population suffered at nearly double the rate experienced in the two Rural Groups. Of the total deaths, Tubercular Diseases caused 17·18 per cent. in the Large Towns, 16·66 per cent. in the Principal Towns, 16·17 per cent. in the Small Towns, 14·21 per cent. in the Insular-Rural Districts, and 13·66 per cent. in the Mainland-Rural Group. It should however be noted that the proportion of fatal Tubercular cases in like numbers of the population was precisely the same in both the Rural Groups. The rate per hundred thousand inhabitants was in Paisley, 562; in Glasgow, 534; in Greenock, 436; in Perth, 414; in Dundee, 358; in Edinburgh, 354; in Aberdeen, 331; and in Leith, 327.

Consumption is, of all Diseases of the Tubercular Class, by far the most destructive. In 1873 it caused 8286 deaths, of which 1392, or 16·8 per cent. occurred at ages under 15; 5501, or 66·4 per cent., between the ages of 15 and 45; and 1293, or 16·8 per cent., in persons aged 45 and upwards. The deaths from Consumption were more frequent among females than among males in all the five groups, except in the Insular-Rural, where, as in former years, the males appear to have suffered in higher proportion than the females. It would be superfluous to point out again how clearly Consumption illustrates the law connecting mortality with density of population. Of a hundred thousand inhabitants of each of the Principal Towns, there died of Consumption, in Paisley, 422; in Glasgow, 353; in Greenock, 308; in Perth, 300; in Dundee, 282; in Edinburgh, 229; in Aberdeen, 228; and in Leith, 182. This is not the first occasion on which we have had occasion to remark that in Leith the death-rate from Consumption is remarkably low. In 1873 it very little exceeded the rate observed in the Mainland-Rural Districts.

Of the remaining Tubercular Diseases, Hydrocephalus caused 1960 deaths; Tabes Mesenterica, 999; and Scrofula, 707. From each of these diseases males appear to have died in higher proportion than females.

Diseases of the Nervous System caused 7223 deaths, being 215 for every hundred thousand of population, and 9·58 per cent. of the deaths from All Causes. These numbers indicate a mortality exceeding considerably the heavy rate recorded for 1872. Diseases of this class are everywhere more frequent among males than among females. Their incidence in 1873 is chiefly manifested in the Large and Principal Towns; and of the latter, Greenock, Perth, and Paisley furnish the largest proportion of deaths.

From Diseases of the Heart and Circulatory System, the deaths were 4510, being at the rate of 134 to every hundred thousand of population, and 5·98 per cent. of the total mortality of the country. We observe that, as usual, males have everywhere suffered at a higher rate than females from diseases of this class. The deaths were more frequent in the Large and

Principal Towns than elsewhere. They were comparatively rare in the Insular-Rural Districts, a circumstance which is probably connected with the inability of non-medical informants to furnish the true cause of death in many cases which were returned to the Registrars as deaths from Dropsy, Apoplexy, Debility, and Old Age.

The Deaths from Diseases of the Respiratory System were 12,524, being 16·61 per cent. of the whole mortality experienced during the year, and at the rate of 373 deaths out of every hundred thousand inhabitants of Scotland. Everywhere, except in our Insular-Rural population, the males died in higher proportion than females. The deaths were far more numerous in the Towns, and particularly in the Principal Towns than elsewhere. For every hundred thousand of population there died in the Principal Towns, 524; in the Large Towns, 455; in the Small Towns, 326; in the Mainland-Rural Districts, 238; and in the Insular-Rural Group, 197; in Glasgow, 630; in Greenock, 511; in Dundee, 510; in Paisley, 454; in Leith, 451; in Edinburgh, 397; in Aberdeen, 368; and in Perth, 350. Bronchitis alone caused 8038 deaths, exceeding in number those attributed to Consumption, and constituting 11·02 per cent. of the Deaths from All Causes. In every hundred thousand of population the death-rate from Bronchitis was 247 in All Scotland, 369 in its Principal Towns, but only 145 in its Mainland-Rural, and 83 in its Insular-Rural population. It is hardly credible that this last number should be correct; and again we are obliged to express our belief that very many of the deaths among our poor Islanders, which were really due to Bronchitis, have been, in consequence of imperfect information and in the absence of medical certificate, registered under Old Age, etc.

To Pneumonia, 3012 deaths were attributed; to Pleurisy, 274; to Asthma, 463; to Laryngitis, 146; to Lung Disease of Unspecified Nature, 321.

From Diseases of the Digestive System, the deaths were 5208, being 155 to a hundred thousand of the population, and 6·91 per cent. of All Deaths throughout Scotland. The mortality of males considerably exceeded that of females, and the deaths were especially numerous in the Towns. The diseases comprised in this class are very numerous. The most destructive were: Teething, with 770 deaths; Enteritis, with 924; Unspecified Diseases of the Stomach, etc., with 824; various Diseases of the Biliary Organs, with 1174; Ileus, with 267; Peritonitis, with 395; and Gastritis, with 225. The deaths from Hernia were 127, of which 63 occurred in males and 64 in females. Of those who died of Hernia, only 16 or about $\frac{1}{6}$ th part were under 20 years of age; while 81, or nearly 64 per cent., were 60 years old or more. Similar observations have been made in former years, so that there is good ground for considering the danger of death from Hernia to be chiefly confined to those passed the middle stage of life.

Diseases of the Urinary System caused 1367 deaths, being 1·81 per cent. of deaths from All Causes. They were fully twice more frequent in males than in females. From Nephritis and Nephria combined there were 496 deaths, 452 from Disease of the Urinary System of Unspecified Nature, 136 from Cystitis, 105 from Diabetes, 82 from Ischuria, 64 from Stone, 18 from Stricture of the Urethra, and 14 from the Disease of the Suprarenal Capsules, tabulated as Addison's Disease.

From Diseases of the Generative System there were 541 deaths, only one of which occurred in the case of a male. Of these deaths, 325 were attributed to childbirth, but to these there should be added 251 fatal cases of Metria, so that the deaths resulting from puerperal causes may be roughly

stated as 576. The number of live children born in 1873 was 119,700. After making correction for the twin and triplet births, we estimate the number of mothers of live children as 118,990; and of this number 0·49 per cent., or about 1 in 207 died in childbirth. If, however, we assume, as seems not unreasonable, that 5 per cent. of stillbirths occurred in Scotland during 1873, the computed number of mothers must be raised to 124,939, and the mortality from registered puerperal causes would become only 1 in 217. But, as has been elsewhere explained, it is just among mothers who have given birth to dead children that the mortality of childbearing is most serious, and beyond all doubt the deaths of such mothers, especially when their offspring has been illegitimate, are apt to find their way into our statistics as deaths from Peritonitis, Inflammation, Consumption, etc.

From Diseases of the Uterus there were 124 deaths; from Ovarian Tumours, 69; and from various diseases grouped under the heading Paramenia, 23.

Diseases of the Organs of Locomotion caused 512 deaths. Of these 238 were due to Affections of the Joints, 214 to Rheumatism, and 60 to Diseases of Bones.

There were 96 deaths from Diseases of the Skin; whereof 22 were caused by Carbuncle, 7 by Phlegmon, and 67 by Disease of Unspecified Nature.

From Malformations there were 244 deaths, whereof 138 occurred in males; from Infantile Debility, 3755, of which 2123 occurred in males; from Atrophy, 560; and from Old Age, 6203, of which 3753 were females. No confidence can be felt in the accuracy of a return in which Old Age is given as the Cause of Death. In the Insular-Rural Districts, fully 28½ per cent. of All Deaths were referred to Old Age, while in the Principal Towns only 4½th. per cent. were so referred. But in the Insular-Rural Districts only 18 per cent. of those who died had attained the age of 80, and in the Principal Towns only 2·9 per cent. Hence it appears Old Age often figures as the Cause of Deaths that take place before the completion of the 'fourscore,' and that this is more especially apt to occur among our Islanders.

To Sudden Deaths, without specified cause, 128 deaths were ascribed.

There were 2839 Violent Deaths, 2124 of which occurred among males. Of these deaths 1057 were due to Fractures and Contusions, 649 to Drowning, 262 to Suffocation, 253 to Burns and Scalds, 148 to Drunkenness, 133 to Violent Causes of undefined nature, 105 to Want of Breast-milk, 61 to Hanging, 54 to Cold, 47 to Poison, 38 to Cuts and Stabs, 18 to Wounds from Firearms, 10 to Privation, 2 to Neglect, and 2 to Poisoned Wounds.

Suicide occurred in 120 cases, of which 90 were males and 30 females. Self-destruction was accomplished in 47 cases by Hanging, in 27 by Throat-Cutting, in 25 by Drowning, by Gunshot in 6, by Precipitation in 2, by other undefined means 8, and by Poison in 5. Prussic Acid, Opium, Laudanum, and Vermin-killer were each used in a single case, and in the remaining instance the nature of the poison employed was not communicated to the Registrar.

The deaths of twenty-four persons aged 100 years and upwards were registered, but of course we cannot guarantee the correctness of the list. Of these very aged persons 8 were males and 16 females. The oldest among the males were a pensioner and a road-contractor, aged respectively 105 and 103. Of the females, the eldest was a pauper, aged 107, and a farmer's widow, aged 106.

WEATHER AND ITS INFLUENCE ON THE MORTALITY.

The nature of the influence which the state of the weather has upon the fatality of many diseases in Scotland is a very interesting subject of inquiry, and one for the prosecution of which the Detailed Tables between pages 48 and 246 give great facilities. It cannot be said that this subject is yet worked out; on the contrary, it seems probable that it is only beginning to receive that attention which it deserves, and that valuable results will ultimately reward the labours of future inquirers in this direction. The influence of temperature, barometric pressure, atmospheric moisture, ozone, and sunlight, appear to require separate investigation and in separate localities, for the general averages deduced from observations made at from 50 to 60 different stations, cannot, we should think, lead to any very reliable results in tracing the influence of weather upon disease. Hitherto, in the course of Reports similar to the present, the general average deduced from the observations of temperature is the only one to which we have felt at liberty to attach much importance. Attention has been called to the unmistakeable effect of a sudden and long-continued fall of temperature in favouring the diffusion or increasing the mortality of most of the Zymotic Diseases with which we are familiar. The influence of cold and wet weather in increasing the mortality from the principal Diseases of the Respiratory System has likewise been from year to year pointed out in our Reports. We have, besides, whenever unusual heat has prevailed throughout the country in summer, had occasion to note the simultaneous frequency of Diarrhœa among the population; but besides these illustrations of the effects of temperature, few have hitherto been offered in our Reports.

In the present Report we present the usual Tables numbered XL. to XLVII., by means of which the general effects of temperature may be studied, and as the Tables are almost self-explanatory, it will be unnecessary to make much comment upon their teachings.

Table XL. affords the means of comparing the monthly mean temperatures and the proportion of Deaths in 1873 with those of the ten years, 1855-1864. During these ten years, January and February were the coldest months, the former averaging 37°·2, the latter 37°·4 Fahr.; after which followed December, 38°·6, and then March, 39°·8. In 1873, how-

TABLE XL.—Monthly Mortality and Mean Temperature in Scotland during 1873, compared with the mean of the Ten Years 1855-1864.

MONTHS.	YEAR 1873.				1855-1864.	
	Mean Temperature.	Actual Deaths.	Deaths when Months are equalized to 31 Days.	Proportion to 12,000 per annum, or 1000 per Month.	Proportion.	Mean Temperature.
January .	39°·2	6587	6587	1008	1134	37°·2
February .	35°·4	7242	8016	1226	1193	37°·4
March . .	39°·7	7614	7614	1165	1145	39°·8
April . .	44°·8	6762	6990	1069	1083	44°·1
May . .	46°·9	6959	6959	1065	1010	49°·5
June . .	55°·9	6210	6417	981	966	55°·6
July . .	58°·5	6150	6150	941	896	57°·6
August .	56°·4	5583	5583	854	856	57°·3
September	51°·4	5839	5517	844	843	52°·8
October .	44°·3	5780	5730	877	868	47°·2
November	41°·2	5950	6148	940	954	40°·2
December	42°·5	6781	6781	1080	1078	38°·6
Year	46°·3	76,867	78,442	12,000	12,000	46°·7

ever, February was by far the coldest month, the mean temperature being only $35^{\circ}4$, while January was the second coldest, with a mean temperature of $39^{\circ}2$; after which followed March with a mean temperature of $39^{\circ}7$; then November, $41^{\circ}2$; and December, $42^{\circ}5$.

The year 1872 closed with a December not greatly different from the average, but one degree colder than the weather during January 1873. The daily deaths during December, therefore, numbered 223, while those of January 1873 only numbered 212 daily.

During the first eighteen days of January 1873, the weather was comparatively mild, but boisterous, with hurricanes and deluges of rain from the west and south-west. On the 19th the weather changed, and wintry weather set in, the wind veering to the north-west, when snow fell heavily, accompanied by a smart frost. This continued more or less to the close of the month. As the longer continuance of mild weather gave tone to the month, and the mean temperature was higher than that of the previous month, the daily deaths were fewer, only numbering 212 daily.

February was our most wintry month, the ground being rarely free from snow, and the frosts often intense. The general direction of the wind during this month was from the north, north-east, and north-west. This proved the coldest month of the year, the mean temperature being only $35^{\circ}4$, and the natural consequence was that the deaths were heaviest this month, amounting to 259 daily.

During March the weather varied much, and was very unsteady. The first part of the month was comparatively mild, with the wind chiefly from

TABLE XLI.—Meteorology of Scotland for 1873, deduced from observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1873, as stated in the Quarterly Reports.

1873.	Jan.	Feb.	Mar.	Apr.	May	June	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Highest Temp. in shade	60°·7	63°·5	65°·5	70°·3	70°·5	80°·3	90°·5	77°·0	76°·2	63°·0	60°·5	60°·8	90°·5
Lowest Temp. in do.	11°·0	8°·0	15°·0	20°·0	25°·0	29°·0	35°·3	30°·0	28°·0	20°·0	18°·3	15°·0	8°·0
Mean Day Temp. . . .	43°·7	41°·0	45°·2	52°·2	54°·2	63°·7	66°·1	63°·0	58°·5	50°·7	46°·3	47°·2	53°·6
Mean Night Temp. . . .	34°·7	29°·9	34°·1	37°·5	39°·6	48°·1	51°·0	49°·7	44°·2	37°·8	36°·0	37°·7	40°·0
Daily Range	9°·0	11°·1	11°·2	14°·7	14°·6	15°·6	15°·1	13°·3	14°·3	12°·9	10°·2	9°·6	12°·4
Mean Temperature . . .	39°·2	36°·4	39°·7	44°·3	46°·9	55°·9	56°·5	56°·4	51°·4	44°·3	41°·2	42°·5	46°·3
Highest Temperature in sun	87°·0	102°·0	105°·0	126°·0	140°·3	134°·8	131°·2	137°·5	135°·5	111°·0	89°·0	77°·8	140°·3
Lowest on grass at night	8°·2	3°·4	12°·0	16°·0	12°·4	23°·0	30°·0	25°·0	20°·0	16°·2	12°·0	14°·0	2°·4
Wet-bulb Temperature	37°·6	33°·2	37°·4	42°·0	44°·1	52°·9	55°·8	53°·7	48°·6	42°·1	39°·0	40°·9	43°·9
Dew-point Temperature	35°·8	30°·9	35°·4	39°·2	41°·1	50°·2	53°·4	51°·6	46°·4	40°·2	37°·7	38°·9	41°·7
Humidity of Air	89	86	88	82	81	82	84	86	85	88	89	88	86
Elastic force of Vapour (inches)	0·211	0·174	0·207	0·240	0·259	0·365	0·410	0·383	0·316	0·250	0·232	0·237	0·278
Number of Rainy Days	20	9	15	10	15	13	21	19	18	17	15	16	188
Amount of Rain (inch.)	5·37	1·45	2·32	0·70	2·69	1·74	4·37	4·21	4·36	5·47	3·32	3·13	39·33
Amount of Cloud	67	5·8	69	6·4	6·5	67	6·5	7·0	6·1	6·4	67	6·6	6·5
Hours of Sunshine	66	101	113	163	206	207	216	177	167	122	73	75	1690
Mean Barometer (in.)	29·459	30·106	29·818	30·046	29·919	29·894	29·795	29·779	29·839	29·682	29·629	29·984	29·846
Easterly Winds (number of days)	6	7	15	12	12	9	4	6	5	5	10	0	91
Westerly Winds (do.)	17	13	8	9	12	14	17	19	17	19	14	25	184
Births	10381	9307	10522	10521	10870	9892	9910	9338	9727	10173	9021	10076	119788
Deaths	6587	7242	7614	6762	6959	6210	6160	5583	5339	5730	5950	6731	76857
Marriages	3388	1554	1676	1580	1212	3698	2624	1683	1609	1837	2690	3169	26780
Daily Births	335	332	389	351	351	326	320	301	324	328	301	325	328
Daily Deaths	212	239	245	225	225	207	198	180	178	185	198	217	211

the south-west and west. During the second week, however, east, north-east, and north-west winds prevailed, with occasional falls of snow and pretty intense frost, while easterly winds with dull foggy weather and occasional falls of sleet prevailed till the close of the month. This unfavourable weather kept the mortality high, so that March proved the second more fatal month of the year, 245 deaths occurring daily over Scotland.

TABLE XLII.—Showing the connection between certain Atmospheric Phenomena, especially Temperature, and the Deaths from certain Diseases and Classes of Disease in the Eight Principal Towns of Scotland, during each Month of the Year 1873.

1873.	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature . . .	40°·2	35°·9	39°·7	45°·3	47°·9	56°·6	59°·2	57°·1	52°·6	44°·8	41°·9	42°·6
Highest Temperature . . .	54°·8	49°·2	56°·0	68°·5	66°·8	79°·5	84°·4	73°·0	76°·2	62°·3	56°·4	57°·2
Lowest Temperature . . .	21°·5	12°·7	26°·0	28°·5	29°·0	40°·0	41°·1	38°·1	33°·1	24°·0	24°·5	27°·0
Rainfall in inches . . .	6·45	1·64	2·09	0·34	2·94	1·47	4·10	3·67	8·85	5·11	2·46	2·86
Easterly Winds (days) . . .	7	6	19	12	14	10	5	7	5	4	10	—
Westerly Winds (days) . . .	19	18	9	12	14	17	21	21	21	24	17	28
Total Deaths . . .	2441	2795	2859	2567	2650	2448	2483	2216	2176	2379	2352	2638
Daily Deaths . . .	79	99	92	85	85	81	80	71	72	77	78	85
Zymotic Diseases . . .	439	469	468	437	474	483	542	643	580	645	574	701
Small-pox . . .	27	33	25	23	17	13	9	28	46	69	83	94
Measles . . .	62	60	109	118	160	150	106	67	27	29	22	77
Scarlatina . . .	39	50	39	24	31	45	44	83	119	214	213	216
Diphtheria . . .	35	39	31	17	23	24	30	26	27	43	31	39
Hooping-Cough . . .	54	86	69	76	76	55	39	89	42	33	38	37
Croup . . .	41	44	46	29	26	18	18	23	32	62	38	53
All Fevers . . .	93	69	65	65	65	68	59	65	65	93	82	96
Diarrhoea . . .	44	40	37	45	41	71	194	259	162	68	28	35
Dysentery . . .	5	6	5	7	3	—	8	15	8	7	2	2
Cholera . . .	—	—	—	1	—	5	10	10	7	4	1	2
Consumption . . .	265	315	343	311	351	322	298	276	214	218	194	232
Diseases Respiratory Organs	511	708	690	561	555	441	382	229	268	383	341	538
Heart, etc., Diseases . . .	139	152	158	165	121	133	100	110	112	124	113	141
Brain, etc., Diseases . . .	233	237	243	265	261	248	245	182	214	204	215	231
Debility and Premat. Birth	134	142	127	124	123	132	150	137	126	134	91	116
Age . . .	114	151	153	122	129	94	107	82	95	103	115	84

The Paisley highest temperatures being manifestly erroneous for a great portion of the year, are excluded from the above table.

TABLE XLIII.—Deaths, Temperatures, and Fall of Rain, in the Eight Principal Towns of Scotland during each Week of the Year 1873.

No. of Week.	Week ending	DEATHS.	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	DEATHS.	TEMPERATURE.			RAIN, in inches
			Mean.	Highest	Lowest.					Mean.	Highest	Lowest.	
1	January 4	586	40·0	51·0	25·0	0·813	27	July 5	546	57·6	72·0	41·5	0·430
2	11	590	44·9	54·0	30·7	1·250	28	12	500	58·8	70·0	46·0	0·697
3	18	619	43·4	54·8	33·4	2·390	29	19	537	56·1	71·0	41·1	1·028
4	25	524	34·3	46·0	21·5	0·823	30	26	629	64·4	84·4	46·5	0·754
5	February 1	562	36·4	45·7	23·0	0·480	31	August 2	556	58·1	68·9	43·0	1·831
6	8	648	32·8	41·9	14·0	0·326	32	9	563	57·9	73·0	43·1	0·643
7	15	746	37·1	48·0	22·0	0·030	33	16	508	58·1	71·2	36·1	0·865
8	22	705	41·2	49·2	23·8	0·047	34	23	508	58·1	68·9	38·9	0·801
9	March 1	709	32·0	41·0	12·7	1·219	35	30	492	58·1	71·4	46·0	0·945
10	8	655	40·4	52·0	31·0	1·031	36	September 6	519	53·5	69·2	39·5	1·089
11	15	711	38·2	48·8	28·8	0·465	37	13	471	52·5	64·4	33·1	0·637
12	22	645	38·7	49·0	26·0	0·222	38	20	485	52·4	66·2	39·3	1·631
13	29	648	41·8	55·0	33·5	0·187	39	27	477	54·6	76·4	35·5	0·066
14	April 5	595	44·7	55·4	35·0	0·170	40	October 4	487	49·6	70·0	36·3	2·679
15	12	607	45·1	64·9	31·0	0·061	41	11	502	45·9	60·0	24·5	1·067
16	19	804	45·6	63·4	34·5	0·050	42	18	540	45·3	57·4	29·7	0·273
17	26	545	43·0	68·5	29·0	0·064	43	25	556	42·2	62·0	26·0	1·000
18	May 3	612	50·1	64·0	37·2	0·178	44	November 1	584	42·3	54·2	24·0	0·633
19	10	601	45·1	69·0	32·0	1·731	45	8	533	40·8	53·4	25·0	1·199
20	17	588	43·6	63·0	32·0	0·259	46	15	534	41·5	51·4	26·5	0·127
21	24	585	47·9	63·5	30·8	0·795	47	22	621	38·5	53·0	24·8	0·139
22	31	630	50·3	66·8	37·0	0·092	48	29	598	45·6	56·0	33·3	0·721
23	June 7	604	55·8	71·0	37·5	0·110	49	December 6	602	44·8	54·4	31·0	0·569
24	14	582	56·3	73·0	42·3	0·111	50	13	538	42·5	54·2	28·0	0·004
25	21	584	58·6	79·5	43·3	0·099	51	20	654	43·7	57·2	31·2	0·484
26	28	535	57·5	74·0	44·7	0·591	52	27	548	40·9	52·0	28·9	0·986

As an error ran through the Paisley maximum temperature observations, they are discarded from the above table.

April was characterized by an unusually small fall of rain, and a most unprecedented large proportion of north and east winds, which rendered the month very trying for delicate persons. The consequence of this was, that April had the third highest number of deaths, viz. 225 deaths daily.

May was equally characterized by the excessive predominance of northerly and easterly winds, which reduced its mean temperature nearly $2\frac{1}{2}$ degrees below its average. Apparently as a consequence of this, the mortality in May exceeded that of December, remaining as high as in April, consequently May furnished 225 deaths daily.

The average kind of weather prevailed during June, but there was a considerable want of rain, and the winds were rather boisterous. Under the influence of the more genial weather, the deaths fell to 207 daily.

July was characterized by a high mean temperature, $58^{\circ}5$; a large rainfall, $4^{\circ}57$ inches; and the southerly direction of the winds. The deaths fell to 198 daily.

August had a lower temperature than usual, $56^{\circ}4$, but a large depth of rain, viz. $4^{\circ}21$ inches, and an unusual amount of south-westerly winds. As usual when the temperature is not high, the deaths continued to fall, so that only 180 occurred daily.

September resembled July and August in that it had a large rainfall, $4^{\circ}36$ inches, with a great preponderance of westerly winds, and

TABLE XLIV.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during 1873, and Proportion at each Age in every Hundred Deaths per Month.

MONTHS.	Actual Number of Deaths in 1873.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5-20.	20-60.	60 and above.	Total Deaths.	Under 5 years.	5-20.	20-60.	60 and above.	Total.
January . . .	928	250	778	485	2441	38.0	10.2	31.9	19.9	100.0
February . . .	1006	255	906	628	2795	38.0	9.1	32.4	22.5	100.0
March . . .	1114	260	893	592	2859	39.0	9.1	31.2	20.7	100.0
April . . .	1015	247	747	518	2527	39.8	9.6	30.6	20.2	100.0
May . . .	1117	292	741	500	2650	42.1	11.0	28.0	18.9	100.0
June . . .	1064	277	691	416	2448	43.5	11.3	28.2	17.0	100.0
July . . .	1131	261	738	363	2493	45.5	10.5	29.4	14.6	100.0
August . . .	1050	244	575	347	2216	47.4	11.0	26.0	15.6	100.0
September . . .	949	262	586	379	2176	43.5	12.1	27.0	17.4	100.0
October . . .	995	295	685	404	2279	44.8	12.4	28.8	17.0	100.0
November . . .	961	308	656	427	2352	40.9	18.1	27.9	18.1	100.0
December . . .	1155	330	761	402	2648	43.8	12.5	28.5	15.2	100.0
YEAR . . .	12,485	3,251	8,777	5,461	30,004	41.6	10.9	29.3	18.2	100.0

TABLE XLV.—Months equalized to 31 days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in the Eight Principal Towns during each Month of the Year 1873.

MONTHS.	Relative Number of Deaths, 1873.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per Annum.
	Under 5 years.	5-20.	20-60.	60 and above.	Total.	
January . . .	925	250	778	485	2441	957
February . . .	1114	282	1002	694	3092	1212
March . . .	1114	260	893	592	2859	1131
April . . .	1049	255	813	535	2652	1039
May . . .	1117	292	741	500	2650	1039
June . . .	1099	286	714	480	2579	991
July . . .	1131	261	738	363	2493	973
August . . .	1050	244	575	347	2216	868
September . . .	981	271	605	391	2248	882
October . . .	995	295	685	404	2379	932
November . . .	993	318	678	441	2430	932
December . . .	1155	330	751	402	2638	1034
YEAR . . .	12,728	3,344	8,973	5,634	30,617	12,000

a mean temperature of $51^{\circ}4$. The lowest monthly mortality of the year was, therefore, as usual, attained this month, and only 178 deaths occurred daily.

With the descent of temperature from this month the deaths increased, so that they numbered 185 daily during October, 198 daily during November, and 217 daily during December.

October was by far the wettest month of the year, having the excessive rainfall of $5^{\circ}47$ inches, and winds chiefly from the west-south-west.

In November the weather did not greatly differ from the average, unless it were in the more frequent storms of winds which occurred, doing considerable damage to trees and the shipping.

During December the peculiarity occurred that its mean temperature was $1^{\circ}3$ higher than that of November. This resulted from the unprecedented absence of the cold northerly and easterly winds, and the unusually large quantity of south and westerly winds.

We do not attempt to show in a tabular form the influence of season on the different diseases which cut off the inhabitants of all Scotland; but the Abstracts of the Monthly Returns, summarized for the leading diseases in the accompanying Table XLII., shows the facts for the Eight Principal Towns of Scotland during the year 1873.

From this Table it will be seen that Small-pox is powerfully influenced

TABLE XLVI.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Ten Years 1856–1865, and the Proportion at each Age in every Hundred Deaths per Month.

MONTHS.	Absolute Number of Deaths—Ten Years, 1856–1865.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5–20.	20–60.	60 and above.	Total Deaths.	Under 5 years.	5–20.	20–60.	60 and above.	Total.
January	11066	2305	7003	4337	24711	44.78	9.33	28.34	17.55	100.00
February	10190	2145	6235	3802	22372	45.54	9.59	27.87	17.00	100.00
March	10369	2371	6809	3865	23304	44.45	9.75	29.23	16.56	100.00
April	9609	2131	6093	3625	21460	44.77	9.94	28.40	16.89	100.00
May	9058	2214	5899	3180	20351	44.51	10.88	28.98	15.63	100.00
June	8395	2086	5559	3111	19151	43.94	10.89	29.08	16.24	100.00
July	9052	2121	5287	2886	19346	46.79	10.96	27.33	14.92	100.00
August	8889	1929	4988	2698	18504	48.05	10.42	26.95	14.58	100.00
September	8370	1870	4572	2454	17368	48.48	10.83	26.48	14.21	100.00
October	9078	2120	4938	2679	18813	48.25	11.26	26.24	14.25	100.00
November	10121	2148	5690	3549	21508	47.05	9.99	26.45	16.51	100.00
December	10590	2258	6344	3893	23085	45.87	9.78	27.49	16.86	100.00
TEN YEARS	114,777	25,598	69,417	40,079	249,871	45.93	10.25	27.78	16.04	100.00

TABLE XLVII.—Months equalized to 31 days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age during every Month of the Ten Years 1856–1865.

MONTHS.	Relative Number of Deaths—Ten Years 1856–1865.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per Annum.
	Under 5 years.	5–20.	20–60.	60 and above.	Total.	
January	11066	2305	7033	4337	24711	1164
February	11165	2343	6823	4165	24511	1155
March	10369	2271	6809	3865	23304	1098
April	9929	2202	6298	3745	22175	1045
May	9058	2214	5899	3180	20351	959
June	8675	2155	5744	3215	19789	933
July	9052	2131	5287	2886	19346	912
August	8889	1929	4988	2698	18504	872
September	8649	1932	4724	2596	17841	841
October	9078	2120	4938	2679	18813	886
November	10458	2220	5879	3668	22225	1047
December	10590	2258	6344	3893	23085	1088
TEN YEARS	116,968	26,075	70,744	40,868	254,655	12,000

by season. Thus, the deaths were 33 in February; and as the season became milder and advanced, the deaths declined, so that they numbered 25 in March, 23 in April, 17 in May, 13 in June, and attained their lowest point, viz., 9 deaths in July. After this, with the fall of the season, they increased, the deaths from Small-pox numbering 28 in August, 46 in September, 69 in October, 83 in November, and 94 in December.

Scarlatina had only 44 deaths in July, but as the season advanced the deaths increased to 83 in August, 119 in September, 214 in October, 213 in November, and 216 in December. Hooping-cough had its highest mortality in February, the coldest month, viz., 86 deaths, and declined with the advance of the season, the deaths numbering 69 in March, 76 in April and in May, 55 in June, and 39 in July and August. Fever was lowest in July and highest in December and January.

On the other hand, the Bowel Diseases appeared to increase with the increase of the mean temperature. Thus, Diarrhœa only caused 41 deaths in May, but 71 in June, 194 in July, and 259 in August.

Other diseases appeared to increase in fatality under the influence of the northerly and easterly winds, which blow with such force and constancy during the months of March, April, May, and well into June. Thus, Consumption, which caused 265 deaths in January, caused 315 in February, 343 in March, 351 in May, and 322 in June. Measles appeared to follow the same course of mortality, for 32 only died from that cause in January, but 60 in February, 109 in March, 118 in April, 160 in May, and 150 in June, after which the mortality rapidly fell to 106 in July, 67 in August, and 27 in September.

The Inflammatory Affections of the Respiratory Organs exhibited in a very striking manner the influence of lowering of temperature on the mortality. Thus, only 229 deaths were caused by these diseases in August, but 268 in September, 383 in October, 541 in November, and 538 in December; the coldest month of the year, viz. February, yielding 708 deaths, and the second coldest month, viz. March, furnishing 690 deaths.

It is interesting to trace, year by year, the influence of season on the mortality at different ages. To throw light on this subject, Tables XLIV.

TABLE XLVIII.—Deaths in Scotland compared with the Average Price of Wheat and Potatoes during the Nineteen Years 1855-1873.

YEAR.	Average Price of WHEAT per quarter.	DEATHS IN SCOTLAND.	Average Price of POTATOES per ton.
	<i>s.</i> <i>d.</i>		<i>s.</i> <i>d.</i>
1855	74 8	62,004	100 6
1856	69 2	52,529	85 6
1857	56 5	61,906	120 8
1858	44 8	68,539	120 0
1859	43 10	61,714	94 0
1860	53 8	68,170	132 6
1861	55 4	62,841	124 0
1862	55 5	67,195	137 0
1863	44 8	71,481	100 0
1864	40 2	74,416	75 0
1865	41 9	70,891	85 5
1866	49 11	71,848	89 6
1867	64 5	69,068	138 0
1868	63 9	69,416	137 6
1869	48 2	75,875	99 6
1870	46 10	74,165	104 6
1871	56 10	74,712	77 8
1872	57 0	75,794	132 0
1873	58 8	76,946	158 6

and XLV. have been prepared, and to render the comparison accurate, the months in Table XLV. are equalized to 31 days, and the deaths at each of the four ages adjusted to that number of days.

By this latter Table, it appears that for children under five years of age, the healthiest month of the year, and that during which the fewest deaths occurred, was January, when only 925 deaths happened. September, with its 981 deaths, was the next most healthy month for children at that age; then November, 993 deaths; then October, 995 deaths; April, 1049; and August, 1050 deaths. The most fatal month for children under five years of age was December, with its 1155 deaths; then July, the warmest month of the year, with its 1131 deaths; then May, with 1117 deaths; then February and March, each with 1114 deaths; and June, with 1099 deaths.

For persons from five to twenty years of age the influence of season on their mortality was considerably different. Accordingly, for persons of that age, the most healthy month was August, and the most fatal, December. Thus, in August, the healthiest month, only 244 deaths occurred; then followed January, 250 deaths; April, 255; March, 260; July, 261; and September, 271. December, on the other hand, was the most fatal month, causing 330 deaths to persons of this age; then November, 318 deaths; then October, 295; May, 292; June, 286; and February, 282 deaths.

The influence of season on the mortality of persons from 20 to 60 years of age did not correspond with that seen at the lower ages; for the healthiest months were August and September, and the most fatal months, February and March. Thus, the healthiest month for persons at this age was August, when 575 deaths occurred; then September, 605 deaths; then November, 678; then October, 685; then June, 714; and July, 728 deaths. February was the most fatal month, and caused 1002 deaths; then March, 893 deaths; then April, 813; then January, 778; then December, 751; and May, 741 deaths.

On the mortality of persons above sixty years of age season had much the same effect as on those in the prime of life, the most healthy months being July and August, the most fatal, February and March. Thus, for persons above sixty years of age, August had the smallest mortality, viz. 347 deaths; then July, 363 deaths; September, 391; December, 402; October, 404; and November, 441. February, on the other hand, was the most fatal month, causing 694 deaths; then March, 592 deaths; then April, 535; then May, 500; then January, 485; and June, 480 deaths.

Tables XLVI. and XLVII. are, as in former Reports, given as a *résumé* of ten years' observations, with which it is useful to compare the observations of 1873; and, in compliance with old custom, we likewise insert Table XLVIII., in which the mortality of each of the last nineteen years is given, together with the average prices of wheat and of potatoes.

I have the honour to be,

SIR,

Your most obedient Servant,

WILLIAM ROBERTSON.

APPENDIX.

LETTER TO THE REGISTRAR-GENERAL FOR SCOTLAND, WITH TABLES
GIVING AN APPROXIMATION TO THE LAW OF MORTALITY IN
SCOTLAND AT THE PERIOD OF THE CENSUS 1871.

210

APPENDIX.

Letter to the Registrar-General for Scotland, by William Robertson, M.D.

SIR,

I BEG respectfully to submit to you the results of a first attempt to construct a Scottish Life Table out of the materials afforded by the Census enumeration of 1871, and by the Registered Deaths of that year. The attempt was suggested by Dr. Farr's Explanation of his English Life Table No. I., which appeared in the Registrar-General's Fifth Annual Report—that for 1843. The data on which that Table was based were, the Census enumeration of 1841, the Registered Deaths of the same year, and the Registered Births of the two years, 1840 and 1841. Precisely similar data for Scotland, obtained thirty years later, constitute Table I. of this Appendix.

The processes followed and the assumptions made in dealing with these data, so as to deduce some of the ordinary columns of a Life Table, are nearly the same as those used by Dr. Farr. These prefatory pages, and a few notes appended to the Tables themselves, will suffice to explain any peculiarity in the procedure here adopted. It may be remarked that Dr. Farr's data for his Life Table No. I. were preferable to those applicable to Scotland, the English numbers being nearly five times as large as the Scotch; but on the other hand there can be no question that both Births and Deaths were in 1871 registered in Scotland more completely than similar events were registered in England in 1841.

It is vexatious that Census enumerations give a very imperfect idea of the number of persons living in each year of life. Not only do the figures furnished by the enumerators exhibit the startling variations due to the practice of expressing the age, in cases where doubt is felt, in round numbers; but, as is notorious, an absurd vanity induces many persons, and especially females, to understate their age at all periods of life between 30 and 65. An element of uncertainty thus finds its way into our Census numbers. It seems hopeless to attempt to remove it. A correct Life Table can only be framed by contrasting the numbers of those who attain each age with the numbers of those who die during each year of life. In Scotland it may be assumed that the ages of those who *die* are correctly stated. There may be a little looseness in referring an unknown age to 20, 25, 30, 35, and so on, but the error is about as likely to be in the direction of over-stating as of understating an age. Wilful misrepresentation of the age of a person 'dying' is probably as rare as it would be foolish. But it is far otherwise with the catalogue of the 'living.' In the second volume of the Census 1871 in Scotland, cap. ii. p. 2, any one interested in this subject will, in the first two columns, find a list of the numbers of each sex enumerated at each year of life; and this list obviously contains such a mass of error that it is unfit for any scientific use. An instance or two will suffice to prove this. The females aged 60 are stated to number 21,008, while those aged 59 are 9008, and those aged 61 are 7485! Again, the sum of the females aged 56, 57, 58, and 59 is given as 43,014; while the

sum of females aged 60, 61, 62, and 63 is 46,531—actually exceeding by 3517 the numbers of those living in the younger period! For the construction of a true Life Table, or for such a delicate mathematical process as the calculation of annuities, it is plain that figures such as these cannot be used. It is only after grouping the enumerated ages into quinquennial periods, making various assumptions (more or less probable), and expending no inconsiderable amount of arithmetical labour, that such approximations to the truth as are presented in the following Tables can be arrived at; and it is perhaps even questionable whether it is worth while to devote so much trouble with such faint prospect of success to these computations.

It seems merely necessary to add here a brief sketch of the assumptions made in calculating these Tables. Firstly, it is assumed that the numbers of the living and dying are accurately stated for each of the first five years of life. To this assumption there seems no particular objection. Secondly, it is assumed that the rates of mortality between the ages 15 and 55, and between 55 and 95, increase annually in geometrical progression. The common ratios of each of these series may be easily found, and interpolation performed, when the rates of mortality at the above specified ages are determined. In determining these rates for the English Table, Dr. Farr applied a correction to the whole series of observed quinquennial rates between the ages 15 and 95; but the mode of effecting the correction does not clearly appear from the details given in the Registrar-General's Report. No correction has been applied to the observed rates recorded in Table I. of this Appendix. The rate for the quinquennium, 15–20, is assumed to be correct for the age 17; that for 50–55 is held correct for the age 52; and that for 90–95 is held to represent the true rate at 92 years of age. It is admitted that the interpolation effected by means of these assumptions is to a certain extent an arbitrary process. Should any person care to apply more refined methods to our data, he will find in Table I. the materials on which to operate.

The notes appended to the Tables will point out any other assumptions that may have been made. In conclusion, it should be stated, that the general Death-rate in Scotland in 1871 was higher than that of England in 1841, and that hence it is not unnatural to find this approximate Scottish Table giving to the expectation of life, at most ages, values somewhat lower than Dr. Farr assigns in his First English Table.

I have the honour to be,

SIR,

Your obedient Servant,

WILLIAM ROBERTSON, M.D.

8th August 1877.

[I desire to express here my obligations to a young friend, Mr. A. H. Morgan, of the Scottish Equitable Assurance Society, who has rendered me valuable assistance in preparing these Tables for the press, and in checking some of the more laborious steps in their computation.—W. R.]

I.—POPULATION, DEATHS, AND MORTALITY IN SCOTLAND, 1871.

Age.	Population calculated for 1st July 1871.			Deaths Registered in 1871.			Annual Mortality per Cent.			One Death in Persons Living.
	Persons.	Males.	Females.	Persons.	Males.	Females.	Mean.	Males.	Females.	
0-1	101208	51173	50035	15145	8358	6787	14·949	16·333	13·565	6·69
1-2	87568	44407	43161	6232	3163	3069	7·117	7·123	7·111	14·05
2-3	91087	46197	44890	3103	1550	1553	3·408	3·355	3·460	29·34
3-4	89758	45374	44384	2935	1023	1012	2·268	2·255	2·280	44·09
4-5	87035	44178	42857	1443	713	730	1·659	1·614	1·703	60·28
0-5	456656	231329	225327	27958	14807	13151	6·119	6·401	5·836	16·34
5-10	405700	205088	200612	3782	1926	1856	·932	·939	·925	107·30
10-15	372929	190324	182605	2153	1023	1130	·579	·538	·619	172·71
15-20	336374	167707	168667	2653	1313	1340	·789	·783	·794	126·74
20-25	293084	138755	154329	2887	1462	1425	·989	1·054	·923	101·11
25-30	255404	116273	139131	2696	1203	1493	1·054	1·035	1·078	94·88
30-35	220765	100319	120446	2404	1160	1244	1·095	1·156	1·033	91·32
35-40	189711	84866	104845	2445	1134	1311	1·293	1·336	1·250	77·34
40-45	176062	80184	95878	2327	1105	1222	1·327	1·378	1·275	75·36
45-50	147699	67424	80275	2436	1227	1209	1·663	1·820	1·506	60·13
50-55	135001	61054	73947	2626	1340	1286	1·967	2·195	1·739	50·84
55-60	105237	47598	57639	2587	1231	1356	2·470	2·586	2·353	40·49
60-65	98607	43137	55470	3249	1530	1719	3·323	3·547	3·099	30·09
65-70	67689	29238	38451	3153	1505	1648	4·717	5·147	4·286	21·20
70-75	54567	22894	31673	3726	1699	2027	6·911	7·421	6·400	14·47
75-80	28898	11782	17116	3101	1384	1717	10·890	11·747	10·032	9·18
80-85	15904	6194	9710	2488	1005	1483	15·749	16·225	15·273	6·35
85-90	5447	1995	3452	1373	532	841	25·515	26·667	24·363	3·92
90-95	1474	490	984	499	178	321	34·475	36·327	32·622	2·90
95-100	341	99	242	140	45	95	42·356	45·455	39·256	2·36
100 & } upwards }	79	23	56	29	15	14	45·109	65·217	25·000	2·21
All Ages	3367628	1606773	1760855	74712	36824	37888	2·222	2·292	2·152	45·00

The above population numbers are derived from the Census enumeration of 1871. The rate of increase is assumed to be that observed between 1861 and 1871. The persons whose ages were not specified at the Census are here distributed according to the numbers enumerated at each specified age. The small number of Deaths at unspecified ages Registered during 1871 are distributed in proportion to the relative frequency of Deaths at various specified ages.

BIRTHS.		
Year.	Males.	Females.
1870	58959	56431
1871	60029	56099
	118988	112530
Mean	59494	56265

II.—MORTALITY PER CENT.

Ages.	Males.	Females.	Ages.	Males.	Females.
0	16·333	13·565	49	2·009	1·626
1	7·123	7·111	50	2·069	1·663
2	3·355	3·460	51	2·131	1·701
3	2·255	2·280	*52	2·195	1·739
4	1·614	1·703	53	2·261	1·778
5	1·347	1·389	54	2·328	1·819
6	1·125	1·134	55	2·398	1·860
7	·939	·925	56	2·581	2·010
8	·840	·854	57	2·777	2·171
9	·752	·788	58	2·989	2·346
10	·672	·727	59	3·217	2·535
11	·601	·671	60	3·462	2·739
12	·538	·619	61	3·726	2·960
13	·598	·663	62	4·010	3·198
14	·664	·709	63	4·316	3·455
15	·738	·759	64	4·645	3·733
16	·760	·776	65	4·999	4·034
*17	·783	·794	66	5·380	4·358
18	·806	·812	67	5·790	4·709
19	·831	·830	68	6·231	5·088
20	·855	·849	69	6·706	5·498
21	·881	·868	70	7·217	5·940
22	·907	·888	71	7·767	6·419
23	·934	·908	72	8·359	6·935
24	·962	·929	73	8·996	7·494
25	·991	·950	74	9·682	8·097
26	1·021	·971	75	10·420	8·748
27	1·051	·993	76	11·214	9·453
28	1·083	1·016	77	12·069	10·214
29	1·115	1·039	78	12·989	11·036
30	1·148	1·062	79	13·979	11·924
31	1·183	1·087	80	15·045	12·602
32	1·218	1·111	81	16·192	13·921
33	1·254	1·136	82	17·426	15·041
34	1·292	1·162	83	18·754	16·252
35	1·330	1·188	84	20·184	17·560
36	1·370	1·215	85	21·722	18·974
37	1·411	1·243	86	23·378	20·501
38	1·453	1·271	87	25·160	22·151
39	1·497	1·300	88	27·078	23·934
40	1·542	1·329	89	29·142	25·861
41	1·588	1·359	90	31·363	27·943
42	1·635	1·390	91	33·754	30·192
43	1·684	1·422	*92	36·327	32·622
44	1·734	1·454	93	39·096	35·248
45	1·786	1·487	94	42·076	38·085
46	1·840	1·520	95	45·284	41·151
47	1·894	1·555	96	48·735	44·464
48	1·951	1·590	97	52·450	48·042

* For the five first years of life the mortalities in this Table are the same as those given in the Table I. The mortality at 17, at 52, and at 92, is assumed to be that of the quinquennial period, to which each of these ages belongs in Table I. By means of logarithms applied to these numbers geometrical series are obtained representing the mortality, first at all ages between 15 and 55, and then between 55 and the lower limit embraced in this Table, i.e., between 55 and 97. In interpolating the mortalities between 5 and 15 use was likewise made, at the ages 7 and 12, of the mortality of the second and third quinquennial periods. It is deemed unnecessary to print the logarithms from which the mortalities have been computed for this Table.

III.—MALES.

Age.	*Probability of Living a Year = p .	Logarithms of p .	Age.	Age.	*Probability of Living a Year = p .	Logarithms of p .	Age.
0	·8595194	1·9342557	0	49	·9801100	1·9912747	49
1	·9312054	1·9690415	1	50	·9795218	1·9910141	50
2	·9669873	1·9854208	2	51	·9788750	1·9907272	51
3	·9777013	1·9902062	3	52	·9782882	1·9904668	52
4	·9839809	1·9929867	4	53	·9776425	1·9901801	53
5	·9866200	1·9941499	5	54	·9769878	1·9898892	54
6	·9888107	1·9951131	6	55	·9763040	1·9895851	55
7	·9906539	1·9959219	7	56	·9745186	1·9887902	56
8	·9916351	1·9963519	8	57	·9726106	1·9879390	57
9	·9925082	1·9967341	9	58	·9705504	1·9870181	58
10	·9933025	1·9970815	10	59	·9683391	1·9860275	59
11	·9940079	1·9973899	11	60	·9659691	1·9849691	60
12	·9946339	1·9976633	12	61	·9634213	1·9838163	61
13	·9940377	1·9974029	13	62	·9606880	1·9825824	62
14	·9933818	1·9971162	14	63	·9577515	1·9812529	63
15	·9926472	1·9967949	15	64	·9545111	1·9797810	64
16	·9924286	1·9966998	16	65	·9512306	1·9782858	65
17	·9922004	1·9965994	17	66	·9476093	1·9766293	66
18	·9919725	1·9964996	18	67	·9437289	1·9748473	67
19	·9917243	1·9963910	19	68	·9395725	1·9729303	68
20	·9914863	1·9962867	20	69	·9351174	1·9708651	69
21	·9912286	1·9961738	21	70	·9303532	1·9686479	70
22	·9909709	1·9960609	22	71	·9252336	1·9662514	71
23	·9907035	1·9959437	23	72	·9197636	1·9636762	72
24	·9904261	1·9958221	24	73	·9139123	1·9609045	73
25	·9901386	1·9956960	25	74	·9086023	1·9583748	74
26	·9898422	1·9955660	26	75	·9009600	1·9547055	75
27	·9895449	1·9954355	27	76	·8938149	1·9512471	76
28	·9892284	1·9952965	28	77	·8861785	1·9475212	77
29	·9889118	1·9951576	29	78	·8780314	1·9435101	78
30	·9885858	1·9950148	30	79	·8693424	1·9391909	79
31	·9882395	1·9948622	31	80	·8600764	1·9345370	80
32	·9878939	1·9947108	32	81	·8502052	1·9295248	81
33	·9875382	1·9945539	33	82	·8397062	1·9241274	82
34	·9871632	1·9943889	34	83	·8286380	1·9183124	83
35	·9867880	1·9942238	35	84	·8174879	1·9124818	84
36	·9863929	1·9940500	36	85	·8040609	1·9052890	85
37	·9859887	1·9938720	37	86	·7906866	1·8980044	86
38	·9855744	1·9936895	38	87	·7765144	1·8901496	87
39	·9851411	1·9934935	39	88	·7615093	1·8816752	88
40	·9846980	1·9933030	40	89	·7455424	1·8725306	89
41	·9842450	1·9931032	41	90	·7288850	1·8626590	90
42	·9837825	1·9928991	42	91	·7112006	1·8519921	91
43	·9833007	1·9926863	43	92	·6925700	1·8404637	92
44	·9828091	1·9924691	44	93	·6729681	1·8279945	93
45	·9822982	1·9922433	45	94	·6524030	1·8145160	94
46	·9817678	1·9920088	46	95	·6307627	1·7998660	95
47	·9812377	1·9917742	47	96	·6081372	1·7840016	96
48	·9806784	1·9915266	48	97	·5844889	1·7667756	97

Note.—The sign — over the Columns of Logarithms applies to all the indices in the Columns, which are negative.

* These probabilities of living for a year are, at all ages after 4, deduced from the mortality per cent. given in Table II., by the formula:—

$$p = \frac{100 - \frac{m}{2}}{100 + \frac{m}{2}}$$

III.—FEMALES.

Age.	*Probability of Living a Year = p .	Logarithms of p .	Age.	Age.	*Probability of Living a Year = p .	Logarithms of p .	Age.
0	.8793746	1.9441789	0	49	.9888713	1.9929883	49
1	.9813321	1.9691046	1	50	.9835070	1.9927775	50
2	.9659860	1.9849708	2	51	.9831333	1.9926124	51
3	.9774529	1.9900959	3	52	.9827600	1.9924474	52
4	.9831055	1.9926001	4	53	.9823768	1.9922781	53
5	.9862057	1.9939675	5	54	.9819739	1.9920999	54
6	.9887239	1.9950750	6	55	.9815714	1.9919219	55
7	.9908923	1.9960264	7	56	.9801000	1.9912704	56
8	.9914964	1.9962911	8	57	.9785232	1.9905711	57
9	.9921509	1.9965777	9	58	.9768120	1.9898110	58
10	.9927564	1.9968427	10	59	.9749671	1.9889900	59
11	.9933123	1.9970858	11	60	.9729800	1.9881040	60
12	.9938291	1.9973117	12	61	.9708315	1.9871439	61
13	.9933918	1.9971206	13	62	.9685233	1.9861101	62
14	.9929350	1.9969208	14	63	.9660366	1.9849936	63
15	.9924384	1.9967036	15	64	.9638540	1.9837859	64
16	.9922700	1.9966299	16	65	.9604575	1.9824782	65
17	.9920913	1.9965517	17	66	.9573504	1.9810705	66
18	.9919127	1.9964735	18	67	.9539934	1.9795454	67
19	.9917341	1.9963953	19	68	.9503821	1.9778983	68
20	.9915459	1.9963128	20	69	.9464911	1.9761165	69
21	.9913575	1.9962303	21	70	.9423132	1.9741953	70
22	.9911591	1.9961484	22	71	.9378059	1.9721130	71
23	.9909613	1.9960566	23	72	.9329632	1.9698738	72
24	.9907527	1.9959653	24	73	.9277679	1.9674388	73
25	.9905450	1.9958742	25	74	.9200600	1.9638160	74
26	.9903310	1.9957830	26	75	.9161861	1.9619861	75
27	.9901191	1.9956874	27	76	.9097362	1.9589155	76
28	.9898916	1.9955876	28	77	.9028229	1.9556026	77
29	.9896637	1.9954876	29	78	.8949941	1.9518202	78
30	.9894361	1.9953878	30	79	.8874692	1.9481533	79
31	.9891890	1.9952792	31	80	.8814500	1.9451976	80
32	.9889513	1.9951749	32	81	.8698495	1.9394440	81
33	.9887044	1.9950664	33	82	.8601102	1.9345541	82
34	.9884472	1.9949585	34	83	.8496939	1.9292625	83
35	.9881900	1.9948405	35	84	.8385732	1.9235410	84
36	.9879232	1.9947232	36	85	.8267010	1.9173484	85
37	.9876467	1.9946017	37	86	.8140508	1.9106515	86
38	.9873700	1.9944800	38	87	.8005772	1.9034032	87
39	.9870838	1.9943541	39	88	.7862407	1.8955555	88
40	.9867877	1.9942237	40	89	.7710009	1.8870549	89
41	.9865016	1.9940978	41	90	.7548246	1.8778461	90
42	.9861959	1.9939632	42	91	.7376800	1.8678680	91
43	.9858802	1.9938242	43	92	.7195278	1.8570476	92
44	.9855647	1.9936852	44	93	.7003334	1.8453048	93
45	.9852398	1.9935419	45	94	.6800722	1.8325550	94
46	.9849146	1.9933986	46	95	.6587204	1.8186946	95
47	.9845700	1.9932466	47	96	.6362327	1.8036160	96
48	.9842255	1.9930946	48	97	.6126300	1.7871984	97

Note.—The sign — over the Columns of Logarithms applies to all the indices in the Columns, which are negative.

* These probabilities of living for a year are, at all ages after 4, deduced from the mortality per cent. given in Table II., by the formula:—

$$p = \frac{100 - \frac{m}{2}}{100 + \frac{m}{2}}$$

IV.—SCOTTISH LIFE TABLE, 1871.

Agea.	Living.	Males.	Females.	Dying in the next year.	Males.	Females.
0	100000	51395	48605	13088	7220	5863
1	86917	44175	42742	5974	3039	2935
2	80943	41136	39807	2712	1358	1354
3	78231	39778	38453	1754	887	867
4	76477	38891	37586	1258	623	635
5	75219	38268	36951	1023	513	510
6	74196	37755	36441	833	422	411
7	73363	37333	36030	677	349	328
8	72686	36984	35702	612	309	303
9	72074	36675	35399	553	275	278
10	71521	36400	35121	498	243	255
11	71023	36157	34866	450	217	233
12	70573	35940	34633	406	193	213
13	70167	35747	34420	441	213	228
14	69726	35534	34192	475	235	240
15	69251	35299	33952	517	260	257
16	68734	35039	33695	525	265	260
17	68209	34774	33435	536	271	265
18	67673	34503	33170	545	277	268
19	67128	34226	32902	555	283	272
20	66573	33943	32630	565	289	276
21	66008	33654	32354	574	295	279
22	65434	33359	32075	585	301	284
23	64849	33058	31791	594	307	287
24	64255	32751	31504	606	314	292
25	63649	32437	31212	615	320	295
26	63034	32117	30917	623	324	299
27	62411	31793	30618	634	332	302
28	61777	31461	30316	645	339	306
29	61132	31122	30010	656	345	311
30	60476	30777	29699	665	351	314
31	59811	30426	29385	675	358	317
32	59136	30068	29068	685	364	321
33	58451	29704	28747	695	370	325
34	57756	29334	28422	705	377	328
35	57051	28957	28094	715	383	332
36	56336	28574	27762	723	388	335
37	55613	28186	27427	734	395	339
38	54879	27791	27088	743	401	342
39	54136	27390	26746	753	407	346
40	53383	26983	26400	762	413	349
41	52621	26570	26051	770	419	351
42	51851	26151	25700	779	424	355
43	51072	25727	25345	788	430	358
44	50284	25297	24987	795	435	360
45	49489	24862	24627	804	440	364
46	48685	24422	24263	811	445	366
47	47874	23977	23897	819	450	369
48	47055	23527	23528	826	455	371
49	46229	23072	23157	832	459	373
50	45397	22613	22784	839	463	376
51	44558	22150	22408	846	468	378
52	43712	21682	22030	851	471	380

IV.—SCOTTISH LIFE TABLE—continued.

Ages.	Living.	Males.	Females.	Dying in the next year.	Males.	Females.
53	42861	21211	21650	855	474	381
54	42006	20737	21269	861	477	384
55	41145	20260	20885	865	480	385
56	40280	19780	20500	912	504	408
57	39368	19276	20092	959	528	431
58	38409	18748	19661	1008	552	456
59	37401	18196	19205	1057	576	481
60	36344	17620	18724	1106	600	506
61	35238	17020	18218	1154	623	531
62	34084	16397	17687	1202	645	557
63	32882	15752	17130	1248	666	582
64	31634	15086	16548	1292	686	606
65	30342	14400	15942	1333	702	631
66	29009	13698	15311	1371	718	653
67	27638	12980	14658	1404	730	674
68	26234	12250	13984	1434	740	694
69	24800	11510	13290	1458	747	711
70	23342	10763	12579	1476	750	726
71	21866	10013	11853	1486	749	737
72	20380	9264	11116	1488	743	745
73	18892	8521	10371	1483	734	749
74	17409	7787	9622	1481	712	769
75	15928	7075	8853	1443	701	742
76	14485	6374	8111	1409	677	732
77	13076	5697	7379	1366	649	717
78	11710	5048	6662	1316	616	700
79	10394	4432	5962	1250	579	671
80	9144	3853	5291	1166	539	627
81	7978	3314	4664	1103	496	607
82	6875	2818	4057	1020	452	568
83	5855	2366	3489	930	406	524
84	4925	1960	2965	837	358	479
85	4088	1602	2486	745	314	431
86	3343	1288	2055	652	270	382
87	2691	1018	1673	561	228	333
88	2130	790	1340	476	189	287
89	1654	601	1053	394	153	241
90	1260	448	812	321	121	200
91	939	327	612	255	95	160
92	684	232	452	198	71	127
93	486	161	325	150	53	97
94	336	108	228	110	37	73
95	226	71	155	79	26	53
96	147	45	102	55	18	37
97	92	27	65	36	11	25
98	56	16	40	...	...	...
99						
100						
101						
102	(63)	(18)	(45)	...	...	...
103						
104						
105						

V.—YEARS OF LIFE + $\frac{1}{2} L_m$

Age.	Persons.	Males.	Females.	Age.	Persons.	Males.	Females.
0	4139217	2070902	2068315	51	898399	424790	473609
1	4039217	2019507	2019710	52	853841	402640	451201
2	8952300	1975332	1976968	53	810129	380958	429171
3	3871357	1934196	1937161	54	767268	359747	407521
4	3793126	1894418	1898708	55	725262	339010	386252
5	3716649	1855527	1861122	56	684117	318750	365367
6	3641430	1817259	1824171	57	643837	298970	344867
7	3567234	1779504	1787730	58	604469	279694	324775
8	3493871	1742171	1751700	59	566060	260946	305114
9	3421185	1705187	1715998	60	528659	242750	285909
10	3349111	1668512	1680599	61	492315	225130	267185
11	3277590	1632112	1645478	62	457077	208110	248967
12	3206567	1595955	1610612	63	422993	191713	231280
13	3135994	1560015	1575979	64	390111	175961	214150
14	3065827	1524268	1541559	65	358477	160875	197602
15	2996101	1488734	1507367	66	328135	146475	181660
16	2926850	1453435	1473415	67	299126	132777	166349
17	2858116	1418396	1439720	68	271488	119797	151691
18	2789907	1388622	1406285	69	245254	107547	137707
19	2722234	1349119	1373115	70	220454	96037	124417
20	2655106	1314893	1340213	71	197112	85274	111838
21	2588533	1280950	1307583	72	175246	75261	99985
22	2522525	1247296	1275229	73	154866	65997	88869
23	2457091	1213937	1243154	74	135974	57476	78498
24	2392242	1180879	1211363	75	118565	49689	68876
25	2327987	1148128	1179859	76	102637	42614	60023
26	2264338	1115691	1148647	77	88152	36240	51912
27	2201304	1083574	1117730	78	75076	30543	44533
28	2138893	1051781	1087112	79	63366	25495	37871
29	2077116	1020320	1056796	80	52972	21063	31909
30	2015984	989198	1026786	81	43828	17210	26618
31	1955508	958421	997087	82	35850	13896	21954
32	1895697	927995	967702	83	28975	11078	17897
33	1836561	897927	938634	84	23120	8712	14408
34	1778110	868223	909887	85	18195	6752	11443
35	1720354	838889	881465	86	14107	5150	8957
36	1663303	809932	853371	87	10764	3862	6902
37	1606967	781358	825609	88	8073	2844	5229
38	1551354	753172	798182	89	5943	2054	3889
39	1496475	725381	771094	90	4289	1453	2836
40	1442339	697991	744346	91	3029	1005	2024
41	1388956	671008	717948	92	2090	678	1412
42	1336335	644438	691897	93	1406	446	960
43	1284484	618287	666197	94	920	285	635
44	1233412	592560	640852	95	584	177	407
45	1183128	567263	615865	96	358	106	252
46	1133639	542401	591238	97	211	61	150
47	1084954	517979	566975	98	119	34	85
48	1037080	494002	543078	99	to } * (63)	(18)	(45)
49	990025	470475	519550	105			
50	943796	447403	496393				

Note.—This Table is derived from Table IV., by summing the numbers in the columns headed 'Living,' at each age up to the last age in the Table.

* These numbers, included in brackets both here and in Table IV., are to be regarded as mere approximate estimates to the true numbers.

VI.—EXPECTATION OF LIFE.

Ages.	Persons.	Males.	Females.	Ages.	Persons.	Males.	Females.
0	40·89	39·79	42·05	50	20·29	19·28	21·29
1	45·97	45·22	46·75	51	19·66	18·68	20·64
2	48·33	47·52	49·16	52	19·04	18·07	19·98
3	48·99	48·13	49·88	53	18·40	17·46	19·32
4	49·10	48·21	50·02	54	17·77	16·85	18·66
5	48·91	47·99	49·87	55	17·13	16·23	17·99
6	48·58	47·63	49·56	56	16·48	15·61	17·32
7	48·12	47·16	49·12	57	15·86	15·01	16·66
8	47·57	46·61	48·56	58	15·24	14·42	16·02
9	46·97	45·99	47·97	59	14·64	13·84	15·39
10	46·33	45·34	47·35	60	14·05	13·28	14·77
11	45·65	44·64	46·69	61	13·47	12·73	14·17
12	44·94	43·91	46·01	62	12·91	12·19	13·58
13	44·19	43·14	45·29	63	12·37	11·67	13·00
14	43·47	42·40	44·59	64	11·83	11·16	12·44
15	42·77	41·68	43·90	65	11·32	10·67	11·90
16	42·08	40·98	43·23	66	10·81	10·19	11·37
17	41·41	40·29	42·56	67	10·32	9·73	10·85
18	40·73	39·60	41·89	68	9·85	9·28	10·35
19	40·06	38·92	41·23	69	9·39	8·85	9·86
20	39·38	38·24	40·57	70	8·94	8·42	9·39
21	38·72	37·56	39·91	71	8·52	8·02	8·94
22	38·05	36·89	39·26	72	8·10	7·63	8·48
23	37·39	36·22	38·60	73	7·70	7·25	8·07
24	37·23	35·56	37·95	74	7·31	6·88	7·66
25	36·08	34·89	37·30	75	6·94	6·52	7·28
26	35·42	34·24	36·65	76	6·59	6·19	6·90
27	34·77	33·58	36·01	77	6·24	5·86	6·54
28	34·12	32·93	35·36	78	5·91	5·55	6·18
29	33·47	32·29	34·71	79	5·60	5·25	5·85
30	32·84	31·64	34·07	80	5·29	4·97	5·53
31	32·20	31·00	33·43	81	4·99	4·69	5·21
32	31·56	30·37	32·79	82	4·71	4·43	4·91
33	30·97	29·73	32·15	83	4·44	4·18	4·61
34	30·29	29·10	31·51	84	4·19	3·94	4·36
35	29·65	28·47	30·88	85	3·95	3·71	4·10
36	29·03	27·85	30·24	86	3·72	3·50	3·86
37	28·40	27·22	29·60	87	3·50	3·29	3·63
38	27·77	26·60	28·97	88	3·29	3·10	3·40
39	27·15	25·98	28·33	89	3·09	2·92	3·19
40	26·52	25·37	27·69	90	2·90	2·74	2·99
41	25·90	24·75	27·06	91	2·73	2·57	2·80
42	25·27	24·14	26·42	92	2·56	2·42	2·62
43	24·65	23·53	25·79	93	2·39	2·27	2·50
44	24·03	22·92	25·14	94	2·24	2·14	2·29
45	23·41	22·32	24·51	95	2·08	1·99	2·13
46	22·78	21·71	23·87	96	1·94	1·86	1·97
47	22·16	21·10	23·23	97	1·79	1·76	1·81
48	21·54	20·50	22·58	98	1·63	1·63	1·63
49	20·92	19·89	21·94				

Note.—The expectation or average afterlifetime at any age is obtained from Tables V. and IV. as follows:—

Divide the number in Table V. corresponding to the *next higher* year of life by the number living at the age according to Table IV.; and then add '5 to the quotient. Thus, at 71 the expectation of male life is $\frac{75261}{15013} + '5 = 8\cdot02$ years.

VACCINATIONS IN SCOTLAND—1873.

		Successful- ly Vaccinated.	Vaccination Post- poned.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1873.
				On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.			
	SCOTLAND, -	105177	1113	162	29	163	10527	2639	119610
	GROUPS OF DISTRICTS.								
1	PRINCIPAL TOWNS, ...	35780	111	65	14	92	4337	1110	41699
2	LARGE TOWNS, ...	12364	70	16	15	29	1238	317	14049
3	SMALL TOWNS, ...	25697	304	18	9	28	2437	508	28996
4	MAINLAND-RURAL, ...	28823	368	60	1	13	2191	427	31881
5	INSULAR-RURAL, ...	2613	262	3	0	1	224	272	3375
	DIVISIONS.								
1	NORTHERN, ...	2481	179	5	0	3	203	201	3072
2	NORTH-WESTERN, ...	3374	348	24	0	6	327	185	4264
3	NORTH-EASTERN, ...	11561	81	17	0	1	915	87	12062
4	EAST-MIDLAND, ...	16579	74	32	0	41	1640	173	18559
5	WEST-MIDLAND, ...	7283	141	6	7	13	633	237	8320
6	SOUTH-WESTERN, ...	43947	96	50	30	191	4796	1299	50768
7	SOUTH-EASTERN, ...	14540	117	19	1	7	1496	401	16581
8	SOUTHERN, ...	5412	77	9	1	2	507	76	6084
	COUNTIES.								
	I. NORTHERN.								
1	Shetland, ...	523	19	0	0	0	43	132	717
2	Orkney, ...	713	25	0	0	0	34	9	761
3	Caithness, ...	789	123	2	0	2	76	41	1033
4	Sutherland, ...	456	12	3	0	1	50	19	541
	II. NORTH-WESTERN.								
5	Ross and Cromarty, ...	1666	159	4	0	2	155	54	2040
6	Inverness, ...	1708	189	20	0	4	172	131	2224
	III. NORTH-EASTERN.								
7	Nairn, ...	222	2	1	0	0	18	5	246
8	Elgin or Moray, ...	1101	14	1	0	0	79	16	1211
9	Banff, ...	1610	20	2	0	0	141	15	1786
10	Aberdeen, ...	7628	36	10	0	1	605	47	8327
11	Kincardine, ...	1000	9	3	0	0	72	4	1068
	IV. EAST-MIDLAND.								
12	Forfar, ...	7600	23	23	0	38	895	36	8665
13	Perth, ...	3046	16	4	0	1	275	52	3394
14	Fife, ...	5034	34	5	0	2	390	29	5494
15	Kinross, ...	160	0	0	0	0	17	1	178
16	Clackmannan, ...	739	1	0	0	0	83	5	828
	V. WEST-MIDLAND.								
17	Stirling, ...	3281	18	2	0	12	296	61	3660
18	Dumbarton, ...	2000	13	3	7	0	199	75	2297
19	Argyll, ...	1663	106	1	0	1	131	74	1978
20	Bute, ...	339	2	0	0	0	17	27	365
	VI. SOUTH-WESTERN.								
21	Renfrew, ...	6780	14	27	11	25	727	206	7790
22	Ayr, ...	7292	27	3	6	0	652	71	8051
23	Lanark, ...	29875	55	20	13	65	3407	992	24427
	VII. SOUTH-EASTERN.								
24	Linlithgow, ...	1496	10	3	0	0	165	42	1716
25	Edinburgh, ...	16073	69	10	1	1	1041	311	11606
26	Haddington, ...	1031	20	2	0	5	94	14	1166
27	Berwick, ...	918	6	1	0	1	62	12	1020
28	Peebles, ...	214	4	3	0	0	30	11	267
29	Selkirk, ...	708	8	0	0	0	84	11	811
	VIII. SOUTHERN.								
30	Roxburgh, ...	1393	9	0	1	0	144	16	1563
31	Dumfries, ...	1876	54	6	0	2	196	37	2171
32	Kirkcudbright, ...	1115	11	1	0	0	92	13	1222
33	Wigtown, ...	1028	3	2	0	0	75	10	1118

BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1873.

1873.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres.
	1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Males.	Fem.	Total.			
SCOTLAND, . . .	3,062,294	3,360,018	61467	58233	119700	3512	3383	6895	29037	27909	76946	26748	42754	19,639,377
GROUPS OF DIS- TRICTS.														
1 PRINCIPAL TOWNS . . .	884,955	1,068,556	21293	20277	41500	1911	1869	3780	15227	14781	30008	10594	11492	
2 LARGE TOWNS . . .	277,333	337,469	7241	6792	14033	543	543	1086	4766	4510	9276	3140	4727	
3 SMALL TOWNS . . .	701,528	772,875	14912	13929	28841	1190	1128	2318	8869	8438	17367	6130	11484	
4 MAINLAND-RURAL . . .	1,061,793	1,049,114	16344	15619	31963	1793	1754	3547	9155	8943	18098	6291	13865	
5 INSULAR-RURAL . . .	136,785	132,004	1747	1616	3363	103	89	192	1020	1187	2177	593	1186	
DIVISIONS.														
1 NORTHERN, . . .	130,422	127,191	1583	1482	3065	129	107	236	1001	1083	2084	624	981	2,837,221
2 NORTH-WESTERN, . . .	167,242	166,351	2192	2066	4258	122	167	279	1398	1445	2843	738	1415	4,739,876
3 NORTH-EASTERN, . . .	366,870	393,199	6477	6177	12654	896	911	1807	3402	3402	6804	2646	5850	2,364,425
4 EAST-MIDLAND, . . .	523,822	539,676	9482	9060	18542	938	856	1794	5822	5897	11719	4168	6823	2,644,646
5 WEST-MIDLAND, . . .	242,487	251,088	4272	4024	8296	289	304	593	2836	2698	5534	1719	2772	2,698,379
6 SOUTH-WESTERN, . . .	1,008,273	1,183,218	25851	24379	50230	1957	1902	3859	17494	16289	33783	11592	16447	1,466,567
7 SOUTH-EASTERN, . . .	413,116	475,523	8483	8086	16569	740	662	1402	5178	5064	10242	4030	6327	1,186,736
8 SOUTHERN, . . .	210,062	203,772	3127	2949	6076	471	484	955	1906	2031	3937	1331	2139	2,072,688
COUNTIES.														
I. NORTHERN.														
1 Shetland, . . .	31,670	31,608	379	341	713	19	11	30	196	244	440	144	273	{ 598,726
2 Orkney, . . .	32,395	31,274	408	378	781	29	21	50	262	256	518	179	263	
3 Caithness, . . .	42,200	41,011	533	499	1032	60	58	118	357	379	739	199	303	
4 Sutherland, . . .	24,157	23,298	270	269	539	21	17	38	186	211	397	102	142	
II. NORTH-WESTERN.														
5 Ross and Cromarty, . . .	82,427	82,093	1059	978	2037	36	48	84	636	631	1267	358	770	2,016,375
6 Inverness, . . .	84,815	84,258	1133	1068	2221	86	109	195	762	814	1576	380	645	2,723,501
III. NORTH-EASTERN.														
7 Naïra, . . .	8,347	8,372	126	121	247	4	10	14	68	86	154	45	93	127,906
8 Elgin (or Moray), . . .	44,305	44,549	643	569	1212	94	98	192	364	372	736	244	476	312,846
9 Banff, . . .	56,020	58,883	938	850	1788	149	127	276	523	461	984	371	804	413,791
10 Aberdeen, . . .	223,417	246,298	4205	4115	8320	576	600	1176	2174	2202	4376	1681	3944	1,262,098
11 Kincardine, . . .	34,781	35,097	565	522	1087	73	76	149	273	281	554	205	333	248,284
IV. EAST-MIDLAND.														
12 Forfar, . . .	206,750	240,049	4462	4200	8662	495	470	965	2721	2753	5474	1982	3188	569,840
13 Perth, . . .	133,198	128,550	1704	1681	3385	183	156	339	1268	1292	2560	770	825	1,644,690
14 Fife, . . .	165,021	160,924	2798	2692	5490	222	193	415	1333	1531	3064	1207	2426	328,427
15 Kinross, . . .	8,731	7,918	85	93	178	10	9	19	65	94	159	44	19	49,812
16 Clackmannan, . . .	20,122	22,235	433	394	827	28	28	56	235	227	462	165	365	31,876
V. WEST-MIDLAND.														
17 Stirling, . . .	88,138	93,845	1910	1748	3658	137	143	280	1141	1008	2149	815	1509	298,579
18 Dumfries, . . .	54,179	61,116	1167	1125	2292	71	67	138	765	682	1437	443	855	172,677
19 Argyll, . . .	88,859	79,681	908	973	1771	71	76	147	771	797	1568	386	403	2,083,126
20 Bute, . . .	16,311	16,968	197	188	385	10	18	28	169	211	380	98	6	143,997
VI. SOUTH-WESTERN.														
21 Renfrew, . . .	168,746	195,305	4049	3738	7787	273	245	518	2986	2852	5638	1793	1949	162,428
22 Ayr, . . .	199,083	200,908	4090	3943	8033	298	325	623	2512	2304	4816	1822	3217	735,262
23 Lanark, . . .	640,444	787,005	17712	16698	34410	1386	1322	2708	11996	11133	23129	7977	11281	568,868
VII. SOUTH-EASTERN.														
24 Linlithgow, . . .	39,045	41,379	905	809	1714	85	63	148	499	474	923	337	791	81,114
25 Edinburgh, . . .	273,792	324,138	5838	5665	11503	491	441	932	3669	3639	7308	2994	4195	234,926
26 Haddington, . . .	37,626	37,755	909	853	1762	60	49	109	386	396	782	255	380	179,142
27 Berwick, . . .	36,488	36,382	516	501	1017	50	67	107	316	299	615	200	402	297,161
28 Peebles, . . .	11,264	12,218	184	178	362	17	18	35	94	96	190	66	172	227,869
29 Selkirk, . . .	14,901	19,651	481	380	861	37	34	71	214	210	424	178	387	166,524
VIII. SOUTHERN.														
30 Rosburgh, . . .	49,568	43,241	809	753	1562	89	92	181	451	490	941	344	621	478,494
31 Dumfries, . . .	75,904	74,842	1094	1075	2169	156	187	343	749	795	1544	474	625	705,946
32 Kirkcudbright, . . .	42,660	43,087	651	678	1229	116	107	223	358	389	747	272	482	610,343
33 Wigtown, . . .	41,910	38,602	873	543	1416	110	98	208	348	357	705	241	411	327,906

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
	I. NORTHERN.												
	1. SHETLAND.												
1	Bressay, etc.—(1) Bressay	915	902	11	5	16	—	—	—	6	13	19	3
2	(2) Barra and Quarff,	890	952	8	19	27	—	—	—	2	6	8	8
3	Delting, ...	1975	1862	18	20	38	1	1	2	11	7	18	10
	Dunrossness, etc.—												
	(1) Dunrossness, ...	2113	1970	19	18	37	2	—	2	12	10	22	11
	(2) Sandwick and Cunningsburgh, ...	2337	2326	26	31	57	2	—	2	15	13	28	8
4	(3) Fair Isle, ...	380	226	3	5	8	—	—	—	—	2	2	2
	Fetlar, etc.—												
	(1) Fetlar, ...	548	517	3	3	6	—	—	—	6	2	8	1
	(2) North Yell, ...	932	893	12	10	22	—	—	—	2	7	9	3
5	LERWICK, ...	3631	4180	58	48	106	5	4	9	44	42	86	48
6	Mid and South Yell, ...	1784	1843	23	23	45	1	2	3	10	22	32	2
7	Nesting, etc.—												
	(1) Nesting, ...	855	868	17	12	29	1	—	1	2	7	9	7
	(2) Lunnasting, ...	880	822	14	4	18	2	—	2	5	4	9	—
	(3) Whalsay and Skerries	848	989	13	20	33	—	—	—	5	6	11	2
8	Northmavine, ...	2585	2602	26	27	53	1	1	2	16	19	35	7
9	Sandsting and Aithsting, ...	2670	2806	30	24	54	1	1	2	14	19	33	18
10	Tingwall, etc.—												
	(1) Tingwall, ...	1554	1442	14	14	28	2	1	3	8	18	26	5
	(2) Whiteness & Weisdale	1143	1049	12	10	22	—	—	—	9	15	24	3
11	Unst, ...	3060	2780	33	28	61	1	—	1	13	19	32	3
12	Walls, etc.—(1) Walls, ...	1365	1325	15	14	29	—	1	1	7	9	16	3
	(2) Sandness, ...	606	646	14	5	19	—	—	—	6	2	8	—
	(3) Papa-Strour, ...	366	351	4	1	5	—	—	—	—	1	1	—
	(4) Foula, ...	233	257	—	—	—	—	—	—	3	1	4	—
	Total,	31670	31608	372	341	713	19	11	30	196	244	440	144
	2. ORKNEY.												
13	Birsay, ...	1774	1597	18	19	37	—	—	—	13	7	20	5
14	Deerness, ...	813	863	9	7	16	—	—	—	5	8	13	3
15	Eday and Pharay, ...	979	905	9	13	22	—	—	—	5	7	12	6
16	Erve and Rendall, ...	1408	1340	22	15	37	2	—	2	7	12	19	7
17	Firth and Stennes, ...	1493	1434	13	15	28	2	1	3	19	7	26	5
18	Harray, ...	819	727	9	7	16	1	—	1	10	4	14	5
19	Holm and Paplay, ...	834	935	14	12	26	—	—	—	8	7	15	10
20	Hoy and Græmsay, ...	556	581	13	5	18	—	—	—	2	8	10	4
21	KIRKWALL & St Ola	4422	4261	53	54	107	6	7	13	47	41	88	29
22	North Ronaldshay, ...	532	539	8	6	14	—	—	—	7	2	9	3
23	Orphir, ...	1133	1040	13	7	20	—	1	1	8	9	17	4
24	Rousay and Egilsay, ...	1152	1101	20	21	41	—	—	—	6	14	20	8
25	St Andrews, ...	868	870	8	7	15	1	—	1	9	7	16	2
26	Sanday, ...	2145	2053	22	31	53	2	—	2	15	12	27	8
27	Sandwick, ...	1225	1153	11	7	18	—	—	—	6	8	14	9
28	Shapinshay, ...	973	949	13	11	24	1	1	2	6	3	9	4
29	South Ronaldshay and Burray, ...	3282	3228	46	47	93	3	3	6	24	25	49	25
30	Stromness, ...	2540	2403	35	17	52	5	—	5	18	34	52	6
31	Stronsay, ...	1228	1305	14	17	31	1	1	2	13	7	20	8
32	Walls, etc.—(1) Walls, ...	1254	1107	13	14	27	2	3	5	15	9	24	8
	(2) Flotta, ...	420	423	5	3	8	—	2	2	5	4	9	5
33	Westray, etc.—(1) Westray	2153	2090	34	34	68	3	2	5	11	21	32	15
	(2) Papa-Westray, ...	392	370	6	4	10	—	—	—	3	—	3	—
	Total,	32395	31274	408	373	781	29	21	50	262	256	518	179

N.B.—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 or upwards in small capitals; thus: Tain.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
3. CAITHNESS.													
34	Bower, ...	1746	1700	11	30	41	—	3	3	13	16	29	6
35	Canisbay, ...	2730	2729	36	47	83	3	2	5	20	19	39	9
36	Dunnet, ...	1861	1661	19	13	32	1	—	1	12	13	25	13
37	Halkirk, ...	2864	2664	40	27	67	2	4	6	23	25	48	15
38	Latheron, ...	8571	7400	100	63	163	12	7	19	66	68	134	37
39	Olrig, ...	2059	2028	18	23	41	3	6	9	15	14	29	8
40	Reay, ...	2476	2331	26	23	49	3	5	8	21	19	40	11
41	Thurso, ...	5561	5754	101	74	175	10	7	17	48	62	110	31
42	Watten, ...	1491	1453	14	17	31	1	4	5	13	14	27	7
43	WICK, ...	12841	13291	168	182	350	25	20	45	126	122	248	62
	Total,	42200	41011	533	499	1032	60	58	118	357	372	729	199
4. SUTHERLAND.													
44	Assynt—(1) Kirkton, ...	553	487	6	5	11	—	1	1	5	8	13	2
	(2) Stoer, ...	2625	2519	26	32	58	1	—	1	18	21	39	15
45	Clyne, ...	1886	1733	20	16	36	2	—	2	17	23	40	10
46	Criche—(1) Bonar, ...	1982	1854	13	22	35	1	1	2	12	11	23	8
	(2) Rosehall, ...	539	670	12	3	15	1	—	1	5	3	8	2
47	DORNOCH, ...	2885	2764	25	31	56	4	4	8	16	31	47	9
48	Durress, ...	1109	1049	12	10	22	1	1	2	8	6	14	2
49	Eddrachillis—(1) Scurie, ...	727	648	3	7	10	—	1	1	6	6	12	2
	(2) Kinlochbervie, ...	914	882	11	19	30	1	1	2	5	11	16	6
50	Farr—(1) Kirkton, ...	1251	1190	16	14	30	3	1	4	9	15	24	4
	(2) Strath, ...	852	829	10	11	21	1	2	3	12	3	15	6
51	Golspie, ...	1615	1804	19	22	41	—	1	1	13	17	30	10
52	Kildonan, ...	2132	1916	32	29	61	1	3	4	20	24	44	10
53	Lairg, ...	961	978	18	9	27	2	—	2	6	8	14	5
54	Loth, ...	610	583	6	9	15	—	—	—	2	3	5	2
55	Rogart, ...	1439	1341	17	11	28	2	1	3	16	11	27	4
56	Tongue, ...	2077	2051	24	19	43	1	—	1	16	10	26	5
	Total,	24157	23298	270	269	539	21	17	38	186	211	397	102
II. NORTH-WESTERN.													
5. ROSS AND CROMARTY.													
Mainland.													
57	Alness, ...	1178	1053	9	7	16	—	—	—	5	4	9	1
58	Applecross—(1) Applecross, ...	1064	1129	10	13	23	1	1	2	5	6	11	5
	(2) Shieldaig, ...	1480	1341	24	14	38	2	—	2	10	8	18	10
59	Avoch, ...	1788	1828	27	29	56	1	1	2	17	16	33	9
60	Contin, ...	c. 852	893	11	12	23	1	1	2	7	10	17	4
61	CROMARTY, ...	2300	2180	34	33	67	—	2	2	16	21	37	9
62	DINGWALL, ...	2412	2443	21	30	51	—	3	3	12	17	29	11
63	Edderton, ...	836	860	11	9	20	—	1	1	10	11	21	1
64	Fearn, ...	2083	2135	29	36	65	1	1	2	18	12	30	8
65	Fodderty, ...	c. 2212	2086	17	22	39	4	—	4	17	18	35	4
66	Gairloch—												
	(1) Northern District, ...	1927	1669	20	14	34	—	2	2	15	9	24	9
	(2) Southern District, ...	3522	3379	34	27	61	1	1	2	30	21	51	9
67	Glenshiel, ...	485	463	6	3	9	1	—	1	6	5	11	—
68	Killearnan, ...	1494	1272	18	11	29	1	2	3	8	5	13	2
69	Kilmuir-Easter, ...	1295	1281	11	10	21	—	—	—	14	8	22	1
70	Kiltarn, ...	1634	1496	9	21	30	1	3	4	8	11	19	3
71a	Kincardine—												
	(1) Kincardine, ...	1346	1299	16	13	29	1	1	2	10	12	22	3
	(2) Strathoykel, ...	400	386	3	3	6	—	—	—	2	2	4	—
71b	Kinlochluichart, ...	c. 714	704	7	8	15	—	—	—	5	1	6	1
72	Kintail, ...	890	753	6	8	14	—	—	—	8	9	17	2
73	Knockbain, ...	2485	2155	21	14	35	—	4	4	19	16	35	7

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Briths, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
74	Lochalsh, ...	2413	2319	33	8	41	2	2	4	17	12	29	15
75	Lochbroom— (1) Lochbroom, ...	3577	3167	43	30	73	4	—	4	24	35	59	15
	(2) Coigach, ...	1285	1239	27	15	42	—	1	1	12	10	22	8
76	Lochcarron, ...	1592	1629	18	16	34	1	1	2	10	12	22	8
77	Logie-Easter, ...	932	912	10	10	20	—	1	1	10	9	19	2
78	Nigg, ...	1253	1201	14	7	21	—	—	—	6	6	12	5
79	Resolis, ...	1568	1527	17	15	32	—	1	1	11	9	20	10
80	ROSEMARKIE, ...	1545	1441	18	17	35	—	5	5	20	15	35	7
81	Rosskeen, ...	3766	3808	45	46	91	5	3	8	25	38	63	14
82	TAIN, ...	3294	3221	38	39	77	5	4	9	35	38	73	9
83	Tarbat, ...	2269	2182	19	21	40	—	—	—	7	17	24	10
84	Urquhart & Logie Wester, Urray, ...	3147 c. 2343	2863 2296	15 20	25 24	40 44	— 1	4 —	4 1	23 19	32 17	55 36	3
	<i>Insular.</i>												13
86	Barvas, ...	4609	4950	82	97	179	1	1	2	34	35	69	46
86	Carloway, ...	2204	2702	55	41	96	—	—	—	24	25	49	6
87	Locha, ...	3568	4162	75	63	138	—	2	2	32	28	60	27
88	STORNOWAY, ...	8668	9510	152	141	293	2	—	2	75	61	136	49
89	Uig, ...	2007	2159	34	26	60	—	—	—	10	10	20	12
	Total,	82427	82093	1059	978	2037	36	48	84	636	631	1267	358
	6. INVERNESS.												
	<i>Mainland.</i>												
90	Aberneithy & Kincardine, Alvie, ...	1928 833	1752 882	28 13	23 11	51 24	10 2	9 2	19 4	15 3	14 4	29 7	12 4
91	Ardersier, ...	1239	1284	36	24	60	4	2	6	22	21	43	12
92	Boleskine etc.— (1) Boleskine, ...	813	681	9	11	20	1	—	1	6	5	11	—
	(2) Fort-Augustus Cromdale & Inverallan, (Now 128b <i>infra.</i>)	930	897	7	10	17	—	1	1	8	7	15	5
94	Croy and Dalross, ...	1873	1841	16	23	39	2	4	6	10	9	19	13
95	Daviot and Dunlichty, ...	1741	1598	16	15	31	—	1	1	12	10	22	2
96	Dores, ...	1506	1401	12	13	25	1	1	2	9	10	19	7
96	Duthil, etc.—(1) Duthil, (2) Rothiemurchus, Glenelg—(1) Glenelg, ...	1609 319 800	1530 342 714	22 3 9	12 2 7	34 5 16	8 — 1	4 — —	12 — 1	9 — 6	17 3 5	26 3 11	5 1 3
97	(2) Knoydart, ...	574	499	9	3	12	—	1	1	5	8	13	1
	(3) North Morar, INVERNESS, ...	469 16162	440 18552	12 260	7 269	19 529	— 14	— 33	— 47	3 230	1 235	4 465	3 112
99	Kilmonivaig— (1) Glengarry, ...	625	550	6	4	10	—	—	—	1	5	6	3
	(2) Lochaber, ...	1651	1417	15	15	30	—	1	1	16	9	25	4
100	Kilmorack, ...	2852	2728	27	17	44	—	2	2	34	22	56	7
101	Kiltarlity, ...	2839	2537	13	17	30	2	1	3	23	16	39	7
102	Kingussie and Insh, Kirkhill, ...	2033	2101	30	29	59	3	5	8	15	14	29	5
103	Laggan, ...	1757	1582	13	17	30	1	1	2	12	12	24	6
104	Moy and Dalrossie, Petty, ...	986 1026	950 1005	11 9	10 6	21 15	— —	1 —	1 —	6 8	9 6	15 14	2 2
105	Urquhart, etc.— (1) Urquhart, ...	1671 2294	1549 2215	21 30	19 23	40 53	— 1	— 2	— 3	9 18	12 12	21 30	5 8
107	(2) Glenmoriston, <i>Insular.</i>	617	565	1	5	6	—	—	—	1	3	4	1
108	Barra, ...	1853	1997	35	40	75	4	4	8	29	32	61	3
109	Bracadale, ...	1335	1113	12	6	18	3	1	4	7	12	19	1
110	Duirinish, ...	4775	4422	66	62	128	2	2	4	37	40	77	19
111	Harris—(1) Harris, (2) Bernera, ...	3769 336	3668 381	87 7	51 11	138 18	12 —	1 —	13 —	26 2	37 4	63 6	20 1
	(3) St Kilda, ...	78	71	—	—	—	—	—	—	—	1	1	1

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
112	Kilmuir—(1) Kilmuir, ...	1561	1362	14	21	35	2	4	6	8	10	18	8
	(2) Stenscholl, ...	1311	1228	19	21	40	—	—	—	5	10	15	4
113	North Uist, ...	3959	4107	57	69	126	3	5	8	38	47	85	18
114	Portree—(1) Portree, ...	2579	2328	32	33	65	5	4	9	20	26	46	7
	(2) Raasay, ...	580	600	10	10	20	—	—	—	3	8	11	5
115	Sleat, ...	2330	2233	28	24	52	2	1	3	21	20	41	11
116	Small Isles, ...	567	522	6	6	12	—	1	1	5	6	11	2
117	Snisort—(1) North, ...	961	803	8	13	21	—	1	1	5	6	11	3
	(2) South, ...	1652	1500	13	18	31	—	3	3	14	16	30	7
118	South Uist—												
	(1) Benbecula, ...	1544	1651	22	23	45	—	3	3	10	6	16	7
	(2) Howmore, ...	1763	1818	26	31	57	1	3	4	12	24	36	16
	(3) Boisdale, ...	2051	2280	29	27	56	2	—	2	19	15	34	5
119	Strath, ...	2664	2562	34	30	64	—	5	5	20	25	45	12
	— Total, ...	84815	84258	1133	1088	2221	86	109	195	762	814	1576	380
III. NORTH-EASTERN.													
7. NAIRN.													
120	Ardclach, ...	1330	1197	13	18	31	1	—	1	6	9	15	3
121	Auldearn, ...	1328	1279	22	19	41	2	2	4	13	10	23	5
122	Cawdor, ...	1203	1027	16	17	33	1	—	1	6	11	17	3
123	NAIRN, ...	4486	4869	75	67	142	—	8	8	43	56	99	34
	— Total, ...	8347	8372	126	121	247	4	10	14	68	86	154	45
8. ELGIN (OR MORAY).													
124	Abernethy, etc.—(Now 90a supra.)												
125	Alves, ...	1010	1018	31	11	42	1	2	3	7	10	17	3
126	Bellie, ...	1967	2013	24	30	54	1	6	7	17	16	33	8
127	Birnie, ...	411	375	9	6	15	1	—	1	4	2	6	4
128	Boharm, ...	1412	1337	23	19	42	4	7	11	9	11	20	3
128	Cromdale—												
	(1) Cromdale & Advie, ...	1308	1295	14	9	23	3	2	5	7	10	17	6
	(2) Inverallan, ...	2635	2522	36	29	65	4	9	13	19	28	47	14
129	Dallas, ...	1102	1060	3	21	24	1	8	9	9	7	16	6
130	DRAINIE, ...	3028	3293	68	57	125	6	6	12	28	18	46	33
131	Duffus, ...	3308	3716	65	46	111	4	3	7	41	32	73	22
132	Duthil, etc.—(Now 96b sup.)												
133	Dyke, ...	1247	1238	13	11	24	3	1	4	10	10	20	3
134	Edinkillie, ...	1303	1286	14	18	32	1	1	2	9	11	20	6
135	ELGIN (incl. Burgh), ...	9866	9703	119	107	226	26	16	42	85	98	183	62
136	New Spynie, ...	518	573	7	9	16	3	4	7	4	8	12	3
137	FORRES (incl. Burgh), ...	4112	4562	66	67	133	10	15	25	40	42	82	19
138	Kinloss, ...	1315	1112	14	8	22	1	1	2	7	7	14	5
139	Knockando, ...	1736	1909	19	29	48	5	4	9	16	22	38	6
140	Rafford, ...	1055	1101	21	15	36	3	2	5	12	6	18	—
141	Rothas, ...	2407	2148	33	22	55	12	5	17	13	12	25	12
142	St Andrews-Lhanbryde, ...	1344	1286	15	15	30	1	3	4	6	4	10	10
143	Speymouth, ...	689	634	10	11	21	2	1	3	2	4	6	1
144	Urquhart, ...	2532	2368	39	29	68	2	2	4	19	14	33	18
	— Total, ...	44305	44549	643	569	1212	94	98	192	364	372	736	244
9. BANFF.													
145	Aberlour, ...	1520	1632	19	19	38	2	2	4	18	11	29	9
146	Alvah, ...	1467	1436	13	10	23	2	2	4	11	12	23	8
147	BANFF (incl. Burgh), ...	7740	8425	149	136	285	26	21	47	73	91	164	52
148	Botriphnie, ...	867	785	10	5	15	1	1	2	2	2	4	4
149	Boydnie, ...	1711	1854	30	26	56	2	1	3	15	16	31	9
150	CULLEN (pt. of Burgh), ...	1821	2056	39	32	71	3	4	7	21	18	39	16
151	Deskford, ...	1031	972	10	12	22	3	4	7	4	8	12	6
152	Ensie, ...	2072	2251	37	40	77	6	4	10	19	17	36	11

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
153	Fordyce—(1) Fordyce (2) Portsoy, }	4145	c. 2050 c. 2100	39	38	77	10	10	20	18	9	22	15
154	Forglen, ...	783	845	13	13	26	2	1	3	3	5	8	2
155	Gamrie, ...	3019	3151	42	46	88	3	6	9	24	15	39	25
156	Glenrinnes, ...	439	466	3	5	8	2	1	3	5	1	6	1
157	Inveravon—(1) Inveravon, (2) Glenlivet, }	1909	1876	24	23	47	5	7	12	15	11	26	15
158	Inverkeithny, ...	868	890	17	12	29	2	2	4	2	5	7	3
159	KEITH, ...	1771	1718	26	26	52	6	4	10	12	22	34	9
160	Kirkmichael, etc.— (1) Kirkmichael, . . . (2) Tomintoul, . . .	880	1000	16	15	31	4	2	6	5	6	11	6
161	Marnoch, ...	5943	5891	100	83	183	20	17	37	61	46	107	35
162	Mortlach, ...	551	477	4	6	10	—	—	—	3	8	11	1
163	Ordiquhill, ...	960	799	9	7	16	1	—	1	11	5	16	7
164	RATHVEN, ...	3289	3294	54	51	105	9	7	16	36	26	62	18
165	Rothiemay, ...	2801	2737	44	38	82	8	7	15	27	22	49	15
166	St Fergus, ...	764	761	10	9	19	3	2	5	5	5	10	3
167	SEAFIELD, ...	4922	6659	119	111	230	10	5	15	56	44	100	38
		1414	1370	26	17	43	9	4	13	9	12	21	11
		1608	1633	17	21	38	3	6	9	18	10	28	16
		1725	1755	32	20	52	1	1	2	13	7	20	12
	Total,	56020	58883	938	850	1788	149	127	276	523	461	984	371
168	10. ABERDEEN. ABERDEEN— (1) St Nicholas (Burgh), (2) Old Machar (Burgh), (3) Do. (Landward), }	41962	47077	869	821	1690	107	114	221	606	604	1210	369
169	Aberdour, ...	31938	41104	678	722	1400	46	58	104	423	487	910	356
170	Aboyne, ...	1298	1373	24	19	43	1	2	3	5	8	13	9
171	Alford, ...	1837	1945	32	38	70	6	7	13	17	18	35	13
172	Auchindoir, ...	1160	1351	24	23	47	2	4	6	9	9	18	10
173	Auchterless, ...	1264	1396	15	17	32	3	5	8	5	8	13	5
174	Belhelvie, ...	1593	1545	29	19	48	13	6	19	14	11	25	3
175	Birse, ...	1782	1971	30	31	61	6	1	7	13	8	21	11
176	Bourtie, ...	1807	1833	25	23	48	5	1	6	5	11	16	12
177	Cabrach, ...	1284	1198	17	7	24	1	1	2	4	6	10	9
178	Cairney, ...	547	499	8	6	14	3	—	3	1	3	4	3
179	Chapel of Garioch, . . .	794	775	10	9	19	2	2	4	6	4	10	4
180	Clatt, ...	1490	1525	25	16	41	6	5	11	6	10	16	8
181	Cluny, ...	2023	1928	24	22	46	1	4	5	13	7	20	7
182	Coull, ...	511	483	7	5	12	1	2	3	2	3	5	3
183	Crathie and Braemar, . .	1254	1366	26	17	43	7	5	12	13	9	22	7
184	Crimond, ...	792	824	13	6	19	2	1	3	3	5	8	3
185	Cruden, ...	1574	1566	19	27	46	2	1	3	15	16	31	7
186	Culsamond, ...	892	887	12	15	27	—	2	2	12	9	21	3
187	Daviot, ...	2743	3124	47	59	106	7	10	17	25	17	42	23
188	Drumblade, ...	1165	896	10	12	22	1	1	2	8	6	14	4
189	Drumoak, ...	614	597	6	8	14	—	1	1	3	1	4	1
190	Dyce, ...	926	931	13	15	28	1	4	5	12	5	17	8
191	Echt, ...	996	1032	9	12	21	—	3	3	4	8	12	5
192	Ellon, ...	585	945	21	19	40	2	3	5	8	12	20	7
193	Fintray, ...	1287	1259	23	13	36	6	3	9	8	4	12	5
194	Forgue, ...	3239	3036	45	49	94	7	9	16	22	23	45	14
195	Foveran, ...	1003	1108	22	18	40	2	4	6	9	6	15	3
196	FRASERBURGH	1397	1332	19	14	33	2	4	6	10	4	14	8
197	Fyvie, ...	1891	1859	34	36	70	4	6	10	13	12	25	8
198	Gartly, ...	4511	5301	143	158	301	14	16	30	51	44	95	37
199	Glass, ...	3264	3306	56	54	110	12	11	23	16	21	37	14
200	Glenbucket, ...	1029	972	14	15	29	4	—	4	9	5	14	2
		1049	1061	16	16	32	5	2	7	3	11	14	6
		552	570	8	10	18	1	1	2	5	1	6	1

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
201	Glennmuick, Tullich, and Glengairn, ...	1668	2160	34	34	68	5	3	8	12	14	26	15
202	HUSTLY, ...	4329	4374	65	64	129	19	14	33	31	30	61	23
203	Insch, ...	1565	1596	31	17	48	5	1	6	10	11	21	8
204	INVERURIE, ...	2668	2970	49	45	94	3	12	15	21	20	41	20
205	Keig, ...	811	886	12	10	22	2	2	4	5	9	14	3
206	Keithhall, ...	933	874	12	11	23	—	3	3	5	4	9	5
207	Kemnay, ...	832	1300	34	31	65	3	5	8	8	11	19	7
208	Kildrummy, ...	590	660	10	8	18	1	1	2	7	5	12	6
209	Kincardine O'Neil, ...	2186	2000	25	31	56	5	10	15	14	13	27	13
210	King-Edward— (1) King-Edward, ...	1050	1058	13	19	32	2	1	3	7	4	11	5
	(2) New Byth, ...	1793	2053	47	47	94	9	11	20	20	21	41	18
211	KINNELLAR, ...	691	601	10	13	23	3	3	6	5	3	8	6
212	Kinnethmont, ...	1187	1062	18	13	31	4	3	7	6	4	10	1
213	KINTORE, ...	1895	2158	36	30	66	4	1	5	16	15	31	13
214	Leochel-Cushnie, ...	1173	1232	4	5	9	—	1	1	5	5	10	6
215	Leslie, ...	577	532	8	10	18	—	—	—	3	4	7	2
216	Logie-Buchan, ...	762	808	25	18	43	3	5	8	2	3	5	4
217	Logie-Coldstone, ...	932	900	8	17	25	1	3	4	3	8	11	6
218	Longside, ...	3008	3321	69	53	122	14	9	23	21	22	43	18
219	Lonmay, ...	2142	2245	43	34	77	7	3	10	20	16	36	14
220	Lumphanan, ...	1251	1239	11	17	28	1	5	6	7	12	19	4
221	Methlic, ...	2157	2084	38	37	75	8	4	12	14	13	27	10
222	Midmar, ...	1091	1127	16	9	25	4	1	5	8	6	14	3
222	Millbrex, ...	1357	1484	20	21	41	6	6	12	9	11	20	15
223	Monquhitter, ...	2303	2670	35	41	76	10	10	20	15	13	28	13
224	Monymusk, ...	988	996	12	13	25	2	2	4	2	6	8	2
225	New Deer, ...	3736	4147	72	59	131	15	13	28	44	35	79	28
226	Newhills, ...	3463	4210	88	68	156	5	9	14	43	46	89	37
227	New Machar, ...	1556	1520	21	20	41	3	2	5	12	8	20	8
227	New Pitsligo, ...	2609	3090	58	51	109	10	20	30	25	26	51	21
228	Old Deer, ...	4392	4434	75	64	139	14	9	23	31	33	64	28
229	Old Meldrum, ...	2343	2330	32	41	73	7	9	16	12	10	22	20
230	Oyne, ...	1127	1050	14	15	29	2	1	3	8	4	12	7
231	Peterculter, ...	1483	1668	20	20	40	2	3	5	13	10	23	6
232	PETERHEAD, ...	9796	11506	265	247	512	22	26	48	114	108	222	104
233	Pitsligo, ...	1890	2218	43	47	90	5	9	14	14	14	28	18
234	Premnay, ...	916	997	19	15	34	4	4	8	12	8	20	14
235	Rathen, ...	2554	2850	40	48	88	6	5	11	24	22	46	15
236	Rayne, ...	1514	1409	20	20	40	4	3	7	10	14	24	6
237	Rhynie, ...	1061	1195	17	18	35	2	5	7	13	13	25	7
237	Savoeh, ...	2061	1961	34	30	64	6	4	10	7	10	17	18
238	Skene, ...	1831	1842	24	19	43	3	—	3	7	18	25	10
239	Slains, ...	1266	1355	22	23	45	3	4	7	14	8	22	8
240	Strathdon, ...	1736	1761	20	30	50	2	—	2	11	13	24	12
241	Strichen, ...	2409	2254	43	33	76	14	8	22	12	19	31	9
242	Tarland, ...	970	983	14	25	39	3	5	8	7	5	12	7
243	Tarves, ...	2377	2288	35	37	72	8	5	13	16	14	30	12
244	Tough, ...	874	760	12	15	27	2	6	8	8	5	18	4
245	Towie, ...	839	798	13	14	27	4	1	5	3	7	10	3
246	Tullynessle and Forbes, ...	957	970	13	13	26	2	1	3	6	8	14	6
247	TUNZIE, ...	3693	4348	76	76	152	12	18	30	37	29	66	25
248	Tyrie, ...	833	869	11	10	21	3	2	5	2	3	5	5
249	Udny, ...	1623	1626	26	30	56	3	5	8	10	7	17	7
249	Ythan Wells, ...	1517	1494	20	28	48	7	5	12	6	6	12	8
	Total, ...	223417	246298	4205	4115	8320	576	600	1176	2174	2202	4376	1681

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
	11. KINCARDINE.												
250	Arbuthnot, ...	932	924	6	20	26	—	5	5	3	6	9	3
251	Banchory-Devenick— (1) Banchory-Devenick, (2) Portlethen, ...	1159 1687	1263 1789	15 27	20 25	35 52	— 2	3 9	3 11	12 15	11 14	23 29	9 9
252	Banchory-Ternan, ...	2947	2875	36	42	78	10	6	16	26	19	45	13
253	BENHOLM, ...	1574	1569	30	21	51	2	2	4	15	14	29	8
254	BERVIE, ...	1561	1843	38	32	70	7	3	10	17	18	35	10
255	DUNNOTTAR, ...	1828	2102	25	43	68	5	5	10	12	14	26	15
256	Durris, ...	1109	1021	18	15	33	3	1	4	3	6	9	6
257	Fettercairn, ...	1700	1539	21	21	42	2	1	3	7	10	17	5
258	FETTERESSO— (1) FETTERESSO, ... (2) Cookney, ...	3575 1952	3585 2080	50 46	50 27	100 73	10 3	5 5	15 8	48 14	47 10	95 24	21 11
259	Fordoun, ...	2297	2113	31	31	62	4	4	8	14	18	32	16
260	Garvock, ...	458	476	12	3	15	3	1	4	—	3	3	—
261	Glenbervie, ...	1219	1073	19	10	29	1	3	4	8	6	14	6
262	Kinneff and Catterline, ...	1054	1062	16	16	32	3	2	5	7	9	16	7
263	Laurencekirk, ...	2110	2174	31	37	68	3	4	7	16	17	33	19
264	Maryculter, ...	1055	1110	12	8	20	1	—	1	4	6	10	5
265	Marykirk, ...	2068	1771	28	25	53	6	5	11	11	18	29	7
266	Nigg, ...	2074	2348	63	44	107	4	6	10	26	21	47	23
267	St Cyrus, ...	1552	1585	27	23	50	2	2	4	11	9	20	10
268	Strachan, ...	870	795	14	9	23	2	4	6	4	5	9	2
	Total,	34781	35097	565	522	1087	73	76	149	273	281	554	205
	IV. EAST-MIDLAND.												
	12. FORFAR.												
269	Aberlemno, ...	1054	1007	11	22	33	—	3	3	4	6	10	6
270	Airlie, ...	845	778	12	10	22	—	1	1	1	6	7	4
271	Arbirlot, ...	960	919	15	11	26	3	1	4	8	3	11	2
272	ARBROATH, ...	17831	20169	338	329	667	31	23	54	204	218	422	159
273	Auchterhouse, ...	706	721	9	10	19	1	—	1	5	3	8	—
274	BARRY, ...	2465	3008	41	44	85	4	3	7	32	29	61	20
275	BRECHIN, ...	8810	9514	143	148	291	18	27	45	90	93	183	62
276	Carmylie, ...	1286	1309	23	24	47	7	6	13	6	10	16	7
277	Careston, ...	225	209	7	—	7	1	—	1	2	1	3	1
278	Cortachy and Clova, ...	653	554	7	8	15	—	—	—	4	2	6	1
279	COUPAR-ANGUS, ...	2642	2797	48	37	85	8	6	14	24	24	48	17
280	CRAIG, ...	2177	2402	45	35	80	3	1	4	25	23	48	15
281	Dun, ...	552	565	12	3	15	1	1	2	2	2	4	4
282	DUNDEE— (1) St Peter, ... (2) St Mary, ... (3) St Clement, ... (4) St Andrew, ... (5) Lochee, ...	91664	22894 23582 25090 38082 11076	464 520 508 872 209	439 484 461 784 214	903 1004 969 1656 423	52 83 69 71 26	48 76 64 77 30	100 159 133 148 56	246 431 316 504 127	280 403 311 522 141	526 834 627 1026 268	194 251 335 342 107
283	Dunnichen, ...	1932	1536	27	19	46	5	2	7	12	16	28	16
284	Eassie and Nevay, ...	748	586	9	6	15	1	—	1	2	2	4	5
285	Edzell, ...	1025	976	11	8	19	2	2	4	8	2	10	1
286	Farnell, ...	703	580	10	10	20	3	1	4	3	4	7	5
287	Fearn, ...	439	348	5	8	13	—	—	—	—	—	—	1
288	FORFAR, ...	10838	12585	264	209	473	36	17	53	156	143	299	86
289	Glamis, ...	1980	1813	19	26	45	2	3	5	12	11	23	8
290	Glenisla, ...	1008	925	11	5	16	1	—	1	10	3	13	2

Births, Deaths, and Marriages registered in Scotland during the Year 1873.

9

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
291	Guthrie, ...	476	404	7	6	13	-	-	-	3	-	3	3
292	Inverarity, ...	961	888	10	9	19	-	3	3	8	4	12	5
293	Inverkeillor, ...	1792	1521	22	27	49	-	1	1	6	10	16	7
294	Kettina, ...	962	855	11	13	24	-	-	-	7	4	11	3
295	Kingoldrum, ...	473	409	5	3	8	-	1	1	-	1	1	-
296	Kinnell, ...	816	766	9	14	23	1	4	5	4	3	7	4
297	Kinnettles, ...	447	405	4	6	10	1	2	3	2	1	3	3
298	Kirkden, ...	1862	1623	30	32	62	1	2	3	9	16	25	13
299	KIRRIEMUIR, ...	7359	6420	98	83	181	12	18	30	74	78	152	37
300	Lethnott and Navar, ...	446	318	6	1	7	2	-	2	-	1	1	1
301	Liff, Benvie, and Invergowrie, ...	1430	1357	16	28	44	3	2	5	12	12	24	2
302	Lintrathen, ...	898	756	13	12	25	4	2	6	2	9	11	5
303	Lochlee, ...	495	424	3	-	3	2	-	2	4	3	7	3
304	Logie-Pert, ...	1483	1251	10	12	22	-	-	-	9	4	13	9
305	Lunan, ...	259	248	4	4	8	-	-	-	1	1	2	2
306	Lundie, ...	442	400	8	6	14	-	-	-	3	4	7	7
307	Maina, etc.—(1) Maina, ...	1392	1927	35	37	72	2	4	6	16	14	30	18
	(2) Strathmartine, ...	789	822	13	21	34	-	4	4	7	4	11	3
308	Marytown, ...	417	396	6	11	17	-	3	3	5	1	6	-
309	Menmuir, ...	796	761	17	10	27	1	-	1	6	2	8	3
310	MONIFIETH, ...	5052	7252	132	123	255	6	3	9	70	73	143	45
311	Monikie, ...	1460	1397	23	13	36	1	1	2	6	6	12	12
312	MONTROSE, ...	15668	15783	216	230	446	13	17	30	170	181	351	91
313	Murroes, ...	763	751	12	9	21	1	-	1	3	5	8	2
314	Newtyle, ...	1139	931	17	18	35	4	2	6	7	10	17	4
315	Oathlaw, ...	399	452	4	8	12	1	-	1	2	3	5	-
316	PANBRIDE, ...	1299	1331	21	21	42	-	1	1	16	9	25	16
317	Rescobie, ...	747	748	10	13	23	1	2	3	4	4	8	2
318	Ruthven, ...	265	247	2	3	5	-	-	-	2	1	3	1
319	St Vigeans, ...	2553	2513	29	36	65	7	5	12	12	19	31	18
320	Stracathro, ...	546	503	3	7	10	-	-	-	-	2	2	-
321	Tannadice, ...	1438	1286	14	20	34	2	1	3	8	2	10	7
322	Tealing, ...	883	879	12	10	22	2	-	2	9	8	17	5
Total,		206750	240049	4462	4200	8662	495	470	965	2721	2753	5474	1982
13. PERTH.													
323	Aberdalgie, ...	295	342	3	4	7	-	-	-	1	1	2	1
324	Aberfeldy, ...	2402	2286	31	16	47	2	1	3	22	25	47	10
325	Aberfoyle, ...	565	432	6	5	11	-	1	1	1	5	6	-
326	Abernethy, ...	1960	1744	23	28	51	7	3	10	13	13	26	13
327	Abernyte, ...	310	253	2	4	6	-	-	-	2	3	5	1
328	ALTYH, ...	3198	3151	43	55	98	9	7	16	36	30	66	16
328	Ardoch, ...	1418	1316	21	15	36	5	2	7	7	10	17	5
329	AUCHTERARDER, ...	4208	3795	55	58	113	4	10	14	33	44	77	33
330	Auchtergaven, ...	2562	2141	28	26	54	7	3	10	19	21	40	7
331	Balquhider, ...	746	743	13	8	21	3	1	4	11	7	18	6
332	Bendochy, ...	549	474	7	8	15	1	-	1	4	5	9	3
333	Blackford, ...	2041	1836	18	26	44	2	1	3	12	14	26	7
334	Blair-Athol, ...	1553	1718	28	27	55	1	2	3	22	6	28	3
335	BLAIRGOWRIE, ...	4423	4832	75	65	140	6	5	11	48	62	110	37
336	Callander, ...	1676	1870	27	25	52	-	1	1	23	21	44	6
337	Caputh, ...	1728	1571	17	13	30	-	-	-	9	13	22	12
338	Cargill, ...	1647	1411	21	23	44	2	2	4	13	9	22	9
339	Clunie, ...	699	603	9	7	16	-	-	-	7	5	12	4
340	Collace, ...	534	456	7	4	11	1	2	3	5	3	8	5
341	Comrie, ...	2226	1911	20	23	43	2	1	3	21	30	51	9
342	CRIEFF, ...	4490	4598	56	64	120	5	12	17	52	49	101	26

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
343	CULROSS, ...	1423	1354	9	13	22	2	1	3	13	7	20	6
344	Dowally, ...	486	461	2	4	6	-	-	-	8	5	13	-
345	Dron, ...	376	343	3	3	6	-	-	-	-	2	2	3
346	Dull, ...	753	677	5	3	8	-	-	-	5	4	9	2
347	Dunbarney, ...	1035	913	10	10	20	-	2	2	10	5	15	4
348	Dunblane, ...	2528	2765	52	47	99	6	3	9	34	38	72	12
349	Dunkeld, ...	1086	881	12	9	21	1	1	2	6	12	18	5
350	Dunning, ...	2084	1832	18	31	49	5	4	9	25	18	43	8
351	Errol, ...	2759	2504	36	35	71	3	4	7	23	19	42	15
352	Findo-Gask, ...	399	369	4	6	10	-	1	1	3	2	5	3
353	Forgandenny, ...	739	632	11	8	19	3	-	3	4	5	9	2
354	Forteviot, ...	595	567	11	13	24	3	1	4	2	3	5	6
355	Forthingall, ...	1244	1014	14	17	31	1	1	2	9	12	21	4
355	Foss, ...	381	270	2	2	4	-	1	1	3	1	4	2
356	Fowlis-Easter, ...	317	291	7	5	12	2	-	2	4	-	4	1
357	Fowlis-Wester, ...	1276	1028	13	14	27	1	3	4	5	7	12	9
358	Glendevon, ...	138	105	2	1	3	-	-	-	-	1	1	-
359	Inchture, ...	659	659	13	15	28	-	2	2	3	6	9	4
360	Kenmore, ...	1515	1215	20	12	32	3	1	4	12	14	26	11
361	Killin, ...	1681	1977	19	14	33	2	-	2	11	15	26	8
362	Kilmadock, ...	3312	3170	35	42	77	1	2	3	51	43	94	17
363	Kilspindie, ...	665	679	11	9	20	1	-	1	4	6	10	2
364	Kincardine, ...	1778	1484	17	19	36	2	1	3	12	12	24	9
365	Kinclaven, ...	758	607	10	6	16	1	-	1	5	3	8	3
366	Kinfauns, ...	657	578	5	7	12	2	1	3	4	3	7	5
367	Kinloch-Rannoch, ...	1147	921	11	8	19	3	-	3	6	10	16	5
368	Kinnaird, ...	318	299	5	2	7	-	-	-	5	2	7	-
369	Kinnoull, ...	796	723	9	9	18	-	1	1	7	2	9	3
370	Kirkmichael—												
	(1) Kirkmichael, ...	812	657	8	9	17	1	1	2	3	11	14	2
	(2) Glenshee, ...	334	241	2	3	5	-	1	1	1	2	3	2
371	LEACROFT, ...	538	535	12	8	20	-	-	-	5	3	8	3
372	Lethendy, etc.—												
	(1) Lethendy, ...	235	179	1	3	4	-	-	-	2	1	3	1
	(2) Kinloch, ...	295	251	2	2	4	-	-	-	-	-	-	1
373	Little Dunkeld, ...	2089	2352	29	28	57	2	2	4	28	40	68	9
374	LOGIE, ...	3483	4553	41	50	91	2	1	3	47	35	82	23
375	Logiealmond, ...	815	646	10	7	17	1	4	5	6	5	11	4
376	Logierait, ...	1902	1739	28	22	50	5	3	8	21	19	40	7
377	Longforgan, ...	1823	1753	39	29	68	2	1	3	20	13	33	9
378	Madderty, ...	536	523	4	6	10	1	1	2	2	2	4	2
379	Meigle, ...	1122	1003	13	10	23	3	-	3	8	11	19	8
380	Methven, ...	2290	2073	20	20	40	5	2	7	13	19	32	8
381	Moneydie, ...	252	244	2	2	4	-	-	-	1	1	2	1
382	Monzie, ...	461	413	1	5	6	-	-	-	1	2	3	-
383	Monzievaird and Strowan,	782	744	10	12	22	1	-	1	1	5	6	4
384	Moulin, ...	1605	1561	19	11	30	2	-	2	8	9	17	9
385	MUCKHART, ...	615	612	8	9	17	3	-	3	5	6	11	3
386	MUTHILL, ...	2001	1916	13	25	38	3	4	7	21	15	36	10
386	Persia, ...	839	820	16	10	26	-	-	-	11	9	20	3
387	PERTH, ...	26094	26382	370	377	747	34	33	67	311	326	637	211
388	Port of Menteith, ...	1375	1243	14	13	27	-	2	2	12	9	21	7
389	RATTRAY, ...	2234	2586	40	35	75	5	6	11	16	28	44	17
390	Redgorton, ...	1596	1401	20	15	35	1	-	1	16	10	26	10
391	Rhynd, ...	297	327	3	3	6	-	-	-	1	1	2	2
392	St Madoes, ...	280	290	6	6	12	1	-	1	2	1	3	-
393	St Martins, ...	904	735	9	15	24	1	4	5	4	5	9	5
394	Scone, ...	2153	2185	25	18	43	3	3	6	18	20	38	9
394	Strathfillan, ...	411	342	5	8	8	-	1	1	4	6	10	2
394	Tenandry, ...	595	530	2	6	8	-	1	1	6	3	9	2

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
395	Tibbermore, ...	1182	1128	13	12	25	1	1	2	10	7	17	11
396	Trinity-Gask, ...	488	415	9	7	16	3	—	3	1	1	2	2
397	Tulliallan, ...	2410	2184	32	30	62	4	1	5	28	33	61	18
398	Weem, ...	215	186	2	2	4	—	—	—	—	1	1	3
	Total,	133198	128550	1704	1681	3385	183	156	339	1268	1292	2560	770
	14. FIFE.												
399	Abbotshall, ...	808	674	8	8	16	2	—	2	2	1	3	1
400	ABDIE, ...	1257	1057	12	20	32	2	1	3	8	11	19	6
401	Aberdour, ...	1874	1697	23	31	54	1	2	3	15	16	31	11
402	ANSTRUTHER- EASTER, ...	1155	1239	21	25	46	4	—	4	7	9	16	6
403	ANSTRUTHER- WESTER, ...	421	545	10	6	16	1	—	1	5	8	13	1
404	Arngask, ...	705	565	13	3	16	1	—	1	4	5	9	2
405	AUCHTERDERRAN, ...	3457	4017	115	101	216	10	10	20	43	44	87	41
406	AUCHTERMUCHTY, ...	3285	2958	44	45	89	4	10	14	25	35	60	16
407	Auchtertool, ...	609	529	13	12	25	4	1	5	8	11	14	3
408	BALLINGRY, ...	736	982	30	28	58	1	1	2	13	10	23	12
409	Balmerino, ...	815	717	13	15	28	1	1	2	12	8	20	8
410	Beath, ...	2390	3534	112	100	212	7	6	13	46	26	72	44
411	BURNTISLAND, ...	3670	3872	67	54	121	6	6	12	40	37	77	32
412	Cameron, ...	1362	1158	17	14	31	4	1	5	7	7	14	7
413	Carnbee, ...	1157	1088	14	18	32	1	1	2	10	7	17	7
414	Carnock, ...	2925	1764	28	29	57	—	—	—	11	14	25	6
415	Ceres, ...	2723	2381	27	30	57	8	3	11	15	30	45	15
416	Collessie, ...	1580	1703	31	20	51	2	1	3	14	13	27	9
417	CRAIL, ...	1948	1864	27	30	57	2	1	3	13	15	28	13
418	Creich, ...	377	387	4	5	9	1	—	1	1	3	4	2
419	Culta, ...	800	767	14	12	26	2	1	3	6	5	11	4
420	CUPAR, ...	6750	7102	91	92	183	11	6	17	70	73	143	41
421	Dairsie, ...	638	687	13	9	22	1	1	2	4	6	10	2
422	Dalgetty, ...	1569	1310	24	29	53	—	2	2	10	13	23	10
423	Dunbog, ...	414	395	8	7	15	—	—	—	2	2	4	2
424	DUNFERMLINE— (1) Burgh, ...	13506	14963	324	290	614	19	16	35	188	160	348	192
	(2) Landward, ...	7609	8293	161	141	302	9	5	14	92	78	170	62
425	Dunino, ...	370	325	2	4	6	—	—	—	—	1	1	2
426	DYSART, ...	8842	9682	175	167	342	7	11	18	98	82	180	91
427	ELRE, ...	826	775	7	14	21	2	—	2	8	1	9	7
428	FALKLAND, ...	2937	3069	39	43	82	4	7	11	27	25	52	16
429	FERRY-FORT-ON-CRAIG, ...	2013	2674	56	41	97	6	2	8	26	40	66	17
430	Flisk, ...	230	212	2	6	8	—	—	—	—	2	2	4
431	Forgan, ...	1326	2243	25	35	60	1	1	2	17	26	43	13
432	INVERKEITHING, ...	3196	3131	53	55	108	5	4	9	26	32	58	11
433	Kemback, ...	896	1056	12	12	24	1	—	1	9	3	12	8
434	Kennoway, ...	2012	1703	14	15	29	3	1	4	20	22	42	6
435	Kettle, ...	2474	2323	28	27	55	2	6	8	23	19	42	6
436	KILCONQUHAR, ...	2431	2018	30	29	59	4	3	7	18	14	32	14
437	Kilmany, ...	656	651	13	11	24	1	—	1	4	6	10	6
438	KILRENNY, ...	2534	2945	52	60	112	8	4	12	22	25	47	18
439	KINGHORN, ...	2349	2602	28	50	78	2	4	6	33	39	72	28
440	KINGLOSSIE, ...	1266	1082	19	23	42	1	2	3	9	15	24	10
441	Kingsbarns, ...	937	922	13	19	32	1	2	3	6	6	12	10
442	KIRKCALDY, ...	11117	12835	244	205	449	20	9	29	126	132	258	105
443	Largo, ...	2626	2318	29	41	70	2	4	6	16	18	34	16
444	LESLIE, ...	4332	4294	71	55	126	7	5	12	46	37	83	30
445	Leuchars, ...	1903	1727	27	31	58	2	4	6	14	21	35	8

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
446	Logie, ...	410	402	8	9	17	3	2	5	4	3	7	3
447	Markinch, ...	5375	5413	98	87	185	5	12	17	60	66	126	36
448	Monimail, ...	1054	918	16	8	24	1	1	2	7	8	15	7
449	Moonzie, ...	179	154	4	1	5	—	—	—	—	2	2	—
450	NEWBURGH, ...	2693	2529	41	35	76	5	5	10	28	23	51	13
451	Newburn, ...	374	362	3	4	7	—	—	—	4	1	5	2
452	PITTENWEEM, ...	1710	1803	27	29	56	3	1	4	16	23	39	12
453	ST ANDREWS and St Leonards, ...	7605	8592	104	112	216	7	10	17	69	50	119	48
454	St Monance (or Aber- cromby), ...	1498	1761	30	32	62	1	1	2	14	9	23	14
455	Saline, ...	1610	1259	22	18	40	1	—	1	10	9	19	9
456	Scoonie, ...	3257	3178	42	43	85	1	5	6	20	31	51	21
457	Strathmiglo, ...	2261	2267	31	37	68	3	3	6	12	28	40	4
458	Torryburn, ...	1229	1051	12	20	32	—	2	2	9	6	15	7
459	Wemyss, ...	6003	6400	157	140	297	9	6	15	66	59	125	50
	Total,	155021	160924	2798	2692	5490	222	193	415	1533	1531	3064	1207
15. KINROSS.													
460	Cleish, ...	649	539	9	9	18	2	—	2	7	5	12	2
461	Fossway and Tulliebole,	1584	1461	17	14	31	2	—	2	13	16	29	5
462	KINROSS, ...	2649	2477	34	31	65	4	5	9	24	30	54	17
463	Orwell, ...	2399	2248	13	22	35	1	4	5	10	20	30	13
464	Portmoak, ...	1450	1193	12	17	29	1	—	1	11	23	34	7
	Total,	8731	7918	85	93	178	10	9	19	65	94	159	44
16. CLACKMANNAN.													
465	ALLOA, ...	8867	9940	210	189	399	13	10	23	114	111	225	58
466	CLACKMANNAN, ...	4425	4653	81	98	179	3	8	11	54	45	99	48
467	DOLLAR, ...	1776	2524	42	24	66	3	3	6	18	19	37	12
468	TILlicouLTRY, ...	5054	5118	100	83	183	9	7	16	49	52	101	47
	Total,	20122	22235	433	394	827	28	28	56	235	227	462	165
V. WEST-MIDLAND.													
17. STIRLING.													
469	Airth, ...	1194	1396	25	30	55	2	2	4	23	13	36	16
470	ALVA, ...	3283	4296	97	108	205	10	11	21	43	44	87	25
471	Baldernock, ...	718	616	3	5	8	—	—	—	3	5	8	2
472	Balfon, ...	1517	1502	20	14	34	3	2	5	17	23	40	8
473	BOTHKENNAR, ...	1722	2455	61	59	120	3	7	10	38	26	64	24
474	Buchanan, ...	705	591	12	7	19	3	—	3	7	6	13	1
475	CAMPSIE, ...	6483	6739	116	115	231	4	9	13	69	64	133	65
476	DENNY, ...	4988	4993	108	102	210	7	2	9	52	44	96	51
477	Drymen, ...	1619	1405	22	15	37	—	3	3	9	9	18	5
478	DUNIPACE, ...	1731	1733	21	27	48	1	3	4	12	9	21	12
479	FALKIRK—(1) Burgh, .	9030	9547	209	183	392	17	18	35	135	127	262	66
	(2) Landward, ...	7996	8504	206	167	373	9	15	24	114	87	201	97
480	Fintry, ...	685	499	11	5	16	1	1	2	8	4	12	—
481	Gargunnock, ...	728	675	12	5	17	1	1	2	8	9	17	2
482	Killearn, ...	1171	1111	21	12	33	1	1	2	4	8	12	9
483	KILSYTH, ...	6112	6313	132	153	285	6	12	18	81	72	153	59
484	Kippen, ...	1722	1568	25	18	43	3	4	7	13	18	31	10
485	Larbert, ...	4999	5280	100	95	195	6	6	12	71	65	136	32

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
486	Muiravonside, . . .	2660	2653	67	59	126	6	6	12	33	16	49	19
487	Polmont, . . .	4111	3910	103	77	180	12	6	18	47	32	79	44
438	St NINIAN'S—												
	(1.) St NINIAN'S, . .	4693	5289	103	78	181	11	5	16	87	65	152	37
	(2.) BANNOCKBURN, .	3796	4358	86	86	172	5	6	11	46	51	97	29
489	Slamannan, . . .	2916	4164	114	105	219	10	4	14	49	50	99	57
490	STIRLING, . . .	12171	12513	215	204	419	15	18	33	160	148	308	138
491	Strathblane, . . .	1388	1235	21	19	40	1	1	2	12	13	25	7
	Total, . . .	88138	93345	1910	1748	3658	137	143	280	1141	1008	2149	815
	18. DUMBARTON.												
492	Arrochar, . . .	629	525	4	2	6	—	1	1	3	4	7	1
493	Boxhill, . . .	9059	9593	154	173	327	9	16	25	88	91	179	75
494	Cardross, . . .	4168	4405	87	78	165	3	4	7	51	45	96	30
495	Cumbernauld, . . .	3513	3602	68	65	133	5	5	10	43	33	76	28
496	DUMBARTON, . . .	8268	11423	269	264	533	14	12	26	178	166	344	89
497	Kilmarnock, . . .	1085	978	12	9	21	—	—	—	13	7	20	3
498	KIRKINTILLOCH, . .	8179	8257	191	169	360	21	13	34	90	82	172	74
499	Luss, . . .	831	730	7	7	14	1	—	1	12	9	21	6
500	NEW OR EAST KILPATRICK, . . .	4910	6038	128	124	252	7	3	10	56	54	110	40
501	Old or West Kilpatrick .	5577	5346	121	114	235	7	5	12	113	83	196	42
502	Roseneath, . . .	1626	1780	20	19	39	—	2	2	19	18	37	4
503	Row, . . .	6334	8439	106	101	207	4	6	10	69	90	179	51
	Total, . . .	54179	61116	1167	1125	2292	71	67	138	755	682	1437	443
	19. ARGYLL.												
	Mainland.												
504	Ardchattan, . . .	1381	1172	15	14	29	—	—	—	11	7	18	6
505	Ardnamurchan—												
	(1) Aharacle, . . .	1544	1414	21	23	44	—	3	3	7	10	17	7
	(2) Arisaig, . . .	1343	1131	11	11	22	—	—	—	5	13	18	2
	(3) Sunart (or Strontian)	759	760	10	5	15	—	—	—	5	6	11	2
	(4) Western District, .	1054	954	9	13	22	1	2	3	12	7	19	3
506	Ballachulish and Corran of Ardgoor, . . .	919	849	6	9	15	—	2	2	4	6	10	7
507	CAMPBELTOWN, . . .	8149	8580	132	141	273	9	12	21	91	114	205	77
508	Craignish, . . .	618	481	6	5	11	—	—	—	2	5	7	3
509	Cumlodden and Minard, .	c. 1340	c. 1133	19	17	36	1	1	2	19	8	27	8
510	Dunoon and KILMUN, . .	5461	6871	80	99	179	7	5	12	79	69	148	40
511	Glassary, . . .	c. 1462	c. 1228	20	11	31	3	—	3	5	12	17	5
512	Glenorchy, . . .	869	752	16	5	21	2	1	3	6	3	9	2
513	INVERARAY, . . .	1650	1503	16	12	28	—	—	—	20	10	30	4
514	Inverchaolain, . . .	424	443	4	7	11	—	—	—	2	3	5	2
515	Kilbrandon & Kilchattan, .	2053	2107	30	22	52	2	—	2	11	19	30	5
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell, . . .	742	684	7	13	20	1	2	3	3	8	11	3
	(2) Kilberry, . . .	583	485	9	3	12	—	—	—	4	3	7	1
517	Kilchrenan, etc.—												
	(1) Kilchrenan, . . .	587	396	4	5	9	—	—	—	4	1	5	3
	(2) Dalavich, . . .	230	217	3	2	5	—	—	—	—	3	3	—
518	Kilfinan, . . .	1891	2228	30	32	62	1	1	2	23	22	45	13
519	Killean and Kilchensie, .	1890	1614	27	15	42	3	2	5	15	16	31	8
520	Kilmalie, . . .	3353	3217	33	33	66	1	3	4	33	38	71	11
521	Kilmartin, . . .	949	869	16	18	34	1	1	2	7	7	14	3
522	Kilmolan, . . .	433	358	3	4	7	—	—	—	3	2	5	—

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
523	KILMORE AND KILBRIDE,	2962	3402	46	46	92	3	—	3	41	38	79	16
524	Kilniver, etc.—												
	(1) Kilniver, ...	314	253	1	4	5	—	2	2	1	1	2	—
	(2) Kilmelford, ...	486	506	11	9	20	—	1	1	3	3	6	2
525	Lismore, etc.—												
	(1) Lismore, ...	1023	908	7	12	19	1	4	5	8	4	12	4
	(2) Appin, ...	825	728	7	8	15	2	1	3	10	10	20	7
	(3) Glencoe & Ballachulish, ...	1324	1529	22	12	34	1	—	1	12	14	26	4
	(4) Duror, ...	423	370	3	2	5	—	—	—	2	2	4	1
526	Lochgillhead, ...	3312	3680	42	49	91	3	3	6	52	41	93	15
527	Lochgillhead, etc.—												
	(1) Lochgillhead, ...	418	436	2	5	7	—	—	—	4	3	7	3
	(2) Kilmorich, ...	284	330	4	1	5	—	—	—	1	4	5	—
528	Morvern, ...	1226	973	11	12	23	—	2	2	6	10	16	4
529	Muckairn, ...	965	790	6	6	12	1	2	3	8	9	17	5
530	North Knapdale, ...	1327	1059	6	9	15	—	1	1	5	7	12	4
531	Saddell, etc.—												
	(1) Saddell, ...	739	645	10	14	24	—	1	1	6	5	11	4
	(2) Skipness, ...	533	500	3	7	10	—	1	1	2	7	9	2
532	Southend, ...	1214	1044	15	19	34	1	1	2	10	7	17	2
533	South Knapdale, ...	654	548	4	4	8	—	—	—	2	2	4	2
534	Stralachlan, etc.—												
	(1) Stralachlan, ...	309	340	5	4	9	—	—	—	6	2	8	1
	(2) Strachur, ...	563	527	6	8	14	—	1	1	12	4	16	4
535	Tarbert, ...	1661	1866	30	33	63	—	1	1	19	30	49	14
	<i>Insular.</i>												
536	Bowmore (or Kilarrow), ...	2701	2088	31	21	52	7	2	9	27	25	52	5
537	Gigha, ...	467	390	4	4	8	—	—	—	2	5	7	—
538	Iona (merged in 542), ...												
539	Jura, etc.—(1) Jura, ...	858	775	7	9	16	—	—	—	5	5	10	2
	(2) Colonsay, ...	598	456	4	5	9	—	1	1	4	3	7	2
540	Kilchoman, ...	2377	1882	21	20	41	1	6	7	16	16	32	8
541	Kildalton, ...	2187	1916	19	21	40	1	2	3	24	21	45	7
542	Kilfinichen & Kilvickeon, ...	2535	2461	28	16	44	4	2	6	17	21	38	5
543	Kilmeny, ...	1268	924	15	15	30	3	1	4	7	6	13	4
544	Kilninian and Kilmore, ...	1641	1189	13	7	20	2	—	2	14	12	26	5
545	Kinlochspelve, ...	428	388	5	2	7	—	—	—	7	6	13	—
546	Oa, ...	769	367	3	4	7	—	—	—	2	5	7	1
547	Portnahaven, ...	1059	979	16	8	24	1	—	1	18	12	30	1
548	Salen, ...	604	605	4	9	13	2	—	2	3	2	5	—
549	Tobermory, ...	1566	1344	9	9	18	2	1	3	17	20	37	2
550	Torosay, ...	557	454	4	3	7	1	—	1	2	5	7	2
551	Tyree, etc.—(1) Tyree, ...	3217	2837	40	27	67	2	3	5	20	30	50	12
	(2) Coll, ...	781	723	7	10	17	1	2	3	5	8	13	1
	Total, ...	83859	79661	998	973	1971	71	76	147	771	797	1568	366
	20. BUTA.												
552	Cambrae, ...	1236	1613	18	33	51	—	1	1	18	16	34	15
553	Kilbride—												
	(1) Brodie, ...	902	928	8	4	12	1	—	1	8	13	21	3
	(2) Kilbride, ...	1351	1276	9	10	19	—	1	1	8	9	17	5
554	Kilmory, ...	2515	2278	30	19	49	—	3	3	25	27	52	8
555	Kingarth, ...	905	901	12	4	16	—	—	—	5	8	13	4
556	Lochranza, ...	824	777	5	5	10	—	—	—	11	8	19	3

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
557	North Bute, . . .	1351	1393	15	16	31	1	2	3	7	14	21	11
558	ROTHESAY, . . .	7227	7800	100	97	197	8	11	19	87	116	203	46
	Total,	16311	16966	197	188	385	10	18	28	169	211	380	95
VI. SOUTH-WESTERN.													
21. RENFREW.													
559	ABBEY—												
	(1) Part of PAISLEY,	15889	16348	318	327	645	17	13	30	281	244	525	176
	(2) LANDWARD, . . .	5670	5679	127	101	228	10	10	20	72	53	125	50
	(3) JOHNSTONE, . . .	8142	8590	178	151	329	17	10	27	130	115	245	96
560	CATHCART, . . .	3782	7231	171	135	306	4	3	7	54	73	127	62
561	Eaglesham, . . .	2329	1714	24	19	43	3	4	7	21	12	33	24
562	EASTWOOD, . . .	11314	13098	253	191	444	26	9	35	181	170	351	105
563	Erskine, . . .	1437	1565	23	20	43	2	1	3	16	7	23	3
564	GREENOCK—												
	(1) New, or Middle, . .	9446	9592	177	178	355	15	16	31	166	177	343	41
	(2) East, . . .	12135	17061	425	391	816	21	20	41	283	264	547	132
	(3) Old, or West, . . .	22313	33141	762	745	1507	47	49	96	719	611	1330	383
565	Houstoun and Killelan, .	2490	2167	38	47	85	3	7	10	23	28	51	17
566	Inchinnan, . . .	619	584	9	5	14	1	—	1	5	—	5	3
567	INVERKIP—												
	(1) Inverkip, . . .	1188	1393	26	13	39	—	—	—	9	11	20	4
	(2) GOUROCK, . . .	2307	3109	40	34	74	5	2	7	30	39	69	16
568	KILBARCHAN, . . .	6348	6093	114	107	221	11	8	19	65	88	153	40
569	Kilmalcolm, . . .	1455	1716	31	27	58	2	1	3	18	25	43	14
570	Lochwinnoch, . . .	3821	3816	45	52	97	5	5	10	39	43	82	15
571	MEARNS, . . .	3547	3543	68	58	126	6	8	14	24	28	52	22
572	NEILSTON—												
	(1) Neilston, . . .	4577	4633	72	63	135	5	9	14	62	53	115	36
	(2) BARRHEAD, . . .	6436	6503	114	106	220	9	8	17	71	74	145	45
573	PAISLEY, . . .	31538	31910	608	622	1230	40	39	79	522	542	1064	344
574	PORT-GLASGOW, . . .	7294	9912	272	219	491	14	13	27	137	132	269	124
575	RENFREW, . . .	4650	5908	154	127	281	10	10	20	58	63	121	41
	Total,	168746	195305	4049	3738	7787	273	245	518	2986	2852	5838	1793
22. AYR.													
576	ARDROSSAN—												
	(1) OLD ARDROSSAN, . .	3530	3336	70	59	129	4	6	10	40	52	92	52
	(2) NEW ARDROSSAN, . .	3246	3929	89	66	155	8	1	9	51	34	85	35
577	AUCHINLECK, . . .	4213	6174	132	154	286	2	10	12	60	51	111	42
578	AYR, . . .	19659	19172	331	328	659	28	24	52	236	239	475	172
579	Ballantrae, . . .	1483	1277	30	16	46	2	2	4	18	8	26	5
580	Barr, . . .	910	672	11	6	17	1	1	2	6	10	16	4
581	Bells, . . .	5775	6233	110	130	240	7	12	19	59	55	114	37
582	Colmonell, . . .	2588	2293	26	37	63	7	6	13	24	21	45	15
583	Coylton, . . .	1604	1440	33	22	55	1	3	4	16	4	20	16
584	Craigie, . . .	730	618	7	7	14	—	1	1	5	3	8	12
585	Dailly, . . .	2050	1932	43	28	71	5	5	10	20	17	37	16
586	Dalmellington, . . .	4194	6165	178	176	354	3	9	12	65	50	115	47
587	DALRY, . . .	11156	10885	215	203	418	11	16	27	117	104	221	96
588	Dalrymple, . . .	1325	1412	26	24	50	2	1	3	13	8	21	7

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
589	Dreghorn, ...	3283	3241	75	78	153	8	6	14	40	41	81	34
590	DUNDONALD—												
	(1) Dundonald, ...	2095	1507	18	24	42	1	2	3	18	11	29	16
	(2) TROON, ...	2599	2870	43	41	84	1	3	4	37	38	75	14
591	Dunlop, ...	1038	1160	16	23	39	1	1	2	12	5	17	9
592	Fenwick, ...	1532	1318	23	13	36	1	1	2	21	16	37	10
593	GALSTON, ...	5254	6331	161	151	312	10	6	16	93	93	186	64
594	GIRVAN, ...	7053	5635	114	98	212	18	14	32	72	65	137	50
595	IRVINE, ...	8607	8452	193	212	405	16	15	31	128	158	286	77
596	KILBIRNIE, ...	5265	4953	103	96	205	4	9	13	62	41	103	47
597	KILMARNOCK, ...	23556	24072	531	473	1004	34	37	71	382	337	719	234
598	Kilmaurs, ...	3526	3449	74	75	149	5	3	8	51	38	89	37
599	KILWINNING, ...	7717	7375	164	160	324	11	15	26	110	88	198	79
600	Kirkmichael, ...	2823	2254	45	31	76	7	5	12	14	19	33	24
601	Kirkoswald, ...	2060	1846	15	28	43	3	3	6	10	17	27	7
602	LARGS, ...	3620	4087	48	63	111	4	2	6	45	38	83	29
603	LOUDOUN, ...	4840	5525	120	105	225	10	8	18	68	63	131	61
604	Mauchline, ...	2303	2435	40	35	75	5	2	7	27	22	49	24
605	MAYBOLE, ...	6713	5900	115	94	209	15	13	28	60	53	113	46
606	Monkton and Prestwick, ...	1937	1744	25	36	61	2	5	7	24	32	56	21
607	MURKIE, ...	3270	3253	85	64	149	7	6	13	39	30	69	32
608	New Cumnock, ...	2891	3434	73	82	155	8	8	16	50	46	96	37
609	Ochiltree, ...	1676	1656	20	11	31	3	2	5	16	10	26	9
610	OLD CUMNOCK, ...	3721	4041	77	103	180	5	12	17	43	59	102	37
611	RICCARTON, ...	5629	5845	161	138	299	10	14	24	84	68	152	65
612	St Quivox and Newton- upon-Ayr, ...	1870	1363	26	30	56	6	4	10	13	17	30	12
613	SORN, ...	4042	4032	62	61	123	3	2	5	36	50	86	38
614	Stair, ...	743	734	12	15	27	3	—	3	7	6	13	3
615	STEVENSTON, ...	5452	5019	122	134	256	8	11	19	84	63	147	44
616	STEWARTON, ...	4449	4478	64	88	152	3	13	16	55	53	108	34
617	Straiton, ...	1544	1443	27	20	47	1	3	4	7	11	18	15
618	Symington, ...	855	792	14	6	20	—	1	1	9	3	12	6
619	Tarbolton, ...	2669	3219	96	72	168	3	10	13	44	37	81	26
620	West Kilbride, ...	1988	1847	21	27	48	1	2	3	21	20	41	13
	Total,	199083	200908	4090	3943	8033	298	335	633	2512	2304	4816	1822
	23. LANARK.												
621	AVONDALE, ...	6125	5460	83	93	176	7	7	14	54	42	96	64
622	BARONY—												
	(1) MARYHILL, ...	6734	10235	266	256	522	13	11	24	185	161	346	100
	(2) SPRINGBURN, ...	8911	13994	352	297	649	30	22	52	316	314	630	88
	(3) Shettleston, ...	6914	7517	138	132	270	6	1	7	88	78	166	84
623	Biggar, ...	1999	2013	34	26	60	4	1	5	26	18	44	17
624	Blantyre, ...	3092	3472	86	57	143	7	3	10	52	44	96	30
625	BOTHWELL—												
	(1) BOTHWELL, ...	7059	9193	231	199	430	10	4	14	148	114	262	108
	(2) HOLYTOWN, ...	10844	10099	247	272	519	15	17	32	152	138	290	81
a626	Cadder—												
	(1) Western, ...	3023	3261	60	80	140	1	2	3	33	36	69	17
	(2) Eastern, ...	2925	3203	72	70	142	4	1	5	41	19	60	17
b626	Calderhead, ...	4034	4271	114	103	217	6	6	12	45	46	91	50
627	CAMBUSLANG, ...	3647	3740	78	71	149	1	4	5	42	39	81	24
628	CAMBUSNETHAN, ...	13118	18709	550	469	1019	30	26	56	289	224	513	224
629	CARLUKE, ...	6176	7066	190	146	336	11	9	20	84	84	168	68
630	Carmichael, ...	836	708	11	9	20	—	1	1	5	3	8	6
631	Carmunnock	734	702	9	13	22	—	—	—	8	2	10	5

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
632	Carnwath, ...	3584	5709	131	127	258	13	13	26	52	50	102	56
633	Carstairs, ...	1345	1718	28	28	56	1	1	2	11	17	28	14
634	Covington and Thankerton, ...	532	454	10	5	15	1	—	1	1	2	3	4
635	Crawford—												
	(1) Crawford, ...	694	727	16	12	28	—	3	3	4	4	8	8
	(2) Leadhills, ...	896	1102	21	20	41	3	1	4	12	17	29	12
636	Crawfordjohn, ...	980	853	13	14	27	5	1	6	8	7	15	11
637	Culter, ...	665	593	9	7	16	2	—	2	3	4	7	2
638	DALSERF—												
	(1) LARKHALL, ...	3629	5332	149	127	276	9	10	19	81	64	145	59
	(2) Dalsersh, ...	1247	2009	52	53	105	5	3	8	23	23	46	23
639	DALKEIL, ...	5438	9175	287	272	559	12	8	20	198	140	338	64
640	Dolphinton, ...	260	231	3	2	5	1	—	1	2	2	4	1
641	Douglas, ...	2490	2624	40	35	75	7	3	10	27	28	55	25
642	Dunsyre, ...	312	302	4	2	6	1	—	1	2	1	3	4
643	EAST KILBRIDE, ...	4064	3861	70	48	118	5	3	8	33	29	62	26
644	GLASGOW—												
	(1) Central District, ...	49678	57279	1259	1177	2436	229	230	459	1160	1061	2221	537
	(2) High, ...	48119	58466	1277	1226	2503	120	107	227	1337	1077	2414	746
	(3) Bridgeton, ...	45485	60628	1508	1374	2882	109	109	218	1014	1072	2086	626
	(4) Calton, ...	36625	38177	720	671	1391	78	67	145	563	581	1144	229
	(5) Clyde, ...	29975	26044	423	420	843	67	64	131	375	398	773	196
	(6) Blythswood, ...	28697	33443	443	433	876	31	24	55	306	339	645	496
	(7) Milton, ...	33360	46393	1122	1006	2128	86	76	162	640	612	1252	468
	(8) Anderston, ...	40945	52504	1005	977	1982	61	80	141	641	612	1253	463
	(9) Tradeston, ...	38600	49176	903	921	1824	63	66	129	611	544	1155	692
	(10) Hutchesontown, ...	44019	55622	1322	1300	2622	76	92	168	774	782	1556	457
645	Glasford, ...	1938	1430	20	19	39	—	—	—	13	17	30	13
646	GOVAN—												
	(1) GOVAN CHURCH, ...	11297	27116	1045	926	1971	57	55	112	604	586	1190	342
	(2) PARK, ...	2428	5720	147	164	311	5	7	12	70	53	123	86
	(3) PARTICK, ...	14859	23918	576	536	1112	12	20	32	402	353	755	245
647	HAMILTON, ...	14047	16803	394	351	745	28	31	59	231	230	461	167
648	LANARK, ...	7891	7841	92	117	209	15	11	26	112	89	201	53
649	Lesmahagow, ...	9266	8709	209	203	412	22	18	40	102	69	171	61
650	Libberton, ...	836	691	11	8	19	2	2	4	4	3	7	6
651	NEW MONKLAND—												
	(1) AIRDRIE, ...	12922	13488	315	321	636	29	17	46	190	164	354	170
	(2) Landward, ...	7632	9264	260	254	514	14	17	31	135	132	267	95
652	OLD MONKLAND—												
	(1) WESTERN, ...	6932	7873	192	167	359	11	10	21	84	87	171	54
	(2) MIDDLE, ...	15303	18410	447	457	904	28	26	54	230	206	436	208
	(3) EASTERN, ...	7308	7790	191	158	349	11	9	20	110	70	180	53
653	Pettinain, ...	407	366	3	3	6	—	—	—	2	3	5	2
654	RUTHERGLEN, ...	9335	10766	225	223	448	5	12	17	135	134	269	129
655	Shotts, ...	4792	5699	146	141	287	8	5	13	76	64	140	35
656	Stonhouse, ...	3267	3177	74	70	144	6	3	9	39	20	59	26
657	Symington, ...	528	442	11	16	27	3	1	4	6	7	13	3
658	Walston, ...	480	425	5	4	9	—	1	1	1	4	5	1
659	Wandell and Lamington, ...	380	332	4	4	8	—	—	—	1	2	3	—
660	Wiston and Robertson, ...	786	680	9	6	15	—	1	1	3	12	15	6
	Total, ...	640444	787005	17712	16698	34410	1386	1322	2708	11996	11133	23129	7977

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
	VII. SOUTH-EASTERN.												
	24. LINLITHGOW.												
661	Abercorn, ...	965	933	14	10	24	3	—	3	8	4	12	5
662	BATHGATE—												
	(1) BATHGATE	6572	6942	173	132	305	13	12	25	99	78	167	62
	(2) ARMADALE, ...	3562	3187	78	90	168	5	6	11	80	41	71	33
663	BORROWSTOUNNESS, ...	5698	4986	118	103	221	9	10	19	93	63	156	42
664	CARRIDEN, ...	1821	1799	37	39	76	6	3	9	27	20	47	21
665	Dalmeny, ...	804	916	17	14	31	3	1	4	9	7	16	5
666	Ecclesmachan, ...	309	329	4	5	9	—	—	—	1	2	3	—
667	Kirkliston, ...	1907	2172	41	32	73	1	2	3	20	17	37	12
668	LINLITHGOW, ...	5784	5554	95	79	174	15	7	22	72	80	132	36
669	Livingstone, ...	1366	1727	21	27	48	3	1	4	13	15	28	13
670	QUEENSFERRY, ...	1391	1521	29	39	68	4	4	8	14	16	30	11
671	Torphichen, ...	1848	1630	33	23	56	1	3	4	20	7	27	8
672	Uphall, ...	1507	2772	66	69	135	3	5	8	28	32	60	12
673	WHITBURN, ...	5511	6911	179	147	326	19	9	28	75	62	137	76
	Total, ...	39045	41379	905	809	1714	85	63	148	499	424	923	337
	25. EDINBURGH.												
674	Borthwick, ...	1569	1494	22	20	42	4	1	5	12	10	22	11
675	Carrington, ...	681	712	7	12	19	1	—	1	6	2	8	9
676	Cockpen, ...	2113	2481	49	48	92	2	1	3	12	17	29	21
677	Colinton, ...	2656	3644	67	77	144	20	20	40	81	180	181	25
678	Corstorphine, ...	1579	1788	16	22	38	2	1	3	15	17	32	11
679	Cramond, ...	2695	3020	47	53	100	3	6	9	25	23	48	12
680	Cranston, ...	1035	1036	20	16	36	3	1	4	6	7	13	10
681	Crichton, ...	1304	1223	19	26	45	—	2	2	14	13	27	7
682	Currie, ...	2248	2360	38	37	75	4	5	9	18	17	35	15
683	DALKRITH, ...	7114	7667	121	124	245	9	7	16	84	91	175	76
684	DUDDINGSTON—												
	(1) PORTOBELLO, ...	4366	5481	101	96	197	5	6	11	74	73	147	42
	(2) Landward, ...	857	970	14	21	35	2	—	2	3	7	10	4
685	EDINBURGH—												
	(1) St George, ...	42068	55049	1007	922	1929	73	68	141	534	620	1154	420
	(2) St Andrew, ...	38731	39781	569	535	1104	31	33	64	317	377	694	374
	(3) Canongate, ...	30169	33183	620	598	1218	60	45	105	679	494	1173	295
	(4) St Giles, ...	29679	31960	602	553	1155	116	85	201	389	369	738	322
	(5) Newington, ...	29797	41079	706	671	1377	37	23	60	422	397	819	547
686	Fala and Soutra, ...	382	364	8	2	10	1	—	1	6	1	7	2
687	Glencross, ...	1217	1153	15	16	31	1	2	3	3	3	6	7
688	Heriot, ...	407	414	10	8	18	1	—	1	5	2	7	1
689	INVERESK, ...	9518	10068	140	169	309	12	16	28	101	116	217	72
690	Kirknewton and East-Calder, ...	1549	2213	39	52	91	2	9	11	27	25	52	11
691	LASSWADE, ...	5688	7098	127	133	260	12	11	23	56	61	117	49
692	LEITH—												
	(1) North Leith, ...	11562	16582	325	295	620	7	16	23	158	180	338	174
	(2) South Leith, ...	24467	29852	632	633	1265	39	47	86	392	354	746	311
693	Liberton, ...	3510	3791	60	57	117	4	7	11	40	37	77	21
694	Mid-Calder, ...	1389	1634	27	27	54	4	4	8	3	16	19	14
695	Newbattle, ...	2138	2424	48	48	96	3	3	6	19	21	40	19
696	Newton, ...	1553	1181	20	20	40	3	2	5	7	7	14	1
697	PENICUIK, ...	3249	3765	42	53	95	3	3	6	30	37	67	26
698	Ratho, ...	1659	1744	32	22	54	2	1	3	13	19	32	13
699	Stobhill, ...	2364	2447	39	54	93	8	4	12	18	27	45	17

REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
A. Stow, ...	1870	1957	34	29	63	4	—	4	10	14	24	13
B. Temple, ...	682	658	11	11	22	2	1	3	2	3	5	0
C. WEST-CALDER, ...	1927	7865	204	210	414	11	11	22	108	82	190	36
Total,	273792	328138	5838	5665	11503	491	441	932	3669	3639	7308	2994
26. HADDINGTON.												
A. Aberlady, ...	1019	1022	11	11	22	2	—	2	10	9	19	11
B. Athelstaneford, ...	902	844	11	12	23	1	—	1	6	11	17	2
C. Bolton, ...	332	364	5	3	8	—	1	1	6	5	11	1
D. Dirlston, ...	1540	1419	14	13	27	1	1	2	9	7	16	7
E. DUNBAR, ...	4944	4982	85	71	156	8	7	15	64	67	131	39
F. Garvald, ...	891	832	10	13	23	1	1	2	9	5	14	4
G. Gladsmuir, ...	1945	1863	24	36	60	2	3	5	15	12	27	17
H. HADDINGTON, ...	5548	5735	88	90	178	9	9	18	94	100	194	43
I. Humble, ...	997	967	18	11	29	—	2	2	7	8	15	7
J. Innerwick, ...	937	892	13	11	24	—	2	2	6	5	11	2
K. Morham, ...	281	204	2	4	6	—	—	—	1	—	1	3
L. NORTH BERWICK, ...	2071	2373	40	42	82	3	1	4	20	22	42	11
M. Oldhamstocks, ...	615	592	6	3	9	—	1	1	6	2	8	2
N. Ormiston, ...	915	911	18	17	35	2	—	2	9	4	13	8
O. Pencailand, ...	1187	1320	22	26	48	4	3	7	3	5	8	4
P. Prestonkirk, ...	1960	1931	29	21	50	3	1	4	19	19	38	9
Q. Prestonpans, ...	2080	2069	46	39	85	4	5	9	14	30	44	18
R. Salton, ...	712	647	13	7	20	2	—	2	2	1	3	2
S. Spott, ...	555	560	10	9	19	1	—	1	2	3	5	1
T. Stanton, ...	692	612	6	3	9	—	1	1	4	1	5	4
U. TRAVENT, ...	4647	4852	109	91	200	14	7	21	57	59	116	39
V. Whitekirk and Tynning- hame, ...	1113	1073	13	4	17	2	3	5	10	9	19	9
W. Whittinghame, ...	710	657	7	7	14	—	1	1	4	2	6	6
X. Yester, ...	1033	1034	9	9	18	1	—	1	9	10	19	6
Total,	37626	37755	609	553	1162	60	49	109	386	396	782	255
27. BERWICK.												
A. Abbey St Bathans, ...	179	195	3	2	5	—	—	—	2	1	3	1
B. AYTON, ...	2014	1983	31	27	58	—	1	1	18	15	33	13
C. Bunkle and Preston, ...	756	764	10	12	22	3	1	4	4	2	6	2
D. Channelkirk, ...	671	705	10	10	20	2	2	4	5	4	9	7
E. Chirnside, ...	1502	1413	13	18	31	—	1	1	14	14	28	7
F. Cockburnspath, ...	1194	1133	18	16	34	2	—	2	10	8	18	7
G. Coldingham, ...	3241	3093	35	50	85	3	5	8	22	19	41	18
H. Coldstream, ...	2823	2619	36	42	78	4	6	10	24	25	49	8
I. Cranshaw, ...	134	142	1	1	2	—	—	—	1	3	4	—
J. DUNN, ...	3595	3602	46	51	97	8	4	12	43	40	83	26
K. Earliston, ...	1825	1977	34	24	58	3	4	7	12	19	31	12
L. Eccles, ...	1861	1780	21	17	38	1	3	4	11	17	28	4
M. Edrom, ...	1592	1513	19	22	41	—	2	2	19	12	31	6
N. EYEMOUTH, ...	1804	2372	49	47	96	4	7	11	31	18	49	10
O. Fogo, ...	559	502	9	7	16	2	2	4	4	6	10	3
P. Foulden, ...	431	425	6	3	9	1	1	2	3	4	7	3
Q. Gordon, ...	931	876	12	8	20	2	—	2	8	6	14	7
R. Greenlaw, ...	1370	1381	21	20	41	1	3	4	11	16	27	4
S. Hume, ...	420	460	6	5	11	1	—	1	2	1	3	4
T. Hutton, ...	1067	1077	12	10	22	—	3	3	8	7	15	5
U. Ladykirk, ...	564	518	5	8	13	1	—	1	1	5	6	4
V. Langton, ...	502	548	6	7	13	—	—	—	3	2	5	5

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
748	LAUDER, . . .	2198	2120	38	30	68	5	3	8	25	17	42	1
749	Legerwood, . . .	599	525	12	10	22	1	2	3	1	4	5	
750	Longformacus, . . .	448	452	3	8	11	—	1	1	2	2	4	
751	Merton, . . .	729	734	10	9	19	2	1	3	5	—	5	
752	Mordington, . . .	377	402	11	2	13	2	—	2	2	2	4	
753	Nenthorn, . . .	461	434	6	8	14	—	1	1	2	4	6	
754	Polwarth, . . .	251	249	2	4	6	—	—	—	3	3	6	
755	Swinton, . . .	964	996	13	14	27	—	2	2	9	13	22	
756	Westruther, . . .	786	784	9	8	17	1	2	3	6	5	11	
757	Whitsome, . . .	640	608	9	1	10	1	—	1	5	5	10	
	Total,	36488	36382	516	501	1017	50	57	107	316	299	615	20
	28. PEEBLES.												
758	Broughton (merged in 763).												
759	Drumelsier, . . .	209	221	4	4	8	—	—	—	3	1	4	
760	Eddlestone, . . .	753	700	10	9	19	—	1	1	1	3	4	
761	Glenholm (merged in 763).												
762	Innerleithen, . . .	1787	2776	49	35	84	6	4	10	24	18	42	20
763	Kilbucho, Broughton, and Glenholm, . . .	723	729	7	20	27	1	2	3	2	4	6	
764	Kirkurd, . . .	362	294	3	6	9	—	1	1	6	3	9	
765	Lyne, etc.— (1) Lyne, . . . (2) Megget, . . .	81 53	104 70	4 1	— —	4 1	— —	— —	— —	— —	— —	— —	— —
766	Manor, . . .	247	271	5	6	11	—	—	—	—	1	1	
767	Newlands, . . .	987	851	15	12	27	1	1	2	6	7	13	
768	PEEBLES, . . .	2850	3172	49	35	84	8	4	12	25	33	58	17
769	Skirling, . . .	317	325	3	3	6	—	—	—	1	2	3	
770	Stobo, . . .	478	459	8	10	18	—	—	—	4	2	6	
771	Traquair, . . .	687	669	13	11	24	—	1	1	4	5	9	
772	Tweedsmuir, . . .	196	190	1	1	2	—	—	—	3	2	5	
773	West Linton, . . .	1534	1387	12	26	38	1	4	5	15	15	30	
	Total,	11264	12218	184	178	362	17	18	35	94	96	190	60
	29. SELKIRK.												
a774	Caddonfoot, . . .	610	699	16	11	27	—	1	1	7	5	12	1
b774	Ettrick, . . .	454	434	6	6	12	—	—	—	4	2	6	2
775	GALASHIELS, . . .	3268	5921	135	128	263	10	17	27	66	67	133	59
a776	Kirkhope, . . .	555	565	5	4	9	1	1	2	2	5	7	3
b776	LADHOPE, . . .	4154	5317	130	122	252	11	7	18	72	69	141	63
777	Roberton, . . .	640	593	11	10	21	2	—	2	3	4	7	1
778	SELKIRK, . . .	4646	5555	118	90	208	12	7	19	57	54	111	46
779	Yarrow, . . .	574	567	10	9	19	1	1	2	3	4	7	3
	Total,	14901	19651	431	380	811	37	34	71	214	210	424	178
	VIII. SOUTHERN.												
	30. ROXBURGH.												
780	Ancrum, . . .	1511	1391	14	11	25	1	2	3	12	15	27	9
781	Ashkirk, . . .	578	550	4	12	16	—	1	1	2	1	3	3

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Tot.	Mal.	Fem.	Total.	
782	Bedrule, ...	222	292	2	9	11	—	3	3	4	1	5	—
783	Bowden, ...	864	842	11	14	25	2	2	4	1	5	6	7
784	Castleton, ...	3688	2202	56	29	85	7	4	11	35	32	67	12
785	Cavers, ...	1824	1443	30	33	63	2	7	9	8	18	26	9
786	Crailing, ...	673	657	16	9	25	2	3	5	6	5	11	2
787	Eckford, ...	957	931	12	10	22	2	3	5	—	5	5	3
787	Edgerston, ...	359	365	7	12	19	2	—	2	2	2	4	3
788	Ednam, ...	599	613	5	10	15	2	2	4	2	3	5	3
789	HAWICK, ...	8726	8733	163	164	327	19	22	41	126	145	271	70
790	Hobkirk, ...	771	718	15	7	22	2	1	3	4	3	7	7
791	Hownam, ...	289	238	4	2	6	—	—	—	2	2	4	5
792	JEDBURGH, ...	5011	4971	75	54	129	8	7	15	36	40	76	36
793	KELSO, ...	5192	5124	90	82	172	10	4	14	56	63	119	23
794	Kirktown, ...	421	320	7	4	11	—	—	—	6	—	6	1
795	Lillieleaf, ...	772	788	13	9	22	—	1	1	5	2	7	7
796	Linton, ...	608	570	4	7	11	1	1	2	2	1	3	5
797	Makerston, ...	380	361	6	8	14	1	2	3	3	2	5	1
798	Maxton, ...	497	481	7	4	11	—	—	—	3	3	6	—
799	Melrose, ...	3500	4115	57	54	111	2	1	3	43	40	83	26
800	Minto, ...	430	431	6	5	11	1	—	1	2	4	6	5
801	Morebattle, ...	1031	986	12	15	27	3	1	4	5	12	17	11
802	Oxnam, ...	592	652	10	8	18	2	—	2	2	4	6	6
803	Roxburgh, ...	1178	1053	15	17	32	2	3	5	10	10	20	8
804	St Boswells, ...	922	973	8	18	26	—	—	—	6	3	9	6
805	Smailholm, ...	554	534	9	6	15	—	1	1	—	1	1	4
806	Southdean, ...	687	674	8	13	21	—	2	2	5	7	12	7
807	Spronsion, ...	1305	1294	15	11	26	2	1	3	9	5	14	7
808	Stitchel, ...	425	388	4	6	10	—	1	1	1	2	3	1
809	Teviothead, ...	438	515	11	7	18	1	3	4	1	6	7	8
810	WILTON, ...	3357	3936	93	88	181	10	11	21	44	38	82	40
811	Yetholm, ...	1207	1100	20	15	35	5	3	8	8	10	18	9
	Total, ...	49568	48241	809	753	1562	89	92	181	451	490	941	344
	31. DUMFRIES.												
812	ANNAN, ...	5113	4631	76	59	135	13	10	23	55	64	119	25
813	Applegarth, ...	935	902	10	17	27	1	1	2	7	6	13	3
813	BRYDEKIRK, ...	779	731	11	4	15	2	1	3	6	8	14	2
814	Canonbie, ...	3219	3055	52	47	99	9	9	18	20	24	44	20
815	Carlaverock, ...	1248	1151	16	17	33	3	4	7	13	14	27	6
816	Clooseburn, ...	1651	1612	17	21	38	3	5	8	9	18	27	8
817	Cummertrees, ...	1184	1072	13	10	23	2	—	2	11	7	18	8
818	Dalton, ...	679	577	7	9	16	2	1	3	4	4	8	5
819	Dornock, ...	856	826	11	11	22	4	2	6	10	4	14	7
820	Dryfeisdale, ...	2509	2825	40	56	96	6	6	12	23	28	51	18
821	DUMFRIES, ...	13523	14841	224	229	453	27	48	75	200	203	403	118
822	Dunscore, ...	1554	1504	21	15	36	1	4	5	13	10	23	14
823	Durrisdeer, ...	1320	1189	19	14	33	5	3	8	10	13	23	15
824	Bekdalemuir, ...	590	551	6	11	17	2	1	3	5	4	9	3
825	Ewes, ...	356	338	3	10	13	—	3	3	3	3	6	3
826	Glencairn, ...	1867	1749	31	17	48	3	2	5	18	18	36	11
827	Graitney (or Greta), ...	1620	1395	16	17	33	5	4	9	15	8	23	4
828	Halfmorton, ...	713	611	6	12	18	2	1	3	5	12	17	3
829	Hoddum, ...	1568	1520	18	22	40	5	4	9	9	16	25	4
830	Holywood, ...	1115	1069	14	18	32	—	1	1	11	10	21	5
831	Hutton, ...	876	842	14	13	27	1	2	3	8	5	13	3
832	Johnstone, ...	1149	1089	21	13	34	2	5	7	6	9	15	9
833	Keir, ...	849	828	12	10	22	2	1	3	—	5	5	4
834	Kirkconnel, ...	996	952	13	25	38	1	—	1	14	12	26	5

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.		
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.
835	Kirkmahoe, ...	1462	1332	19	19	38	4	2	6	15	16	31
836	Kirkmichael, ...	1026	903	19	16	35	1	6	7	7	3	10
837	Kirkpatrick-Fleming— (1) Northern Dist., . .	493	393	8	3	11	1	—	1	3	4	7
	(2) Southern Dist., . .	1432	1136	22	15	37	5	1	6	21	14	35
838	Kirkpatrick-Juxta, . .	1025	1091	12	14	26	3	2	5	10	6	16
839	LANGHOLM, ...	2979	3735	60	68	128	4	6	10	30	54	84
840	LOCHMABEN, ...	3087	3085	41	53	94	8	11	19	44	38	82
841	Middlebie, ...	2004	2000	34	19	53	4	4	8	26	15	41
842	Moffat, ...	2232	2543	33	29	62	4	4	8	25	19	44
843	Morton, ...	2253	2099	31	30	61	4	7	11	26	24	50
844	Mousewald, ...	633	647	8	8	16	1	2	3	—	4	4
845	Penpont, ...	1326	1323	24	16	40	—	4	4	8	7	15
846	Ruthwell, ...	1046	972	10	13	23	3	1	4	8	10	18
847	St Mungo, ...	686	658	9	9	18	2	5	7	1	9	10
848	SANQUHAR, ...	2758	2201	20	23	43	1	1	2	20	24	44
849	Tinwald, ...	1079	993	13	18	31	1	—	1	2	8	10
850	Torthorwald, ...	1254	1098	12	10	22	2	5	7	8	7	15
851	Tundergarth, ...	507	510	11	6	17	5	2	7	3	5	8
852	Tynron, ...	446	381	8	5	13	1	2	3	1	4	5
853	Wamphray, ...	559	505	13	5	18	—	1	1	5	1	6
853	Wanlockhead, ...	811	837	10	17	27	1	3	4	10	14	24
854	Westerkirk, ...	537	540	6	2	8	—	—	—	1	4	5
	Total,	75904	74842	1094	1075	2169	156	187	343	749	795	1544
	32. KIRKCUDBRIGHT.											
855	Anwoth, ...	899	827	5	10	15	1	2	3	8	13	21
856	Balmacellian, ...	890	861	15	11	26	3	2	5	9	6	15
857	Balmaghie, ...	1225	1085	18	10	28	6	4	10	3	5	8
857	Bargrennan, ...	471	428	7	5	12	—	1	1	5	4	9
858	Borgue, ...	1162	1087	22	21	43	2	4	6	8	8	16
859	Buittle, ...	1165	1026	15	13	28	4	2	6	4	8	12
860	Carsphairn, ...	553	545	11	8	19	1	—	1	1	4	5
861	Colvend, ...	1366	1318	16	14	30	6	2	8	11	4	15
862	Corsock-Bridge, ...	544	563	9	5	14	2	3	5	3	5	8
863	CROSSMICHAEL, ...	1536	1492	19	22	41	3	5	8	15	15	30
864	DALBEATTIE, ...	2054	3163	54	58	112	5	7	12	28	37	65
865	Dalry, ...	1149	1074	14	11	25	7	4	11	6	6	12
866	Girthon, ...	1702	1586	23	25	48	6	7	13	13	11	24
867	Irongray, ...	913	815	17	9	26	4	3	7	5	4	9
868	KELLS, ...	1170	1007	8	15	23	1	1	2	7	8	15
869	KELTON, ...	3436	3222	66	40	106	16	6	22	47	49	96
870	Kirkbean, ...	942	825	11	12	23	3	2	5	8	7	15
871	KIRKCUDBRIGHT, ...	3407	3346	54	39	93	10	8	18	36	37	73
872	Kirkgunseon, ...	793	661	10	10	20	1	1	2	1	2	3
873	Kirkmabreck, ...	1851	1568	20	23	43	4	4	8	11	19	30
874	Kirkpatrick-Durham, ...	1323	1218	19	12	31	3	2	5	11	12	23
875	Lochrutton, ...	677	656	15	13	28	3	3	6	4	1	5
876	MINNIGAFF, ...	1518	1329	20	17	37	1	5	6	17	11	28
877	New Abbey, ...	1063	931	9	15	24	1	5	6	7	12	19
878	Parton, ...	572	526	8	4	12	1	1	2	2	1	3
879	Rerrick, ...	1738	1911	23	29	52	4	3	7	12	19	31
880	TERREGLES, ...	580	547	13	8	21	3	—	3	5	3	8
881	Tongland, ...	892	908	15	12	27	1	—	1	6	6	12
882	TROQUEER, ...	4743	5402	89	70	159	10	11	21	50	50	100

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
883	Twynholm, ...	815	717	8	16	24	—	3	3	2	9	11	4
884	Urr, ...	1531	1443	18	21	39	4	6	10	13	13	26	9
	Total,	42680	42087	651	578	1229	116	107	223	358	389	747	272
	33. WIGTOWN.												
885	Glasgerton, ...	1472	1196	18	15	33	7	2	9	15	7	22	7
886	Insh, ...	2460	2189	33	25	58	6	4	10	20	20	40	19
887	Kirkcolm, ...	1860	1948	31	24	55	7	4	11	15	14	29	9
888	Kirkeowan, ...	1434	1352	17	19	36	3	3	6	20	13	33	7
889	Kirkinner, ...	1716	1548	24	28	52	6	6	12	11	13	24	9
890	Kirkmaiden, ...	2333	2507	40	42	82	7	7	14	22	18	35	16
891	Leswalt, ...	1417	1249	23	25	48	2	3	5	7	5	12	12
892	Mochrum, ...	2694	2450	46	34	80	11	7	18	19	26	45	12
893	New Luce, ...	731	661	13	11	24	5	1	6	6	3	9	9
894	Old Luce (or Glenluce), . .	2800	2449	36	44	80	5	11	16	21	24	45	20
895	PENNINGHAME, ...	3876	3712	51	57	108	9	5	14	49	47	96	23
896	Portpatrick, ...	2189	1492	19	20	39	4	5	9	17	13	30	6
897	Sorbie, ...	1814	1667	28	18	46	4	5	9	15	12	27	9
898	Stoneykirk, ...	3228	2993	43	35	78	9	6	15	25	16	41	19
899	STRANRAER, ...	6315	5977	82	78	160	13	12	25	53	65	118	42
900	WHITHORN, ...	2934	2906	45	42	87	9	13	22	19	38	57	16
901	WIGTOWN, ...	2637	2306	24	26	50	3	4	7	14	28	42	6
	Total,	41910	38602	573	543	1116	110	98	208	348	357	705	241

MARRIAGES registered in SCOTLAND in 1873 according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.		TOTAL MARRIAGES.	Regular Marriages, according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed by Mar.	
			Established Church.	Free Church.	United Presby- terian Church.	Episcopallans.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	Women.
SCOTLAND		26748	12187	5806	3596	648	2451	1853	10	197	22648	813	2368	851	68	2573	49
GROUPS OF DISTRICTS.																	
PRINCIPAL TOWNS		10594	3728	2347	1455	426	1361	1087	-	190	8719	449	972	452	2	1106	23
LARGE TOWNS		3140	1350	592	441	76	434	244	-	3	2668	105	252	110	5	399	7
SMALL TOWNS		6130	3094	1038	1053	83	486	372	1	3	5246	157	547	171	9	611	11
MAINLAND-RURAL		6291	3736	1592	609	63	146	136	9	-	5490	95	552	109	45	319	6
INSULAR-RURAL		593	279	237	38	-	24	14	-	1	525	7	45	9	7	138	2
DIVISIONS.																	
I.	NORTHERN	624	268	271	50	1	-	31	-	3	565	11	37	9	2	35	1
II.	NORTH-WESTERN ..	738	189	490	10	1	45	3	-	-	644	5	75	9	5	185	3
III.	NORTH-EASTERN ...	2546	1477	610	175	80	37	161	-	6	2204	55	226	56	5	68	10
IV.	EAST-MIDLAND ...	4168	1915	834	735	162	227	230	2	63	3531	102	392	135	8	202	5
V.	WEST-MIDLAND ...	1719	906	361	216	29	143	64	-	-	1459	52	138	55	15	172	2
VI.	SOUTH-EASTERN ...	11592	4844	2012	1601	234	1746	1096	-	59	9752	426	950	409	14	1669	30
VII.	SOUTH-WESTERN....	4030	1791	985	635	125	217	204	7	66	3357	137	420	107	9	202	4
VIII.	SOUTHERN	1331	797	243	174	16	36	64	1	-	1136	25	130	30	10	40	1
COUNTIES.																	
1	Shetland	144	105	16	14	-	-	9	-	-	127	3	10	3	1	10	3
2	Orkney	179	93	38	36	-	-	9	-	3	161	2	12	4	-	4	1
3	Caithness	199	56	129	-	1	-	13	-	-	184	5	9	1	-	7	1
4	Sutherland	102	14	88	-	-	-	-	-	-	93	1	6	1	1	14	3
5	Ross & Cromarty ...	358	62	286	4	-	3	3	-	-	316	3	33	4	2	104	16
6	Inverness	380	127	204	6	1	42	-	-	-	328	2	42	5	3	81	14
7	Nairn	45	6	18	12	1	3	3	-	-	40	3	2	-	-	6	1
8	Elgin	244	115	74	40	4	5	6	-	-	214	4	21	5	-	13	2
9	Banff	371	217	98	28	4	11	13	-	-	322	4	32	11	2	17	4
10	Aberdeen	1681	996	377	88	58	18	138	-	6	1450	40	150	38	3	28	8
11	Kincardine	205	141	43	7	13	-	1	-	-	178	4	21	2	-	4	1
12	Forfar	1982	715	393	345	128	193	151	-	57	1666	66	167	82	1	153	44
13	Perth	770	396	207	101	23	14	25	1	3	652	16	81	18	3	15	3
14	Fife	1207	699	190	247	9	16	43	1	2	1033	16	123	32	3	28	7
15	Kinross	44	17	11	15	1	-	-	-	-	40	1	2	1	-	-	-
16	Clackmannan	165	88	33	27	1	4	11	-	1	140	3	19	2	1	6	1
17	Stirling	815	437	131	133	6	63	45	-	-	693	21	59	33	9	66	11
18	Dumbarton	443	229	79	53	13	60	9	-	-	368	25	37	12	1	56	9
19	Argyll	366	195	122	22	9	13	5	-	-	317	3	35	7	4	42	6
20	Bute	95	45	29	8	1	7	5	-	-	81	3	7	3	1	6	1
21	Renfrew	1793	698	364	243	57	305	121	-	5	1478	54	159	95	7	272	51
22	Ayr	1822	1054	276	221	28	134	109	-	-	1564	56	143	54	5	210	41
23	Lanark	7977	3092	1372	1137	149	1307	866	-	54	6710	316	648	301	2	1187	213
24	Linlithgow	337	202	56	27	3	40	9	-	-	289	14	21	8	5	48	7
25	Edinburgh	2994	1205	834	462	115	149	157	6	66	2462	110	333	88	1	129	29
26	Haddington	255	168	37	28	3	14	4	1	-	225	3	24	3	-	20	2
27	Berwick	200	97	33	59	2	3	6	-	-	170	4	19	6	1	3	11
28	Peebles	66	38	11	15	-	-	2	-	-	55	1	9	-	1	-	-
29	Selkirk	178	81	14	44	2	11	26	-	-	156	5	14	2	1	2	-
30	Roxburgh	344	207	44	67	4	6	16	-	-	308	5	26	5	-	7	11
31	Dumfries	474	260	103	61	6	17	26	1	-	401	10	44	15	4	6	20
32	Kirkcudbright	272	188	46	19	4	7	8	-	-	221	6	35	5	5	8	11
33	Wigtown	241	142	50	27	2	6	14	-	-	206	4	25	5	1	19	21

CONDITION and AGE of PERSONS married in SCOTLAND in 1873.

CONDITION.	TOTAL MARRIAGES.	AGES AT MARRIAGE.																			Age not stated.		
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80		85	90
BACHELORS with SPINSTERS.	22648 22648	-	-	4	26	179	740	1361	9142	7033	2605	920	434	173	69	33	12	7	3	1	-	-	16
		1	18	87	439	1199	1959	2271	9369	5161	1440	454	160	44	21	7	2	1	-	-	-	-	15
BACHELORS with WIDOWS.	813 813	-	-	-	-	-	4	10	138	235	179	91	78	44	21	7	3	2	-	-	-	-	1
		-	-	-	-	-	-	2	49	226	231	172	77	37	15	3	-	-	-	-	-	-	1
WIDOWERS with SPINSTERS.	2368 2368	-	-	-	-	1	-	1	48	331	483	439	351	293	191	113	63	31	14	5	2	-	2
		-	-	6	7	20	45	65	363	583	469	388	244	110	39	20	3	3	-	-	-	-	3
WIDOWERS with WIDOWS.	851 851	-	-	-	-	-	-	-	3	34	94	163	136	162	122	66	46	19	5	1	-	-	-
		-	-	-	-	-	-	1	8	80	162	221	159	124	59	27	7	3	-	-	-	-	-
{ MEN. WOMEN. }	68	-	-	-	-	-	1	2	13	19	12	5	6	1	3	1	3	-	-	-	-	-	2
	68	-	-	-	1	1	3	4	20	16	9	7	2	2	-	-	1	-	-	-	-	-	2
TOTAL MEN.....	26748	-	-	4	26	180	745	1274	9344	7652	3373	1618	995	673	406	220	127	59	22	7	2	-	21
TOTAL WOMEN.....	26748	1	18	93	447	1220	2007	2348	9809	6066	2311	1242	642	317	134	57	13	7	-	-	-	-	21

AGES of MALES married in Scotland in 1873.

AGES OF MALES MARRIED IN SCOTLAND IN 1873.																		
Total Males.	Under											Age not stated.						
	15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75
Scotland . . .	26748	-	4	26	180	745	1274	9344	7652	3373	1618	995	673	406	220	127	59	22
GROUPS OF DISTRICTS.																		
PRINCIPAL TOWNS .	10594	-	2	9	67	306	490	3646	3052	1360	642	389	288	179	75	56	18	7
LARGE TOWNS .	3140	-	1	2	34	100	188	1153	901	358	144	92	81	41	21	13	6	2
SMALL TOWNS .	6130	-	-	9	53	190	326	2320	1676	647	357	235	130	77	55	24	22	5
MAINLAND-RURAL .	6291	-	1	6	26	144	261	2128	1831	850	429	238	149	100	62	33	13	7
INSULAR-RURAL .	593	-	-	-	-	5	9	97	192	158	46	41	25	9	7	1	-	1
DIVISIONS.																		
1. NORTHERN .	624	-	-	-	-	6	11	169	187	110	53	44	16	13	5	2	4	2
2. NORTH-WESTERN .	738	-	-	-	1	2	8	100	237	194	80	45	27	24	11	3	1	1
3. NORTH-EASTERN .	2546	-	-	2	10	53	80	833	737	363	175	106	71	57	27	15	10	2
4. EAST MIDLAND .	4168	-	-	2	37	114	230	1517	1133	498	238	160	109	62	34	22	3	6
5. WEST MIDLAND .	1719	-	-	1	10	36	61	551	529	241	116	74	47	17	21	5	5	3
6. SOUTH-WESTERN .	11592	-	2	18	97	413	674	4355	3263	1260	597	384	246	144	66	50	16	3
7. SOUTH-EASTERN .	4030	-	1	2	20	90	157	1384	1166	520	282	143	116	61	45	19	13	3
8. SOUTHERN .	1331	-	1	1	5	31	53	435	400	187	77	39	41	28	11	11	7	2
COUNTIES.																		
Shetland . . .	144	-	-	-	-	-	7	40	45	25	10	13	1	1	1	1	-	-
Orkney . . .	179	-	-	-	-	5	3	51	49	33	13	11	5	6	2	-	-	1
Caithness . . .	199	-	-	-	-	-	1	62	59	35	15	12	9	1	2	-	2	-
Sutherland . . .	102	-	-	-	-	1	-	16	34	17	15	8	1	5	-	1	2	1
Ross and Cromarty .	358	-	-	-	-	-	5	44	116	95	38	22	13	15	6	1	1	-
Inverness . . .	350	-	-	-	1	2	3	56	121	99	42	23	14	9	5	2	-	1

AGES of MALES married in Scotland in 1873.

[illegible]

AGES of FEMALES married in Scotland in 1873.

Nairn	.	.	45	-	-	1	1	1	1	14	11	5	3	1	1	-	-	-	-
Elgin	.	.	244	-	1	1	8	14	25	90	57	25	13	3	4	2	1	-	-
Banff	.	.	371	-	1	6	9	15	28	167	74	41	17	5	6	1	-	-	-
Aberdeen	.	.	1681	-	1	4	23	65	123	616	408	154	85	42	20	10	2	-	-
Kincardine	.	.	205	-	-	-	2	4	13	81	53	22	7	7	1	1	-	-	-
Forfar	.	.	1982	-	2	6	18	86	130	172	432	191	104	67	23	8	2	1	-
Perth	.	.	770	-	-	2	4	10	34	44	224	82	44	25	14	5	-	-	-
Fife	.	.	1207	-	-	2	14	41	68	111	488	279	96	25	19	2	3	1	-
Kinross	.	.	44	-	-	-	-	-	2	7	15	11	5	1	1	-	1	-	-
Clackmannan	.	.	165	-	-	-	3	13	11	23	49	11	6	2	1	-	1	-	-
Stirling	.	.	815	-	-	3	24	52	68	75	298	162	60	35	19	5	10	3	1
Dumbarton	.	.	443	-	-	1	8	21	26	40	171	98	42	19	9	5	2	1	-
Argyll	.	.	366	-	-	-	4	8	16	26	126	101	50	22	6	3	1	1	-
Bute	.	.	95	-	-	1	-	1	3	2	32	13	4	6	-	1	-	-	-
Renfrew	.	.	1793	-	1	3	30	84	165	192	643	377	144	90	26	7	5	-	-
Ayr	.	.	1822	1	-	13	40	121	176	204	652	330	144	72	39	14	10	4	-
Lanark	.	.	7977	-	10	40	190	482	727	771	2910	1625	578	321	167	98	33	17	4
Linlithgow	.	.	337	-	1	3	13	35	40	37	130	42	8	11	10	1	1	2	1
Edinburgh	.	.	2994	-	1	10	34	96	226	226	1039	754	279	165	83	43	24	10	1
Haddington	.	.	255	-	-	-	3	9	10	19	105	63	30	8	5	3	-	-	-
Berwick	.	.	200	-	-	-	1	3	7	10	72	66	17	11	8	2	1	-	-
Peebles	.	.	66	-	-	-	-	-	5	9	21	20	6	2	2	-	-	1	-
Selkirk	.	.	178	-	-	-	-	-	8	14	68	48	21	5	2	2	2	-	-
Roxburgh	.	.	344	-	-	1	6	14	22	30	141	77	26	14	7	5	1	-	-
Dumfries	.	.	474	-	-	-	4	9	32	34	185	118	48	23	14	3	3	-	1
Kirkcudbright	.	.	272	-	1	1	1	13	15	15	102	70	26	11	9	4	3	-	-
Wigtown	.	.	241	-	-	-	2	4	13	22	86	61	26	10	8	4	1	2	1

Deaths at Different Ages in Scotland in 1873.

DEATHS at Different Ages in SCOTLAND during the YEAR 1873.—BOTH SEXES.

	POPULATION.		ALL AGES.	BOTH SEXES.											
				AGE UNDER											
	1861.	1871.		MONTHS.			2	8	4	5	10	15	20	25	30
SCOTLAND	8062294	8360018	76946	7460	2609	4881	6301	2865	1858	1872	3618	2018	2586	2909	2548
Principal Towns	884955	1068556	30008	2952	1195	2309	3150	1366	873	609	1569	784	949	1153	1039
Large Towns	274381	334257	9806	951	856	682	839	378	250	172	424	263	324	354	331
Small Towns	704880	776087	17857	1790	569	1074	1380	668	391	336	854	483	618	679	542
Mainland-Rural	1061798	1049114	18098	1581	457	745	838	413	805	235	709	433	618	638	548
Insular-Rural	136785	182004	2177	186	82	71	94	40	34	20	62	50	77	86	88
Shetland	31670	31608	440	84	8	13	14	9	13	5	14	4	14	14	8
Orkney	32395	31274	518	28	6	13	14	6	7	8	15	18	17	25	26
Caithness	42200	41011	725	55	15	17	22	14	12	7	18	10	29	30	31
Sutherland	24157	28298	897	89	7	7	10	2	5	2	10	3	5	19	15
Ross & Cromarty	82427	82093	1267	109	27	43	41	20	11	9	34	20	44	34	32
Inverness	84815	84258	1576	136	29	65	94	39	21	18	50	32	48	47	48
Nairn	8347	8372	154	14	2	8	8	5	6	2	9	8	2	5	3
Elgin	44305	44549	786	52	22	35	36	10	13	11	34	9	29	23	23
Banff	56020	58883	984	106	28	40	55	29	16	16	35	27	33	31	33
Aberdeen	223417	246298	4376	438	143	249	270	135	93	67	206	112	140	159	147
Kinross	8731	7918	159	8	9	8	-	2	1	2	4	8	7	9	3
Blackmarnan	20122	22235	462	51	20	88	86	15	11	7	21	10	16	18	13
Stirling	88138	93345	2149	216	67	181	169	80	40	34	114	55	79	92	72
Dumbarton	54179	61116	1437	145	48	74	118	69	35	22	68	39	59	50	58
Argyll	88859	79661	1568	89	27	49	94	41	25	25	64	41	56	61	59
Bute	16811	16966	380	15	10	12	24	6	6	7	15	12	7	18	18
Renfrew	168746	195305	5338	511	198	432	555	309	202	152	886	188	228	252	208
Ayr	199083	200908	4816	472	149	327	409	205	145	90	239	164	199	196	130
Lanark	640444	787005	23129	2338	952	1961	2626	1141	707	528	1323	666	813	913	814
Linlithgow	39045	41379	923	120	36	61	108	32	15	19	62	23	29	19	21
Edinburgh	273792	328138	7308	732	275	460	622	234	154	101	251	133	183	262	244
Haddington	37626	37755	782	54	19	26	40	30	13	13	41	18	29	28	21
Berwick	86488	86382	615	55	19	21	28	11	7	10	21	14	8	24	20
Peebles	11264	12218	190	20	7	6	8	-	6	2	6	5	9	9	7
Selkirk	14901	19651	424	75	15	34	31	7	5	4	9	6	16	19	16
Roxburgh	49568	48241	941	109	31	65	68	39	20	9	30	25	25	35	31
Dumfries	75904	74842	1544	132	27	77	72	25	29	14	45	42	67	66	70
Kirkcudbright	42680	42087	747	61	20	37	24	7	8	7	29	19	27	29	23
Wigtown	41910	38602	705	49	22	27	28	16	10	5	27	17	24	28	16
DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1873.—BOTH SEXES.															
Glasgow	895503	477732	14499	1362	599	1294	1783	732	475	328	826	395	495	571	517
Edinburgh	170444	201052	4578	419	171	286	402	134	85	67	159	87	120	173	156
Dundee	91664	120724	3281	446	147	211	280	127	86	59	132	73	89	118	91
Aberdeen	73900	88181	2120	209	76	137	181	90	49	30	111	60	69	74	77
Greenock	43894	59794	2220	207	84	180	234	142	83	71	160	74	61	111	100
Paisley	47427	48257	1589	117	50	99	135	78	58	33	127	55	70	69	45
Leith	36029	46434	1084	131	52	82	113	50	30	16	33	17	26	32	32
Perth	26094	26382	687	61	16	20	22	13	7	5	21	23	19	19	21

DEATHS at Different Ages in SCOTLAND during the YEAR 1873.—BOTH SEXES.

	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
SCOTLAND . . .	2844	2316	2478	2527	2863	2912	3657	3586	4390	3525	2955	1579	551	181	24	43	
Principal Towns . .	1033	996	1136	1109	1171	1148	1389	1171	1253	759	529	266	63	30	1	7	
Large Towns . . .	284	299	329	309	340	325	448	389	482	339	247	118	48	16	2	7	
Small Towns . . .	460	464	499	539	662	659	782	821	1034	877	696	321	111	33	8	7	
Mainland-Rural . .	483	494	468	512	630	705	937	1097	1453	1360	1294	760	276	83	11	15	
Insular-Rural . . .	84	63	46	58	60	75	101	108	168	190	189	114	53	19	2	7	
Shetland	19	10	8	14	14	10	21	26	38	49	37	24	16	5	—	4	
Orkney	15	12	10	15	11	15	27	27	50	67	49	30	8	3	—	1	
Caithness	18	18	20	10	23	30	31	42	70	68	79	40	14	6	—	—	
Sutherland	7	12	13	10	12	14	24	16	31	44	47	29	8	6	—	—	
Ross and Cromarty .	33	28	30	25	41	52	66	75	119	110	146	69	39	7	2	1	
Inverness	53	40	55	40	58	60	81	84	123	108	130	67	38	10	1	1	
Nairn	5	2	3	4	7	6	10	8	10	10	12	2	1	2	—	—	
Elgin	26	19	20	15	21	24	34	42	63	68	64	32	4	6	1	—	
Banff	21	26	17	20	25	31	40	52	82	84	71	43	17	3	—	1	
Aberdeen	115	127	127	116	148	128	188	231	328	244	254	145	51	11	2	2	
Kincairdine	13	14	17	16	15	21	28	41	42	41	57	25	5	3	—	—	
Forfar	198	167	223	212	220	224	310	286	294	231	155	80	30	4	—	—	
Perth	71	71	89	85	125	118	145	138	250	211	176	89	39	11	2	4	
Fife	72	91	88	92	124	129	162	204	235	230	175	94	23	7	—	3	
Kinross	6	4	2	4	3	6	9	14	18	20	10	6	1	—	—	—	
Clackmannan	8	10	10	6	21	11	24	31	38	17	22	9	3	1	—	—	
Stirling	58	74	57	73	92	73	98	111	124	88	88	39	16	5	2	2	
Dumbarton	39	53	49	40	59	61	61	59	94	67	47	16	3	3	—	1	
Argyll	51	47	50	42	53	58	83	89	128	104	113	75	23	15	3	3	
Bute	7	16	7	16	16	11	26	21	37	24	23	15	7	3	—	1	
Renfrew	172	156	174	197	198	211	251	213	266	172	112	61	19	8	2	5	
Ayr	159	143	143	169	165	167	199	186	232	207	168	95	39	15	—	4	
Lanark	746	737	808	797	848	813	996	753	795	510	319	156	45	14	4	6	
Linlithgow	19	20	27	25	35	37	39	37	45	33	35	20	4	1	—	1	
Edinburgh	250	279	266	310	314	344	395	406	426	289	232	104	29	13	—	—	
Haddington	27	27	20	26	35	41	38	47	76	52	35	20	5	1	—	—	
Berwick	10	16	14	19	24	29	39	44	55	52	42	24	7	2	—	—	
Peebles	8	1	8	6	7	8	12	13	16	7	11	5	3	—	—	—	
Selkirk	12	7	10	10	9	16	17	24	23	28	16	13	1	1	—	—	
Roxburgh	17	19	17	25	31	28	46	61	58	69	54	18	10	1	—	—	
Dumfries	46	40	48	38	62	65	90	94	120	110	83	58	14	5	3	2	
Kirkcudbright	24	15	26	25	26	36	41	53	59	63	42	28	13	4	—	1	
Wigtown	19	15	22	25	21	35	26	58	45	48	51	48	16	5	2	—	
DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1873.—BOTH SEXES.																	
Glasgow	485	479	544	509	545	527	624	453	451	263	152	67	14	6	1	2	
Edinburgh	163	182	191	204	205	217	260	247	256	172	135	63	13	11	—	—	
Dundee	136	103	144	145	141	136	188	148	127	82	47	24	5	1	—	—	
Aberdeen	63	61	69	49	76	60	91	99	146	93	83	49	12	6	—	—	
Greenock	78	70	78	61	69	72	77	58	76	32	20	14	4	1	—	3	
Paisley	50	31	42	66	56	61	73	79	83	54	36	21	7	2	—	2	
Leith	34	43	36	47	40	48	42	54	56	28	27	13	2	—	—	—	
Perth	24	27	32	28	39	27	34	33	58	35	29	15	6	3	—	—	

DEATHS at Different Ages in SCOTLAND during the YEAR 1873.—MALES.

	MALE POPULATION.		ALL AGES.	MALES.														
				AGE UNDER														
	1861.	1871.		MONTHS.			2	3	4	5	10	15	20	25	30			
				3	6	12												
SCOTLAND .	1449848	1608148	89087	4229	1427	2666	8320	1450	951	695	1870	1055	1324	1580	1237			
Principal Towns	407889	502021	15227	1672	629	1279	1692	680	449	306	801	429	474	570	505			
Large Towns .	129938	160176	4766	554	194	365	413	179	180	79	249	137	169	179	170			
Small Towns .	835356	871118	8869	1013	384	592	716	338	199	176	420	247	319	379	275			
Mainland-Rural .	518554	508787	9155	879	257	391	452	237	156	123	367	220	325	354	288			
Insular-Rural .	63166	61041	1020	111	13	39	47	16	17	11	33	22	37	48	49			
Shetland . .	18058	18108	196	17	3	11	7	4	6	4	7	3	9	8	4			
Orkney . . .	14924	14355	262	19	3	10	10	1	4	2	8	12	7	16	19			
Caithness . .	19846	19403	857	33	9	5	14	8	6	4	8	3	13	18	14			
Sutherland . .	11058	10942	186	17	3	4	2	1	1	1	6	2	4	10	12			
Ross & Cromarty	38462	38558	636	60	14	28	20	9	6	3	16	11	26	22	16			
Inverness . .	89500	39360	762	83	10	34	47	17	9	13	82	12	25	80	18			
Nairn	3976	3925	68	5	1	6	3	2	2	—	4	6	2	2	1			
Elgin	20716	20738	364	32	16	20	19	3	7	5	22	3	17	17	11			
Banff	26401	27826	523	64	19	19	31	12	11	9	16	15	24	23	15			
Aberdeen . .	105355	116768	2174	242	85	135	154	75	42	38	104	63	67	68	73			
Kincairdine .	16906	17002	273	31	5	10	11	6	2	4	13	9	5	10	11			
Forfar	98280	107416	2721	366	130	171	217	94	70	49	120	71	88	79	86			
Perth	68169	60812	1268	119	32	41	48	28	19	17	47	35	29	37	40			
Fife	72714	75206	1533	159	53	85	98	41	24	16	57	41	49	53	39			
Kinross . . .	4150	3748	65	3	7	2	—	1	2	2	2	3	4	3	1			
Clackmannan .	9742	10819	235	30	13	15	20	7	4	5	11	4	7	9	9			
Stirling . . .	43487	46198	1141	114	42	75	95	42	23	13	52	27	42	55	38			
Dumbarton . .	26455	29957	755	75	32	33	61	38	19	9	37	18	29	31	39			
Argyll	40914	38796	771	55	14	27	46	21	7	12	32	17	27	32	38			
Bute	7201	7616	169	9	6	7	8	2	4	2	6	5	4	12	12			
Renfrew . . .	79380	98167	2986	292	104	241	284	155	118	85	196	95	104	123	98			
Ayr	97042	98244	2512	265	78	171	281	119	79	52	129	89	101	106	68			
Lanark	308263	388392	11996	1324	518	1068	1347	555	346	248	691	371	430	482	400			
Linlithgow . .	20069	21049	499	73	20	29	52	12	8	14	28	8	19	14	7			
Edinburgh . .	126276	153784	3669	419	134	271	343	127	83	53	124	65	100	136	118			
Haddington . .	17866	18069	386	36	9	13	21	16	7	8	14	11	13	15	7			
Berwick	17354	17361	316	32	9	12	16	6	2	7	12	4	3	15	18			
Peebles	5588	5902	91	12	5	3	4	—	3	2	2	1	2	2	5			
Selkirk	7275	9476	214	40	7	20	17	5	1	2	6	4	6	10	10			
Roxburgh . . .	24555	22049	451	59	12	28	30	14	12	5	16	11	12	17	13			
Dumfries . . .	35687	34831	749	71	10	36	40	13	15	4	27	14	34	36	35			
Kirkcudbright	19885	19607	358	39	11	20	10	3	5	4	15	12	9	20	10			
Wigtown . . .	17299	17769	348	34	13	16	14	13	5	3	10	10	13	19	7			

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1873.—MALES.

Glasgow .	185556	230995	7421	761	313	696	940	354	228	155	426	219	252	292	253
Edinburgh .	76018	91090	2321	246	80	174	222	71	45	31	77	42	65	98	77
Dundee .	40395	52605	1624	257	86	118	156	62	50	27	71	46	41	45	48
Aberdeen .	32554	39786	1029	111	46	77	108	48	22	18	58	38	29	30	36
Greenock .	21567	30298	1168	111	47	101	123	71	47	42	78	33	34	61	53
Paisley .	21913	22269	803	72	26	57	71	38	35	17	66	32	31	23	13
Leith .	17894	22976	550	78	24	45	60	30	18	12	14	7	14	18	15
Perth .	11947	12002	311	36	7	11	12	6	4	4	11	12	8	8	10

DEATHS at Different Ages in SCOTLAND during the YEAR 1873.—MALES.

	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
SCOTLAND . . .	1109	1155	1220	1323	1480	1497	1837	1783	2042	1587	1257	685	206	67	8	27	
Principal Towns . .	494	584	551	580	580	583	670	567	547	309	196	94	19	11	—	6	
Large Towns . . .	144	149	160	158	179	174	228	210	221	152	92	53	15	6	1	6	
Small Towns . . .	210	213	250	308	351	353	395	404	479	393	313	119	51	17	8	2	
Mainland-Rural . .	232	228	236	253	341	357	495	547	723	661	572	329	98	23	3	8	
Insular-Rural . . .	29	31	23	24	29	30	49	55	72	72	84	40	23	10	1	5	
Shetland	6	5	3	3	4	5	12	10	18	19	15	4	7	—	—	2	
Orkney	6	6	5	6	8	7	12	15	22	28	24	11	3	2	—	1	
Caithness	8	9	11	6	10	15	21	25	30	28	36	19	3	1	—	—	
Sutherland	3	4	7	8	7	7	15	11	15	21	6	1	2	—	—	—	
Ross and Cromarty .	21	13	17	10	20	28	24	42	56	52	72	29	16	3	1	1	
Inverness	21	21	31	18	30	28	36	44	47	51	50	34	15	5	—	1	
Nairn	—	1	1	3	3	3	6	8	6	4	2	1	1	—	—	—	
Elgin	11	9	10	8	10	14	16	18	30	31	21	10	2	2	—	—	
Banff	12	14	8	10	9	20	22	27	38	40	36	19	7	2	—	1	
Aberdeen	59	58	68	59	78	68	87	109	157	105	106	62	17	4	—	1	
Kincardine	7	6	9	5	5	10	14	22	23	20	23	10	1	1	—	—	
Forfar	70	69	91	96	99	102	166	139	133	104	63	35	11	2	—	—	
Perth	40	35	43	37	68	56	69	72	124	97	72	41	10	6	2	4	
Fife	30	39	40	55	77	59	86	102	123	98	72	30	6	1	—	—	
Kinross	3	—	—	2	1	3	4	8	5	4	8	—	—	—	—	—	
Clackmannan	3	6	4	4	13	6	15	14	17	7	8	2	2	—	—	—	
Stirling	28	34	30	43	46	38	58	52	63	53	46	19	9	2	1	1	
Dumbarton	19	26	30	22	38	38	26	29	45	35	19	4	1	1	—	1	
Argyll	21	25	27	21	28	29	37	54	52	50	47	32	13	6	1	—	
Bute	1	6	4	8	10	4	13	8	15	6	8	3	2	8	—	1	
Renfrew	92	81	96	111	99	95	134	105	121	72	52	21	5	2	—	5	
Ayr	70	66	60	95	90	87	106	109	101	95	81	37	15	9	—	3	
Lanark	378	399	407	435	452	448	512	369	365	229	136	62	14	3	2	5	
Linlithgow	4	13	17	16	21	24	25	20	28	17	19	7	3	1	—	—	
Edinburgh	119	151	126	168	149	177	163	202	191	116	81	40	10	8	—	—	
Haddington	10	10	12	12	22	20	24	27	33	21	18	11	1	—	—	—	
Berwick	5	9	3	9	18	14	18	20	27	26	20	18	2	1	—	—	
Peebles	3	1	3	3	4	7	4	7	5	5	7	8	1	—	—	—	
Selkirk	4	1	5	4	6	8	4	11	14	17	8	3	1	—	—	—	
Roxburgh	9	8	6	14	17	16	27	28	32	34	22	5	4	—	—	—	
Dumfries	24	19	26	15	32	35	44	35	61	50	44	20	7	1	1	—	
Kirkcudbright	13	4	11	9	9	17	26	23	24	27	13	17	5	2	—	—	
Wigtown	9	7	9	13	7	14	11	28	18	24	16	22	11	2	—	—	

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1873.—MALES.

Glasgow	243	260	273	265	284	290	313	210	195	112	57	25	3	1	—	1	
Edinburgh	84	107	94	114	96	108	107	130	108	74	43	26	4	3	—	—	
Dundee	42	49	56	70	62	51	99	75	54	32	15	9	2	1	—	—	
Aberdeen	28	29	36	23	38	29	36	40	64	33	32	13	4	3	—	—	
Greenock	47	35	44	36	34	28	43	30	41	14	7	3	1	1	—	3	
Paisley	23	20	19	37	23	33	39	38	31	26	22	7	2	—	—	2	
Leith	13	22	14	25	22	29	17	27	26	7	5	6	2	—	—	—	
Perth	14	12	15	10	21	15	16	17	28	11	15	5	1	2	—	—	

DEATHS at Different Ages in SCOTLAND during the YEAR 1873.—FEMALES.

	FEMALE POPULATION.		ALL AGES.	FEMALES.													
				AGE UNDER													
	1861.	1871.		MONTHS.			2	3	4	5	10	15	20	25	30		
				3	6	12											
SCOTLAND	1612446	1756875	87909	3231	1182	2215	2981	1415	902	677	1748	958	1262	1379	1261		
Principal Towns	477116	566535	14781	1280	566	1030	1458	686	424	303	768	355	475	582	534		
Large Towns	144448	174081	4540	397	162	317	426	199	120	93	175	126	155	175	161		
Small Towns	369024	404969	8488	777	235	482	664	330	192	160	434	236	299	300	267		
Mainland-Rural	548239	540327	8948	702	200	354	386	176	149	112	342	213	293	284	260		
Insular-Rural	78619	70963	1157	75	19	32	47	24	17	9	29	28	40	38	39		
Shetland	18617	18505	244	17	—	2	7	5	7	1	7	1	5	6	4		
Orkney	17471	16919	256	9	8	3	4	5	3	1	7	6	10	9	7		
Caithness	22354	21608	372	22	6	12	8	6	6	3	10	7	16	12	17		
Sutherland	13099	12356	211	22	4	3	8	1	4	1	4	1	1	9	3		
Ross & Cromarty	43965	43535	631	49	13	15	21	11	5	6	18	9	18	12	16		
Inverness	45315	44898	814	53	19	31	47	22	12	5	18	20	23	17	30		
Nairn	4871	4447	86	9	1	2	5	8	4	2	5	2	—	8	2		
Elgin	23589	23811	372	20	6	15	17	7	6	6	12	6	12	6	12		
Banff	29619	31057	461	42	9	21	24	17	5	7	19	12	11	8	18		
Aberdeen	118062	129530	2202	196	58	114	116	60	51	29	102	49	73	91	74		
Kincardine	17875	18095	281	23	5	10	5	8	2	6	8	4	5	13	10		
Forfar	113470	132633	2753	287	89	180	179	93	61	49	94	62	82	102	71		
Perth	70029	67738	1292	88	28	28	49	29	18	18	52	30	33	41	30		
Fife	82307	85718	1531	124	34	70	70	28	21	22	47	38	51	64	51		
Kinross	4561	4170	94	5	2	6	—	1	—	—	2	—	8	6	2		
Clackmannan	10380	11416	227	21	7	23	16	8	7	2	10	6	9	4	4		
Stirling	44651	47152	1008	102	25	56	74	38	17	21	62	28	37	37	34		
Dumbarton	27724	31159	682	70	16	41	57	31	16	13	31	21	30	19	19		
Argyll	42945	40865	797	34	13	22	48	20	18	13	32	24	29	29	21		
Bute	9110	9350	211	6	4	5	16	4	2	5	9	7	3	6	6		
Renfrew	89366	102138	2852	219	94	191	271	154	84	67	190	93	124	129	110		
Ayr	102041	102664	2304	207	71	156	178	86	66	38	110	75	98	90	62		
Leamark	832181	898613	11133	1014	434	893	1279	586	361	230	632	295	383	431	414		
Linlithgow	18976	20330	424	47	16	32	56	20	7	5	34	15	10	5	14		
Edinburgh	147516	174354	3639	313	141	189	279	107	71	48	127	68	83	126	126		
Haddington	19760	19686	396	18	10	13	19	14	6	5	27	7	16	13	14		
Berwick	19184	19021	299	23	10	9	12	5	5	3	9	10	5	9	7		
Peebles	5676	6316	96	8	2	3	4	—	3	—	4	4	7	7	2		
Selkirk	7626	10175	210	35	8	14	14	2	4	2	3	2	10	9	6		
Roxburgh	25018	25292	490	50	19	37	38	25	8	4	14	14	13	18	18		
Dumfries	40217	40011	795	61	17	41	32	12	14	10	18	28	33	30	35		
Kirkcudbright	22795	22480	889	22	9	17	14	4	3	8	14	7	18	9	13		
Wigtown	22611	20833	357	15	9	11	14	3	5	2	17	7	11	9	9		

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1873.—FEMALES.

Glasgow	209947	246737	7078	601	286	598	843	378	247	173	400	176	243	279	264		
Edinburgh	94431	109962	2257	173	91	112	180	63	40	36	82	45	55	80	79		
Dundee	51269	68119	1657	189	61	93	124	65	36	32	61	27	48	68	43		
Aberdeen	41346	48395	1091	98	30	60	73	42	27	12	53	22	40	44	41		
Greenock	22327	29496	1052	96	37	79	111	71	36	29	82	41	27	50	47		
Paisley	25514	25988	786	45	24	42	64	40	23	16	61	23	39	36	32		
Leith	18135	23458	534	53	28	37	53	20	12	4	19	10	12	14	17		
Perth	14147	14380	326	25	9	9	10	7	3	1	10	11	11	11	11		

DEATHS at Different Ages in SCOTLAND during the Year 1873.—FEMALES.

	FEMALES.															
	AGE UNDER															
	85	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1235	1161	1258	1204	1383	1415	1820	1803	2348	1938	1698	944	345	114	16	16
Principal Towns . .	539	462	585	529	591	665	719	604	706	450	333	172	44	19	1	1
Large Towns . . .	140	150	169	151	161	151	220	179	261	187	155	65	33	10	1	1
Small Towns . . .	250	251	249	231	311	306	387	417	555	484	383	202	60	16	5	5
Mainland-Rural . .	251	266	232	259	289	348	442	550	730	699	722	431	178	60	3	7
Insular-Rural . . .	55	32	23	34	31	45	52	53	96	118	105	74	30	9	1	2
Shetland	13	5	5	11	10	5	9	16	20	30	22	20	9	5	-	2
Orkney	9	6	5	9	8	8	15	12	28	39	25	19	5	1	-	-
Caithness	10	9	9	4	13	15	10	17	40	40	43	21	11	5	-	-
Sutherland	4	8	6	7	5	7	9	5	16	23	26	23	7	4	-	-
Ross and Cromarty .	12	15	13	15	21	24	42	33	63	58	74	40	23	4	1	-
Inverness	32	19	24	22	28	32	45	40	76	57	80	38	23	5	1	-
Nairn	5	1	2	1	4	3	4	5	4	6	10	1	-	2	-	-
Elgin	15	10	10	7	11	10	18	24	33	37	43	23	2	4	1	-
Banff	9	12	9	10	16	11	18	25	44	44	35	24	10	1	-	-
Aberdeen	56	69	59	57	75	65	101	122	171	139	148	88	34	7	2	1
Kincardine	6	8	8	11	10	11	14	19	19	21	34	15	4	2	-	-
Forfar	128	98	132	116	121	122	144	147	161	127	92	45	19	2	-	-
Perth	31	36	46	48	57	62	76	66	126	114	104	48	29	5	-	-
Fife	42	52	48	37	47	70	76	102	112	132	103	64	17	6	-	3
Kinross	3	4	2	2	2	3	5	11	10	15	6	3	1	-	-	-
Clackmannan . . .	5	4	6	2	3	5	9	17	21	10	14	7	1	1	-	-
Stirling	30	40	27	30	46	35	40	59	61	35	42	20	7	3	1	1
Dumbarton	20	27	19	18	21	28	35	30	49	32	28	12	2	2	-	-
Argyll	30	22	23	21	25	29	46	35	76	54	66	43	10	9	2	3
Bute	6	10	3	3	6	7	13	13	22	18	15	12	5	-	-	-
Renfrew	80	75	78	86	99	116	117	108	145	100	60	40	14	6	2	-
Ayr	89	77	83	74	75	80	98	77	131	112	87	58	24	6	-	1
Lanark	368	338	401	362	396	365	484	384	430	281	183	94	31	11	2	1
Linlithgow	15	7	10	9	14	13	14	17	17	16	16	13	1	-	-	1
Edinburgh	131	123	140	142	165	167	232	204	235	173	151	64	19	10	-	-
Haddington	17	17	8	14	13	21	14	20	43	31	22	9	4	1	-	-
Berwick	5	7	11	10	6	15	21	24	28	26	22	11	5	1	-	-
Peebles	5	-	5	3	3	1	3	6	11	3	4	2	2	-	-	-
Selkirk	8	6	5	6	3	3	13	13	9	11	8	10	-	1	-	-
Roxburgh	8	11	11	11	14	12	19	33	26	35	32	13	6	1	-	-
Dumfries	22	21	22	23	30	30	46	59	59	60	39	38	7	4	2	2
Kirkcudbright . .	11	11	15	16	17	19	15	30	35	36	29	11	8	2	-	1
Wigtown	40	8	13	12	14	21	15	30	27	24	35	26	5	3	2	-

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1873.—FEMALES.

Glasgow	242	219	271	244	261	237	311	243	256	151	95	42	11	5	1	1
Edinburgh	79	75	97	90	109	109	153	117	148	98	92	87	9	8	-	-
Dundee	94	54	88	75	79	85	80	73	73	50	32	15	3	-	-	-
Aberdeen	35	32	33	26	33	31	55	59	82	60	51	36	3	3	-	-
Greenock	31	35	34	25	35	44	34	28	35	18	13	11	3	-	-	-
Falvey	27	11	23	29	33	28	34	41	52	28	14	14	5	2	-	-
Leith	21	21	22	22	18	19	25	27	30	21	22	7	-	-	-	-
Perth	10	15	17	18	18	12	18	16	30	24	10	5	1	-	-	-

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1873.—BOTH SEXES.

		BOTH SEXES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
Inverness	465	33	12	26	40	12	10	10	19	8	10	13	12	
Arbroath	422	41	21	19	24	14	6	7	25	13	11	8	18	
Forfar	299	38	11	20	12	13	7	4	7	9	16	13	13	
Montrose	351	26	9	6	28	8	8	6	10	11	13	8	7	
Dunfermline	348	39	10	16	24	12	3	6	16	20	19	15	8	
Kirkcaldy	258	27	12	15	20	7	8	2	11	6	9	6	6	
Stirling	308	23	10	22	26	13	4	5	14	7	5	9	13	
Dumbarton	344	33	10	30	24	19	14	12	22	6	15	12	17	
Ayr	475	41	15	30	34	15	21	6	22	16	10	17	16	
Kilmarnock	719	84	23	50	59	24	28	11	41	20	34	37	18	
Barony	1142	98	40	94	96	50	36	28	59	31	44	41	45	
Govan	2068	223	105	204	240	116	55	49	92	55	60	94	82	
Hamilton	461	63	17	29	43	17	13	6	19	16	15	18	12	
Airdrie	354	41	19	32	40	9	10	6	19	11	14	13	16	
Coatbridge	436	55	14	30	55	19	3	9	24	15	20	12	19	
Hawick	353	33	20	33	45	20	8	4	8	6	9	17	8	
Dumfries	503	38	8	26	29	10	16	1	16	13	20	21	21	

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1873.—BOTH SEXES.

Shetland	86	6	1	5	5	1	4	2	3	—	3	3	1
Orkney	88	3	2	5	5	1	3	1	3	5	1	4	3
Caithness	358	32	11	11	16	9	5	3	12	5	17	16	15
Ross and Cromarty	165	22	4	10	11	3	3	2	7	1	7	5	6
Nairn	99	8	2	3	3	4	4	2	5	7	2	3	3
Elgin	811	17	10	19	18	6	8	3	15	4	15	13	11
Banff	410	50	11	21	36	12	7	7	8	8	16	14	12
Aberdeen	586	58	26	40	33	19	12	14	24	11	15	26	14
Kincardine	121	14	3	6	—	2	1	—	2	2	2	4	5
Forfar	587	57	18	32	29	11	6	14	16	7	22	21	15
Perth	480	43	11	15	25	19	10	8	19	8	8	23	18
Fife	1118	111	27	69	64	23	14	16	35	22	38	49	39
Clackmannan	363	38	17	26	26	12	10	4	20	9	12	9	10
Stirling	1202	128	31	82	91	42	24	17	66	30	46	51	38
Dumbarton	736	82	20	33	71	37	10	8	33	23	23	28	25
Argyll	432	26	11	18	38	23	10	10	22	11	11	15	16
Bute	203	11	7	11	19	6	4	5	12	8	3	8	8
Renfrew	1480	133	51	115	147	74	47	38	77	42	67	53	50
Ayr	2488	235	83	160	231	114	67	56	117	99	102	103	64
Glasgow	2773	346	103	190	266	148	85	72	205	108	117	116	77
Linlithgow	663	84	25	50	79	24	10	18	52	16	20	13	14
Edinburgh	796	94	31	52	59	33	23	12	30	17	13	30	24
Haddington	441	29	14	16	26	22	10	11	26	10	15	22	14
Berwick	132	15	8	9	6	2	1	—	5	—	3	6	7
Peebles	58	7	—	1	2	—	2	—	1	3	2	2	3
Selkirk	385	65	13	33	31	7	5	3	9	6	14	17	15
Roxburgh	195	18	3	9	9	7	1	1	7	5	4	3	6
Dumfries	203	24	6	14	9	4	1	1	5	6	8	8	13
Kirkcudbright	234	21	10	12	8	2	—	4	12	4	7	9	6
Wigtown	214	13	10	7	17	6	4	4	6	6	5	5	10

DEATHS at DIFFERENT AGES in the LARGE TOWNS of SCOTLAND, 1873.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness . . .	9	16	18	18	16	19	25	33	42	24	28	5	5	2	-	-
Arbroath . . .	9	13	17	15	19	17	28	25	35	14	18	5	4	1	-	-
Forfar . . .	9	8	9	7	8	15	15	20	16	15	7	7	-	-	-	-
Montrose . . .	9	8	18	13	17	14	28	17	30	26	21	7	2	1	-	-
Dunfermline . . .	10	7	12	10	14	14	17	15	18	22	12	7	2	-	-	-
Kirkcaldy . . .	5	7	11	9	10	9	15	18	16	10	7	11	1	-	-	-
Stirling . . .	4	15	13	13	16	13	16	11	21	5	16	8	2	2	1	1
Dumbarton . . .	11	18	13	7	12	6	13	12	16	14	10	-	2	1	-	-
Ayr . . .	16	14	16	15	24	11	26	21	26	31	13	12	5	1	-	1
Kilmarnock . . .	29	28	27	19	24	27	22	28	31	22	19	9	8	2	-	-
Barony . . .	39	42	37	40	49	52	68	43	49	35	20	9	1	1	-	-
Govan . . .	78	59	67	63	63	59	76	57	76	43	27	14	7	-	-	4
Hamilton . . .	10	25	10	14	19	13	22	21	23	19	7	8	2	-	-	-
Airdrie . . .	10	3	9	13	8	11	19	14	13	8	7	5	1	2	1	-
Coatbridge . . .	13	15	17	17	13	17	21	11	20	14	2	-	1	-	-	-
Hawick . . .	4	9	6	12	6	6	12	18	16	17	10	1	4	1	-	-
Dumfries . . .	19	17	29	24	22	22	30	25	34	20	23	10	6	2	-	1

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1873.—BOTH SEXES.

Shetland . . .	6	3	2	3	3	6	5	4	5	4	5	3	1	2	-	-
Orkney . . .	1	1	2	2	5	2	3	6	12	11	3	3	1	-	-	-
Caithness . . .	9	7	10	5	10	17	17	17	37	26	27	16	4	4	-	-
Ross and Cromarty . . .	1	2	2	6	8	5	11	5	10	10	11	8	5	-	-	-
Nairn . . .	4	-	3	2	5	4	9	6	5	6	7	1	-	1	-	-
Elgin . . .	11	11	8	7	11	13	9	17	27	28	18	10	1	-	1	-
Banff . . .	10	10	8	7	15	13	17	25	34	29	30	7	7	1	-	-
Aberdeen . . .	11	10	14	16	18	15	21	26	31	32	30	15	4	-	-	1
Kincardine . . .	3	2	4	3	6	5	9	6	10	11	16	4	-	1	-	-
Forfar . . .	23	22	23	18	21	17	35	30	55	50	21	17	7	-	-	-
Perth . . .	16	14	18	15	19	28	29	25	36	34	23	11	4	1	-	-
Fife . . .	23	28	36	27	45	52	58	74	83	87	65	22	9	1	-	1
Clackmannan . . .	5	6	8	5	18	11	18	27	28	15	20	7	2	-	-	-
Stirling . . .	30	41	25	42	58	42	52	71	68	57	44	17	6	1	1	1
Dumbarton . . .	18	26	21	26	34	32	35	31	55	30	25	7	1	1	-	1
Argyll . . .	14	12	8	9	13	13	22	21	31	20	26	14	4	4	-	-
Bute . . .	1	4	6	9	10	5	18	11	17	8	8	6	2	1	-	-
Renfrew . . .	37	44	43	52	51	55	66	56	78	54	31	12	4	2	1	-
Ayr . . .	81	63	72	100	88	88	106	95	112	105	80	45	14	6	-	2
Lanark . . .	69	75	79	87	101	85	99	92	94	72	53	24	12	1	2	-
Linlithgow . . .	10	15	21	18	28	24	33	20	28	19	26	18	2	1	-	-
Edinburgh . . .	24	20	21	24	31	39	35	43	48	46	29	14	3	1	-	-
Haddington . . .	14	12	11	15	23	22	19	25	39	23	18	7	3	-	-	-
Berwick . . .	3	7	3	3	4	8	9	8	9	6	3	1	1	-	-	-
Peebles . . .	3	-	4	-	1	4	3	5	5	3	5	1	1	-	-	-
Selkirk . . .	10	6	10	10	8	14	15	20	22	25	13	12	1	1	-	-
Roxburgh . . .	2	6	7	5	8	8	11	14	12	26	15	6	2	-	-	-
Dumfries . . .	5	8	7	7	5	6	8	16	11	13	18	2	1	1	1	-
Kirkcudbright . . .	10	4	8	8	9	14	9	13	22	15	16	4	5	1	-	1
Wigtown . . .	6	5	10	8	6	12	6	12	10	12	15	12	4	1	2	-

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1873.—MALES.

		MALES.																
		ALL AGES.	AGE UNDER															
			MONTHS.			2	3	4	5	10	15	20	25	30				
			3	6	12													
Inverness	.	.	.	.	.	230	21	2	14	19	6	3	8	10	5	7	10	4
Arbroath	.	.	.	.	.	204	24	12	11	12	9	4	8	18	3	5	6	8
Forfar	.	.	.	.	.	156	23	4	14	8	4	3	3	3	5	5	7	6
Montrose	.	.	.	.	.	170	8	7	4	13	3	2	4	6	6	10	1	6
Dunfermline	.	.	.	.	.	188	27	7	6	14	9	2	3	8	10	7	7	3
Kirkcaldy	.	.	.	.	.	126	16	8	9	9	1	8	-	10	3	5	2	3
Stirling	.	.	.	.	.	160	15	8	10	16	6	3	1	9	4	3	5	7
Dumbarton	.	.	.	.	.	178	18	5	15	10	9	9	5	9	1	10	7	12
Ayr	.	.	.	.	.	236	24	7	17	20	11	14	3	14	9	3	9	8
Kilmarnock	.	.	.	.	.	382	48	13	24	35	16	14	6	29	12	13	16	7
Barony	.	.	.	.	.	589	52	23	57	41	24	18	12	35	20	24	21	21
Govan	.	.	.	.	.	1076	133	61	106	119	49	25	17	49	35	38	49	42
Hamilton	.	.	.	.	.	231	34	8	19	19	6	8	8	9	5	8	6	8
Airdrie	.	.	.	.	.	190	22	12	16	22	5	6	5	9	4	5	6	8
Coatbridge	.	.	.	.	.	230	37	7	17	20	7	2	4	15	9	13	8	11
Hawick	.	.	.	.	.	170	30	7	13	22	10	5	2	5	2	3	7	1
Dumfries	.	.	.	.	.	250	22	3	13	14	4	9	-	11	4	10	12	15

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1873.—MALES.

Shetland	44	4	1	4	3	1	1	2	1	—	2	3	1
Orkney	47	2	1	4	2	—	1	1	2	5	—	2	3
Caithness	174	18	7	2	9	5	8	2	5	—	9	11	7
Ross and Cromarty	87	13	3	7	6	2	2	2	1	—	5	4	2
Nairn	43	2	1	2	2	1	1	—	2	5	2	2	1
Elgin	153	12	8	11	10	2	3	—	8	1	11	12	5
Banff	211	28	8	11	18	4	6	8	3	3	12	9	5
Aberdeen	279	34	16	21	16	9	5	6	11	7	9	13	8
Kincardine	60	8	1	5	—	—	—	—	1	1	2	2	3
Forfar	290	31	14	18	12	6	8	6	8	4	12	9	10
Perth	232	25	4	10	12	7	8	2	10	5	4	9	9
Fife	565	68	18	39	39	12	7	7	22	10	15	27	18
Clackmannan	181	23	12	10	14	6	3	3	10	4	4	6	7
Stirling	639	61	19	48	58	21	15	7	25	17	22	32	18
Dumbarton	374	39	15	10	37	21	4	4	20	12	10	18	15
Argyll	211	18	5	12	15	9	4	5	13	5	7	8	9
Bute	87	7	5	7	6	2	3	—	6	4	2	5	4
Renfrew	726	79	26	62	65	36	27	20	38	22	24	21	27
Ayr	1283	128	45	86	132	60	36	33	54	49	53	56	40
Lanark	1328	196	66	115	136	81	45	39	107	59	66	70	33
Lithgow	359	53	11	23	37	9	6	14	24	6	15	10	6
Edinburgh	397	44	17	27	34	18	11	7	16	8	7	12	10
Haddington	215	20	5	11	11	11	5	7	9	6	7	13	7
Berwick	74	9	5	4	5	1	—	—	4	—	2	3	2
Peebles	25	5	—	—	—	—	1	—	—	—	1	—	2
Selkirk	195	36	6	20	17	5	1	1	6	4	4	9	9
Roxburgh	92	10	1	6	1	1	—	—	4	3	2	3	4
Dumfries	85	16	2	7	4	2	—	—	4	1	3	2	5
Kirkcudbright	111	13	6	8	5	1	—	8	4	3	3	4	—
Wigtown	102	11	5	2	10	5	3	2	2	3	4	4	—

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1873.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness . . .	6	10	11	6	8	8	10	19	16	13	10	3	—	1	—	—
Arbroath . . .	3	3	5	8	8	9	10	11	18	4	7	2	1	—	—	—
Forfar . . .	2	3	3	3	5	8	12	10	6	11	4	4	—	—	—	—
Montrose . . .	4	3	6	4	9	7	17	11	10	14	8	5	1	1	—	—
Dunfermline . . .	7	6	6	5	8	8	12	7	7	13	1	4	1	—	—	—
Kirkcaldy . . .	—	1	4	7	5	2	9	11	7	4	8	4	—	—	—	—
Stirling . . .	3	5	8	4	6	7	9	5	11	2	7	3	1	1	—	1
Dumbarton . . .	8	8	6	8	10	5	5	6	6	6	4	—	—	1	—	—
Ayr . . .	7	6	10	8	12	6	10	14	8	8	2	4	1	—	—	1
Kilmarnock . . .	14	10	16	12	14	13	12	17	14	14	8	3	1	1	—	—
Barony . . .	19	19	22	21	25	26	35	23	27	14	6	4	—	—	—	—
Govan . . .	35	36	35	32	34	38	34	29	40	20	8	7	1	—	—	4
Hamilton . . .	6	13	3	11	11	5	11	8	9	9	6	4	2	—	—	—
Airdrie . . .	8	1	3	6	4	7	11	9	7	5	4	2	1	1	1	—
Coatbridge . . .	7	10	6	11	5	9	10	8	7	5	1	—	1	—	—	—
Hawick . . .	2	3	—	7	4	4	6	12	12	7	5	—	1	—	—	—
Dumfries . . .	13	12	16	10	11	12	15	10	16	3	8	4	3	—	—	—

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1873.—MALES.

Shetland . . .	1	1	1	1	1	4	8	2	2	2	2	—	1	—	—	—
Orkney . . .	1	1	—	1	1	2	—	8	5	7	1	2	—	—	—	—
Caithness . . .	4	5	6	3	5	12	11	11	12	7	9	9	1	1	—	—
Ross and Cromarty . . .	1	2	—	1	6	8	8	1	6	4	7	3	3	—	—	—
Nairn . . .	—	—	1	1	2	2	5	8	8	2	2	1	—	—	—	—
Elgin . . .	4	5	5	2	5	6	5	8	11	10	7	2	—	—	—	—
Banff . . .	5	6	2	7	5	8	11	11	13	13	14	2	8	1	—	—
Aberdeen . . .	9	4	8	11	8	5	10	14	12	14	17	9	8	—	—	—
Kincardine . . .	1	1	1	—	2	3	4	2	6	7	5	4	—	1	—	—
Forfar . . .	14	5	14	5	9	10	15	13	29	26	9	5	3	—	—	—
Perth . . .	8	5	8	9	7	17	13	13	17	20	7	6	1	1	—	—
Fife . . .	9	12	15	14	28	26	30	33	48	36	26	5	1	—	—	—
Clackmannan . . .	2	4	2	4	11	6	10	12	11	7	7	1	2	—	—	—
Stirling . . .	12	21	13	27	30	24	27	34	35	37	21	8	5	1	1	—
Dumbarton . . .	9	11	13	15	20	18	15	12	24	18	10	2	1	—	—	1
Argyll . . .	6	3	9	4	5	8	7	14	9	9	13	7	8	3	—	—
Bute . . .	—	1	3	4	6	1	5	4	7	2	1	1	—	1	—	—
Renfrew . . .	16	24	28	30	30	22	33	27	33	17	13	4	1	1	—	—
Ayr . . .	38	29	22	57	49	48	57	54	49	44	37	17	5	4	—	1
Lanark . . .	37	40	44	62	57	48	58	52	43	32	31	6	4	—	1	—
Linlithgow . . .	1	11	13	11	17	15	21	11	17	8	14	4	1	1	—	—
Edinburgh . . .	12	9	12	18	15	21	14	20	30	17	17	5	1	—	—	—
Haddington . . .	3	2	8	6	12	12	12	13	16	8	6	4	1	—	—	—
Berwick . . .	2	5	1	3	4	4	4	2	5	8	4	1	1	—	—	—
Peebles . . .	—	—	—	—	—	3	1	3	2	2	3	1	1	—	—	—
Selkirk . . .	4	1	5	4	5	7	4	9	13	15	6	3	1	—	—	—
Roxburgh . . .	1	2	3	2	5	4	7	6	7	12	6	1	1	—	—	—
Dumfries . . .	1	1	5	2	3	4	5	4	3	1	8	—	1	—	1	—
Kirkcudbright . . .	6	1	4	4	2	5	4	6	8	8	7	2	3	1	—	—
Wigtown . . .	3	1	4	5	1	5	1	7	3	5	3	4	3	1	—	—

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1873.—FEMALES.

	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	235	12	10	12	21	6	7	2	9	3	3	3	8
Arbroath	218	17	9	8	12	5	2	4	7	10	6	2	10
Forfar	143	15	7	6	4	9	4	1	4	4	11	6	7
Montrose	181	18	2	2	15	5	6	2	4	5	3	7	1
Dunfermline	160	12	3	10	10	3	1	3	8	10	12	8	5
Kirkcaldy	132	11	4	6	11	6	5	2	1	3	4	4	3
Stirling	148	8	2	12	10	7	1	4	5	3	2	4	6
Dumbarton	166	15	5	15	14	10	5	7	13	5	5	5	5
Ayr	239	17	8	13	14	4	7	3	8	7	7	8	8
Kilmarnock	337	36	10	26	24	8	14	5	12	8	21	21	11
Barony	553	41	17	37	55	26	18	16	24	11	20	20	24
Govan	992	90	44	98	121	67	30	32	43	20	22	45	40
Hamilton	230	29	9	10	24	11	5	3	10	11	7	12	4
Airdrie	164	19	7	16	18	4	4	1	10	7	9	7	8
Coatbridge	206	18	7	13	35	12	1	5	9	6	7	4	8
Hawick	183	23	13	20	23	10	3	2	3	4	6	10	7
Dumfries	253	16	5	13	15	6	7	1	5	9	10	9	6

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1873.—FEMALES.

Shetland	42	2	—	1	2	—	3	—	2	—	1	—	—
Orkney	41	1	1	1	3	1	2	—	1	—	1	2	—
Caithness	184	14	4	9	7	4	2	1	7	5	8	5	8
Ross and Cromarty	78	9	1	3	5	1	1	—	6	1	2	1	4
Nairn	56	6	1	1	1	8	3	2	3	2	—	1	2
Elgin	158	5	2	8	8	4	5	3	7	3	4	1	6
Banff	199	22	3	10	18	8	1	4	5	5	4	5	7
Aberdeen	257	24	10	19	17	10	7	8	18	4	6	13	6
Kincardine	61	6	2	1	—	2	1	—	1	1	—	2	2
Forfar	297	26	4	14	17	5	3	8	8	3	10	12	5
Perth	248	18	7	5	13	12	7	6	9	3	4	14	9
Fife	553	43	9	30	25	11	7	9	18	12	23	22	21
Clackmannan	182	15	5	16	12	6	7	1	10	5	8	3	3
Stirling	563	67	12	34	33	21	9	10	41	13	24	19	20
Dumbarton	362	43	5	23	34	16	6	4	13	11	13	10	10
Argyll	221	8	5	6	23	14	6	5	9	6	4	7	7
Bute	116	4	2	4	13	4	1	5	6	4	1	3	4
Renfrew	754	54	25	53	82	38	20	18	39	20	43	32	23
Ayr	1205	107	38	74	99	54	31	23	63	50	49	47	24
Lanark	1245	150	37	75	130	62	40	33	98	49	51	46	44
Linlithgow	304	31	14	27	42	15	4	4	28	10	5	6	8
Edinburgh	399	50	14	25	25	15	12	5	14	9	6	18	14
Haddington	226	9	9	5	15	11	5	4	17	4	8	9	7
Berwick	58	6	3	5	1	1	1	—	1	—	1	3	5
Peebles	38	2	—	1	2	—	1	—	1	3	1	2	1
Selkirk	190	29	7	13	14	2	4	2	3	2	10	8	6
Roxburgh	103	8	2	3	8	6	1	1	3	2	2	—	2
Dumfries	118	8	4	7	5	2	1	1	1	5	5	6	8
Kirkcudbright	123	8	4	4	3	1	—	1	8	1	4	5	6
Wigtown	112	2	5	5	7	1	1	2	4	3	1	1	5

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1873.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	3	6	7	12	8	11	15	14	26	11	18	2	5	1	-	-
Arbroath	6	10	12	7	11	8	13	14	17	10	11	3	3	1	-	-
Forfar	7	5	6	4	3	7	3	10	10	4	3	3	-	-	-	-
Montrose	5	5	12	9	8	7	11	6	20	12	13	2	1	-	-	-
Dunfermline . . .	3	1	6	5	6	6	5	8	11	9	11	3	1	-	-	-
Kirkcaldy	5	6	7	2	5	7	6	7	9	6	4	7	1	-	-	-
Stirling	1	10	5	9	10	6	7	6	10	3	9	5	1	1	1	-
Dumbarton	3	5	7	4	2	1	8	6	10	8	6	-	2	-	-	-
Ayr	9	8	6	7	12	5	16	7	18	23	11	8	4	1	-	-
Kilmarnock	15	18	11	7	10	14	10	11	17	8	11	6	2	1	-	-
Barony	20	23	15	19	24	26	33	20	22	21	14	5	1	1	-	-
Govan	43	23	32	31	29	21	42	28	36	23	19	7	6	-	-	-
Hamilton	4	12	7	3	8	8	11	13	14	10	1	4	-	-	-	-
Airdrie	2	2	6	7	4	4	8	5	6	3	3	3	-	1	-	-
Coatbridge	6	5	11	6	8	8	11	3	13	9	1	-	-	-	-	-
Hawick	2	6	6	5	2	2	6	4	10	5	1	3	1	-	-	-
Dumfries	6	5	13	14	11	10	15	15	18	17	15	6	3	2	-	1

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1873.—FEMALES.

Shetland	5	2	1	2	2	2	2	2	3	2	3	3	-	2	-	-
Orkney	-	-	2	1	4	-	3	3	7	4	2	1	1	-	-	-
Caithness	5	2	4	2	5	5	6	6	25	19	18	7	3	3	-	-
Ross and Cromarty .	-	-	2	5	2	2	8	4	4	6	4	5	2	-	-	-
Nairn	4	-	2	1	3	2	4	3	2	4	5	-	-	1	-	-
Elgin	7	6	8	5	6	7	4	9	16	18	11	8	1	-	1	-
Banff	5	4	1	-	10	5	6	14	21	16	16	5	4	-	-	-
Aberdeen	2	6	6	5	10	10	11	12	19	18	13	6	1	-	-	1
Kincardine	2	1	3	3	4	2	5	4	4	4	11	-	-	-	-	-
Forfar	9	17	9	13	12	7	20	17	26	24	12	12	4	-	-	-
Perth	8	9	10	6	12	11	16	12	19	14	16	5	3	-	-	-
Fife	14	16	21	13	17	26	28	41	35	51	39	17	8	1	-	1
Clackmannan	8	2	6	1	7	5	8	15	17	8	13	6	-	-	-	-
Stirling	18	20	12	15	28	18	25	37	33	20	23	9	1	-	-	1
Dumbarton	9	15	8	11	14	14	20	19	31	12	15	5	-	1	-	-
Argyll	8	9	9	5	8	5	15	7	22	11	13	7	1	1	-	-
Bute	1	3	3	5	4	4	8	7	10	6	7	5	2	-	-	-
Renfrew	21	20	15	22	21	33	33	29	45	37	18	8	3	1	1	-
Ayr	43	34	50	43	39	40	49	41	63	61	43	23	9	2	-	1
Lanark	32	35	35	25	44	37	41	40	51	40	22	18	8	1	1	-
Linlithgow	9	4	8	7	11	9	12	9	11	11	12	9	1	-	-	-
Edinburgh	12	11	9	11	16	18	21	23	18	29	12	9	2	1	-	-
Haddington	11	10	3	9	11	10	7	12	23	15	7	3	2	-	-	-
Berwick	1	2	2	-	-	4	5	6	4	8	4	-	-	-	-	-
Peebles	3	-	4	-	1	1	2	2	3	1	2	-	-	-	-	-
Selkirk	6	5	5	6	3	7	11	11	9	10	7	9	-	1	-	-
Roxburgh	1	4	4	3	3	4	4	8	5	14	9	5	1	-	-	-
Dumfries	4	7	2	5	2	2	3	12	8	12	5	2	-	1	-	-
Kirkcudbright . . .	4	3	4	4	7	9	5	7	14	7	9	2	2	-	-	1
Wigtown	3	4	6	3	5	7	5	5	7	7	12	8	1	-	2	-

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1873.—
BOTH SEXES.

		BOTH SEXES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
Caitness	371	23	4	6	6	5	7	4	6	5	12	14	16	
Sutherland	397	39	7	7	10	2	5	2	10	3	5	19	15	
Ross and Cromarty	904	54	16	21	18	10	4	5	19	15	33	26	22	
Inverness	485	23	9	10	13	12	1	2	15	14	14	9	11	
Nairn	55	6	—	5	5	1	2	—	4	1	—	2	—	
Elgin	425	35	12	16	18	4	5	8	19	5	14	10	12	
Banff	574	56	17	19	19	17	9	9	27	19	19	17	21	
Aberdeen	1720	171	41	72	56	26	32	23	71	41	56	69	56	
Kincardine	433	40	7	14	16	12	3	10	19	11	8	19	16	
Forfar	534	45	13	13	23	14	18	8	24	20	19	18	13	
Perth	1443	103	33	34	50	25	20	22	59	34	35	36	31	
Fife	1340	106	38	55	60	27	20	14	42	31	34	47	37	
Kinross	159	8	9	8	—	2	1	2	4	3	7	9	3	
Clackmannan	99	13	3	12	10	3	1	3	1	1	4	4	3	
Stirling	639	65	26	27	52	25	12	12	34	18	28	32	21	
Dumbarton	857	80	18	11	23	13	11	2	13	10	21	10	16	
Argyll	744	47	8	18	38	13	10	10	30	15	27	30	24	
Renfrew	549	54	13	38	39	15	14	10	22	17	30	29	13	
Ayr	1134	112	28	87	85	52	29	17	59	29	53	39	32	
Lanark	1396	155	55	88	103	55	30	30	79	35	48	48	46	
Linlithgow	260	36	11	11	29	8	5	1	10	7	9	6	7	
Edinburgh	850	38	21	40	48	17	16	6	29	12	24	27	32	
Haddington	341	25	5	10	14	8	8	2	15	8	14	6	7	
Berwick	483	40	11	12	22	9	6	10	16	14	5	18	13	
Peebles	132	13	7	5	6	—	4	2	5	2	7	7	4	
Selkirk	89	10	2	1	—	—	—	1	—	—	2	2	1	
Roxburgh	393	38	8	23	14	12	11	4	15	14	12	15	17	
Dumfries	938	79	18	41	39	13	17	12	30	25	41	39	39	
Kirkcudbright	413	31	5	21	11	3	3	3	11	13	18	18	14	
Wigtown	491	36	12	20	11	10	6	1	21	11	19	23	6	

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1873.—
BOTH SEXES.

Shetland	354	28	2	8	9	8	9	3	11	4	11	11	7
Orkney	430	25	4	8	9	5	4	2	12	13	16	21	23
Ross and Cromarty	198	33	7	12	12	7	4	2	8	4	4	8	4
Inverness	626	30	8	29	41	15	10	6	16	10	24	25	25
Argyll	392	16	8	13	18	5	5	5	12	15	18	16	19
Bute	177	4	3	1	5	—	2	2	3	4	4	10	10

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1873.—
BOTH SEXES.

	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Caithness	9	11	10	5	13	13	14	25	33	42	52	24	10	2	-	-	
Sutherland	7	12	13	10	12	14	24	16	31	44	47	29	8	6	-	-	
Ross and Cromarty	25	19	26	16	30	43	50	62	94	90	119	49	29	6	2	1	
Inverness	13	10	15	10	20	17	29	28	49	54	51	38	16	2	-	-	
Nairn	1	2	-	2	2	2	1	2	5	4	5	1	1	1	-	-	
Elgin	15	8	12	8	10	11	25	25	36	40	46	22	3	6	-	-	
Banff	11	16	14	13	10	18	23	27	48	55	41	36	10	2	-	1	
Aberdeen	41	56	44	51	54	53	76	106	151	119	141	81	35	5	2	1	
Kincardine	10	12	8	13	9	16	19	35	82	80	41	21	5	2	-	-	
Forfar	12	13	12	14	14	25	21	46	31	44	41	20	12	1	-	-	
Perth	31	30	39	42	67	63	82	80	156	142	124	63	29	7	2	4	
Fife	34	49	29	46	55	54	72	97	118	111	91	54	11	6	-	2	
Kinross	6	4	2	4	8	6	9	14	18	20	10	6	1	-	-	-	
Clackmannan	3	4	2	1	3	-	6	4	10	2	2	2	1	1	-	-	
Stirling	24	18	19	18	18	18	30	29	35	26	28	14	8	2	-	-	
Dumbarton	10	14	15	7	13	23	13	16	23	23	12	9	-	1	-	-	
Argyll	24	23	25	21	28	21	45	44	67	51	58	40	15	7	2	3	
Renfrew	7	11	11	18	22	23	35	20	29	32	25	14	4	3	1	-	
Ayr	33	38	28	35	29	41	45	42	63	49	56	29	17	6	-	1	
Lanark	42	39	45	54	50	49	67	62	69	56	51	29	7	4	-	-	
Linlithgow	9	8	6	7	7	13	6	17	17	14	9	7	2	-	-	1	
Edinburgh	29	34	18	35	38	40	58	62	66	43	41	14	11	1	-	-	
Haddington	13	15	9	11	12	19	19	22	37	29	22	18	2	1	-	-	
Berwick	7	9	11	16	20	21	30	36	46	46	34	23	6	2	-	-	
Peebles	5	1	4	6	6	4	9	8	11	4	6	4	2	-	-	-	
Selkirk	2	1	-	-	1	2	2	4	1	3	3	1	-	-	-	-	
Roxburgh	11	4	4	8	17	14	23	29	30	26	29	11	4	-	-	-	
Dumfries	24	16	17	16	38	40	37	57	81	83	50	51	10	2	2	1	
Kirkcudbright	12	10	13	8	14	19	27	36	31	42	23	19	5	3	-	-	
Wigtown	13	10	12	17	15	23	20	46	35	36	36	36	12	4	-	-	

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1873.—
BOTH SEXES.

Shetland . . .	13	7	6	11	11	4	16	22	33	45	32	21	15	3	-	4
Orkney . . .	14	11	8	13	6	13	24	21	38	56	46	27	7	3	-	1
Ross and Cromarty . .	7	7	2	3	3	4	5	8	15	10	16	12	5	1	-	-
Inverness . . .	31	14	22	12	22	24	27	28	32	30	51	24	17	6	1	1
Argyll . . .	13	12	7	12	12	24	16	24	30	33	29	21	4	4	1	-
Bute . . .	6	12	1	7	6	6	13	10	20	16	15	9	5	2	-	1

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of
SCOTLAND, 1873.—MALES.

		MALES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
Caitness	183	15	2	8	5	3	3	2	3	3	4	7	7	
Sutherland	186	17	8	4	2	1	1	1	6	2	4	10	12	
Ross and Cromarty	449	29	8	12	10	5	2	—	11	8	17	17	11	
Inverness	251	13	6	7	8	3	1	2	11	4	9	6	7	
Nairn	25	3	—	4	1	1	1	—	2	1	—	—	—	
Elgin	211	20	8	9	9	1	4	5	14	2	6	5	6	
Banff	312	36	11	8	13	8	5	6	13	12	12	14	10	
Aberdeen	866	97	23	37	30	18	15	14	35	18	29	25	29	
Kincairdine	213	23	4	5	11	6	2	4	12	8	3	8	8	
Forfar	277	23	7	6	16	10	8	6	14	7	15	11	8	
Perth	725	58	21	20	24	15	12	11	26	18	17	20	21	
Fife	654	48	20	31	36	19	12	6	17	18	22	17	15	
Kinross	65	3	7	2	—	1	1	2	2	3	4	3	1	
Clackmannan	54	7	1	5	6	1	1	2	1	—	3	3	2	
Stirling	342	38	15	17	21	15	5	5	18	6	17	18	13	
Dumbarton	203	18	12	8	14	8	6	—	8	5	9	6	12	
Argyll	370	25	5	11	22	10	2	5	13	7	12	17	17	
Benfrew	289	30	5	21	25	10	9	6	14	8	15	18	5	
Ayr	611	65	13	44	44	32	15	10	32	19	32	25	13	
Lanark	731	89	23	42	50	29	14	13	41	20	24	30	24	
Linlithgow	140	20	9	6	15	3	2	—	4	2	4	4	1	
Edinburgh	401	51	13	25	27	8	9	3	17	8	14	18	16	
Haddington	171	16	4	2	10	5	2	1	5	5	6	2	—	
Berwick	242	23	4	8	11	5	2	7	8	4	1	12	11	
Peebles	69	7	5	3	4	—	2	2	2	1	1	2	3	
Selkirk	19	4	1	—	—	—	—	1	—	—	2	1	1	
Roxburgh	189	19	4	9	7	3	7	3	7	6	7	7	8	
Dumfries	464	39	8	18	23	8	9	4	16	10	21	23	18	
Kirkcudbright	197	20	2	10	4	1	2	1	7	8	6	15	7	
Wigtown	246	23	8	14	4	8	2	1	8	7	9	15	2	

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of
SCOTLAND, 1873.—MALES.

Shetland	152	13	2	7	4	3	5	2	6	3	7	5	3
Orkney	215	17	2	6	8	1	3	1	6	7	7	14	16
Ross and Cromarty	100	18	3	9	4	2	2	1	4	3	4	1	3
Inverness	281	49	2	13	20	8	5	3	11	3	9	14	7
Argyll	190	12	3	4	9	2	1	2	6	5	8	7	12
Bute	82	2	1	—	2	—	1	2	—	1	2	7	8

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1873.—MALES.

	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Caithness . . .	4	4	5	3	5	3	10	14	18	21	27	10	2	—	—	—	
Sutherland . . .	3	4	7	3	7	7	15	11	15	21	21	6	1	2	—	—	
Boes and Cromarty . .	15	10	17	8	12	23	19	35	45	44	56	20	11	2	1	1	
Inverness . . .	7	6	8	5	10	11	16	17	20	25	20	20	8	1	—	—	
Nairn . . .	—	1	—	2	1	1	1	—	3	2	—	—	1	—	—	—	
Elgin . . .	7	4	5	6	5	8	11	10	19	21	14	8	2	2	—	—	
Banff . . .	7	8	6	3	4	12	11	16	25	27	22	17	4	1	—	1	
Aberdeen . . .	22	25	24	25	27	29	41	55	81	58	57	40	10	1	—	1	
Kincardine . . .	6	5	8	5	3	7	10	20	17	13	18	6	1	—	—	—	
Forfar . . .	5	6	7	6	6	17	13	19	16	17	20	10	4	—	—	—	
Perth . . .	18	18	20	18	40	24	40	42	79	66	50	30	8	3	2	4	
Fife . . .	14	20	15	29	36	23	35	51	61	45	42	17	4	1	—	—	
Kinross . . .	3	—	—	2	1	3	4	3	8	5	4	3	—	—	—	—	
Clackmannan . . .	1	2	2	—	2	—	5	2	6	—	1	1	—	—	—	—	
Stirling . . .	13	8	9	12	10	7	22	13	17	14	18	8	3	—	—	—	
Dumbarton . . .	2	7	11	4	8	15	6	11	15	11	5	2	—	—	—	—	
Argyll . . .	10	11	15	12	17	11	22	23	28	28	22	17	7	1	—	—	
Benfrew . . .	6	2	5	8	12	12	19	10	16	15	10	7	1	—	—	—	
Ayr . . .	11	21	12	18	15	20	27	24	30	29	34	13	8	4	—	1	
Lanark . . .	23	20	21	27	32	25	40	30	37	32	28	14	2	1	—	—	
Linlithgow . . .	3	2	4	5	4	9	4	9	11	9	5	3	2	—	—	—	
Edinburgh . . .	10	13	6	16	16	19	25	25	27	18	16	3	3	—	—	—	
Haddington . . .	7	8	4	6	10	8	12	14	17	13	7	7	—	—	—	—	
Berwick . . .	3	4	2	6	14	10	14	18	22	23	16	12	1	1	—	—	
Peebles . . .	3	1	3	3	4	4	3	4	3	3	4	2	—	—	—	—	
Selkirk . . .	—	—	—	—	1	1	—	2	1	2	2	—	—	—	—	—	
Roxburgh . . .	6	3	3	5	8	8	14	10	13	15	11	4	2	—	—	—	
Dumfries . . .	12	7	7	6	20	21	27	23	43	47	29	19	5	1	—	—	
Kirkcudbright . . .	5	2	5	2	5	10	19	15	15	18	5	12	—	1	—	—	
Wigtown . . .	6	6	5	8	6	9	10	21	15	19	13	18	8	1	—	—	

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1873.—MALES.

Shetland . . .	5	4	2	2	3	1	9	8	16	17	13	4	6	—	—	2	
Orkney . . .	5	5	5	5	2	5	12	12	17	21	23	9	3	2	—	1	
Boes and Cromarty . .	5	1	—	1	2	2	2	6	5	4	9	6	2	1	—	—	
Inverness . . .	8	5	12	7	12	9	10	8	11	13	20	11	7	3	—	1	
Argyll . . .	5	11	3	5	6	10	8	17	15	13	12	8	3	2	1	—	
Bute . . .	1	5	1	4	4	3	8	4	8	4	7	2	2	2	—	1	

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1873.—FEMALES.

	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	188	8	2	3	1	2	4	2	3	2	8	7	9
Sutherland	211	22	4	8	8	1	4	1	4	1	1	9	3
Ross and Cromarty	455	25	8	9	8	5	2	5	8	7	16	9	11
Inverness	284	10	3	3	5	9	—	—	4	10	5	3	4
Nairn	30	3	—	1	4	—	1	—	2	—	—	2	—
Elgin	214	15	4	7	9	3	1	3	5	3	8	5	6
Banff	262	20	6	11	6	9	4	3	14	7	7	3	11
Aberdeen	854	74	18	35	26	8	17	9	36	23	27	34	27
Kincardine	220	17	3	9	5	6	1	6	7	3	5	11	8
Forfar	257	22	6	7	7	4	10	2	10	13	4	7	5
Perth	718	45	12	14	26	10	8	11	33	16	18	16	10
Fife	686	58	18	24	24	8	8	8	25	13	12	30	23
Kinross	94	5	2	6	—	1	—	—	2	—	3	6	2
Clackmannan	45	6	2	7	4	2	—	1	—	1	1	1	1
Stirling	297	27	11	10	31	10	7	7	16	12	11	14	8
Dumbarton	154	12	6	3	9	5	5	2	5	5	12	4	4
Argyll	374	22	3	7	16	3	8	5	17	8	15	13	7
Benfrew	260	24	8	17	14	5	5	4	8	9	15	11	8
Ayr	523	47	15	43	41	20	14	7	27	10	21	14	19
Lanark	665	66	27	46	53	26	16	17	38	15	24	13	22
Linlithgow	120	16	2	5	14	5	8	1	6	5	5	2	6
Edinburgh	449	37	8	15	21	9	7	3	12	4	10	14	16
Haddington	170	9	1	3	4	3	1	1	10	3	3	4	7
Berwick	241	17	7	4	11	4	4	3	8	10	4	6	2
Peebles	63	6	2	2	2	—	2	—	3	1	6	5	1
Selkirk	20	6	1	1	—	—	—	—	—	—	—	1	—
Roxburgh	204	19	4	14	7	9	4	1	8	8	5	8	9
Dumfries	474	40	10	23	16	5	8	8	14	15	20	16	21
Kirkcudbright	216	11	3	11	7	2	1	2	4	5	12	3	7
Wigtown	245	13	4	6	7	2	4	—	13	4	10	8	4

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1873.—FEMALES.

Shetland	202	15	—	1	5	5	4	1	5	1	4	6	4
Orkney	215	8	2	2	1	4	1	1	6	6	9	7	7
Ross and Cromarty	98	15	4	3	8	5	2	1	4	1	—	2	1
Inverness	345	31	6	16	21	7	5	3	5	7	15	11	13
Argyll	202	4	5	9	9	3	4	3	6	10	10	9	7
Bute	95	2	2	1	3	—	1	—	3	3	2	3	2

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1873.—FEMALES.

	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Caithness . . .	5	7	5	2	8	10	4	11	15	21	25	14	8	2	-	-	
Sutherland . . .	4	8	6	7	5	7	9	5	16	23	26	23	7	4	-	-	
Ross and Cromarty . .	10	9	9	8	18	20	31	27	49	46	63	29	18	4	1	-	
Inverness . . .	6	4	7	5	10	6	13	11	29	29	31	18	8	1	-	-	
Nairn . . .	1	1	-	-	1	1	-	2	2	2	5	1	-	1	-	-	
Elgin . . .	8	4	7	2	5	3	14	15	17	19	32	14	1	4	-	-	
Banff . . .	4	8	8	10	6	6	12	11	23	28	19	19	6	1	-	-	
Aberdeen . . .	19	31	20	26	27	24	35	51	70	61	84	41	25	4	2	-	
Kincardine . . .	4	7	5	8	6	9	9	15	15	17	23	15	4	2	-	-	
Forfar . . .	7	7	5	8	8	8	8	27	15	27	21	10	8	1	-	-	
Perth . . .	13	12	19	24	27	39	42	38	77	76	74	33	21	4	-	-	
Fife . . .	20	29	14	17	19	31	37	46	57	66	49	37	7	5	-	2	
Kinross . . .	3	4	2	2	2	3	5	11	10	15	6	3	1	-	-	-	
Clackmannan . . .	2	2	-	1	1	-	1	2	4	2	1	1	1	1	-	-	
Stirling . . .	11	10	10	6	8	11	8	16	18	12	10	6	5	2	-	-	
Dumbarton . . .	8	7	4	3	5	8	7	5	8	12	7	7	-	1	-	-	
Argyll . . .	14	12	10	9	11	10	23	21	39	23	36	23	8	6	2	3	
Renfrew . . .	1	9	6	10	10	11	16	10	13	17	15	7	3	3	1	-	
Ayr . . .	22	17	16	17	14	21	18	18	33	20	22	16	9	2	-	-	
Lanark . . .	19	19	24	27	18	24	27	32	32	24	28	15	5	3	-	-	
Linlithgow . . .	6	3	2	2	3	4	2	8	6	5	4	4	-	-	-	1	
Edinburgh . . .	19	21	12	19	22	21	33	37	39	25	25	11	8	1	-	-	
Haddington . . .	6	7	5	5	2	11	7	8	20	16	15	6	2	1	-	-	
Berwick . . .	4	5	9	10	6	11	16	18	24	23	18	11	5	1	-	-	
Peebles . . .	2	-	1	3	2	-	6	4	8	1	2	2	2	-	-	-	
Selkirk . . .	2	1	-	-	-	1	2	2	-	1	1	1	-	-	-	-	
Roxburgh . . .	5	1	1	3	9	6	9	19	17	11	18	7	2	-	-	-	
Dumfries . . .	12	9	10	10	18	19	30	34	38	36	21	32	5	1	2	1	
Kirkcudbright . . .	7	8	8	6	9	9	8	21	16	24	18	7	5	2	-	-	
Wigtown . . .	7	4	7	9	9	14	10	25	20	17	23	18	4	3	-	-	

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1873.—FEMALES.

Shetland . . .	8	3	4	9	8	3	7	14	17	28	19	17	9	8	-	2	
Orkney . . .	9	6	3	8	4	8	12	9	21	35	28	18	4	1	-	-	
Ross and Cromarty . .	2	6	2	2	1	2	3	2	10	6	7	6	3	-	-	-	
Inverness . . .	23	9	10	5	10	15	17	15	21	17	31	13	10	8	1	-	
Argyll . . .	8	1	4	7	6	14	8	7	15	20	17	18	1	2	-	-	
Bute . . .	5	7	-	3	2	3	5	6	12	12	8	7	3	-	-	-	

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	76946	440	518	729	397	1267	1576	154	736	984	4376	554	5474	2560	3064	159
SPECIFIED CAUSES . .	75897	379	470	716	363	1174	1433	151	716	964	4347	547	5441	2489	2994	155
I. Zymotic Class . .	14956	46	51	91	41	151	224	32	114	171	843	92	1152	353	465	26
II. Diseases of Uncer. Seat	2779	17	21	41	19	65	61	7	42	44	209	30	194	108	158	11
III. Tubercular Class .	11952	43	64	97	44	142	189	10	99	123	608	64	748	316	380	21
IV. Brain and Nervous Sys.	7223	20	39	71	25	93	100	24	79	105	461	42	521	306	341	16
V. Organs of Circulation	4510	10	23	35	11	16	76	6	56	63	295	55	371	211	214	6
VI. Respiratory Organs .	12524	40	64	104	35	132	193	14	79	154	591	70	972	368	466	23
VII. Organs of Digestion .	5208	23	19	30	19	67	89	10	59	77	301	34	360	188	224	13
VIII. Urinary Organs .	1367	—	13	24	12	22	38	2	24	87	138	15	81	60	65	10
IX. Organs of Generation	541	3	2	7	4	7	17	2	2	6	33	3	41	10	24	3
X. Organs of Locomotion	512	5	9	9	5	13	22	—	5	1	28	2	31	12	18	1
XI. Skin, etc. . . .	96	—	1	1	—	—	—	—	1	—	12	2	6	5	6	—
XII. Malformation . .	244	—	1	1	—	2	1	1	3	5	24	8	14	16	5	—
XIII. Premature Debility .	3755	21	3	34	16	34	48	9	18	44	245	21	333	101	138	3
XIV. Atrophy	560	1	4	1	1	8	7	3	2	8	16	3	32	11	17	1
XV. Age	6203	132	131	143	117	354	320	24	115	98	389	90	364	342	346	17
XVI. Sudden Deaths .	128	1	—	—	1	1	4	1	1	1	3	1	12	7	9	—
XVII. Violent Deaths .	2839	17	25	27	13	37	44	6	17	27	151	15	209	75	138	4
I. Small-pox	1126	3	—	—	2	—	3	—	—	3	2	2	37	5	45	—
Measles	1450	1	—	2	1	19	19	—	11	17	25	—	47	19	3	—
Scarlatina	2227	18	11	11	11	6	27	3	15	17	153	10	64	59	21	—
Diphtheria	1203	—	10	3	—	11	14	13	4	27	87	9	159	48	55	2
Whooping-cough . . .	1598	4	—	4	10	16	51	—	32	16	115	4	108	11	58	2
Croup	1132	1	2	4	2	44	23	10	5	17	69	5	104	22	47	1
Thrush	44	—	—	—	—	—	—	—	—	1	9	1	5	1	2	—
Diarrhœa	2152	1	6	16	4	8	17	—	16	23	133	18	283	56	70	7
Dysentery	294	—	2	6	1	2	8	—	3	5	27	1	35	10	14	2
Cholera	121	—	—	—	1	—	—	—	—	—	4	—	5	—	4	—
Influenza	119	—	4	3	—	6	5	—	2	2	8	2	11	4	6	—
Purpura	64	—	—	—	—	—	—	1	—	—	5	—	4	2	1	2
Ague	6	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Worms	14	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Typhus	628	7	5	7	—	10	13	—	—	3	43	10	84	29	32	—
Enteric Fever	1495	3	4	14	5	19	28	2	17	20	80	21	103	39	54	6
Relapsing Fever . . .	31	—	1	—	—	—	—	—	—	1	1	—	2	—	2	—
Simple Cont. Fever . .	192	2	—	4	—	2	1	—	1	—	4	1	7	9	7	—
Infantile Remittent . .	117	—	—	3	—	1	—	—	2	1	14	1	3	2	6	—
Metria	251	5	1	2	2	1	5	—	—	3	11	—	30	10	13	—
Rheumatic Fever . . .	129	—	2	4	2	3	4	—	—	5	7	2	10	4	7	2
Erysipelas	316	—	2	3	—	2	5	2	4	6	21	2	21	16	11	1
Pyæmia	58	—	1	—	—	—	—	1	—	3	5	3	4	5	4	—
Syphilis	180	—	—	5	—	1	1	—	1	—	20	—	24	2	3	1
Noma	9	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . .	115	—	—	2	—	2	—	—	—	2	18	2	3	8	3	—
Dropsy	651	5	10	4	3	25	23	3	10	4	32	4	45	18	44	5
Abscess	199	4	2	—	1	1	3	—	—	4	16	1	18	9	4	1
Ulcer	64	—	—	4	—	1	—	—	—	1	13	—	5	2	2	—
Fistula	13	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—
Mortification	183	2	—	1	1	4	4	1	2	1	14	1	12	10	5	—
Cancer	1537	5	9	30	13	32	31	3	26	31	113	22	105	61	78	5
Gout	17	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—
III. Scrofula	707	3	7	8	1	5	9	—	1	9	46	4	35	17	19	1
Tabes Mesenterica . . .	999	—	3	1	3	3	12	2	5	5	30	3	35	17	24	—
Phthisis	8286	34	48	81	37	127	151	8	86	92	437	48	570	246	279	15
Hydrocephalus	1960	6	6	7	3	7	17	—	7	17	95	9	108	36	58	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—BOTH SEXES.

DISEASES.	Clack- mannan.	Stirling.	Dumbar- ton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Seikirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	462	2149	1437	1568	380	5838	4816	23129	923	7308	782	615	190	424	941	1544	747	705
SPECIFIED CAUSES . . .	451	2081	1413	1470	371	5732	4755	22849	888	7269	762	612	183	422	919	1455	731	695
Zymotic Class . . .	79	441	282	235	59	1485	1004	5172	206	1294	175	84	26	83	156	176	70	77
Uncertain Seat . . .	19	65	65	67	19	189	161	566	33	331	29	27	4	18	39	72	84	39
Tubercular Class . . .	58	325	267	249	80	947	892	4031	125	1112	97	83	32	69	128	259	189	111
Brain, etc.	41	189	126	150	45	498	414	2006	82	769	81	69	21	42	121	174	69	83
Heart, etc.	16	140	87	72	13	272	295	1011	60	576	64	72	16	32	90	110	58	48
Respiratory Organs . . .	101	288	168	176	41	877	664	4574	129	1308	99	85	28	56	162	227	113	123
Digestive Organs . . .	23	162	97	100	27	378	356	1584	55	465	50	49	18	28	59	109	72	63
Urinary Organs . . .	2	31	24	24	6	67	82	286	19	178	8	13	7	12	14	31	12	10
Generative Organs . . .	3	15	5	10	3	33	38	139	10	71	5	7	3	4	10	8	8	5
Locomotive Organs . . .	—	12	19	11	3	34	34	142	3	48	5	3	1	3	3	19	5	6
Skin	—	4	—	1	—	10	2	22	—	12	2	2	—	1	2	1	2	1
Malformation	3	7	8	1	2	13	27	50	4	24	—	2	2	8	5	6	5	1
Premature Debility . . .	29	128	73	31	4	287	231	1231	50	382	30	31	3	35	46	48	27	21
Atrophy	3	17	16	13	3	79	36	181	3	51	15	2	—	3	6	9	6	2
Age	56	181	98	270	54	331	331	905	60	382	74	61	11	24	55	164	82	82
Sudden Deaths	—	3	2	—	—	8	3	60	2	2	3	—	—	—	1	2	—	—
Violent Deaths	18	73	76	60	12	224	185	889	47	264	25	22	11	14	22	40	29	23
Small Pox	—	67	48	20	5	227	85	533	7	22	—	—	2	1	—	5	1	1
Measles	13	22	14	12	3	181	100	730	4	181	—	2	—	2	9	2	3	8
Scarlatina	1	29	22	40	4	406	54	991	56	93	61	15	—	3	14	7	2	3
Diphtheria	5	52	25	27	5	96	180	285	19	68	8	8	5	3	9	11	4	2
Whooping Cough	13	45	36	44	11	87	128	492	13	137	20	10	2	29	43	31	16	10
Croup	14	33	27	17	8	81	81	344	18	99	6	2	1	3	19	15	6	7
Thrush	—	8	1	—	1	1	2	8	—	5	—	—	—	—	2	1	1	—
Diarrhoea	12	45	37	21	—	153	128	704	33	254	16	13	8	18	8	27	8	14
Dysentery	3	6	9	6	5	11	25	61	5	16	9	1	—	1	4	6	7	3
Cholera	—	4	—	2	—	10	20	39	3	20	2	—	—	1	5	—	1	—
Influenza	—	10	4	1	1	1	6	25	2	7	—	1	2	—	1	2	1	2
Purpura	—	2	2	—	1	5	5	15	1	6	1	1	—	1	6	1	1	1
Ague	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—
Worms	—	—	—	—	—	3	8	5	—	1	—	—	—	—	—	—	—	1
Typhus	7	37	11	7	8	23	19	181	6	119	2	4	—	—	6	8	—	2
Enteric Fever	7	41	24	28	10	77	125	447	27	137	40	21	6	12	16	40	8	14
Relapsing Fever	—	—	2	1	—	1	7	6	—	4	—	—	—	—	1	2	—	—
Simple Cont. Fever . . .	1	9	—	2	2	39	18	58	8	9	—	—	2	1	2	4	3	1
Infantile Remittent . . .	1	6	1	—	1	14	8	30	1	10	2	1	—	2	1	2	2	2
Metria	1	15	8	—	—	24	15	74	1	23	3	—	—	—	—	2	1	1
Rheumatic Fever	—	1	5	3	1	11	11	22	—	13	—	1	1	—	2	3	1	2
Erysipelas	2	8	5	2	1	24	27	81	3	41	4	4	1	3	3	7	8	1
Pæmia	—	—	—	1	—	3	1	20	—	3	—	—	—	1	2	—	—	1
Syphilis	—	5	1	1	2	7	5	65	3	25	—	—	1	2	3	—	1	1
Noma	—	1	—	—	—	—	1	4	—	1	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	4	2	2	2	9	6	20	1	12	1	2	—	—	—	1	8	5
Dropsy	11	14	26	18	8	61	39	163	5	33	12	1	1	1	3	11	8	6
Abscess	—	6	5	2	—	16	10	56	—	15	3	1	1	1	1	6	3	5
Ulcer	—	1	2	—	1	3	—	12	1	12	—	—	—	—	—	2	—	2
Fistula	—	—	—	—	—	—	2	4	—	4	—	—	—	—	—	—	—	—
Mortification	—	3	1	6	—	16	13	37	5	25	3	4	—	—	3	6	1	2
Cancer	8	37	28	39	13	83	91	271	21	227	10	19	2	11	81	45	19	18
Gout	—	—	1	—	—	1	—	3	—	3	—	—	—	—	1	1	—	1
Scrofula	8	16	17	22	3	63	42	237	16	71	4	2	3	4	7	19	2	11
Tabes Mesenterica . . .	2	29	30	4	5	68	96	413	14	121	9	11	5	2	16	16	13	2
Phthisis	42	218	169	196	59	681	584	2644	65	708	73	57	18	48	83	191	104	87
Hydrocephalus	11	62	51	27	13	135	170	737	30	212	11	13	6	15	22	33	20	11

CAUSES of DEATH in the COUNTIES of SCOTLAND

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.
ALL CAUSES	76946	440	518	729	397	126.
SPECIFIED CAUSES	75897	379	470	716	363	11.
I. Zymotic Class	14956	46	51	91	41	1
II. Diseases of Uncer. Seat	2779	17	21	41	19	
III. Tubercular Class	11952	43	64	97	44	
IV. Brain and Nervous Sys.	7228	20	39	71	25	
V. Organs of Circulation	4510	10	23	35	1	
VI. Respiratory Organs	12524	40	64	104	3	
VII. Organs of Digestion	5208	23	19	30	1	
VIII. Urinary Organs	1367	-	13	24		
IX. Organs of Generation	541	3	2	7		
X. Organs of Locomotion	512	5	9	9		
XI. Skin, etc.	96	-	1	1		
XII. Malformation	244	-	1	1		
XIII. Premature Debility	8755	21	3	33		
XIV. Atrophy	560	1	4	1		
XV. Age	6208	132	131	1		
XVI. Sudden Deaths	128	1	-			
XVII. Violent Deaths	2839	17	25			
I. Small-pox	1126	3				
Measles	1450	1				
Scarlatina	2227	18				
Diphtheria	1208	-				
Whooping-cough	1598	4				
Croup	1132	1				
Thrush	44	-				
Diarrhoea	2152	1				
Dysentery	294					
Cholera	121					
Influenza	119					
Purpura	64					
Agree	6					
W	14					
T	628					
l	1425					
l	34					
l	19					
l	11					
l	2					
l	1					

15

I

OTLAND during the YEAR 1873.—BOTH SEXES. (Continued.)

	Renfrew	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	75	50	304	11	76	5	5	2	4	9	13	4	1
	127	93	419	15	197	16	21	2	10	22	45	20	25
	126	106	438	26	221	38	29	6	10	43	61	28	22
	4	2	20	1	14	3	-	1	-	-	2	-	-
	-	-	2	-	-	-	-	-	-	-	-	-	-
	24	17	60	1	29	2	-	2	3	4	7	4	3
	4	10	7	1	4	1	-	-	-	-	1	2	1
	1	3	10	-	11	-	-	-	-	-	-	-	1
	59	44	424	18	95	8	6	4	5	20	25	1	8
	78	89	322	9	122	8	8	4	10	22	20	10	21
	-	4	28	1	7	1	1	1	1	1	3	1	1
	1	7	16	1	35	-	-	-	-	1	2	2	1
	12	261	287	967	58	534	63	71	15	31	88	105	46
	-	18	13	44	1	18	-	1	-	1	2	-	-
	22	551	420	3166	95	888	64	46	17	40	104	137	64
	-	14	11	73	5	31	2	1	3	2	7	5	5
	17	243	166	1069	19	292	31	32	4	11	48	75	38
	14	24	39	99	9	30	2	5	3	2	7	6	5
	2	27	15	123	-	49	-	-	1	1	-	-	5
	10	1	79	288	2	48	4	1	5	2	3	10	5
	1	-	4	-	-	10	-	-	-	-	2	3	2
	4	2	12	82	-	20	3	1	1	-	4	7	2
	8	4	78	351	22	57	4	6	3	-	16	18	11
	11	5	36	94	4	39	7	7	1	6	5	12	9
	2	1	8	20	-	5	-	1	-	1	2	1	1
	6	2	7	34	6	21	2	2	-	1	5	6	3
	3	-	3	37	1	14	1	3	-	1	2	2	1
	7	6	2	51	4	24	3	2	2	1	2	6	3
	1	1	2	8	1	6	-	-	-	1	1	1	1
	1	1	2	9	-	6	1	-	-	-	4	-	1
	15	17	1	250	5	77	8	6	3	11	8	15	12
	-	-	1	-	-	1	-	-	-	-	-	-	-
	2	8	1	58	2	9	3	2	-	-	3	3	4
	1	3	1	58	5	25	4	6	-	1	3	1	5
	11	18	4	207	3	98	10	11	2	2	6	18	9
	1	1	1	11	-	5	-	1	1	2	1	2	-
	4	2	5	31	1	13	1	2	-	1	2	4	-
	4	6	2	79	9	57	3	3	4	8	3	13	3
	-	-	-	2	-	3	-	-	-	-	-	1	-
	2	4	10	18	1	8	-	-	-	-	-	1	-
	5	1	7	22	-	15	1	-	1	-	1	2	1
	2	2	1	8	-	5	-	1	-	1	1	-	2
	3	2	4	20	4	14	1	4	1	-	7	2	1
	-	-	-	4	-	8	-	-	-	-	-	-	-
	1	13	9	102	4	55	2	3	1	1	1	9	5
	1	1	-	1	-	1	-	1	-	2	1	1	-
	2	2	1	11	-	10	-	-	-	2	2	4	1
	5	5	6	25	7	45	4	6	2	4	5	4	2
	-	2	3	11	28	3	15	1	-	1	1	2	3
	-	2	1	1	16	1	11	1	-	2	1	2	-
	-	5	4	15	58	1	12	3	1	-	1	5	1
	-	5	14	18	68	1	25	1	-	1	1	12	4
	-	1	-	-	4	-	1	-	-	-	-	1	1
	-	-	-	1	4	-	-	-	-	-	-	-	-
	-	3	-	9	1	14	-	11	2	1	2	1	-
	-	3	1	12	57	5	15	2	1	-	2	2	1
	-	-	-	4	-	-	-	-	-	-	-	-	-
Milk	-	1	3	11	43	2	18	1	1	2	1	1	1
	-	-	-	-	1	-	-	-	-	-	-	-	-
	2	2	4	1	3	2	8	-	1	-	1	-	1
	-	1	-	2	15	-	7	-	1	-	-	-	-
ounds	-	-	-	-	1	-	-	-	-	-	-	-	-
scalds	1	6	5	36	79	3	23	2	1	1	2	4	2
etc.	-	1	1	2	17	-	1	-	-	2	-	-	1
	4	6	3	2	61	6	40	2	2	4	1	2	2
	4	26	41	35	156	5	26	9	3	1	2	12	14
nd Contusion	7	23	18	7	398	21	103	7	5	4	12	18	9
ounds	1	1	-	-	1	1	-	-	-	-	1	-	-
	1	1	-	3	7	3	2	-	1	-	-	1	1
Causes	-	4	1	7	46	-	20	1	1	-	-	-	-
	11	68	24	98	9	106	61	280	35	39	20	3	7

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—MALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	39087	196	262	357	186	636	762	68	364	523	2174	273	2721	1268	1533	65
SPECIFIED CAUSES	38224	165	237	352	170	593	696	67	355	509	2159	271	2701	1228	1494	63
I. Zymotic Class	7528	21	20	47	17	75	101	17	61	82	431	45	575	168	231	9
II. Diseases of Uncer. Seat	1146	5	12	20	8	30	21	2	17	23	92	14	76	42	66	3
III. Tubercular Class	5872	21	38	49	23	82	98	5	51	75	299	34	328	150	167	9
IV. Brain and Nervous Sys.	3720	12	27	36	11	54	61	14	39	56	213	24	275	151	174	8
V. Organs of Circulation	2825	6	13	17	10	26	42	1	32	31	145	27	163	122	110	4
VI. Respiratory Organs	6519	18	35	41	15	54	87	8	32	81	294	33	511	184	237	9
VII. Organs of Digestion	2676	9	7	22	9	42	48	5	36	45	149	16	190	90	121	8
VIII. Urinary Organs	940	—	12	18	10	17	27	—	15	28	93	12	52	42	49	4
IX. Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
X. Organs of Locomotion	292	3	2	8	3	7	13	—	3	—	17	2	22	6	9	—
XI. Skin, etc.	53	—	—	1	—	—	—	—	—	—	7	1	4	4	6	—
XII. Malformation	138	—	1	1	—	2	1	—	2	4	17	5	9	5	5	—
XIII. Premature Debility	2123	12	3	17	8	18	32	4	14	27	129	10	177	61	72	2
XIV. Atrophy	245	—	—	—	—	4	1	2	1	3	9	1	14	2	11	—
XV. Age	2450	45	49	54	46	152	126	5	39	34	161	34	147	135	123	3
XVI. Sudden Deaths	72	1	—	—	1	—	2	—	1	1	1	1	5	5	5	—
XVII. Violent Deaths	2124	12	18	21	9	30	36	4	12	19	102	12	152	61	108	4
I. Small Pox	666	2	—	—	1	—	—	—	—	1	1	1	18	2	25	—
Measles	714	1	—	—	—	12	9	—	4	5	11	—	27	6	2	—
Scarlatina	1156	9	4	5	6	4	12	1	9	8	91	6	34	35	11	—
Diphtheria	600	—	4	2	—	6	8	7	3	12	43	4	74	21	29	—
Hooping Cough	723	1	—	2	3	9	21	—	20	8	51	1	43	4	29	—
Croup	635	—	—	3	—	17	15	5	3	9	36	3	62	16	28	1
Thrush	25	—	—	—	—	—	—	—	—	—	6	1	3	1	1	—
Diarrhoea	1087	—	4	7	2	4	8	—	8	13	74	9	144	25	37	3
Dysentery	153	—	—	2	1	2	6	—	—	—	18	—	16	2	6	1
Cholera	78	—	—	1	—	—	—	—	—	—	3	—	4	—	3	—
Influenza	53	—	2	2	—	1	2	—	1	1	3	—	7	2	1	—
Purpura	32	—	—	—	—	—	—	1	—	—	1	—	4	1	1	1
Ague	2	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Worms	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	323	4	3	5	—	7	4	—	—	—	1	15	4	45	14	13
Enteric Fever	743	2	—	8	2	8	10	1	8	10	45	10	56	19	27	—
Relapsing Fever	17	—	—	—	—	—	—	—	—	1	—	—	2	—	1	—
Simple Cont. Fever	80	1	—	1	—	1	1	—	1	—	2	1	—	5	4	—
Infantile Remittent	67	—	—	2	—	1	—	—	1	—	11	1	3	1	1	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	64	—	1	4	1	1	2	—	—	4	5	1	4	2	4	—
Erysipelas	180	—	1	2	—	1	2	1	2	6	9	1	12	8	6	—
Pyæmia	25	—	1	—	—	—	—	1	—	2	3	2	2	2	1	—
Syphilis	96	—	—	2	—	1	1	—	—	—	8	—	14	2	1	1
Noma	5	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hemorrhage	59	—	—	1	—	1	—	—	—	1	10	2	5	4	2	—
Dropsy	295	1	6	1	2	11	7	2	2	4	17	3	9	8	29	2
Abscess	114	2	2	—	1	1	—	—	8	2	11	1	13	6	1	—
Ulcer	24	—	—	1	—	—	—	—	—	—	9	—	3	2	—	—
Fistula	10	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Mortification	92	1	—	—	—	2	1	—	1	1	11	1	5	3	3	—
Cancer	542	1	4	17	5	15	13	—	11	14	32	7	40	19	30	1
Gout	10	—	—	—	—	—	—	—	—	1	1	—	1	—	1	—
III. Scrofula	375	2	5	4	—	5	7	—	—	5	24	2	18	9	9	—
Tabes Mesenterica	572	—	3	1	1	1	8	1	2	4	19	2	19	13	14	—
Phthisis	3854	16	25	41	21	72	73	4	44	52	207	24	231	112	111	6
Hydrocephalus	1071	3	5	1	3	4	10	—	5	14	49	6	60	16	33	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—MALES.

DISEASES.	Clack- mannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Solkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	235	1141	755	771	169	2986	2512	11996	499	3669	386	316	94	214	451	749	358	348
SPECIFIED CAUSES . . .	231	1105	742	723	165	2932	2479	11840	477	3648	373	314	91	213	441	699	349	342
Zymotic Class . . .	41	225	135	118	28	776	514	2620	106	669	85	43	9	42	70	81	31	35
Uncertain Seat . . .	9	23	29	27	5	77	64	226	13	126	12	16	2	4	20	30	11	21
Tubercular Class . . .	34	163	134	115	42	447	460	1975	64	569	42	43	16	33	57	123	69	57
Brain, etc.	18	98	66	79	18	252	225	1055	38	385	43	32	14	25	66	89	29	33
Heart, etc.	9	86	53	42	3	142	152	504	40	297	32	35	8	17	51	51	29	25
Respiratory Organs . . .	52	163	95	87	19	460	360	2481	65	653	59	45	11	27	72	116	55	60
Digestive Organs . . .	12	88	46	47	13	192	190	801	34	222	25	31	8	14	29	58	35	34
Urinary Organs . . .	1	21	16	18	5	45	55	207	11	112	5	9	4	5	9	22	7	9
Generative Organs . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotive Organs . . .	-	6	13	5	-	16	20	84	1	33	8	-	1	2	1	7	2	3
Skin	-	1	-	-	-	5	2	10	-	5	1	1	-	1	1	1	2	-
Malformation	2	4	3	-	-	7	19	25	-	16	-	1	1	-	2	1	4	1
Premature Debility . . .	18	73	42	17	3	171	127	694	31	222	17	16	2	21	29	25	15	14
Atrophy	1	9	3	6	-	47	16	76	1	22	7	-	-	1	3	3	2	-
Age	23	87	38	113	18	122	137	370	32	140	24	25	7	10	16	62	35	38
Sudden Deaths . . .	-	1	2	-	-	4	1	37	1	1	-	-	-	-	1	1	-	-
Violent Deaths . . .	11	57	67	49	11	169	137	675	40	176	18	17	8	11	14	29	23	12
Small Pox	-	33	26	13	3	147	51	315	5	15	-	-	1	1	-	5	-	-
Measles	6	12	7	4	2	89	48	360	-	98	-	1	-	1	3	1	1	4
Scarlatina	-	15	8	22	3	200	81	512	32	42	30	9	-	2	10	3	1	1
Diphtheria	3	23	13	13	2	51	74	132	9	38	6	5	-	1	4	9	1	1
Hooping Cough	4	27	18	16	4	41	58	216	6	70	10	2	1	17	16	13	7	5
Croup	11	15	13	12	1	52	49	183	9	58	4	1	-	1	8	10	4	6
Thrush	-	2	1	-	1	-	-	5	-	4	-	-	-	-	-	-	-	-
Diarrhoea	5	19	14	12	-	79	60	376	14	126	6	6	1	8	2	10	6	5
Dysentery	3	4	4	2	3	8	14	37	1	9	7	1	-	1	2	2	4	2
Cholera	-	2	-	2	-	8	12	25	2	12	1	-	-	-	2	1	-	-
Influenza	-	9	2	1	1	1	1	10	1	2	-	1	1	-	-	1	-	-
Purpura	-	2	-	-	1	1	1	7	-	4	1	1	-	-	5	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-
Typhus	6	20	6	3	2	10	11	74	3	62	1	1	-	-	3	5	-	1
Enteric Fever	2	21	13	13	4	41	62	230	17	72	16	10	1	4	9	12	3	7
Relapsing Fever	-	-	-	1	-	-	6	1	-	3	-	-	-	-	1	1	-	-
Simple Cont. Fever . . .	1	6	-	2	-	16	10	19	1	1	-	-	1	1	1	3	1	-
Infantile Remittent . . .	-	3	1	-	-	9	8	15	1	7	2	1	-	1	1	1	1	-
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	-	-	3	1	-	4	3	13	-	7	-	-	1	-	2	-	-	1
Erysipelas	-	8	5	-	-	13	16	47	3	21	1	4	1	3	-	5	1	1
Pyæmia	-	-	-	1	-	2	1	6	-	1	-	-	-	-	-	-	-	-
Syphilis	-	8	1	-	1	4	3	32	2	16	-	-	1	1	1	-	-	1
Noma	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	-	1	-	1	2	4	2	10	-	7	-	2	-	-	-	-	-	4
Dropsy	6	4	12	5	-	35	14	78	3	15	5	-	1	-	1	4	6	2
Abscess	-	2	4	2	-	6	5	31	-	9	1	1	-	1	1	4	-	4
Ulcer	-	1	1	-	-	-	-	4	1	2	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	2	4	4	3	1	-	-	-	-	-	-	-	-
Mortification	-	2	-	4	-	10	6	19	1	9	1	4	-	-	2	4	-	1
Cancer	3	13	11	15	3	21	35	78	8	80	5	9	1	3	16	17	5	10
Gout	-	-	1	-	-	1	-	2	-	1	-	-	-	-	-	1	-	-
Scrofala	-	8	9	12	2	28	24	186	8	35	2	2	2	1	2	8	1	5
Tabes Mesenterica . . .	2	13	17	-	3	41	58	235	8	70	6	7	3	1	8	9	6	2
Phthisis	24	112	80	86	30	303	282	1206	34	345	29	29	7	22	39	91	51	45
Hydrocephalus	8	30	28	17	7	75	96	398	19	119	5	5	4	9	8	15	11	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—MALES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	428	1	2	3	2	8	6	1	7	10	18	3	24	8	26	2
Apoplexy	821	—	8	8	1	6	7	4	9	15	50	2	68	38	39	4
Paralysis	1020	6	6	13	4	25	23	4	11	15	42	7	75	61	58	—
Delirium Tremens	55	1	—	—	—	—	—	—	—	—	2	—	1	4	3	—
Chorea	5	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—
Epilepsy	122	1	1	4	1	2	5	—	—	1	8	2	12	2	3	1
Tetanus	35	—	—	—	—	4	1	—	—	—	—	—	2	—	2	—
Insanity	19	—	—	—	1	1	—	—	—	—	1	—	2	1	1	1
Convulsions	587	1	5	5	2	2	13	2	3	8	41	4	60	11	19	—
Brain Disease	628	2	5	8	—	6	6	3	9	7	51	6	31	26	21	—
V. Pericarditis	53	—	—	—	—	2	3	—	—	—	2	—	—	2	3	—
Aneurism	82	—	—	1	—	—	—	—	—	2	9	—	8	5	2	—
Heart Disease	2190	6	13	16	10	24	39	1	32	29	134	27	155	115	105	4
VI. Laryngitis	78	—	—	—	1	1	2	—	—	—	1	9	—	2	3	1
Bronchitis	4097	10	23	18	8	26	39	4	20	46	191	20	345	110	142	3
Pleurisy	149	2	3	1	—	2	14	1	1	3	8	1	4	2	7	—
Pneumonia	1777	1	4	17	4	10	15	1	7	29	72	10	143	60	73	5
Asthma	236	5	3	4	2	14	15	2	3	1	6	1	6	6	8	—
Lung Disease	182	—	2	1	—	1	2	—	1	1	8	1	11	8	4	—
VII. Teething	404	1	—	1	—	4	2	1	5	7	26	—	85	7	23	—
Quinsey	42	—	—	1	—	—	1	—	1	—	6	—	8	—	2	—
Gastritis	113	—	—	—	—	3	—	—	—	1	5	1	6	4	9	—
Enteritis	505	1	1	4	—	10	4	—	5	6	12	3	37	10	19	2
Peritonitis	187	—	—	2	1	1	5	—	2	—	13	2	9	6	5	1
Ascites	21	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—
Ulceration of Intestines	104	—	—	2	1	1	1	—	2	—	12	2	8	6	5	—
Hernia	63	—	—	—	—	3	—	—	3	5	—	—	5	2	3	1
Ileus	156	2	—	—	—	5	9	—	4	5	20	1	11	8	5	1
Intussusception	82	—	—	—	—	1	2	—	—	1	2	—	4	2	1	—
Stricture of Intestines	25	—	—	—	—	—	—	—	—	2	—	—	5	1	2	—
Stomach Disease	408	1	—	2	3	6	12	3	5	6	23	4	26	16	26	2
Pancreas Disease	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Hepatitis	88	1	1	2	1	2	3	—	—	3	1	—	5	3	4	—
Jaundice	116	2	2	1	—	2	2	—	4	6	1	8	3	6	—	—
Liver Disease	389	1	3	7	3	4	6	1	12	6	17	2	26	19	9	1
Spleen Disease	21	—	—	—	—	—	—	—	—	—	1	—	1	3	1	—
VIII. Nephritis	71	—	8	1	2	1	1	—	—	1	6	1	3	3	8	—
Nephria	228	—	—	6	2	3	8	—	2	7	20	—	17	12	12	—
Addison's Disease	7	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—
Ischuria	68	—	2	1	2	1	4	—	1	2	6	1	—	4	2	1
Diabetes	62	—	—	1	—	1	4	—	2	2	7	4	2	1	3	—
Stone	54	—	3	5	—	5	1	—	—	—	8	—	2	3	2	—
Cystitis	119	—	1	4	—	1	3	—	1	5	13	2	8	1	8	1
Stricture of Urethra	18	—	—	—	—	—	2	—	1	—	2	—	—	—	1	—
Kidney Disease	313	—	3	—	4	5	4	—	8	11	31	4	20	17	16	2
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
X. Bone Disease	45	—	—	—	—	—	2	—	—	—	3	1	3	3	3	—
Rheumatism	96	3	1	5	1	5	10	—	1	—	5	—	7	2	2	—
Joint Disease	151	—	1	3	2	2	1	—	2	—	9	1	12	1	4	—
XI. Carbuncle	15	—	—	1	—	—	—	—	—	—	4	—	2	1	1	—
Phlegmon	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	84	—	—	—	—	—	—	—	—	—	3	1	2	3	5	—
XVII. Intemperance	88	—	—	—	—	2	—	—	—	—	3	—	4	—	5	—
Privation	6	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Want of Breast Milk	56	—	—	1	—	—	—	—	—	—	—	—	2	2	4	—
Neglect	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	37	2	—	—	2	4	2	—	—	1	2	1	2	2	—	—
Poison	30	1	1	—	1	2	—	—	—	1	2	—	2	1	3	—
Poisoned Wounds	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Burns and Scalds	126	1	—	1	—	—	2	—	—	1	3	—	9	4	3	—
Hanging, etc.	42	—	—	—	—	1	1	—	—	—	4	—	6	—	6	1
Suffocation	162	—	—	3	1	1	3	—	3	8	12	3	19	—	6	—
Drowning	549	5	12	12	1	9	18	—	6	2	33	4	30	15	30	—
Fracture and Contusion	892	2	5	4	4	6	6	3	8	5	81	4	57	81	44	3
Gunshot Wounds	16	—	—	—	—	2	1	—	—	1	2	—	2	2	1	—
Cuts and Stabs	33	1	—	—	—	1	2	—	—	—	2	—	2	3	2	—
Other Violent Causes	93	—	—	—	—	2	1	1	—	—	8	—	15	1	4	—
Not Specified	813	31	25	5	16	43	66	1	9	14	15	2	20	40	39	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—MALES. (Continued.)

DISEASES.	Clack- mann.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Inanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Seikirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	2	15	3	2	1	38	82	149	2	37	3	2	1	3	6	8	2	1
Apoplexy	2	19	19	18	7	65	54	215	7	89	8	9	2	5	10	15	10	9
Paralysis	5	33	20	28	4	61	48	218	17	118	22	15	3	5	24	81	11	7
Delirium Tremens	-	1	1	2	-	4	2	17	-	13	1	-	1	-	-	2	-	-
Chorea	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	3	3	6	1	10	4	28	-	15	-	-	1	2	1	3	1	1
Tetanus	1	-	-	2	1	3	6	5	1	3	1	-	-	-	-	1	2	-
Insanity	-	-	1	-	-	-	1	3	-	6	-	-	-	-	-	-	-	-
Convulsions	3	9	7	9	1	26	24	232	8	50	3	2	3	4	10	15	1	4
Brain Disease	5	18	12	11	3	45	54	187	3	54	5	4	3	6	15	14	2	11
Pericarditis	1	4	2	3	-	2	2	14	-	4	1	1	1	1	1	3	-	1
Aneurism	-	3	1	1	-	6	3	11	1	26	-	-	-	-	1	-	2	-
Heart Disease	8	79	50	38	3	134	147	479	39	267	31	34	7	16	49	48	27	24
Laryngitis	1	2	2	1	-	11	6	22	1	6	-	1	-	-	-	2	-	-
Bronchitis	38	95	59	53	7	280	207	1641	40	436	89	22	5	16	89	57	29	29
Pleurisy	-	1	5	2	-	4	8	47	2	16	-	1	1	2	5	2	4	-
Pneumonia	11	37	24	23	11	142	102	643	14	154	20	19	2	7	26	49	19	23
Asthma	2	14	1	7	-	8	28	62	8	11	-	2	2	2	2	5	3	3
Lung Disease	-	14	4	1	1	15	9	66	-	30	-	-	-1	-	-	1	-	5
Teething	4	13	11	5	-	38	32	141	2	25	-	1	2	2	2	5	2	7
Quinsey	-	3	-	1	-	2	2	12	-	4	-	-	-	-	1	2	1	-
Gastritis	-	6	5	3	1	4	10	37	-	9	1	1	-	-	1	4	1	1
Enteritis	-	19	4	4	2	45	46	188	13	32	1	5	1	-	9	9	7	6
Peritonitis	-	6	2	3	4	15	17	52	2	14	4	3	1	2	3	7	4	1
Ascites	-	-	1	1	1	8	-	6	-	3	-	1	-	-	-	1	-	1
Ulceration of Intestine	-	3	1	3	1	3	9	16	5	9	2	2	-	-	2	4	1	3
Hernia	-	-	1	2	-	1	3	22	1	4	1	2	-	-	2	1	-	1
Ilens	3	4	5	3	1	11	5	27	4	12	1	2	-	1	1	3	1	1
Intussusception	-	-	1	1	-	2	8	6	1	3	-	-	-	1	-	1	-	-
Stricture of Intestines	-	-	-	-	1	-	-	6	-	4	-	-	-	-	-	4	-	-
Stomach Disease	2	17	8	4	1	18	27	122	2	85	4	3	1	5	3	7	7	7
Pancreas Disease	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	-	3	1	5	1	7	7	25	1	6	1	1	-	-	-	-	2	2
Jaundice	1	3	-	2	-	10	6	29	1	15	3	3	-	1	2	-	2	1
Liver Disease	2	11	6	10	-	33	21	107	2	44	7	6	2	1	3	8	6	3
Spleen Disease	-	-	-	-	-	1	5	-	-	3	-	1	1	1	-	2	1	-
Nephritis	-	2	1	1	-	4	4	21	1	7	1	-	-	-	1	3	-	-
Nephria	1	3	3	1	2	10	10	58	2	29	-	2	2	4	1	8	-	2
Addison's Disease	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-
Ischuria	-	2	1	3	-	3	9	16	1	6	-	-	-	-	-	-	-	-
Diabetes	-	3	1	-	-	2	1	15	-	8	1	-	1	-	1	1	-	1
Stone	-	-	1	2	1	2	3	7	-	5	-	1	-	-	-	1	-	2
Cystitis	-	3	2	2	2	4	9	16	4	13	1	4	1	-	6	1	2	1
Stricture of Urethra	-	8	7	9	-	20	19	69	8	34	2	2	-	1	-	8	3	3
Kidney Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bone Disease	-	1	1	-	-	-	1	15	-	10	-	-	-	1	1	-	-	-
Rheumatism	-	3	2	4	-	3	6	26	1	4	2	-	1	-	-	2	-	-
Joint Disease	-	2	10	1	-	13	13	43	-	19	1	-	-	1	-	5	2	3
Carbuncle	-	1	-	-	-	-	-	3	-	1	-	-	-	-	-	-	1	-
Phlegmon	-	-	-	-	-	1	-	2	-	4	-	-	-	-	-	-	1	-
Skin Disease	-	-	-	-	5	1	-	5	-	1	1	-	-	1	1	1	-	-
Intemperance	-	2	-	1	-	9	8	34	5	10	1	1	-	1	-	1	1	-
Privation	-	-	-	-	-	1	-	3	-	-	1	-	-	-	-	1	-	-
Want of Breast Milk	-	-	-	2	-	6	3	22	-	8	1	1	1	1	1	1	-	-
Neglect	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cold	-	2	2	3	1	-	2	1	1	4	-	-	1	-	1	-	1	-
Poison	-	-	1	-	-	2	-	8	-	4	-	1	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	-	2	5	1	-	23	13	39	1	10	-	1	1	-	1	2	2	1
Hanging, etc.	2	-	-	2	1	2	2	14	-	-	-	-	-	2	-	-	-	-
Suffocation	2	5	2	2	-	7	11	31	5	20	1	1	-	3	-	1	-	2
Drowning	3	20	89	33	5	86	32	131	5	25	7	8	2	1	2	9	10	4
Fracture and Contusion	5	22	16	5	4	75	55	350	21	81	6	4	3	3	8	14	8	4
Gunshot Wounds	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-
Cuts and Stabs	1	1	1	-	-	2	3	5	2	2	-	-	-	-	1	-	1	1
Other Violent Causes	-	2	-	-	-	5	7	34	-	12	1	-	-	-	-	-	-	-
Not Specified	4	36	13	48	4	54	33	156	22	21	13	2	8	1	10	50	9	6

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—FEMALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	87909	244	256	372	211	631	814	86	872	461	2202	281	2753	1292	1531	94
SPECIFIED CAUSES	87173	214	238	364	198	581	737	84	361	455	2188	276	2740	1261	1500	92
I. Zymotic Class	7428	25	31	44	24	76	128	15	53	89	412	47	577	185	234	17
II. Diseases of Uncer. Seat	1633	12	9	21	11	35	40	5	25	21	117	16	118	66	72	8
III. Tubercular Class	6080	22	26	48	21	60	91	5	48	48	309	30	420	166	213	12
IV. Brain and Nervous Sys. . . .	8508	8	12	35	14	89	39	10	40	49	248	18	246	155	167	8
V. Organs of Circulation	2185	4	10	18	1	20	84	5	24	32	150	28	208	89	104	2
VI. Respiratory Organs	6005	22	29	63	20	78	106	6	47	73	297	37	461	184	229	14
VII. Organs of Digestion	2532	14	12	8	10	25	41	5	23	32	152	18	170	98	103	5
VIII. Urinary Organs	427	—	1	6	2	5	11	2	9	9	45	8	29	18	16	6
IX. Organs of Generation	540	8	2	7	4	7	17	2	2	6	33	8	40	10	24	3
X. Organs of Locomotion	220	2	7	1	2	6	9	—	2	1	11	—	9	6	9	1
XI. Skin, etc.	43	—	1	—	—	—	—	—	1	—	5	1	2	1	—	—
XII. Malformation	106	—	—	—	—	—	—	1	1	1	7	3	5	11	—	—
XIII. Premature Debility	1632	9	—	17	8	16	16	5	4	17	116	11	156	40	66	1
XIV. Atrophy	315	1	4	1	1	4	6	1	1	5	7	2	18	9	6	1
XV. Age	3753	87	82	89	71	202	194	19	76	64	228	56	217	207	223	14
XVI. Sudden Deaths	56	—	—	—	—	1	2	1	—	—	2	—	7	2	4	—
XVII. Violent Deaths	715	5	7	6	4	7	8	2	5	8	49	3	57	14	30	—
I. Small Pox	460	1	—	—	1	—	3	—	—	2	1	1	19	3	20	—
Measles	736	—	—	2	1	7	10	—	7	12	14	—	20	13	1	—
Scarlatina	1071	9	7	6	5	2	15	2	6	9	62	4	30	24	10	—
Diphtheria	603	—	6	1	—	5	6	6	1	15	44	5	85	27	26	—
Whooping Cough	875	3	—	2	7	7	30	—	12	8	64	3	65	7	29	2
Croup	497	1	2	1	2	27	8	5	2	8	33	2	42	6	19	—
Thrush	19	—	—	—	—	—	—	—	—	1	3	—	2	—	1	—
Diarrhoea	1065	1	2	9	2	4	9	—	8	10	59	9	189	31	33	4
Dysentery	141	—	2	4	—	—	2	—	3	5	14	1	19	8	8	1
Cholera	43	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—
Influenza	66	—	2	1	—	5	3	—	1	1	5	2	4	2	5	—
Purpura	82	—	—	—	—	—	—	—	—	—	4	—	—	1	—	1
Ague	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	305	3	2	2	—	3	9	—	—	2	28	6	39	15	19	—
Enteric Fever	752	1	4	6	3	11	18	1	9	10	35	11	47	20	27	6
Relapsing Fever	14	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—
Simple Cont. Fever	112	1	—	3	—	1	—	—	—	—	2	—	7	4	3	—
Infantile Remittent	50	—	—	1	—	—	—	—	1	1	3	—	—	1	5	—
Metria	251	5	1	2	2	1	5	—	—	3	11	—	30	10	13	—
Rheumatic Fever	65	—	1	—	1	2	2	—	—	1	2	1	6	2	3	2
Erysipelas	136	—	1	1	—	1	3	1	2	—	12	1	9	8	5	1
Pyæmia	33	—	—	—	—	—	—	—	—	1	2	1	2	3	3	—
Syphilis	84	—	—	3	—	—	—	—	1	—	12	—	10	—	2	—
Noma	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	56	—	—	1	—	1	—	—	—	1	8	—	3	4	1	—
Dropsy	356	4	4	3	1	14	16	1	8	—	15	1	36	10	15	3
Abscess	85	2	—	—	—	—	3	—	1	2	5	—	5	3	3	1
Ulcer	40	—	—	3	—	1	—	—	—	1	4	—	2	—	2	—
Fistula	3	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Mortification	91	1	—	1	1	2	3	1	1	—	3	—	7	7	2	—
Cancer	995	4	5	13	8	17	18	3	15	17	81	15	65	42	48	4
Gout	7	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	332	1	2	4	1	—	2	—	1	4	22	2	17	8	10	1
Tabes Mesenterica	427	—	—	—	2	2	4	1	3	1	11	1	16	4	10	—
Phthisis	4432	18	23	40	16	55	78	4	42	40	230	24	339	134	168	9
Hydrocephalus	889	3	1	4	2	3	7	—	2	3	46	3	48	20	25	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—FEMALES.

DISEASES.	Clack- mannan	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	227	1008	682	797	211	2852	2804	11133	424	3629	396	299	96	210	490	795	389	357
SPECIFIED CAUSES . . .	220	976	671	747	206	2800	2276	11009	411	3621	389	298	92	209	478	756	382	353
Zymotic Class . . .	38	216	147	117	31	709	490	2552	100	625	90	41	17	41	86	95	89	42
Uncertain Seat . . .	10	42	86	40	14	112	97	840	20	205	17	11	2	9	19	42	23	18
Tubercular Class . . .	24	162	133	134	38	500	432	2056	61	543	55	40	16	36	71	136	70	54
Brain, etc.	23	91	60	71	27	246	189	951	44	384	38	87	7	17	55	85	40	50
Heart, etc.	7	54	34	30	10	130	143	507	20	279	32	37	8	15	89	59	29	23
Respiratory Organs . . .	49	125	73	89	22	417	304	2093	64	655	40	40	17	29	90	111	58	68
Digestive Organs . . .	11	74	51	53	14	186	166	783	21	243	25	18	10	14	30	51	37	29
Urinary Organs	1	10	8	6	1	22	27	79	8	66	3	4	3	7	5	9	5	1
Generative Organs . . .	3	15	5	10	3	33	38	139	10	71	5	7	3	4	10	8	8	5
Locomotive Organs . . .	—	6	6	6	8	18	14	58	2	15	2	3	—	1	2	12	3	3
Skin	—	3	—	1	—	5	—	12	—	7	1	1	—	—	1	—	—	1
Malformation	1	3	5	1	2	6	8	25	4	8	—	1	1	3	3	5	1	—
Premature Debility . . .	11	55	31	14	1	116	104	587	19	160	13	15	1	14	17	23	12	7
Atrophy	2	8	13	7	3	32	20	105	2	29	8	2	—	2	3	6	4	2
Age	33	94	60	157	36	209	194	535	28	242	50	36	4	14	39	102	47	44
Sudden Deaths	—	2	—	—	—	4	2	23	1	1	3	—	—	—	—	1	—	—
Violent Deaths	7	16	9	11	1	55	48	214	7	88	7	5	3	3	8	11	6	11
Small Pox	—	34	22	7	2	80	34	218	2	7	—	—	1	—	—	—	1	1
Measles	7	10	7	8	1	92	52	370	4	83	—	1	—	1	6	1	2	4
Scarlatina	1	14	14	18	1	206	23	479	24	51	31	6	—	1	4	4	1	2
Diphtheria	1	29	12	14	3	45	56	153	10	30	2	3	5	2	5	2	3	1
Whooping Cough	9	18	18	28	7	46	70	276	7	67	10	8	1	12	27	18	9	5
Croup	3	18	14	5	2	29	32	161	9	41	2	1	1	2	11	5	2	1
Thrush	—	1	—	—	—	1	2	3	—	1	—	—	—	—	2	1	1	—
Diarrhoea	7	26	23	9	—	74	68	328	19	128	10	7	2	10	6	17	2	9
Dysentery	—	2	5	4	2	3	11	24	4	7	2	—	—	—	2	4	8	1
Cholera	—	2	—	—	—	2	8	14	1	8	1	—	—	1	3	—	—	—
Influenza	—	1	2	—	—	—	5	15	1	5	—	—	1	—	1	1	1	2
Purpura	—	—	2	—	—	4	4	8	1	2	—	—	—	1	1	1	1	1
Ague	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—
Worms	—	—	—	—	—	8	3	2	—	1	—	—	—	—	—	—	—	—
Typhus	1	17	5	4	1	13	8	57	3	57	1	8	—	—	8	3	—	1
Enteric Fever	5	20	11	15	6	36	63	217	10	65	24	11	5	8	7	28	5	7
Relapsing Fever	—	—	2	—	—	1	1	5	—	1	—	—	—	—	—	1	—	—
Simple Cont. Fever . . .	—	3	—	—	2	23	8	39	2	8	—	—	1	—	—	1	—	—
Infantile Remittent . . .	1	3	—	—	1	5	5	15	—	3	—	—	1	—	1	1	2	1
Metria	1	15	8	—	—	24	15	74	1	23	3	—	—	—	—	2	1	1
Rheumatic Fever	—	1	2	2	1	7	8	9	—	6	—	1	—	—	—	3	1	1
Erysipelas	2	—	—	2	1	11	11	34	—	20	3	—	—	—	3	2	2	—
Pyæmia	—	—	—	—	—	1	—	14	—	2	—	—	—	1	2	—	—	1
Syphilis	—	2	—	1	1	3	2	33	1	9	—	—	—	1	2	—	1	—
Noma	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	3	2	1	—	5	4	10	1	5	1	—	—	—	—	1	3	1
Droopy	5	10	14	13	3	26	25	85	2	18	7	1	—	1	2	7	2	4
Abscess	—	4	1	—	—	10	5	25	—	6	2	—	1	—	—	2	3	1
Ulcer	—	—	1	—	1	8	—	8	—	10	—	—	—	—	—	2	—	2
Fistula	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Mortification	—	1	1	2	—	6	7	18	4	16	2	—	—	—	1	2	1	1
Cancer	5	24	17	24	10	62	56	193	13	147	5	10	1	8	15	28	14	8
Gout	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	1
Scrofala	3	8	8	10	1	35	18	101	8	36	2	—	1	3	5	11	1	6
Tuberc Mesenterica . . .	—	16	13	4	2	27	38	178	11	51	3	4	2	1	8	7	7	—
Phthisis	18	106	89	110	29	378	302	1438	31	363	44	28	11	26	44	100	53	42
Hydrocephalus	3	32	23	10	6	60	74	339	11	93	6	8	2	6	14	18	9	6

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—FEMALES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kincross.
IV. Cephalitis . . .	392	1	—	—	—	3	3	—	4	1	25	1	23	—	27	—
Apoplexy . . .	817	4	2	6	2	5	6	1	9	18	55	3	70	35	41	2
Paralysis . . .	1091	3	4	19	5	19	21	5	13	21	68	6	86	71	62	4
Delirium Tremens . . .	11	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—
Chorea . . .	8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Epilepsy . . .	148	—	2	2	2	2	2	—	4	1	10	—	8	—	2	—
Tetanus . . .	17	—	—	—	—	2	—	—	—	—	2	—	2	—	—	—
Insanity . . .	89	—	1	2	1	—	1	—	—	—	6	—	1	2	4	—
Convulsions . . .	506	—	2	4	2	4	4	4	4	9	41	3	39	10	11	1
Brain Disease . . .	479	—	1	2	2	4	2	—	5	3	40	5	16	26	19	1
V. Pericarditis . . .	39	—	—	—	—	1	1	1	3	1	2	2	2	—	—	—
Aneurism . . .	31	—	—	—	—	—	—	—	—	—	3	—	1	4	1	—
Heart Disease . . .	2115	4	10	18	1	19	33	4	21	31	145	26	205	84	103	2
VI. Laryngitis . . .	68	1	1	1	—	2	—	—	1	—	4	1	3	—	2	—
Bronchitis . . .	4211	10	15	41	9	39	60	4	33	56	232	26	330	119	160	6
Pleurisy . . .	125	2	1	—	—	2	12	—	1	3	5	1	8	3	7	2
Pneumonia . . .	1285	—	4	13	4	8	11	2	9	9	50	8	99	49	49	6
Asthma . . .	227	8	4	7	6	27	21	—	2	4	3	1	16	5	6	—
Lung Disease . . .	139	1	4	1	1	—	2	—	1	1	3	—	5	7	5	—
VII. Teething . . .	366	1	—	—	1	—	8	1	4	2	23	1	31	10	12	—
Quinsey . . .	51	1	2	1	—	1	2	—	—	1	5	—	6	—	2	—
Gastritis . . .	112	—	1	—	—	—	—	—	2	—	5	1	4	2	10	—
Enteritis . . .	419	—	—	2	2	3	6	2	1	1	18	1	29	12	17	—
Peritonitis . . .	208	—	—	1	—	—	6	—	1	1	15	3	17	8	11	—
Ascites . . .	52	1	—	—	1	1	1	—	—	2	3	—	4	4	2	—
Ulceration of Intestines . . .	99	—	—	—	—	1	1	—	2	6	5	1	10	4	3	—
Hernia . . .	64	—	—	1	—	2	—	—	—	—	9	—	5	5	5	—
Ileus . . .	111	2	1	—	—	4	3	—	1	—	16	1	9	7	6	1
Intussusception . . .	17	—	1	—	—	1	—	—	1	—	—	—	1	1	—	—
Stricture of Intestines . . .	14	—	—	—	—	1	1	—	—	—	1	—	—	—	1	—
Stomach Disease . . .	416	4	5	1	2	3	10	—	5	8	22	4	16	18	16	1
Pancreas Disease . . .	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Hepatitis . . .	97	—	—	—	—	—	—	—	—	3	—	—	8	4	6	1
Jaundice . . .	108	—	1	—	2	—	5	—	1	2	9	3	7	1	6	1
Liver Disease . . .	376	5	1	2	2	8	2	2	5	9	17	3	21	22	5	1
Spleen Disease . . .	20	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—
VIII. Nephritis . . .	44	—	—	2	—	1	1	—	—	1	3	—	1	3	1	—
Nephria . . .	153	—	1	2	—	1	4	1	—	5	12	2	11	9	10	1
Addison's Disease . . .	7	—	—	—	—	—	—	—	—	1	1	—	1	1	—	—
Ischuria . . .	14	—	—	—	—	1	1	—	—	—	—	—	—	1	—	1
Diabetes . . .	43	—	—	—	—	—	2	—	3	—	5	—	8	—	2	1
Stone . . .	10	—	—	—	1	—	—	—	—	—	2	—	2	—	—	—
Cystitis . . .	17	—	—	—	—	—	1	—	—	1	1	—	1	1	2	1
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	139	—	—	2	1	2	2	1	6	1	21	1	10	3	1	2
IX. Paramenia . . .	23	—	—	1	1	—	—	—	1	1	2	—	—	—	2	—
Ovarian Dropsy . . .	69	1	—	2	1	—	—	1	—	3	4	—	6	1	6	1
Childbirth . . .	325	2	1	3	2	6	13	1	—	1	18	2	16	4	18	1
Organs of Generation . . .	123	—	1	1	—	1	4	—	1	1	9	1	18	5	3	1
X. Bone Disease . . .	15	—	—	—	—	—	1	—	—	—	4	—	1	—	—	—
Rheumatism . . .	118	2	5	1	2	6	7	—	1	1	4	—	3	2	4	1
Joint Disease . . .	87	—	2	—	—	—	1	—	1	—	3	—	5	4	5	—
XI. Carbuncle . . .	7	—	—	—	—	—	—	—	1	—	2	—	1	—	—	—
Phlegmon . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	33	—	1	—	—	—	—	—	—	—	3	1	1	1	—	—
XVII. Intemperance . . .	60	—	1	—	—	—	—	—	—	—	8	—	8	—	1	—
Privation . . .	4	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Want of Breast Milk . . .	49	—	—	—	—	—	—	—	—	1	—	—	2	1	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	17	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—
Poison . . .	17	—	—	—	—	—	—	—	—	—	2	—	3	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	127	1	1	2	—	2	2	1	1	1	8	—	9	3	6	—
Hanging, etc. . .	19	—	—	—	—	—	—	—	—	1	1	—	5	—	3	—
Suffocation . . .	110	1	—	1	—	—	1	—	2	3	12	2	11	—	3	—
Drowning . . .	100	—	1	1	2	2	1	1	1	—	6	1	5	6	7	—
Fracture and Contusion . . .	165	2	4	2	2	2	2	—	1	2	10	—	11	3	8	—
Gunshot Wounds . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . .	40	—	—	—	—	—	2	—	—	—	6	—	—	1	—	—
Not Specified . . .	736	30	23	8	18	50	77	2	11	6	14	5	18	31	31	2

CAUSES OF DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—FEMALES. (Continued.)

DISEASES.	Clack- mann.	Stirling.	Dumbar- ton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Fife.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis . . .	2	7	4	7	2	37	18	155	9	39	2	8	1	1	8	5	2	-
Apoplexy . . .	6	12	16	8	7	62	39	204	8	108	8	12	5	5	12	80	10	16
Paralysis . . .	8	44	25	21	12	65	58	220	9	103	16	14	8	5	19	80	17	15
Delirium Tremens	-	-	-	-	-	-	-	3	1	1	2	-	-	-	-	-	-	-
Chorea . . .	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Epilepsy . . .	4	4	4	6	1	14	13	32	1	14	2	-	1	1	3	4	3	2
Tetanus . . .	-	2	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-
Insanity . . .	-	-	-	8	1	1	2	7	-	5	-	-	-	-	1	-	-	1
Convulsions . . .	-	9	9	13	2	38	20	192	10	45	5	4	1	1	10	10	-	4
Brain Disease . .	3	13	2	13	2	33	35	135	6	68	3	4	1	4	7	6	8	10
Pericarditis . . .	-	2	-	1	-	2	1	14	1	8	-	-	-	-	-	-	1	-
Aneurism . . .	-	-	-	1	1	1	2	5	-	9	-	-	-	-	-	-	-	1
Heart Disease . .	7	52	34	28	9	127	140	488	19	267	32	37	8	15	39	57	28	22
Laryngitis . . .	-	1	1	-	-	7	7	22	-	12	-	-	-	-	1	-	-	-
Bronchitis . . .	86	82	51	63	15	271	213	1525	55	452	25	24	12	24	65	80	35	43
Pleurisy . . .	-	5	2	2	-	10	8	26	3	15	2	-	-	-	2	3	1	2
Pneumonia . . .	11	24	10	16	6	101	64	426	5	138	11	13	2	4	22	26	19	16
Asthma . . .	2	5	6	7	-	16	11	37	1	19	2	3	1	-	-	2	3	2
Lung Disease . . .	-	8	8	1	1	12	6	57	-	19	-	-	-	1	-	-	-	-
Teething . . .	4	9	7	5	1	41	23	147	-	23	4	-	3	-	1	5	3	1
Quinsey . . .	-	-	1	-	-	2	8	14	-	6	-	-	-	-	1	1	1	-
Gastritis . . .	-	3	2	1	1	8	6	45	-	11	2	-	1	-	8	8	1	-
Enteritis . . .	-	17	12	4	2	33	29	163	9	25	3	1	2	-	7	9	4	5
Peritonitis . . .	1	2	3	8	1	21	12	42	2	25	3	4	-	4	2	5	5	5
Ascites . . .	-	4	-	1	-	5	4	14	-	2	-	-	-	1	2	-	-	-
Ulceration of Intestines	1	1	8	3	1	4	8	18	1	12	-	-	-	-	3	2	4	-
Hernia . . .	-	1	-	1	-	2	5	15	-	10	-	1	-	1	-	1	-	-
Ileus . . .	-	1	2	3	1	1	5	24	-	12	2	-	2	-	1	8	2	1
Intussusception . .	-	2	-	-	-	-	8	2	-	3	-	-	-	-	-	-	1	1
Stricture of Intestines	-	-	1	1	1	-	-	3	-	2	1	-	-	-	-	-	-	-
Stomach Disease . .	1	12	7	13	-	22	82	128	3	42	4	3	2	6	5	8	8	5
Pancreas Disease . .	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Hepatitis . . .	-	5	1	3	-	8	11	83	1	3	2	1	-	-	-	3	1	2
Jaundice . . .	3	1	1	1	1	4	6	29	4	10	1	3	-	-	1	1	3	1
Liver Disease . . .	1	15	5	8	4	35	17	100	1	54	3	5	-	1	3	10	3	6
Spleen Disease . . .	-	1	1	1	1	-	2	6	-	2	-	-	-	1	1	-	1	-
Nephritis . . .	-	2	1	1	-	1	5	10	-	6	-	2	-	1	1	1	-	-
Nephria . . .	-	1	3	1	1	4	9	21	7	28	3	1	2	4	2	5	2	-
Addison's Disease . .	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
Ischuria . . .	-	-	1	1	-	1	1	2	-	2	-	-	-	1	-	-	1	-
Diabetes . . .	-	2	-	2	-	5	3	7	-	7	-	-	-	-	-	1	-	-
Stone . . .	-	-	1	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
Cystitis . . .	-	-	-	-	-	-	2	4	-	1	-	-	-	-	1	1	-	-
Stricture of Urethra . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease . . .	1	5	2	1	-	11	4	33	1	21	-	1	1	-	1	1	2	1
Paramenia . . .	1	1	-	1	-	1	8	1	-	1	-	1	1	-	2	1	1	-
Ovarian Dropsy . . .	-	2	-	1	1	4	6	11	-	10	-	-	-	-	2	2	4	-
Childbirth . . .	2	7	5	6	-	25	18	99	7	45	4	6	2	4	5	4	1	2
Organs of Generation . .	-	5	-	2	2	3	11	28	3	15	1	-	-	-	1	1	2	3
Bone Disease . . .	-	1	-	-	-	1	-	1	1	1	1	-	-	1	-	2	-	-
Rheumatism . . .	-	2	2	3	-	12	9	32	-	8	1	3	-	-	1	3	1	2
Joint Disease . . .	-	3	4	3	3	5	5	25	1	6	-	-	-	-	1	7	2	1
Carbuncle . . .	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Phlegmon . . .	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
Skin Disease . . .	-	3	-	-	-	4	-	9	-	7	1	1	-	-	1	-	-	-
Intemperance . . .	-	1	1	2	-	3	7	23	-	5	1	-	-	-	2	1	-	1
Privation . . .	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk . .	-	-	1	1	-	5	3	21	2	10	-	-	-	1	-	-	-	1
Neglect . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold . . .	-	-	-	1	-	1	4	2	1	4	-	-	-	-	-	-	-	1
Poison . . .	-	-	-	-	-	-	2	7	-	3	-	-	-	-	-	-	-	-
Poisoned Wounds . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds . . .	1	4	-	3	-	13	8	40	2	13	2	-	-	-	1	2	-	1
Hanging, etc. . .	-	1	1	-	-	1	1	3	-	1	-	-	-	-	-	-	1	-
Suffocation . . .	2	1	1	-	1	7	6	30	1	20	1	1	-	1	1	1	-	-
Drowning . . .	1	6	2	2	-	6	9	25	-	1	2	1	1	-	-	3	4	3
Fracture and Contusion . .	2	1	2	2	-	15	6	48	-	22	1	1	2	1	4	4	1	4
Gunshot Wounds . . .	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Cuts and Stabs . . .	-	-	-	-	-	1	-	2	1	-	-	1	-	-	-	-	-	-
Other Violent Causes . .	-	2	1	-	-	2	2	12	-	8	-	-	-	-	-	-	-	-
Not Specified . . .	7	32	11	50	5	52	28	124	13	18	7	1	4	1	12	39	7	4

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1873.—BOTH SEXES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	30008	14499	4578	3281	2120	2220	1589	1084	637
SPECIFIED CAUSES	29820	14410	4569	3278	2115	2164	1569	1081	634
I. Zymotic Class	6543	3145	810	740	450	698	398	215	87
II. Diseases of Uncertain Seat	982	332	218	98	97	64	63	39	21
III. Tubercular Class	4967	2658	737	459	303	272	269	160	109
IV. Brain and Nervous System	2861	1268	512	312	246	185	148	109	81
V. Organs of Circulation	1619	656	370	189	116	100	66	61	61
VI. Respiratory Organs	5801	3137	825	654	336	319	217	221	92
VII. Organs of Digestion	1918	972	261	190	135	122	120	79	39
VIII. Urinary Organs	509	208	125	43	60	30	13	18	12
IX. Organs of Generation	207	85	88	22	17	16	12	15	2
X. Organs of Locomotion	195	98	36	18	18	10	10	3	2
XI. Skin, etc.	39	17	8	3	3	5	—	2	1
XII. Malformation	81	30	21	7	12	5	3	1	2
XIII. Premature Debility	1534	731	211	232	93	112	60	64	31
XIV. Atrophy	207	93	28	18	8	36	14	7	3
XV. Age	1251	410	214	159	150	74	127	50	67
XVI. Sudden Deaths	62	45	1	8	—	4	2	—	2
XVII. Violent Deaths	1094	525	164	126	71	112	47	37	22
I. Small Pox	467	228	14	14	1	198	9	3	—
Measles	901	577	135	26	21	89	25	25	3
Scarlatina	1190	577	53	37	104	131	214	13	1
Diphtheria	393	165	34	105	25	40	15	4	5
Hoopings Cough	631	305	92	77	33	39	9	24	2
Croup	424	198	47	65	26	31	25	25	7
Thrush	20	3	5	5	7	—	—	—	—
Diarrhoea	1067	465	161	213	61	56	39	48	24
Dysentery	85	34	8	22	8	2	4	2	5
Cholera	46	16	14	3	2	6	2	3	—
Influenza	34	21	4	4	4	1	—	—	—
Purpura	20	10	4	2	—	3	—	1	—
Ague	1	—	—	1	—	—	—	—	—
Worms	5	4	—	—	—	1	—	—	—
Typhus	311	68	77	69	33	10	8	29	17
Enteric Fever	472	249	83	40	33	31	11	17	8
Relapsing Fever	10	4	2	1	1	—	1	1	—
Simple Continued Fever	78	30	2	—	3	26	10	4	3
Infantile Remittent	50	22	5	3	7	3	6	4	—
Metria	110	46	15	19	4	10	8	4	4
Rheumatic Fever	38	13	10	6	2	4	3	—	—
Erysipelas	129	55	26	9	10	11	8	6	4
Pyæmia	24	15	—	—	2	3	—	1	3
Syphilis	93	37	19	18	13	3	1	1	1
Noma	4	3	—	1	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	41	13	9	5	8	2	3	1	—
Dropsy	216	92	15	30	21	23	25	8	2
Abscess	72	33	11	10	6	2	6	2	2
Ulcer	32	9	3	3	9	1	1	5	1
Fistula	6	1	4	—	1	—	—	—	—
Mortification	71	18	17	11	8	9	3	2	3
Cancer	490	165	157	39	44	26	25	21	13
Gout	4	1	2	—	—	1	—	—	—
III. Scrofula	800	156	48	20	20	35	6	7	8
Tabes Mesenterica	448	272	74	14	17	7	31	20	13
Phthisis	3368	1760	477	361	208	192	202	89	79
Hydrocephalus	851	470	138	64	58	38	30	44	9

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1873.—BOTH SEXES. (Continued.)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	367	200	59	32	24	85	7	7	3
Apoplexy	676	279	140	84	54	50	40	14	15
Paralysis	650	247	115	83	49	33	53	43	27
Delirium Tremens	34	14	11	1	2	1	2	1	2
Chorea	2	2	-	-	-	-	-	-	-
Epilepsy	104	36	24	11	12	7	10	1	3
Tetanus	15	4	3	2	1	2	2	1	-
Insanity	21	2	11	1	5	-	-	-	2
Convulsions	547	286	63	71	59	24	13	26	5
Brain Disease	445	198	86	27	40	33	21	16	24
V. Pericarditis	24	15	5	-	1	2	1	-	-
Aneurism	57	10	25	4	8	1	1	3	5
Heart Disease	1538	631	340	185	107	97	64	58	56
VI. Laryngitis	61	27	10	2	10	5	5	1	1
Bronchitis	4083	2268	540	459	251	188	159	158	60
Pleurisy	94	48	19	6	6	5	3	6	1
Pneumonia	1303	664	198	171	55	98	40	50	27
Asthma	96	40	21	9	7	7	7	2	3
Lung Disease	164	90	37	7	7	16	3	4	-
VII. Teething	392	220	22	38	30	40	26	10	6
Quinsey	38	13	9	5	8	1	2	-	-
Gastritis	88	56	6	10	6	5	2	3	-
Enteritis	330	189	27	40	11	17	31	10	5
Peritonitis	119	39	20	13	10	15	10	9	3
Ascites	18	7	3	2	-	4	1	-	1
Ulceration of Intestines	42	13	10	7	3	1	2	6	-
Hernia	55	22	13	6	8	2	1	-	3
Ileus	93	37	16	11	20	5	2	2	-
Intussusception	15	6	3	5	-	1	-	-	-
Stricture of Intestines	14	6	3	1	1	-	-	3	-
Stomach Disease	284	159	52	12	16	11	14	15	5
Pancreas Disease	2	-	1	-	1	-	-	-	-
Hepatitis	60	34	4	9	1	7	3	-	2
Jaundice	79	32	14	7	8	4	7	6	1
Liver Disease	274	132	54	21	12	9	19	15	12
Spleen Disease	16	7	4	3	-	-	-	-	1
VIII. Nephritis	48	27	11	4	2	2	1	-	1
Nephria	145	52	43	19	15	6	3	3	4
Addison's Disease	5	1	1	-	1	-	-	-	2
Ischuria	25	14	6	-	2	1	1	-	1
Diabetes	36	14	10	3	5	2	1	1	-
Stone	16	5	5	2	3	-	1	-	-
Cystitis	82	13	8	6	2	1	2	-	-
Stricture of Urethra	13	3	3	-	2	-	-	-	-
Kidney Disease	189	79	33	9	28	18	4	14	4
IX. Paramenia	3	1	-	-	1	-	1	-	-
Ovarian Dropsy	20	6	5	2	1	1	1	3	1
Childbirth	188	63	25	7	11	13	10	9	-
Organs of Generation	46	15	8	13	4	2	-	3	1
X. Bone Disease	24	9	8	2	4	-	-	1	-
Rheumatism	73	39	8	7	8	3	6	1	1
Joint Disease	98	50	20	9	6	7	4	1	1
XI. Carbuncle	8	8	1	2	1	-	-	-	1
Phlegmon	5	4	-	-	-	1	-	-	-
Skin Disease	26	10	7	1	2	4	-	2	-
XVII. Intemperance	71	37	10	9	4	8	4	4	-
Privation	2	-	-	-	-	2	-	-	-
Want of Breast Milk	49	24	13	-	-	9	1	1	1
Neglect	-	-	-	-	-	-	-	-	-
Cold	7	-	3	1	1	-	1	1	-
Poison	27	13	5	3	3	1	-	1	1
Poisoned Wounds	1	1	-	-	-	-	-	-	-
Burns and Scalds	103	46	12	8	5	19	9	3	1
Hanging, etc.	20	7	1	6	3	1	2	-	-
Suffocation	108	39	30	21	10	4	1	3	-
Drowning	187	104	6	16	14	24	8	9	6
Fracture and Contusion	450	226	60	50	25	46	17	14	12
Gunshot Wounds	2	-	-	1	-	1	-	-	-
Cuts and Stabs	12	5	2	2	-	-	3	-	-
Other Violent Causes	55	23	12	9	6	2	1	1	1
Not Specified	188	89	9	3	5	56	20	3	3

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1873.—MALES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	15227	7421	2321	1624	1029	1168	803	550	311
SPECIFIED CAUSES	15128	7373	2314	1622	1028	1141	791	549	310
I. Zymotic Class	3337	1591	418	363	222	387	200	116	40
II. Diseases of Uncertain Seat	369	117	90	38	46	27	29	18	9
III. Tubercular Class	2413	1295	385	199	146	127	123	81	57
IV. Brain and Nervous System	1488	668	259	167	124	94	80	58	38
V. Organs of Circulation	802	324	192	79	59	52	34	28	34
VI. Respiratory Organs	2988	1652	401	337	172	170	111	103	37
VII. Organs of Digestion	957	482	124	102	62	59	69	42	17
VIII. Urinary Organs	840	148	80	26	32	19	10	16	9
IX. Organs of Generation	1	—	—	1	—	—	—	—	—
X. Organs of Locomotion	118	58	26	13	10	5	4	2	—
XI. Skin, etc.	18	8	2	2	2	1	—	2	1
XII. Malformation	46	15	14	5	8	3	—	—	1
XIII. Premature Debility	877	408	130	133	49	57	42	38	20
XIV. Atrophy	98	36	11	8	5	22	9	5	2
XV. Age	451	154	80	55	44	29	45	17	27
XVI. Sudden Deaths	36	28	1	3	—	2	1	—	1
XVII. Violent Deaths	794	389	101	91	47	87	34	28	17
I. Small Pox	282	129	11	6	—	129	5	2	—
Measles	465	293	72	15	9	48	12	15	1
Scarlatina	581	302	27	18	62	65	101	5	1
Diphtheria	191	83	16	46	13	23	7	3	—
Hooping Cough	291	141	47	30	35	19	7	11	1
Croup	234	101	29	38	13	19	17	12	5
Thrush	14	2	4	3	5	—	—	—	—
Diarrhoea	547	251	71	104	31	27	20	31	12
Dysentery	41	17	5	7	4	2	4	1	1
Cholera	30	9	9	3	1	5	2	1	—
Influenza	13	9	1	1	1	1	—	—	—
Purpura	10	5	3	2	—	—	—	—	—
Ague	1	—	—	1	—	—	—	—	—
Worms	8	3	—	—	—	—	—	—	—
Typhus	163	38	43	41	12	5	3	14	7
Enteric Fever	259	130	45	26	16	17	9	12	4
Relapsing Fever	5	1	2	1	—	—	—	1	—
Simple Continued Fever	30	10	1	—	2	12	3	—	2
Infantile Remittent	33	11	2	3	6	3	4	4	—
Metria	—	—	—	—	—	—	—	—	—
Rheumatic Fever	19	7	6	2	1	3	—	—	—
Erysipelas	67	29	10	6	4	6	5	4	3
Pyæmia	10	4	—	—	2	2	—	—	2
Syphilis	47	15	14	10	5	1	1	—	1
Noma	1	1	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	23	6	4	3	6	—	3	1	—
Dropsy	101	39	8	8	12	13	18	2	1
Abscess	38	16	6	8	2	2	1	2	1
Ulcer	13	3	—	2	6	—	—	1	1
Fistula	5	1	3	—	1	—	—	—	—
Mortification	33	6	5	4	7	6	2	1	2
Cancer	158	45	63	13	12	5	5	6	4
Gout	3	1	1	—	—	1	—	—	—
III. Scrofula	150	78	23	11	13	13	2	4	6
Tabes Mesenterica	267	163	44	8	10	2	18	12	10
Phthisis	1537	807	240	145	90	87	90	42	36
Hydrocephalus	459	247	78	35	33	25	30	23	5

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during
the YEAR 1873.—MALES. (Continued.)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	177	97	29	17	12	15	2	3	2
Apoplexy	331	138	62	43	27	27	21	7	6
Paralysis	332	127	67	88	25	17	26	22	10
Delirium Tremens	31	12	11	-	2	1	2	1	2
Chorea	1	1	-	-	-	-	-	-	-
Epilepsy	55	19	13	6	6	4	5	1	1
Tetanus	8	2	2	-	-	1	2	1	-
Insanity	8	-	6	-	1	-	-	-	1
Convulsions	301	158	32	44	30	10	8	15	4
Brain Disease	244	114	37	19	21	19	14	8	12
V. Pericarditis	14	7	4	-	1	1	1	-	-
Aneurism	42	7	19	4	6	1	-	1	4
Heart Disease	746	310	169	75	52	50	33	27	30
VI. Laryngitis	31	15	3	-	7	3	3	-	-
Bronchitis	2037	1150	258	231	122	98	82	71	25
Pleurisy	49	32	11	-	3	1	-	1	1
Pneumonia	733	389	100	97	30	59	22	26	10
Asthma	86	17	6	3	5	1	1	2	1
Lung Disease	97	49	23	6	5	8	3	3	-
VII. Teething	199	109	13	21	17	16	16	4	3
Quinsey	21	8	4	2	5	-	2	-	-
Gastritis	39	23	2	6	2	1	2	3	-
Enteritis	179	97	12	26	8	11	18	9	3
Peritonitis	54	21	9	4	5	8	4	8	-
Ascites	6	2	2	-	-	2	-	-	-
Ulceration of Intestines	20	5	4	5	2	-	1	3	-
Hernia	21	12	3	3	1	1	-	-	1
Ileus	51	20	8	6	10	4	2	1	-
Intussusception	11	4	2	4	-	1	-	-	-
Stricture of Intestines	10	5	2	1	-	-	-	2	-
Stomach Disease	129	70	20	8	9	4	7	9	2
Pancreas Disease	-	-	-	-	-	-	-	-	-
Hepatitis	30	17	2	4	1	3	2	-	1
Jaundice	39	16	7	4	2	3	4	3	-
Liver Disease	139	68	32	7	5	5	11	5	6
Spleen Disease	9	5	2	1	-	-	-	-	1
VIII. Nephritis	33	19	7	3	2	2	-	-	-
Nephria	39	37	23	11	6	5	2	2	3
Addison's Disease	3	1	1	-	-	-	-	-	1
Ischuria	21	12	4	-	2	1	1	-	1
Diabetes	20	9	6	1	2	1	-	1	-
Stone	14	4	5	2	2	-	1	-	-
Cystitis	28	9	8	6	2	1	2	-	-
Stricture of Urethra	13	3	3	-	2	-	-	-	-
Kidney Disease	119	54	18	3	14	9	4	18	4
IX. Parametia	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-
Organs of Generation	1	-	-	1	-	-	-	-	-
X. Bone Disease	19	8	7	2	1	-	-	1	-
Rheumatism	34	19	3	5	4	1	1	1	-
Joint Disease	65	31	16	6	5	4	3	-	-
XI. Carbuncle	6	2	1	1	1	-	-	-	1
Phlegmon	2	2	-	-	-	-	-	-	-
Skin Disease	10	4	1	1	1	1	-	2	-
XVII. Intemperance	38	20	6	3	1	1	4	3	-
Privation	1	-	-	-	-	1	-	-	-
Want of Breast Milk	27	13	8	-	-	5	-	-	1
Neglect	-	-	-	-	-	-	-	-	-
Cold	5	-	2	1	1	-	-	1	-
Poison	15	7	2	2	1	1	-	1	1
Poisoned Wounds	1	1	-	-	-	-	-	-	-
Burns and Scalds	54	23	8	3	2	13	4	-	1
Hanging, etc.	13	6	-	2	3	-	2	-	-
Suffocation	50	17	14	12	4	2	-	1	-
Drowning	165	90	6	15	13	22	7	9	3
Fracture and Contusion	377	190	45	43	20	41	14	13	11
Gunshot Wounds	2	-	-	1	-	1	-	-	-
Cuts and Stabs	10	4	2	2	-	-	2	-	-
Other Violent Causes	36	18	3	7	2	-	1	-	-
Not Specified	99	48	7	2	1	27	12	1	1

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1873.—FEMALES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	14781	7078	2257	1657	1091	1052	786	534	326
SPECIFIED CAUSES	14692	7037	2255	1656	1087	1023	778	532	324
I. Zymotic Class	3206	1554	392	377	228	311	198	99	47
II. Diseases of Uncertain Seat	563	215	128	60	51	37	34	26	12
III. Tubercular Class	2554	1363	352	260	157	145	146	79	52
IV. Brain and Nervous System	1373	600	253	145	122	91	68	51	43
V. Organs of Circulation	817	332	178	110	57	48	32	33	27
VI. Respiratory Organs	2818	1485	424	317	164	149	106	118	55
VII. Organs of Digestion	961	490	137	88	73	63	51	37	22
VIII. Urinary Organs	169	60	45	17	28	11	8	2	3
IX. Organs of Generation	206	85	38	21	17	16	12	15	2
X. Organs of Locomotion	77	40	10	5	8	5	6	1	2
XI. Skin, etc.	21	9	6	1	1	4	—	—	—
XII. Malformation	35	15	7	2	4	2	3	1	1
XIII. Premature Debility	657	323	81	99	44	55	18	26	11
XIV. Atrophy	109	57	17	10	3	14	5	2	1
XV. Age	800	256	134	104	106	45	82	33	40
XVI. Sudden Deaths	26	17	—	5	—	2	1	—	1
XVII. Violent Deaths	300	136	53	35	24	25	18	9	5
I. Small Pox	185	99	3	8	1	69	4	1	—
Measles	436	284	63	11	12	41	13	10	2
Scarlatina	549	275	26	19	42	66	113	8	—
Diphtheria	202	82	18	59	12	17	8	1	5
Whooping Cough	340	164	45	47	48	20	2	13	1
Croup	190	97	18	27	13	12	8	13	2
Thrush	6	1	1	2	2	—	—	—	—
Diarrhœa	520	214	90	109	30	29	19	17	12
Dysentery	44	17	3	15	4	—	—	1	4
Cholera	16	7	5	—	1	1	—	2	—
Influenza	21	12	3	3	3	—	—	—	—
Purpura	10	5	1	—	—	3	—	1	—
Ague	2	—	—	—	—	—	—	—	—
Worms	2	1	—	—	—	1	—	—	—
Typhus	148	30	34	28	21	5	5	15	10
Enteric Fever	213	119	38	14	17	14	2	5	4
Relapsing Fever	5	3	—	—	1	—	1	—	—
Simple Continued Fever	48	20	1	—	1	14	7	4	1
Infantile Remittent	17	11	3	—	1	—	2	—	—
Metria	110	46	15	19	4	10	8	4	4
Rheumatic Fever	19	6	4	4	1	1	3	—	—
Erysipelas	62	26	16	3	6	5	3	2	1
Pyæmia	14	11	—	—	—	1	—	1	1
Syphilis	46	22	5	8	8	2	—	1	—
Noma	3	2	—	1	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	18	7	5	2	2	2	—	—	—
Dropsy	115	53	7	22	9	10	7	6	1
Abscess	34	17	5	2	4	—	5	—	1
Ulcer	19	6	3	1	3	1	1	4	—
Fistula	1	—	1	—	—	—	—	—	—
Mortification	38	12	12	7	1	3	1	1	1
Cancer	337	120	94	26	32	21	20	15	9
Gout	1	—	1	—	—	—	—	—	—
III. Scrofula	150	78	25	9	7	22	4	3	2
Tabes Mesenterica	181	109	30	6	7	5	13	8	3
Phthisis	1831	953	237	216	118	105	112	47	43
Hydrocephalus	392	223	60	29	25	13	17	21	4

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1873.—FEMALES. (Continued.)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	190	103	30	15	12	20	5	4	1
Apoplexy	345	141	78	41	27	23	19	7	9
Paralysis	318	120	48	45	24	16	27	21	17
Delirium Tremens	8	2	—	1	—	—	—	—	—
Chorea	1	1	—	—	—	—	—	—	—
Epilepsy	49	17	11	5	6	3	5	—	2
Tetanus	7	2	1	2	1	1	—	—	—
Insanity	13	2	5	1	4	—	—	—	1
Convulsions	246	128	81	27	29	14	5	11	1
Brain Disease	201	84	49	8	19	14	7	8	12
V. Pericarditis	10	8	1	—	—	1	—	—	—
Aneurism	15	3	6	—	2	—	1	2	1
Heart Disease	792	321	171	110	55	47	31	31	26
VI. Laryngitis	30	12	7	2	8	2	2	1	1
Bronchitis	2046	1118	282	228	129	90	77	87	85
Pleurisy	45	16	8	6	3	4	3	5	—
Pneumonia	570	275	98	74	25	39	18	24	17
Asthma	60	23	15	6	2	6	6	—	2
Lung Disease	67	41	14	1	2	8	—	1	—
VII. Teething	198	111	9	17	13	24	10	6	8
Quinsey	17	5	5	3	8	1	—	—	—
Gastritis	49	33	4	4	4	4	—	—	—
Enteritis	151	92	15	14	8	6	13	1	2
Peritonitis	65	18	11	9	5	7	6	6	3
Ascites	12	5	1	2	—	2	1	—	1
Ulceration of Intestines	22	8	6	2	1	1	1	3	—
Hernia	34	10	10	3	7	1	1	—	2
Ileus	42	17	8	5	10	1	—	1	—
Intussusception	4	2	1	1	—	—	—	—	—
Stricture of Intestines	4	1	1	—	1	—	—	1	—
Stomach Disease	155	89	32	4	7	7	7	6	3
Pancreas Disease	2	—	1	—	1	—	—	—	—
Hepatitis	30	17	2	5	—	4	1	—	1
Jaundice	40	16	7	3	6	1	3	3	1
Liver Disease	135	64	22	14	7	4	8	10	6
Spleen Disease	6	2	2	2	—	—	—	—	—
VIII. Nephritis	15	8	4	1	—	—	1	—	1
Nephria	56	15	20	8	9	1	1	1	1
Addison's Disease	2	—	—	—	1	—	—	—	1
Ischuria	4	2	2	—	—	—	—	—	—
Diabetes	16	5	4	2	3	1	1	—	—
Stone	2	1	—	—	1	—	—	—	—
Cystitis	4	4	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—
Kidney Disease	70	25	15	6	14	9	—	1	—
IX. Paramenia	3	1	—	—	1	—	1	—	—
Ovarian Dropsy	20	6	5	2	1	1	1	3	1
Childbirth	188	63	25	7	11	13	10	9	—
Organs of Generation	45	15	8	12	4	2	—	3	1
X. Bone Disease	5	1	1	—	3	—	—	—	—
Rheumatism	89	20	5	2	4	2	5	—	1
Joint Disease	83	19	4	3	1	3	1	1	1
XI. Carbuncle	2	1	—	1	—	—	—	—	—
Phlegmon	3	2	—	—	—	1	—	—	—
Skin Disease	16	6	6	—	1	3	—	—	—
XVII. Intemperance	33	17	4	6	3	2	—	1	—
Privation	1	—	—	—	—	1	—	—	—
Want of Breast Milk	22	11	5	—	—	4	1	1	—
Neglect	—	—	—	—	—	—	—	—	—
Cold	2	—	1	—	—	—	1	—	—
Poison	12	6	3	1	2	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—
Burns and Scalds	49	23	4	5	3	6	5	3	—
Hanging, etc.	7	1	1	4	—	1	—	—	—
Suffocation	58	22	16	9	6	2	1	2	—
Drowning	22	14	—	1	1	2	1	—	3
Fracture and Contusion	73	36	15	7	5	5	3	1	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—
Cuts and Stabs	2	1	—	—	—	—	1	—	—
Other Violent Causes	19	5	4	2	4	2	—	1	1
Not Specified	89	41	2	1	4	29	8	2	2

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the Year
1873.—BOTH SEXES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES . . .	9806	465	422	299	351	348	258	808	344	475	719	1142	2068	461	354	436	353	503
SPECIFIED CAUSES . . .	9141	461	417	297	349	342	258	300	335	469	715	1126	2048	441	345	435	346	457
I. Zymotic Class . . .	1900	93	73	60	68	61	45	63	86	73	182	191	525	117	68	82	61	52
II. Uncertain Seat . . .	804	23	25	8	15	8	14	9	12	14	21	38	43	15	9	21	8	21
III. Tubercular Class . . .	1570	48	51	58	45	58	30	48	75	85	151	209	360	71	62	78	55	86
IV. Brain, etc. . . .	891	45	40	27	51	30	23	34	31	48	65	103	202	30	30	35	36	61
V. Heart, etc. . . .	515	42	42	25	26	20	15	35	15	28	49	49	69	32	11	9	23	25
VI. Respiratory Organs . . .	1551	57	70	45	49	60	51	21	46	74	98	223	381	82	56	65	86	87
VII. Digestive Organs . . .	635	37	29	21	23	27	13	27	17	39	47	67	119	25	36	48	26	34
VIII. Urinary Organs . . .	116	20	3	3	9	6	3	5	6	8	6	11	18	1	4	1	3	9
IX. Generative Organs . . .	51	4	1	3	5	3	2	2	1	2	4	4	9	1	3	2	4	1
X. Locomotive Organs . . .	54	5	4	1	2	4	—	—	4	—	4	3	14	1	1	4	1	6
XI. Skin	9	—	—	—	2	1	1	—	—	1	—	—	2	—	2	—	—	—
XII. Malformation . . .	21	—	2	1	2	1	—	1	—	—	1	2	6	1	2	—	—	2
XIII. Premature Debility . . .	489	20	22	17	10	20	20	16	15	27	32	51	127	17	25	34	20	16
XIV. Atrophy	84	1	5	2	1	3	2	3	1	3	1	20	22	4	5	2	4	5
XV. Age	650	51	32	17	27	24	31	28	18	54	34	112	94	25	22	23	15	45
XVI. Sudden Deaths . . .	20	2	3	1	—	—	—	2	2	1	—	3	8	1	—	2	—	—
XVII. Violent Deaths . . .	281	13	15	8	14	16	8	6	6	12	20	40	54	18	9	29	4	9
I. Small Pox	257	1	2	18	—	4	—	1	29	—	42	22	116	16	—	—	—	1
Measles	157	15	1	—	8	—	—	5	8	2	4	24	79	4	—	2	9	1
Scarlatina	192	16	12	1	2	7	—	9	14	6	6	32	54	10	10	10	1	2
Diphtheria	145	6	7	8	15	9	2	3	4	24	7	7	28	8	9	6	—	2
Hooping Cough	229	16	5	4	9	6	12	13	5	11	20	25	68	9	2	6	20	3
Croup	156	10	5	6	5	7	4	2	2	8	11	25	27	5	6	15	11	7
Thrush	7	—	—	—	—	2	—	—	1	—	—	—	1	—	—	—	—	—
Diarrhoea	267	9	19	6	12	14	8	11	4	4	29	16	69	21	12	19	1	13
Dysentery	44	4	2	1	3	—	4	1	6	2	5	1	6	2	4	—	1	2
Cholera	24	—	—	—	—	1	—	—	—	—	9	5	5	1	3	—	—	—
Influenza	10	—	—	2	1	—	—	—	3	1	—	—	—	1	1	1	—	—
Purpura	12	—	1	—	—	—	—	2	1	—	1	—	2	1	—	4	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Typhus	59	—	1	1	2	1	6	9	5	1	7	6	15	—	1	1	1	2
Enteric Fever	193	13	13	4	6	4	4	5	4	5	30	9	33	28	10	9	5	11
Relapsing Fever	4	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	1
Simple Cont. Fever . . .	20	—	2	1	1	—	1	—	—	1	4	—	1	3	5	—	1	—
Infantile Remittent . . .	6	—	—	—	—	—	1	—	—	—	1	—	2	—	—	1	1	—
Metria	28	1	1	3	—	2	1	2	1	—	1	5	7	2	1	—	1	1
Rheumatic Fever	11	1	—	—	1	—	—	—	—	2	—	2	2	—	—	—	1	2
Erysipelas	34	—	1	2	2	1	1	—	—	—	3	2	5	3	4	1	1	3
Pyæmia	6	—	—	—	2	1	—	—	—	—	—	1	2	—	—	—	—	—
Syphilis	36	1	1	3	—	1	1	—	1	—	2	8	8	1	—	6	3	—
Noma	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hemorrhage	5	—	—	—	—	—	—	—	1	1	—	—	2	1	—	—	—	—
Dropsy	72	5	5	1	3	1	9	2	7	1	4	10	9	—	4	8	—	3
Abscess	30	1	2	—	1	1	—	—	2	1	2	3	4	5	2	2	—	4
Ulcer	5	—	1	—	—	—	—	1	1	—	—	—	1	—	—	—	—	1
Fistula	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Mortification	21	1	1	—	—	—	—	—	—	3	3	3	5	—	—	2	1	2
Cancer	167	16	15	7	11	6	4	6	1	8	11	21	22	9	3	9	7	11
Gout	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	67	1	2	2	6	—	—	2	3	—	8	19	16	3	1	6	—	3
Tabes Mesenterica . . .	142	2	4	4	1	7	2	4	12	17	8	22	22	4	9	9	12	3
Phthisis	1025	39	34	40	29	39	21	37	43	49	108	145	215	38	40	49	31	68
Hydrocephalus	386	6	11	12	9	12	7	5	17	19	82	23	107	26	12	14	12	12

CAUSES OF DEATH in the LARGE TOWNS of SCOTLAND during the YEAR
1873.—BOTH SEXES. (Continued.)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dunbarton.	Ayr.	Kilmarnock.	Barony.	Govan.	Hamilton.	Airdrie.	Cothbridge.	Hawick.	Dumfries.
IV. Cephalitis . . .	92	2	4	4	8	8	8	2	2	2	1	21	21	1	5	6	—	4
Apoplexy . . .	171	11	9	8	16	4	5	5	10	7	9	26	27	7	1	9	7	15
Paralysis . . .	266	16	12	12	15	8	3	16	9	26	14	26	62	7	6	5	12	17
Delirium Tremens . . .	8	—	1	—	—	1	—	—	1	—	—	1	—	1	—	—	—	2
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	39	3	1	—	6	—	—	1	2	4	3	2	9	—	3	—	2	3
Tetanus . . .	9	—	1	—	—	—	—	1	—	3	4	—	—	—	—	—	—	—
Insanity . . .	9	1	1	—	—	1	—	—	—	—	—	2	3	—	1	—	—	—
Convulsions . . .	158	8	9	8	2	6	3	2	4	—	12	11	43	8	9	6	18	14
Brain Disease . . .	139	3	4	—	7	5	4	7	3	6	22	14	37	6	4	9	2	6
V. Pericarditis . . .	9	1	2	—	—	1	—	—	—	—	—	2	—	—	—	2	—	1
Aneurism . . .	11	—	—	—	1	—	—	2	—	1	1	2	—	—	—	—	—	1
Heart Disease . . .	495	41	38	25	25	19	15	33	15	27	48	46	67	82	11	7	23	23
VI. Laryngitis . . .	16	2	2	—	—	—	—	1	—	—	1	2	4	1	1	1	—	1
Bronchitis . . .	1086	38	53	29	45	45	36	15	30	62	64	141	213	64	46	40	53	62
Pleurisy . . .	28	2	—	—	1	1	1	—	2	—	—	1	10	3	1	1	4	—
Pneumonia . . .	399	9	11	16	2	12	11	4	9	8	23	72	144	13	1	18	27	19
Asthma . . .	48	4	2	—	1	1	3	—	2	3	5	4	8	1	3	5	2	4
Lung Disease . . .	24	2	2	—	—	1	—	1	3	1	3	4	2	—	4	—	—	1
VII. Teething . . .	81	3	6	4	—	4	1	5	2	8	5	18	13	1	7	7	—	2
Quinsey . . .	14	1	—	—	1	—	—	2	—	—	—	2	4	2	1	—	—	1
Gastritis . . .	31	—	—	—	—	7	1	—	—	—	—	2	3	2	7	2	1	5
Enteritis . . .	127	5	8	3	4	6	1	3	6	7	17	17	23	1	3	9	11	3
Peritonitis . . .	50	5	2	2	—	1	1	3	1	3	2	5	14	3	1	3	2	2
Ascites . . .	11	—	2	—	—	—	1	1	—	1	—	—	2	1	—	1	1	1
Ulcer. of Intestines . . .	29	—	4	—	3	1	—	—	3	3	—	3	2	1	—	6	2	1
Hernia . . .	20	—	—	—	2	—	1	—	—	3	2	2	3	1	1	3	1	1
Ileus . . .	18	4	—	2	2	—	—	—	1	—	2	1	1	2	—	—	—	3
Intussusception . . .	5	2	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—
Strict. of Intestines . . .	5	1	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1
Stomach Disease . . .	104	12	3	2	4	4	4	9	1	1	6	12	19	3	10	5	5	4
Pancreas Disease . . .	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Hepatitis . . .	23	—	—	1	1	1	—	1	—	2	3	1	5	1	—	6	—	1
Jaundice . . .	24	3	—	—	1	2	2	—	—	—	—	5	7	2	—	1	—	1
Liver Disease . . .	88	1	3	6	5	—	1	3	3	10	5	5	20	5	6	5	3	7
Spleen Disease . . .	4	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1
VIII. Nephritis . . .	10	1	—	—	—	—	—	1	—	2	2	—	2	—	—	1	—	1
Nephria . . .	42	7	1	2	2	—	2	1	3	5	1	7	9	—	1	—	—	1
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	4	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diabetes . . .	9	4	—	—	—	—	—	—	—	—	—	2	1	—	1	—	1	—
Stones . . .	6	—	—	—	1	—	—	—	1	—	—	1	2	—	—	—	—	1
Cystitis . . .	8	—	—	—	—	3	—	1	—	—	—	—	1	—	—	—	1	2
Stricture of Urethra . . .	2	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Kidney Disease . . .	35	4	2	1	6	3	1	2	2	1	3	1	2	1	1	—	1	4
IX. Paramenia . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Ovarian Dropsy . . .	10	—	—	1	1	1	1	—	1	1	1	1	2	—	—	—	—	1
Childbirth . . .	23	2	1	1	2	2	—	2	1	1	3	1	6	1	2	1	2	—
Organs of Generation . . .	11	2	—	1	2	—	1	—	—	—	—	2	1	—	1	1	—	—
X. Bone Disease . . .	10	1	1	—	1	—	—	—	1	—	—	1	3	—	1	—	1	—
Rheumatism . . .	17	3	—	—	—	2	—	—	—	—	1	1	8	1	—	—	—	1
Joint Disease . . .	27	1	3	1	1	2	—	—	3	—	3	1	3	—	—	4	—	5
XI. Carbuncle . . .	2	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
Phlegmon . . .	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Skin Disease . . .	6	—	—	—	1	1	1	—	—	—	—	—	1	—	2	—	—	—
XVII. Intemperance . . .	14	—	1	1	—	—	—	—	—	3	—	1	3	2	1	—	1	1
Privation . . .	2	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
Want of Breast Milk . . .	8	—	1	—	1	2	1	—	—	—	—	—	1	—	—	1	—	1
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	3	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1
Poison . . .	5	—	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	23	1	4	—	1	1	1	—	—	1	2	—	5	2	1	4	—	—
Hanging, etc. . .	8	1	1	1	—	1	—	—	—	—	—	1	3	—	—	—	—	—
Suffocation . . .	26	—	1	3	1	1	—	—	1	3	3	—	6	2	—	4	1	—
Drowning . . .	67	7	1	1	2	4	3	—	2	2	5	22	11	—	1	5	—	1
Fracture & Contusion . . .	105	1	5	1	4	4	3	5	1	—	10	16	22	9	5	13	1	5
Gunshot Wounds . . .	3	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
Other Violent Causes . . .	15	2	1	1	2	—	—	—	1	2	—	—	2	2	—	—	—	—
Not Specified . . .	165	4	5	2	2	6	—	8	9	6	4	16	20	20	9	1	7	46

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during
the YEAR 1873.—FEMALES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES . . .	4540	235	218	143	181	160	182	148	166	239	337	553	992	230	164	206	183	253
SPECIFIED CAUSES . . .	4474	232	217	142	180	160	182	145	161	236	336	547	986	219	159	206	180	236
I. Zymotic Class . . .	953	48	35	27	35	23	28	31	44	33	89	95	259	67	37	40	36	26
II. Uncertain Seat . . .	174	51	11	5	10	6	5	4	8	11	12	18	26	7	4	14	4	14
III. Tubercular Class . . .	809	20	29	35	22	30	18	26	36	39	80	115	175	39	29	45	29	42
IV. Brain, etc. . . .	422	19	20	17	25	13	11	21	14	22	27	43	107	14	16	12	12	29
V. Heart, etc. . . .	264	21	26	13	11	7	8	19	4	15	26	28	34	17	7	6	12	10
VI. Respiratory Organs . . .	716	29	38	18	22	35	21	6	17	39	44	97	169	37	27	24	46	47
VII. Digestive Organs . . .	298	20	11	6	13	11	4	11	11	18	20	31	54	13	16	27	14	18
VIII. Urinary Organs . . .	39	8	1	1	5	—	2	—	2	5	1	3	6	1	—	—	1	3
IX. Generative Organs . . .	51	4	1	3	5	3	2	2	1	2	4	4	9	1	3	2	4	1
X. Locomotive Organs . . .	20	2	8	—	—	4	—	—	1	—	—	1	6	—	—	1	—	2
XI. Skin	3	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—
XII. Malformation . . .	10	—	—	—	2	—	—	1	—	—	—	1	5	—	—	—	—	1
XIII. Premature Debility . . .	206	7	13	9	9	6	9	5	7	10	8	25	55	5	7	16	9	6
XIV. Atrophy	46	—	3	1	1	1	1	2	1	2	1	12	12	3	1	1	1	3
XV. Age	391	36	19	6	13	17	21	14	18	37	20	67	52	9	10	14	10	33
XVI. Sudden Deaths . . .	9	1	2	—	—	—	—	2	—	1	—	—	1	1	—	1	—	—
XVII. Violent Deaths . . .	63	2	5	1	6	4	2	1	2	2	4	7	15	5	1	3	2	1
I. Small Pox	111	1	1	10	—	1	—	—	13	1	19	6	47	10	—	2	—	—
Measles	89	6	—	—	4	—	—	4	3	1	2	15	44	3	—	1	6	—
Scarlatina	96	11	5	—	1	1	—	4	9	1	—	18	28	6	5	7	—	—
Diphtheria	73	2	—	4	10	3	2	2	2	10	8	3	17	6	7	1	—	1
Hooping Cough	135	10	4	2	5	4	7	3	2	4	12	16	37	6	2	5	13	3
Croup	66	4	3	2	—	3	2	2	2	3	2	11	11	3	4	5	8	1
Thrush	3	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—
Diarrhoea	145	5	10	1	7	6	5	8	2	2	19	9	35	9	6	10	1	10
Dysentery	20	1	1	—	2	—	4	—	8	—	4	1	1	2	—	—	—	1
Cholera	8	—	—	—	—	—	—	—	—	—	4	3	1	—	—	—	—	—
Influenza	6	—	—	—	—	—	—	—	2	1	—	—	—	—	1	1	1	—
Purpura	5	—	—	—	—	—	—	—	1	—	1	—	1	1	—	—	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Typhus	25	—	1	1	1	—	3	4	2	1	3	1	7	—	—	—	—	1
Enteric Fever	36	6	6	2	2	—	2	2	1	3	15	4	14	13	6	4	2	4
Relapsing Fever	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—	—
Simple Cont. Fever . . .	13	—	2	1	1	—	—	—	—	1	1	—	—	3	3	—	1	—
Infantile Remittent . . .	4	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	1
Metria	28	1	1	3	—	2	1	2	1	—	1	5	7	2	1	—	—	1
Rheumatic Fever	5	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	2
Erysipelas	13	—	—	1	1	1	1	—	—	2	1	—	2	—	2	—	1	1
Pyæmia	4	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
Syphilis	13	—	1	—	—	—	1	—	—	—	1	1	4	1	—	2	2	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Dropey	42	4	4	1	3	1	4	2	4	—	1	5	3	—	2	5	—	3
Abscess	12	1	—	—	—	—	—	—	1	1	1	—	1	2	1	2	—	2
Ulcer	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	10	1	—	—	—	—	—	—	—	—	2	2	—	—	—	—	1	1
Cancer	104	9	7	4	7	5	1	2	1	7	8	13	17	5	1	7	3	7
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	27	—	1	2	3	—	—	2	2	—	1	7	3	—	—	3	—	2
Tabes Mesenterica . . .	70	—	2	2	—	4	1	3	6	7	8	13	11	1	3	6	6	2
Phthisis	565	17	24	25	14	23	14	17	19	26	65	84	118	23	21	23	16	31
Hydrocephalus	147	3	2	6	5	3	3	4	9	6	11	11	43	14	5	8	7	7

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during
the YEAR 1873.—MALES. (*Continued.*)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Govan.	Hamilton.	Aldrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis . . .	45	1	-	1	4	2	2	1	1	2	1	10	10	-	2	5	-	3
Apoplexy . . .	83	6	4	-	5	3	3	2	5	4	5	14	16	2	-	5	4	5
Paralysis . . .	134	9	5	5	9	5	2	6	3	11	9	18	22	3	4	4	9	10
Delirium Tremens . . .	7	-	1	-	-	1	-	-	1	-	-	-	-	1	1	-	-	2
Chorea . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy . . .	17	3	-	-	4	-	-	-	2	2	1	1	2	-	1	-	-	2
Tetanus . . .	6	-	1	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-
Insanity . . .	3	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Convulsions . . .	92	5	6	4	1	2	2	1	2	-	7	7	23	5	5	5	9	8
Brain Disease . . .	82	2	2	-	3	4	3	8	3	5	13	9	21	5	1	4	2	2
V. Pericarditis . . .	5	1	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	1
Aneurism . . .	7	-	1	-	1	-	-	2	-	-	-	-	2	-	-	-	-	-
Heart Disease . . .	239	20	15	12	14	12	7	14	11	18	22	20	33	15	4	2	11	14
VI. Laryngitis . . .	11	2	1	-	-	-	-	1	-	-	1	1	2	-	1	1	-	1
Bronchitis . . .	502	11	21	16	24	15	22	10	20	29	27	73	113	34	21	23	19	24
Pleurisy . . .	17	1	-	-	1	-	1	-	1	-	2	6	1	-	1	1	3	-
Pneumonia . . .	256	9	9	11	1	9	5	3	6	5	17	47	85	10	1	12	16	10
Asthma . . .	34	3	-	-	1	-	2	-	1	5	3	6	-	-	3	4	2	4
Long Disease . . .	15	2	1	-	-	1	-	1	2	-	2	2	-	-	3	-	-	1
VII. Teething . . .	36	1	3	2	-	2	1	3	1	3	1	4	5	1	4	4	-	1
Quinsey . . .	6	1	-	-	-	-	-	2	-	-	1	1	1	-	-	-	-	-
Gastritis . . .	19	-	-	-	-	4	1	-	-	-	2	-	1	2	6	1	1	1
Enteritis . . .	69	-	5	2	1	4	1	2	2	6	11	9	13	1	-	8	8	1
Peritonitis . . .	27	3	2	1	-	-	-	1	-	1	1	4	9	2	-	2	-	1
Ascites . . .	4	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1
Ulcer. of Intestines . . .	14	-	2	-	1	1	-	-	1	1	-	3	1	-	-	2	1	1
Hernia . . .	12	-	-	-	1	-	1	-	-	1	1	1	3	-	-	2	1	1
Ileus . . .	9	3	-	2	1	-	-	-	-	-	1	1	1	-	-	-	-	-
Intussusception . . .	5	2	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
Stricture of Intestines . . .	4	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Stomach Disease . . .	59	6	1	2	-	1	3	6	-	1	3	8	12	2	7	4	1	2
Pancreas Disease . . .	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Hepatitis . . .	7	-	-	1	-	1	-	-	-	1	-	-	2	-	-	1	-	-
Jaundice . . .	12	1	-	-	1	2	1	-	-	-	2	3	3	2	-	-	-	-
Liver Disease . . .	52	-	3	4	5	-	1	2	2	7	3	3	12	1	3	2	-	4
Spleen Disease . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
VIII. Nephritis . . .	5	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	1
Nephria . . .	25	4	1	1	1	-	-	1	1	2	1	5	6	-	1	-	-	1
Addison's Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria . . .	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diabetes . . .	7	3	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-
Stone . . .	5	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	1
Cystitis . . .	7	-	-	-	-	3	-	1	-	-	-	-	1	-	-	-	1	1
Stricture of Urethra . . .	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Kidney Disease . . .	28	2	1	1	3	1	1	2	2	1	3	-	1	-	1	-	-	2
IX. Paramenia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. Bone Disease . . .	9	1	-	-	1	-	-	-	1	-	-	1	3	-	1	-	1	-
Rheumatism . . .	7	1	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-
Joint Disease . . .	18	1	1	1	1	-	-	-	2	-	3	1	2	-	-	3	-	1
XI. Carbuncle . . .	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Phlegmon . . .	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Skin Disease . . .	3	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
XVII. Intemperance . . .	6	-	-	1	-	-	-	-	-	2	-	1	1	1	-	-	-	-
Privation . . .	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Want of Breast Milk . . .	5	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-	1
Neglect . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold . . .	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Poison . . .	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds . . .	11	-	3	-	-	-	-	-	1	1	-	-	2	1	1	2	-	-
Hanging, etc. . .	5	1	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-
Suffocation . . .	17	-	1	3	-	1	-	-	3	1	-	4	1	-	3	-	-	-
Drowning . . .	58	7	1	1	2	3	3	-	2	1	4	18	9	-	1	5	-	1
Fracture & Contusion . . .	93	1	4	1	3	3	2	4	1	-	10	13	19	8	5	13	1	5
Gunshot Wounds . . .	3	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Cuts and Stabs . . .	11	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Other Violent Causes . . .	2	1	1	-	2	-	-	-	2	-	-	-	1	2	-	2	-	-
Not Specified . . .	99	1	4	1	1	6	-	5	4	3	3	10	14	9	4	1	4	29

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during
the YEAR 1873.—FEMALES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dunfriess.
ALL CAUSES . . .	4540	235	218	143	181	160	132	148	166	239	337	553	992	230	164	206	183	253
SPECIFIED CAUSES . . .	4474	232	217	142	180	160	132	145	161	236	336	547	986	219	159	206	180	236
I. Zymotic Class . . .	953	48	35	27	35	23	28	31	44	33	89	95	259	67	37	40	36	26
II. Uncertain Seat . . .	174	51	11	5	10	6	5	4	8	11	12	18	26	7	4	14	4	14
III. Tubercular Class . . .	809	20	29	35	22	30	18	26	36	39	80	115	175	39	29	45	29	42
IV. Brain, etc. . . .	422	19	20	17	25	13	11	21	14	22	27	43	107	14	16	12	12	26
V. Heart, etc. . . .	264	21	26	13	11	7	8	19	4	15	26	28	34	17	7	6	12	10
VI. Respiratory Organs . . .	716	29	38	18	22	35	21	6	17	39	44	97	169	37	27	24	46	47
VII. Digestive Organs . . .	298	20	11	6	13	11	4	11	11	18	20	31	54	13	16	27	14	18
VIII. Urinary Organs . . .	39	8	1	1	5	—	2	—	2	5	1	3	6	1	—	—	1	3
IX. Generative Organs . . .	51	4	1	3	5	3	2	2	1	2	4	4	9	1	3	2	4	1
X. Locomotive Organs . . .	20	2	3	—	—	4	—	—	1	—	—	1	6	—	—	1	—	2
XI. Skin	3	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—
XII. Malformation . . .	10	—	—	—	2	—	—	1	—	—	—	1	5	—	—	—	—	1
XIII. Premature Debility . . .	206	7	13	9	9	6	9	5	7	10	8	25	55	5	7	16	9	6
XIV. Atrophy	46	—	3	1	1	1	1	2	1	2	1	12	12	3	1	1	1	3
XV. Age	391	36	19	6	13	17	21	14	13	37	20	67	52	9	10	14	10	33
XVI. Sudden Deaths . . .	9	1	2	—	—	—	—	2	—	1	—	—	1	1	—	1	—	—
XVII. Violent Deaths . . .	63	2	5	1	6	4	2	1	2	2	4	7	15	5	1	3	2	1
I. Small Pox	111	1	1	10	—	1	—	—	13	1	19	6	47	10	—	2	—	—
Measles	89	6	—	—	4	—	—	4	3	1	2	15	44	3	—	1	6	—
Scarlatina	96	11	5	—	1	1	—	4	9	1	—	18	28	6	5	7	—	—
Diphtheria	73	2	—	4	10	3	2	2	2	10	3	3	17	6	7	1	—	1
Hooping Cough	135	10	4	2	5	4	7	3	2	4	12	16	37	6	2	5	13	3
Croup	66	4	3	2	—	3	2	2	2	3	2	11	11	3	4	5	8	1
Thrush	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	145	5	10	1	7	6	5	8	2	2	19	9	35	9	6	10	1	10
Dysentery	20	1	1	—	2	—	4	—	3	—	4	1	1	2	—	—	—	1
Cholera	8	—	—	—	—	—	—	—	—	—	4	3	1	—	—	—	—	—
Influenza	6	—	—	—	—	—	—	—	2	1	—	—	—	—	1	1	1	—
Purpura	5	—	—	—	—	—	—	—	1	—	1	—	1	1	—	—	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	2	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
Typhus	25	—	1	1	1	—	3	4	2	1	3	1	7	—	—	—	—	1
Enteric Fever	86	6	6	2	2	—	2	2	1	3	15	4	14	13	6	4	2	4
Relapsing Fever	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—	—
Simple Cont. Fever . . .	13	—	2	1	1	—	—	—	—	1	1	—	—	3	3	—	1	—
Infantile Remittent . . .	4	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	1
Metria	28	1	1	3	—	2	1	2	1	—	1	5	7	2	1	—	—	1
Rheumatic Fever	5	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	2
Erysipelas	13	—	—	1	1	1	1	—	—	2	1	—	2	—	—	2	1	1
Pyæmia	4	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
Syphilis	13	—	1	—	—	—	1	—	—	—	1	1	4	1	—	2	2	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
Dropsy	42	4	4	1	3	1	4	2	4	—	1	5	3	—	2	5	—	3
Abscess	12	1	—	—	—	—	—	—	1	1	1	—	1	2	1	2	—	2
Ulcer	3	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	10	1	—	—	—	—	—	—	—	2	2	—	3	—	—	—	1	1
Cancer	104	9	7	4	7	5	1	2	1	7	8	13	17	5	1	7	3	7
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	27	—	1	2	3	—	—	2	2	—	1	7	3	1	—	3	—	2
Tabes Mesenterica . . .	70	—	2	2	—	4	1	3	6	7	3	13	11	1	3	6	6	2
Phthisis	565	17	24	25	14	23	14	17	19	26	65	84	118	23	21	28	16	31
Hydrocephalus	147	3	2	6	5	3	3	4	9	6	11	11	43	14	5	8	7	7

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during
the YEAR 1873.—FEMALES. (Continued.)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis . . .	47	2	2	3	1	3	6	1	1	-	-	11	11	1	3	1	-	1
Apoplexy . . .	88	5	5	3	11	1	2	3	5	3	4	12	11	5	1	4	3	10
Paralysis . . .	132	7	7	7	6	3	1	10	6	15	5	8	40	4	2	1	3	7
Delirium Tremens . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy . . .	22	-	1	-	2	-	-	1	-	2	3	1	7	-	2	-	2	1
Tetanus . . .	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
Insanity . . .	6	1	-	-	-	1	-	-	-	-	-	1	2	-	1	-	-	-
Convulsions . . .	66	3	3	4	1	4	1	1	2	-	5	4	20	3	4	1	4	6
Brain Disease . . .	57	1	2	-	4	1	1	4	-	1	9	5	16	1	3	5	-	4
V. Pericarditis . . .	4	-	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Aneurism . . .	4	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1
Heart Disease . . .	256	21	23	13	11	7	8	19	4	14	26	26	34	17	7	5	12	9
VI. Laryngitis . . .	5	-	1	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
Bronchitis . . .	534	27	32	13	21	30	14	5	10	33	37	68	100	30	25	17	34	38
Pleurisy . . .	11	1	-	-	-	1	-	-	1	-	-	-	4	2	1	-	1	-
Pneumonia . . .	143	-	2	5	1	3	6	1	3	3	6	25	59	3	-	6	11	9
Asthma . . .	14	1	2	-	-	1	1	-	2	2	-	1	2	1	-	-	-	-
Lung Disease . . .	9	-	1	-	-	-	-	-	1	1	1	2	2	-	1	-	-	-
VII. Teething . . .	45	2	3	2	-	2	-	2	1	5	4	9	8	-	3	3	-	1
Quinsey . . .	8	-	-	-	1	-	-	-	-	-	-	1	3	2	1	-	-	-
Gastritis . . .	12	-	-	-	-	3	-	-	-	-	-	1	2	-	1	1	-	4
Enteritis . . .	58	5	3	1	3	2	-	1	4	1	6	8	10	-	3	6	3	2
Peritonitis . . .	23	2	-	1	-	1	1	2	1	2	1	1	5	1	1	1	2	1
Ascites . . .	7	-	1	-	-	-	1	1	-	1	-	-	-	-	1	1	1	-
Ulcer. of Intestines . . .	15	-	2	-	2	-	-	-	2	2	-	-	1	1	-	4	1	-
Hernia . . .	8	-	-	-	1	-	-	-	2	1	1	-	1	1	1	1	-	-
Ileus . . .	9	1	-	-	1	-	-	-	-	1	1	-	1	1	-	-	-	3
Intussusception . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Intestines . . .	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease . . .	45	6	2	-	4	3	1	3	1	-	3	4	7	1	3	1	4	2
Pancreas Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis . . .	16	-	-	-	1	-	-	1	-	1	2	1	3	1	-	5	-	1
Jaundice . . .	12	2	-	-	-	-	1	-	-	-	-	3	4	-	-	1	-	1
Liver Disease . . .	36	1	-	2	-	-	-	1	1	3	2	2	8	4	3	3	3	3
Spleen Disease . . .	3	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
VIII. Nephritis . . .	5	1	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-
Nephria . . .	17	3	-	1	1	-	2	-	2	3	-	2	3	-	-	-	-	-
Addison's Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria . . .	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes . . .	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Stone . . .	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Stricture of Urethra . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease . . .	12	2	1	-	3	-	-	-	-	-	-	1	1	1	-	-	1	2
IX. Paramenia . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Ovarian Dropsy . . .	10	-	-	1	1	1	1	-	1	1	1	1	2	-	-	-	-	1
Childbirth . . .	28	2	1	1	2	2	-	2	1	1	3	1	6	1	2	1	2	-
Organs of Generation . . .	11	2	-	1	2	-	1	-	-	-	-	2	1	-	1	1	-	-
X. Bone Disease . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism . . .	10	2	-	-	-	2	-	-	-	-	-	1	5	-	-	-	-	-
Joint Disease . . .	9	-	2	-	-	2	-	-	1	-	-	-	1	-	-	1	-	2
XI. Carbuncle . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease . . .	3	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-
XVII. Intemperance . . .	8	-	1	-	-	-	-	-	-	1	-	-	2	1	1	-	1	1
Privation . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk . . .	3	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Neglect . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Poison . . .	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds . . .	12	1	1	-	1	1	1	-	-	-	1	-	3	1	-	2	-	-
Hanging, etc. . .	3	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Suffocation . . .	9	-	-	-	1	-	-	-	1	-	2	-	2	1	-	1	1	-
Drowning . . .	9	-	-	-	-	1	-	-	-	1	1	4	2	-	-	-	-	-
Fracture & Contusion . . .	12	-	1	-	1	1	1	1	-	-	-	3	3	1	-	-	-	-
Gunshot Wounds . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes . . .	4	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Not Specified . . .	66	3	1	1	1	-	-	3	5	3	1	6	6	11	5	-	3	17

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—BOTH SEXES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clack- mannan.	Stirling.
ALL CAUSES	17357	86	88	358	165	99	311	410	536	121	587	480	1118	363	1202
SPECIFIED CAUSES	17030	82	88	353	159	99	308	404	526	118	576	459	1094	355	1166
I. Zymotic Class	3537	17	15	46	34	17	62	65	104	23	116	73	158	56	239
II. Diseases of Uncert. Seat	624	5	5	14	12	6	14	22	22	7	18	17	47	15	39
III. Tubercular Class	2753	8	12	59	17	10	42	60	85	9	74	66	158	48	184
IV. Brain and Nervous Syst.	1643	5	5	39	16	17	38	38	55	10	47	66	124	34	108
V. Organs of Circulation	1024	5	4	13	3	6	23	27	33	9	41	40	84	13	65
VI. Respiratory Organs	2531	12	21	58	22	8	38	74	64	13	89	69	151	76	187
VII. Organs of Digestion	1243	5	3	15	10	8	22	29	41	10	54	38	94	19	90
VIII. Urinary Organs	297	—	2	11	4	1	12	16	14	5	10	14	30	2	14
IX. Organs of Generation	123	1	—	2	3	1	1	1	2	1	7	2	6	2	7
X. Organs of Locomotion	97	2	3	2	1	—	3	—	2	—	3	1	3	—	6
XI. Skin, etc.	20	—	—	1	—	—	—	—	3	1	—	—	1	—	2
XII. Malformation	75	—	—	1	1	1	—	4	2	1	1	8	2	2	4
XIII. Premature Debility	923	4	—	22	10	3	6	22	43	7	33	18	49	25	69
XIV. Atrophy	149	1	1	1	1	2	—	7	—	2	1	—	6	2	9
XV. Age	1285	13	14	56	20	13	39	31	35	17	59	36	126	46	100
XVI. Sudden Deaths	16	—	—	—	—	1	—	—	1	—	—	2	6	—	—
XVII. Violent Deaths	690	4	3	13	5	5	8	8	20	3	23	9	49	15	43
I. Small Pox	255	2	—	—	—	—	—	—	—	—	2	1	22	—	38
Measles	274	—	—	2	10	—	2	13	1	—	7	11	2	12	16
Scarlatina	536	9	2	1	2	—	3	2	6	—	6	15	2	1	14
Diphtheria	324	—	7	1	2	8	1	6	12	—	8	8	21	3	30
Hooping Cough	401	—	—	2	—	—	24	9	5	—	10	1	17	12	19
Croup	294	—	1	1	7	5	5	9	21	1	10	4	16	9	14
Thrush	4	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Diarrhœa	455	—	1	11	3	—	10	7	28	8	17	6	20	5	22
Dysentery	81	—	—	4	2	—	2	3	9	1	5	—	4	2	3
Cholera	33	—	—	—	—	—	—	—	1	—	1	—	2	—	3
Influenza	24	—	—	2	—	—	—	—	1	—	3	1	2	—	6
Purpura	12	—	—	—	—	1	—	—	—	—	1	—	—	—	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Typhus	118	1	2	6	3	—	—	—	2	1	5	—	10	2	23
Enteric Fever	426	—	—	7	1	2	11	6	9	10	25	16	21	7	19
Relapsing Fever	12	—	—	—	—	—	—	1	—	—	1	—	1	—	—
Simple Continued Fever	47	1	—	1	2	—	—	—	—	—	2	—	1	1	7
Infantile Remittent	32	—	—	2	—	—	1	1	2	1	—	—	4	1	4
Metria	58	4	—	—	1	—	—	—	—	—	4	5	4	—	9
Rheumatic Fever	36	—	1	1	1	—	—	3	3	—	2	2	3	—	1
Erysipelas	71	—	1	2	—	1	1	3	2	—	4	1	5	1	7
Pyæmia	9	—	—	—	—	—	—	2	—	1	1	1	—	—	—
Syphilis	32	—	—	3	—	—	1	—	2	—	2	1	1	—	3
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	20	—	—	—	—	—	—	1	4	—	1	—	—	—	2
Dropsy	150	—	2	2	6	3	4	2	3	—	3	3	10	7	9
Abscess	53	3	2	—	—	—	2	2	5	1	4	2	1	—	5
Ulcer	9	—	—	—	—	—	—	1	—	—	—	—	1	—	—
Fistula	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	30	—	—	—	1	—	1	1	1	1	—	1	1	—	2
Cancer	353	2	1	12	5	3	7	14	9	5	10	11	34	8	21
Gout	7	—	—	—	—	—	—	1	—	—	—	—	—	—	—
III. Scrofula	167	1	5	4	1	—	—	4	6	1	3	3	9	2	7
Tabes Mesenterica	213	—	—	1	—	2	3	1	8	—	7	1	9	2	17
Phthisis	1924	4	6	48	14	8	39	48	60	5	56	51	121	34	118
Hydrocephalus	419	3	1	6	2	—	—	7	11	3	8	11	19	10	42

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—Both SEXES.

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Leamark.	Linlithgow	Edinburgh.	Haddington	Derwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . . .	736	432	203	1480	2488	2773	663	796	441	132	58	385	195	203	234	214
SPECIFIED CAUSES . . .	729	404	203	1466	2469	2715	645	790	428	132	58	383	193	186	232	210
Zymotic Class . . .	132	105	27	310	525	754	161	172	113	12	15	77	24	28	25	32
Uncertain Seat . . .	34	22	10	46	83	59	24	35	13	7	2	13	12	7	6	8
Tubercular Class . . .	140	61	56	300	477	402	80	104	60	24	7	67	25	38	46	34
Brain, etc.	62	46	26	125	219	232	60	65	34	15	5	38	36	15	28	35
Heart, etc.	49	19	9	67	143	117	47	56	32	18	7	28	17	13	25	11
Respiratory Organs . . .	85	47	31	260	338	406	102	120	57	27	5	50	28	25	35	33
Digestive Organs . . .	56	21	14	95	184	206	43	56	29	7	6	22	16	16	19	15
Urinary Organs . . .	11	4	2	17	46	28	9	12	4	—	3	10	5	4	4	3
Generative Organs . . .	3	5	2	4	24	24	7	6	2	—	1	4	2	2	1	—
Locomotive Organs . . .	10	2	1	13	16	12	2	4	2	1	—	3	—	2	1	2
Skin	—	—	—	4	1	1	—	1	2	—	—	1	1	—	1	—
Malformation	5	1	2	3	18	7	4	2	—	—	—	2	2	1	1	—
Premature Debility . . .	43	11	4	89	109	164	33	76	15	7	1	30	9	8	7	6
Atrophy	14	2	2	19	20	25	2	6	14	—	—	3	1	2	4	2
Age	52	42	16	68	154	129	36	40	39	9	4	22	9	17	19	24
Sudden Deaths	—	—	—	2	—	2	—	—	—	—	—	—	—	2	—	—
Violent Deaths	33	16	1	44	112	147	35	35	12	5	2	13	6	6	10	5
Small Pox	11	5	—	18	30	116	5	3	—	—	—	1	—	—	—	1
Measles	9	4	3	64	68	25	4	12	—	—	—	2	—	—	1	6
Scarlatina	7	18	—	44	24	254	53	18	49	—	—	3	1	—	1	1
Diphtheria	18	9	2	33	78	32	13	18	3	2	3	3	2	—	1	—
Hooping Cough	16	29	10	29	71	61	12	10	6	—	—	26	5	11	9	7
Croup	23	9	3	19	43	46	13	22	4	1	1	3	2	—	1	1
Thrush	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—
Diarrhoea	19	12	—	45	66	69	22	37	8	3	3	18	3	6	2	4
Dysentery	3	2	1	4	13	7	3	3	5	1	—	1	1	—	2	—
Cholera	—	1	—	2	8	7	2	2	—	—	—	1	2	—	1	—
Influenza	1	—	—	—	1	1	1	2	—	—	2	—	—	—	—	1
Purpura	—	—	1	1	3	1	1	—	1	—	—	1	—	—	1	—
Ague	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Worms	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Typhus	2	—	—	4	7	26	6	12	2	—	—	—	3	2	—	—
Enteric Fever	11	13	3	29	63	70	22	22	29	4	3	10	—	4	1	8
Relapsing Fever	—	—	—	—	6	—	—	1	—	—	—	—	1	1	—	—
Simple Cont. Fever . . .	—	—	—	2	9	12	1	1	—	—	1	1	1	2	2	—
Infantile Remittent . . .	1	—	1	4	2	3	—	1	1	1	—	1	—	1	—	—
Metria	5	—	—	4	9	9	—	2	1	—	—	—	—	—	1	—
Rheumatic Fever	3	2	—	3	5	2	—	2	—	—	—	—	1	—	—	1
Erysipelas	3	1	1	3	15	9	2	—	3	—	1	3	—	1	—	1
Pyæmia	—	—	—	—	—	—	—	1	—	—	—	1	2	—	—	—
Syphilis	—	—	2	2	2	4	1	3	—	—	1	2	—	—	1	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	1	2	3	1	2	—	1	1	—	—	—	—	—	—	1
Dropsy	12	8	—	11	27	18	5	6	6	—	—	1	—	2	—	—
Abscess	—	1	—	6	4	6	—	2	2	—	—	1	1	—	1	2
Ulcer	1	—	1	—	—	—	1	3	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Mortification	1	1	—	3	2	6	2	1	2	2	—	—	—	—	—	1
Cancer	19	11	7	22	49	23	16	21	2	5	2	11	10	4	5	4
Gout	1	—	—	—	—	2	—	1	—	—	—	—	1	—	—	—
Scrofula	11	4	3	16	32	27	9	6	1	1	1	3	4	2	1	—
Tabes Mesenterica	11	—	4	21	41	45	11	8	6	5	1	2	1	—	5	1
Phthisis	92	48	36	217	314	271	40	70	48	14	4	47	18	34	31	28
Hydrocephalus	26	9	13	46	90	59	20	20	5	4	1	15	2	2	9	5

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—BOTH SEXES. (Continued.)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackman- nan.	Stirling.
IV. Cephalitis	180	2	1	3	1	1	3	4	5	1	2	3	16	4	14
Apoplexy	379	1	—	8	1	5	8	10	18	1	13	18	27	8	20
Paralysis	528	1	2	15	8	3	10	14	11	4	22	31	50	12	44
Delirium Tremens . . .	14	1	—	—	—	—	1	—	—	—	—	—	1	—	1
Chorea	3	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Epilepsy	60	—	1	3	—	—	4	1	1	—	2	—	2	3	3
Tetanus	9	—	—	—	1	—	—	—	—	—	—	—	1	1	—
Insanity	10	—	—	2	—	—	—	—	—	—	—	—	1	—	—
Convulsions	205	—	1	5	2	5	4	7	5	1	5	6	13	1	7
Brain Disease	255	—	—	5	2	3	8	2	15	3	3	8	12	5	19
V. Pericarditis	23	—	—	—	—	1	1	—	—	—	—	—	1	—	3
Aneurism	22	—	—	1	—	—	—	1	—	—	2	2	3	—	1
Heart Disease	979	5	4	12	3	5	22	26	33	9	39	38	80	13	61
VI. Laryngitis	31	1	—	1	—	—	1	—	1	—	1	—	1	1	2
Bronchitis	1623	8	18	33	15	6	26	52	46	8	48	51	92	53	111
Pleurisy	51	1	2	—	—	—	1	2	2	1	4	—	3	—	5
Pneumonia	644	—	—	23	1	1	9	19	14	4	22	13	48	19	37
Asthma	113	2	—	1	6	1	1	1	—	—	9	1	5	3	11
Lung Disease	69	—	1	—	—	—	—	—	1	—	5	4	2	—	21
VII. Teething	182	2	—	1	—	2	3	5	7	—	13	2	20	7	13
Quinsey	17	—	—	1	—	—	—	1	2	—	3	—	1	—	—
Gastritis	47	—	1	—	—	—	—	1	—	—	—	—	6	—	6
Enteritis	249	—	—	2	1	2	4	4	4	1	8	8	12	—	22
Peritonitis	109	—	—	1	—	—	—	1	—	6	5	3	14	—	3
Ascites	23	1	—	—	—	—	—	1	—	—	—	—	1	—	2
Ulceration of Intestines	59	—	—	2	1	—	2	1	1	1	1	4	3	1	4
Hernia	21	—	—	—	1	—	—	—	2	—	—	2	4	—	1
Ileus	48	—	—	—	1	—	2	2	4	1	1	1	5	2	3
Intussusception	14	—	—	—	1	—	—	—	2	—	—	1	—	—	2
Stricture of Intestines .	9	—	—	—	—	—	—	—	—	—	1	1	3	—	—
Stomach Disease	194	1	1	1	2	2	3	5	9	3	11	5	12	3	15
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Hepatitis	43	1	—	—	—	—	—	2	—	—	2	2	5	—	4
Jaundice	49	—	—	1	—	—	—	3	2	1	2	—	3	3	1
Liver Disease	168	—	1	6	3	2	7	4	1	3	7	8	3	3	13
Spleen Disease	10	—	—	—	—	—	—	—	1	—	—	1	1	—	1
VIII. Nephritis	23	—	2	3	—	—	—	1	1	—	—	2	1	—	1
Nephria	83	—	—	2	—	1	1	4	3	—	—	6	12	1	1
Addison's Disease . . .	7	—	—	—	—	—	—	1	—	—	1	—	1	—	—
Ischuria	20	—	—	—	—	—	1	2	—	—	—	—	1	—	2
Diabetes	24	—	—	—	—	—	2	—	2	3	1	1	2	—	2
Stone	9	—	—	1	2	—	—	—	1	—	—	1	—	—	—
Cystitis	35	—	—	3	—	—	1	1	2	—	2	—	4	—	1
Stricture of Urethra . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	96	—	2	2	—	7	7	5	2	6	4	9	1	7	—
IX. Paramenia	6	—	—	—	—	—	1	—	—	—	—	—	—	1	1
Ovarian Dropsy	19	1	—	—	—	1	—	—	1	—	1	—	2	—	1
Childbirth	70	—	—	2	2	—	—	—	1	1	4	—	2	1	2
Organs of Generation . .	28	—	—	—	1	—	—	1	—	—	2	2	2	—	3
X. Bone Disease	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	36	2	2	1	—	—	1	—	—	—	2	—	—	—	3
Joint Disease	53	—	1	1	1	—	2	—	2	—	1	1	3	—	3
XI. Carbuncle	4	—	—	1	—	—	—	—	2	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	16	—	—	—	—	—	—	—	1	1	—	—	1	—	2
XVII. Intemperance . . .	42	—	1	—	—	—	—	—	—	—	—	—	1	—	2
Privation	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . .	36	—	—	—	—	—	—	—	—	—	2	2	1	—	—
Neglect	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	16	1	—	—	—	—	—	—	1	—	—	1	2	—	—
Poison	5	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	65	—	—	1	—	1	1	1	2	—	3	2	3	1	5
Hanging, etc.	18	—	—	—	—	—	—	1	—	—	3	—	5	—	1
Suffocation	66	—	—	3	—	—	2	4	4	1	3	—	5	2	4
Drowning	152	2	—	6	2	1	4	—	6	1	3	2	16	3	17
Fracture and Contusion .	231	1	2	3	—	2	1	1	5	1	4	1	14	7	10
Gunshot Wounds	3	—	—	—	—	—	—	—	1	—	1	—	—	1	—
Cuts and Stabs	14	—	—	—	—	—	—	—	1	—	—	—	1	1	1
Other Violent Causes . .	37	—	—	—	2	1	—	—	—	—	4	1	1	—	3
Not Specified	327	4	—	5	6	—	3	6	10	3	11	21	24	8	36

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—BOTH SEXES. (Continued.)

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	2	3	1	25	27	35	10	5	2	2	—	2	3	2	1	—
Apoplexy	14	12	10	28	54	44	9	17	4	3	1	10	8	4	12	11
Paralysis	30	11	9	29	48	50	20	31	14	8	1	9	17	7	7	10
Delirium Tremens	—	—	—	1	2	2	1	1	3	—	—	—	—	—	—	—
Chorea	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	3	5	1	4	8	8	1	2	1	—	—	3	1	1	2	—
Tetanus	—	2	1	—	1	2	—	—	—	—	—	—	—	—	—	—
Insanity	1	1	1	1	3	—	—	—	—	—	—	—	—	—	—	—
Convulsions	5	7	2	20	26	48	12	2	7	1	2	4	2	1	—	4
Brain Disease	7	4	1	17	50	43	7	7	3	1	1	10	5	—	6	10
Pericarditis	2	—	—	1	2	7	1	—	—	1	—	1	—	1	1	—
Aneurism	—	—	1	3	1	1	—	4	—	—	—	—	—	—	1	1
Heart Disease	47	19	8	63	140	109	46	52	32	17	7	27	17	12	23	10
Laryngitis	1	—	—	5	7	4	1	4	—	—	—	—	—	—	—	—
Bronchitis	55	33	15	158	208	252	76	93	39	16	4	37	17	13	17	23
Pleurisy	3	—	—	4	5	3	4	3	1	—	—	1	2	1	3	—
Pneumonia	19	11	14	77	89	117	13	14	16	11	1	9	9	10	15	9
Asthma	3	1	—	10	24	19	8	3	1	—	—	2	—	1	—	—
Lung Disease	4	2	2	6	5	11	—	3	—	—	—	1	—	—	—	1
Teething	12	2	—	6	34	22	1	13	3	—	3	2	1	2	2	4
Quinsey	—	—	—	1	4	2	—	—	—	—	—	—	—	1	1	—
Gastritis	3	—	1	4	10	5	—	2	2	—	1	—	3	2	—	—
Enteritis	10	2	2	23	35	73	17	5	2	—	—	—	4	2	5	1
Peritonitis	2	3	4	7	16	21	4	4	2	2	1	5	—	—	3	2
Ascites	1	—	—	2	3	9	—	—	—	—	—	1	—	—	—	1
Ulceration of Intestines	4	2	2	3	11	3	4	4	2	—	—	—	2	—	—	1
Hernia	1	—	—	—	2	5	1	—	1	—	—	—	—	1	—	—
Ileus	2	—	—	2	5	8	2	2	2	—	—	—	1	—	—	1
Intussusception	1	—	—	1	2	1	1	2	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	1
Stomach Disease	10	5	—	11	34	29	5	4	4	1	—	10	1	3	3	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	1	2	8	7	2	2	3	—	—	—	—	—	1	—
Jaundice	1	1	1	2	8	4	3	3	3	3	—	1	1	—	2	—
Liver Disease	7	5	2	31	10	16	3	15	5	—	—	2	2	4	2	3
Spleen Disease	—	1	—	—	2	—	—	—	—	1	1	1	—	—	—	—
Nephritis	2	—	—	1	3	—	1	1	1	—	—	1	2	—	—	—
Nephria	3	1	2	3	10	8	6	3	2	—	3	7	—	2	2	—
Addison's Disease	—	—	—	—	1	1	—	2	—	—	—	—	—	—	—	—
Ischuria	2	2	—	1	5	1	1	1	—	—	—	1	—	—	—	—
Diabetes	—	—	—	4	3	3	—	—	—	—	—	—	—	1	—	—
Stone	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	1	—	1	8	3	—	3	—	—	—	—	3	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	6	13	12	1	2	1	—	—	1	—	1	2	3
Paramenia	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	1	1	2	2	2	—	—	—	—	—	—	1	2	1	—
Childbirth	3	3	—	2	13	16	6	5	2	—	1	4	—	—	—	—
Organs of Generation	—	—	1	—	7	6	1	1	—	—	—	—	1	—	—	—
Bone Disease	—	—	—	1	—	2	—	1	1	—	—	2	—	1	—	—
Rheumatism	2	2	—	6	7	3	1	—	1	1	—	—	—	—	1	1
Joint Disease	8	—	1	6	9	7	1	3	—	—	—	1	—	—	1	1
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	4	1	1	—	1	2	—	—	1	1	—	—	—
Intemperance	1	2	—	4	12	9	5	1	2	—	—	1	—	—	1	—
Privation	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	3	—	1	3	16	1	2	1	1	—	2	1	—	—	—
Neglect	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	5	1	2	1	—	—	1	—	—	—	—	—
Poison	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	—	—	5	12	15	3	5	1	—	—	—	—	1	1	—
Hanging, etc.	—	—	—	—	2	4	—	—	—	—	—	2	—	—	—	—
Suffocation	2	1	1	6	9	4	6	5	1	—	—	3	—	—	—	—
Drowning	17	7	—	8	28	8	2	2	3	2	—	1	1	3	5	2
Fracture and Contusion	9	3	—	18	32	69	14	15	3	1	1	4	4	2	2	2
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	3	2	—	2	—	1	—	—	—	—	1	1
Other Violent Causes	—	—	—	2	4	14	—	4	1	—	—	—	—	—	—	—
Not Specified	7	28	—	14	19	58	18	6	13	—	—	2	2	17	2	4

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—MALES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Blackman- nan.	Stirling.
ALL CAUSES	8869	44	47	174	87	43	153	211	279	60	290	232	565	181	639
SPECIFIED CAUSES	8693	41	47	172	85	43	151	207	276	59	282	220	549	178	617
I. Zymotic Class	1769	6	7	26	18	6	34	28	57	12	51	34	78	27	121
II. Diseases of Uncert. Seat	263	1	4	10	3	2	5	15	10	2	5	7	23	7	13
III. Tubercular Class	1374	5	6	32	9	5	23	32	44	6	37	27	70	28	98
IV. Brain and Nervous Syst.	806	2	3	19	11	12	17	16	21	4	26	35	59	14	57
V. Organs of Circulation	561	4	3	6	2	1	11	15	18	6	19	25	41	8	40
VI. Respiratory Organs	1846	8	16	19	11	4	16	38	31	5	51	29	80	40	103
VII. Organs of Digestion	633	3	1	11	6	4	12	20	19	4	21	15	50	10	49
VIII. Urinary Organs	190	-	2	6	2	-	8	10	9	4	7	10	22	1	9
IX. Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. Organs of Locomotion	54	1	1	2	1	-	1	-	1	-	3	-	1	-	3
XI. Skin, etc.	12	-	-	1	-	-	-	-	1	-	-	-	1	-	-
XII. Malformation	45	-	-	1	1	-	-	4	2	1	1	3	2	2	3
XIII. Premature Debility	524	3	-	10	7	1	4	13	24	4	16	13	28	15	37
XIV. Atrophy	61	-	-	-	1	2	-	2	-	-	-	-	4	-	5
XV. Age	530	4	4	20	8	3	13	11	24	9	23	18	52	17	47
XVI. Sudden Deaths	7	-	-	-	-	-	-	-	-	-	-	2	3	-	-
XVII. Violent Deaths	518	4	-	9	5	3	7	8	15	2	22	7	85	9	32
I. Small Pox	158	1	-	-	-	-	-	-	-	-	2	-	13	-	18
Measles	129	-	-	-	6	-	-	8	1	-	4	3	1	6	11
Scarlatina	289	4	1	1	2	-	3	-	2	-	3	7	-	-	8
Diphtheria	155	-	3	1	-	8	1	5	4	-	3	5	13	2	12
Whooping Cough	178	-	-	1	-	-	15	3	2	-	5	1	10	3	9
Croup	168	-	-	1	2	1	3	3	12	1	6	4	10	8	7
Thrush	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea	235	-	-	4	1	-	5	4	19	5	8	3	11	2	9
Dysentery	42	-	-	2	2	-	-	-	3	-	4	-	1	2	2
Cholera	19	-	-	-	-	-	-	-	1	-	-	-	1	-	2
Influenza	13	-	-	1	-	-	-	-	-	-	2	1	1	-	5
Purpura	5	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Typhus	57	-	2	4	2	-	-	-	1	-	1	-	3	1	12
Enteric Fever	185	-	-	5	1	1	6	3	5	4	8	7	8	2	9
Relapsing Fever	9	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Simple Continued Fever	24	1	-	-	1	-	-	-	-	-	-	-	-	1	6
Infantile Remittent	19	-	-	2	-	-	-	-	2	1	-	-	-	-	2
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	19	-	1	1	1	-	-	2	2	-	1	1	2	-	-
Erysipelas	46	-	-	2	-	-	-	3	1	-	1	1	4	-	7
Pyæmia	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Syphilis	14	-	-	1	-	-	-	-	2	-	1	1	-	-	1
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hemorrhage	8	-	-	-	-	-	-	1	1	-	-	-	-	-	1
Dropsy	63	-	2	-	2	2	1	2	-	-	-	2	7	4	2
Abcess	30	1	2	-	-	-	2	2	4	1	2	-	-	-	2
Ulcer	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	19	-	-	-	-	-	-	1	1	1	-	1	1	-	2
Cancer	134	-	-	10	1	-	2	8	4	-	3	4	15	3	6
Gout	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-
III. Scrofula	91	-	4	3	1	-	-	2	3	-	1	-	4	-	4
Tabes Mesenterica	118	-	-	1	-	1	-	1	6	-	4	1	5	2	8
Phthisis	910	3	2	25	7	4	23	23	33	4	28	21	49	18	61
Hydrocephalus	255	2	-	3	1	-	-	6	2	2	4	5	12	8	25

CAUSES OF DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—MALES.

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow	Edinburgh.	Haddington	Berwick.	Peebles.	Salisbury.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . . .	374	211	87	726	1283	1528	359	397	215	74	25	195	92	85	111	102
SPECIFIED CAUSES .	372	200	87	721	1271	1498	347	393	207	74	25	194	92	77	109	99
Zymotic Class . . .	61	51	10	146	267	404	86	85	56	6	4	40	7	11	11	19
Uncertain Seat . . .	16	7	3	14	30	30	18	15	8	5	1	4	5	3	1	6
Tubercular Class . . .	69	33	28	147	245	201	43	48	26	11	1	33	13	14	23	17
Brain, etc.	31	24	11	55	117	121	27	31	17	9	4	22	15	7	9	10
Heart, etc.	27	11	1	38	71	71	30	35	16	11	2	14	14	5	11	5
Respiratory Organs .	44	21	17	136	184	246	50	67	35	16	1	24	11	13	17	13
Digestive Organs . .	28	8	8	42	98	112	24	22	15	6	3	10	6	8	10	8
Urinary Organs . . .	7	3	1	10	30	21	5	6	2	-	2	4	4	2	1	2
Generative Organs .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotive Organs .	7	1	-	6	8	8	1	4	1	-	-	2	-	-	1	1
Skin	-	-	-	3	1	-	-	1	1	-	-	1	1	-	1	-
Malformation	1	-	-	3	13	4	-	2	-	-	-	-	1	-	1	-
Premature Debility .	26	8	3	57	51	97	19	36	9	3	1	19	7	4	4	5
Atrophy	3	1	-	10	10	12	1	1	6	-	-	1	-	1	1	-
Age	24	20	5	22	68	50	18	18	11	3	4	10	5	4	8	12
Sudden Deaths . . .	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Violent Deaths . . .	28	12	-	31	78	121	30	22	9	4	2	10	3	4	10	1
Small Pox	6	4	-	11	20	77	4	1	-	-	-	1	-	-	-	-
Measles	5	1	2	29	84	13	-	5	-	-	-	-	-	-	-	4
Scarlatina	2	9	-	24	14	143	31	8	24	-	-	2	1	-	-	-
Diphtheria	9	4	-	16	41	9	7	11	3	1	-	1	1	-	-	-
Hooping Cough . . .	6	11	8	9	31	23	5	6	4	-	-	16	1	5	5	4
Croup	12	5	1	12	22	29	8	16	2	-	-	1	-	-	1	1
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	7	8	-	24	37	39	11	18	3	3	1	8	-	2	1	2
Dysentery	1	1	1	2	7	5	-	1	4	1	-	1	-	-	2	-
Cholera	-	1	-	1	6	4	1	1	-	-	-	-	-	-	1	-
Influenza	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Purpura	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	1	-	-	1	4	15	3	5	1	-	-	-	1	-	-	-
Enteric Fever	5	6	1	11	27	32	13	9	13	-	-	3	-	-	1	5
Relapsing Fever . . .	-	-	-	-	6	-	-	-	-	-	-	-	1	-	-	-
Simple Cont. Fever . .	-	-	-	1	5	4	1	-	-	-	-	1	1	2	-	-
Infantile Remittent .	1	-	-	2	1	3	-	1	1	1	-	1	-	1	-	-
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever . . .	2	1	-	1	1	1	-	-	-	-	-	-	1	-	-	1
Erysipelas	3	-	-	1	9	6	2	-	-	-	1	3	-	1	-	1
Pyæmia	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Syphilis	-	-	1	1	1	1	-	1	-	-	1	1	-	-	-	1
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	1
Droopy	6	2	-	3	9	9	3	4	2	-	-	-	-	1	-	-
Abscess	-	1	-	2	1	5	-	1	1	-	-	1	1	-	-	1
Ulcer	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Mortification	-	1	-	2	1	4	1	1	-	2	-	-	-	-	-	-
Cancer	8	3	1	7	19	8	8	7	-	8	1	3	4	1	1	4
Gout	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Scrofula	6	2	2	11	17	18	6	3	-	1	-	1	1	1	-	-
Tuberc Mesenterica .	7	-	3	15	24	23	2	3	4	3	-	1	1	-	2	1
Phthisis	42	25	16	95	157	122	22	30	19	6	-	22	10	13	17	13
Hydrocephalus	14	6	7	26	47	34	13	12	3	1	1	9	1	-	4	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—BOTH SEXES. (Continued.)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackman- nan.	Stirling.
IV. Cephalitis	180	2	1	3	1	1	3	4	5	1	2	3	16	4	14
Apoplexy	379	1	—	8	1	5	8	10	18	1	13	18	27	8	20
Paralysis	528	1	2	15	8	3	10	14	11	4	22	31	50	12	44
Delirium Tremens . . .	14	1	—	—	—	—	1	—	—	—	—	—	1	—	1
Chorea	3	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Epilepsy	60	—	1	8	—	—	4	1	1	—	2	—	2	3	3
Tetanus	9	—	—	—	1	—	—	—	—	—	—	—	1	1	—
Insanity	10	—	—	2	—	—	—	—	—	—	—	—	1	—	—
Convulsions	205	—	1	5	2	5	4	7	5	1	5	6	13	1	7
Brain Disease	255	—	—	3	2	8	8	2	15	3	3	8	12	5	19
V. Pericarditis	23	—	—	—	—	1	1	—	—	—	—	—	1	—	3
Aneurism	22	—	—	1	—	—	—	1	—	—	2	2	3	—	1
Heart Disease	979	5	4	12	3	5	22	26	33	9	39	38	80	13	61
VI. Laryngitis	31	1	—	1	—	—	—	—	1	—	—	—	1	1	2
Bronchitis	1623	8	18	33	15	6	26	52	46	8	48	51	92	53	111
Pleurisy	51	1	2	—	—	—	1	2	2	1	4	—	3	—	5
Pneumonia	644	—	—	28	1	1	9	19	14	4	22	13	48	19	37
Asthma	113	2	—	1	6	1	1	1	—	—	9	1	5	8	11
Lung Disease	69	—	1	—	—	—	—	—	1	—	5	4	2	—	21
VII. Teething	182	2	—	1	—	2	3	5	7	—	13	2	20	7	13
Quinsey	17	—	—	1	—	—	—	1	2	—	8	—	1	—	—
Gastritis	47	—	1	—	—	—	—	1	—	—	—	—	6	—	6
Enteritis	249	—	—	2	1	2	4	4	4	1	8	8	12	—	22
Peritonitis	109	—	—	1	—	—	1	—	6	—	5	3	14	—	3
Ascites	23	1	—	—	—	—	—	1	—	—	—	—	1	—	2
Ulceration of Intestines	59	—	—	2	1	—	2	1	1	1	1	4	3	1	4
Hernia	21	—	—	—	1	—	—	—	2	—	—	2	4	—	1
Ileus	48	—	—	—	1	—	2	2	4	1	1	1	5	2	3
Intussusception	14	—	—	—	1	—	—	—	2	—	—	1	—	—	2
Stricture of Intestines .	9	—	—	—	—	—	—	—	—	—	1	1	3	—	—
Stomach Disease	194	1	1	1	2	2	8	5	9	8	11	5	12	3	15
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Hepatitis	43	1	—	—	—	—	—	2	—	—	2	2	5	—	4
Jaundice	49	—	—	1	—	—	—	3	2	1	2	—	3	3	1
Liver Disease	168	—	1	6	3	2	7	4	1	3	7	8	3	3	13
Spleen Disease	10	—	—	—	—	—	—	—	1	—	—	1	1	—	1
VIII. Nephritis	23	—	2	3	—	—	—	1	1	—	—	2	1	—	1
Nephria	83	—	—	2	—	1	1	4	3	—	—	6	12	1	1
Addison's Disease . . .	7	—	—	—	—	—	—	1	—	—	1	—	1	—	—
Ischuria	20	—	—	—	—	—	1	2	—	—	—	—	1	—	2
Diabetes	24	—	—	1	—	—	2	—	2	3	1	1	2	—	—
Stone	9	—	—	1	2	—	—	—	1	—	—	1	—	—	—
Cystitis	35	—	—	3	—	—	1	1	2	—	2	—	4	—	1
Stricture of Urethra . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	96	—	—	2	2	—	7	7	5	2	6	4	9	1	7
IX. Paramenia	6	—	—	—	—	—	1	—	—	—	—	—	—	1	1
Ovarian Dropsy	19	1	—	—	—	1	—	—	1	—	1	—	2	—	1
Childbirth	70	—	—	2	2	—	—	—	1	1	4	—	2	1	2
Organs of Generation . .	28	—	—	—	1	—	—	1	—	—	2	2	2	—	3
X. Bone Disease	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	36	2	2	1	—	—	1	—	—	—	2	—	—	—	3
Joint Disease	53	—	1	1	1	—	2	—	2	—	1	1	3	—	3
XI. Carbuncle	4	—	—	1	—	—	—	—	2	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	16	—	—	—	—	—	—	—	1	1	—	—	1	—	2
XVII. Intemperance . . .	42	—	1	—	—	—	—	—	—	—	—	—	1	—	2
Privation	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . .	36	—	—	—	—	—	—	—	—	—	2	2	1	—	—
Neglect	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	16	1	—	—	—	—	—	—	1	—	—	1	2	—	—
Poison	5	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	65	—	—	1	—	1	1	1	2	—	3	2	3	1	5
Hanging, etc.	18	—	—	—	—	—	—	1	—	—	3	—	5	—	1
Suffocation	66	—	—	3	—	—	2	4	4	1	3	—	5	2	4
Drowning	152	2	—	6	2	1	4	—	6	1	8	2	16	3	17
Fracture and Contusion .	231	1	2	3	—	2	1	1	5	1	4	1	14	7	10
Gunshot Wounds	3	—	—	—	—	—	—	—	1	—	1	—	—	1	—
Cuts and Stabs	14	—	—	—	—	—	—	—	1	—	—	—	1	1	1
Other Violent Causes . .	37	—	—	—	2	1	—	—	—	—	4	1	1	—	3
Not Specified	827	4	—	5	6	—	3	6	10	3	11	21	24	8	36

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—MALES. (Continued.)

DISEASES.	Dumbarton	Argyll.	Dumf.	Renfrew.	Ayr.	Lanark.	Linlithgow	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	2	1	1	15	19	18	1	3	1	2	-	1	-	1	-	-
Apoplexy	5	8	5	14	80	26	3	9	3	1	1	5	3	-	5	3
Paralysis	16	6	3	11	20	21	13	14	9	5	1	5	6	5	2	1
Delirium Tremens	-	-	-	1	2	2	-	-	1	-	-	-	-	-	-	-
Chorea	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	1	2	-	-	2	3	-	-	-	-	-	2	-	-	-	-
Tetanus	-	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Insanity	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Convulsions	1	2	1	8	14	23	7	1	2	-	1	3	1	1	-	2
Brain Disease	5	2	-	6	29	26	3	4	1	1	1	6	5	-	2	4
Pericarditis	2	-	-	-	2	3	-	-	-	1	-	1	-	1	-	-
Aneurism	-	-	-	3	-	1	-	4	-	-	-	-	-	-	1	-
Heart Disease	25	11	1	35	69	67	30	31	16	10	2	13	14	4	10	5
Laryngitis	1	-	-	3	4	2	1	2	-	-	-	-	-	-	-	-
Bronchitis	24	12	6	78	105	147	31	52	24	10	1	15	6	7	9	8
Pleurisy	3	-	-	2	3	2	2	2	-	-	-	1	1	-	3	-
Pneumonia	13	7	10	44	52	73	8	8	11	6	-	6	4	6	5	4
Asthma	1	1	-	6	17	14	8	1	-	-	-	2	-	-	-	-
Lung Disease	2	1	1	3	3	8	-	2	-	-	-	-	-	-	-	1
Teething	7	1	-	3	23	12	1	7	-	-	1	2	1	2	1	4
Quinsey	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Gastritis	2	-	1	1	6	2	-	-	-	-	-	-	-	2	-	-
Enteritis	2	2	1	11	20	46	9	1	-	-	-	-	-	2	4	-
Peritonitis	2	1	4	1	9	13	2	-	2	2	1	2	-	-	1	1
Ascites	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1
Ulceration of Intestines	-	1	1	1	6	-	3	2	2	-	-	-	-	-	-	1
Hernia	1	-	-	-	-	4	1	-	1	-	-	-	-	-	-	-
Ileus	2	-	-	2	3	5	2	1	1	-	-	-	1	1	-	-
Intussusception	1	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-
Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	6	-	-	5	16	14	2	3	2	1	-	4	1	-	1	-
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	1	-	1	1	3	4	1	1	1	-	-	-	-	-	-	-
Jaundice	-	1	-	2	4	1	-	3	2	2	-	1	1	-	1	-
Liver Disease	3	2	-	13	6	8	2	3	4	-	-	1	2	1	1	1
Spleen Disease	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Nephritis	1	-	-	1	2	-	1	-	1	-	-	-	1	-	-	-
Nephria	2	1	1	2	6	7	2	1	-	-	2	3	-	1	-	-
Addison's Disease	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Ischuria	1	1	-	-	4	1	1	1	-	-	-	-	-	-	-	-
Diabetes	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Stone	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Cystitis	2	1	-	1	6	3	-	2	-	-	-	-	8	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	1	-	-	4	9	8	1	1	1	-	-	1	-	1	1	2
Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bone Disease	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-
Rheumatism	1	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-
Joint Disease	6	-	-	5	7	5	-	3	-	-	-	1	-	-	1	1
Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	-	-	-	3	1	-	-	1	1	-	-	1	1	-	-	-
Intemperance	-	1	-	3	6	9	5	1	1	-	-	1	-	-	1	-
Privation	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	2	-	1	1	7	-	-	1	1	-	1	1	-	-	-
Neglect	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cold	1	-	-	-	2	1	1	1	-	-	1	-	-	-	-	-
Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	2	-	-	3	5	9	1	2	-	-	-	-	-	-	1	-
Hanging, &c.	-	1	-	-	2	3	-	-	-	-	-	2	-	-	-	-
Suffocation	2	1	-	3	6	4	5	3	-	-	-	2	-	-	-	-
Drowning	15	6	-	5	22	7	2	2	3	2	-	1	1	3	5	-
Fracture and Contusion	7	2	-	14	28	67	14	11	3	1	1	3	1	1	2	-
Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	-	-	-	-	3	1	2	-	-	-	-	-	-	-	1	1
Other Violent Causes	-	-	-	2	3	10	-	2	1	-	-	-	-	-	-	-
Not Specified	2	11	-	5	12	30	12	4	8	-	-	1	-	8	2	5

CAUSES OF DEATH in the SMALL TOWN DISTRICTS of the COUNTIES OF SCOTLAND during the YEAR 1873.—FEMALES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Kess and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
ALL CAUSES	8488	42	41	184	78	56	158	199	257	61	297	248	553	182	563
SPECIFIED CAUSES	8337	41	41	181	74	56	157	197	250	59	294	239	545	177	549
I. Zymotic Class	1768	11	8	20	16	11	28	37	47	11	65	89	80	29	118
II. Uncertain Seat	361	4	1	4	9	4	9	7	12	5	13	10	24	8	26
III. Tubercular Class	1879	8	6	27	8	5	19	28	41	3	37	89	88	20	86
IV. Brain, etc.	837	3	2	20	5	5	21	22	34	6	21	31	65	20	51
V. Heart, etc.	463	1	1	7	1	5	12	12	15	3	22	15	43	5	25
VI. Respiratory Organs	1185	4	5	39	11	4	22	36	33	8	88	40	71	86	84
VII. Digestive Organs	610	2	2	4	4	4	10	9	22	6	83	23	44	9	41
VIII. Urinary Organs	107	-	-	5	2	1	4	6	5	1	8	4	8	1	5
IX. Generative Organs	123	1	-	2	3	1	1	1	2	1	7	2	6	2	7
X. Locomotive Organs	43	1	2	-	-	-	2	-	1	-	-	1	2	-	3
XI. Skin etc., ...	8	-	-	-	-	-	-	-	2	1	-	-	-	-	2
XII. Malformation	80	-	-	-	-	1	-	-	-	-	-	5	-	-	1
XIII. Premature Debility	399	1	-	12	3	2	2	9	19	3	17	5	21	10	32
XIV. Atrophy	88	1	1	1	-	-	-	5	-	2	1	-	2	2	4
XV. Age	755	9	10	36	12	10	26	20	11	8	86	23	74	29	53
XVI. Sudden Deaths	9	-	-	-	-	1	-	-	1	-	-	-	3	-	-
XVII. Violent Deaths	172	-	3	4	-	2	1	5	5	1	1	2	14	6	11
I. Small Pox	97	1	-	-	-	-	-	-	-	-	-	1	9	-	20
Measles	145	-	-	2	4	-	2	10	-	-	3	8	1	6	5
Scarlatina	247	5	1	-	-	-	-	2	4	-	3	8	2	1	6
Diphtheria	169	-	4	-	2	5	-	1	8	-	5	3	8	1	18
Hooping Cough	223	-	-	1	-	-	9	6	8	-	5	-	7	9	10
Croup	126	-	1	-	5	4	2	6	9	-	4	-	6	1	7
Thrush	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea	220	-	1	7	2	-	5	3	9	3	9	3	9	3	13
Dysentery	39	-	-	2	-	-	2	3	6	1	1	-	8	-	1
Cholera	14	-	-	-	-	-	-	-	-	-	1	-	1	-	1
Influenza	11	-	-	1	-	-	-	-	1	-	1	-	1	-	1
Purpura	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	61	1	-	2	1	-	-	-	1	1	4	-	7	1	10
Enteric Fever	241	-	-	2	-	1	5	3	4	6	17	9	13	5	10
Relapsing Fever	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Simple Cont. Fever	23	-	-	1	1	-	-	-	-	-	2	-	1	-	1
Infantile Remittent	13	-	-	-	-	-	1	1	-	-	-	-	4	1	2
Metria	58	4	-	-	1	-	-	-	-	-	4	5	4	-	9
Rheumatic Fever	17	-	-	-	-	-	-	1	1	-	1	1	1	-	1
Erysipelas	25	-	1	-	-	1	1	-	1	-	3	-	1	1	-
Pyæmia	6	-	-	-	-	-	-	1	-	-	1	1	-	-	-
Syphilis	18	-	-	2	-	-	1	-	-	-	1	-	1	-	2
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	12	-	-	-	-	-	-	-	3	-	1	-	-	-	1
Dropey	87	-	-	2	4	1	3	-	3	-	3	1	8	3	7
Abscess	23	2	-	-	-	-	-	-	1	-	2	2	1	-	3
Ulcer	6	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	11	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Cancer	219	2	1	2	4	3	5	6	5	5	7	7	19	5	15
Gout	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. Scrofula	76	1	1	1	-	-	-	2	3	1	2	3	5	2	3
Tabes Mesenterica	95	-	-	-	-	1	3	-	2	-	3	-	4	-	9
Phthisis	1014	1	4	23	7	4	16	25	27	1	28	30	72	16	57
Hydrocephalus	194	1	1	3	1	-	-	1	9	1	4	6	7	2	17

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1873.—FEMALES.

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Leamark.	Linlithgow	Edinburgh.	Haddington	Berwick.	Peebles.	Sal Kirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . . .	362	221	116	754	1205	1245	304	399	226	58	33	190	103	118	123	112
SPECIFIED CAUSES	357	204	116	745	1198	1217	298	397	221	58	33	189	101	109	123	111
Zymotic Class . . .	71	64	17	164	258	350	75	87	57	6	11	87	17	17	14	18
Uncertain Seat . . .	18	15	7	32	53	29	11	20	10	2	1	9	7	4	5	2
Tubercular Class . . .	71	28	28	153	232	201	37	56	34	13	6	84	12	24	28	17
Brain, etc.	31	22	15	70	102	111	83	34	17	6	1	16	21	8	19	25
Heart, etc.	22	8	8	29	72	46	17	21	16	7	5	14	3	8	14	6
Respiratory Organs . . .	41	26	14	124	154	160	52	53	22	11	4	26	17	12	18	20
Digestive Organs . . .	28	18	6	53	86	94	19	34	14	1	3	12	10	8	9	7
Urinary Organs . . .	4	1	1	7	16	7	4	6	2	-	1	6	1	2	3	1
Generative Organs . . .	8	5	2	4	24	24	7	6	2	-	1	4	2	2	1	-
Locomotive Organs . . .	8	1	1	7	8	4	1	-	1	1	-	1	-	2	-	1
Skin	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
Malformation	4	1	2	-	5	3	4	-	-	-	-	2	1	1	-	-
Premature Debility . . .	17	3	1	32	58	67	14	40	6	4	-	11	2	4	3	1
Atrophy	11	1	2	9	10	13	1	5	8	-	-	2	1	1	3	2
Age	28	22	11	46	86	79	18	22	28	6	-	12	4	18	11	12
Sudden Deaths	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	-
Violent Deaths	5	4	1	13	34	26	5	13	3	1	-	3	3	2	-	4
Small Pox	5	1	-	7	10	39	1	2	-	-	-	-	-	-	-	1
Measles	4	3	1	35	34	12	4	7	-	-	-	1	-	-	-	2
Scarlatina	5	9	-	20	10	111	22	10	25	-	-	1	-	-	1	1
Diphtheria	9	5	2	17	87	23	6	7	-	1	3	2	1	-	1	-
Hooping Cough	10	18	7	20	40	38	7	4	2	-	-	10	4	6	4	3
Croup	11	4	2	7	21	17	5	6	2	1	1	2	2	-	-	-
Thrush	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea	12	4	-	21	29	30	11	19	5	-	2	10	3	4	1	2
Dysentery	2	1	-	2	6	2	3	2	1	-	-	1	1	-	-	-
Cholera	-	-	-	1	2	3	1	1	-	-	-	1	2	-	-	-
Influenza	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	1
Purpura	-	-	-	1	2	1	1	-	-	-	-	1	-	-	1	-
Ague	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Worms	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	1	-	-	3	3	11	3	7	1	-	-	-	2	2	-	-
Enteric Fever	6	7	2	18	36	38	9	13	16	4	3	7	-	4	-	3
Relapsing Fever	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Simple Continued Fever . .	-	-	-	1	4	8	-	1	-	-	1	-	-	-	2	-
Infantile Remittent . . .	-	-	1	2	1	-	-	-	-	-	-	-	-	-	1	-
Metria	5	-	-	4	9	9	-	2	1	-	-	-	-	-	-	-
Rheumatic Fever	1	1	-	2	4	1	-	2	-	-	-	-	-	-	-	-
Erysipelas	-	1	1	2	6	3	-	-	3	-	-	-	-	-	-	-
Pyæmia	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
Syphilis	-	-	1	1	1	3	1	2	-	-	-	1	-	-	1	-
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	-	1	-	3	1	1	-	-	1	-	-	-	-	-	-	-
Droopy	6	6	-	8	18	9	2	2	4	-	-	1	-	1	-	-
Abscess	-	-	-	4	3	1	-	1	1	-	-	-	-	-	1	1
Ucer	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	1	-	-	1	1	2	1	-	2	-	-	-	-	-	-	1
Cancer	11	8	6	15	30	15	8	14	2	2	1	8	6	3	4	-
Gout	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-
Scrofula	5	2	1	5	15	9	3	3	1	-	1	2	3	1	1	-
Tabes Mesenterica	4	-	1	6	17	22	9	5	2	2	1	1	-	-	3	-
Phthisis	10	23	20	122	157	149	18	40	29	8	4	25	8	21	14	15
Hydrocephalus	12	8	6	20	48	21	7	8	2	3	-	6	1	2	5	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—FEMALES. (Continued.)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Hess and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
IV. Cephalitis	77	1	-	-	-	-	1	1	3	-	1	1	7	2	5
Apoplexy	190	1	-	8	1	1	5	5	14	1	3	7	17	6	6
Paralysis	294	1	1	10	1	1	4	10	7	3	15	16	29	7	26
Delirium Tremens	6	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	43	-	1	1	-	-	4	1	1	-	-	-	1	3	1
Tetanus	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Insanity	8	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Convulsions	104	-	-	2	1	3	3	5	1	1	1	4	2	-	5
Brain Disease	118	-	-	2	1	-	3	-	8	1	1	3	7	2	8
V. Pericarditis	10	-	-	-	-	1	1	-	-	-	-	-	-	-	1
Aneurism	6	-	-	-	-	-	-	-	-	-	-	2	1	-	-
Heart Disease	447	1	1	7	1	4	11	12	15	3	22	13	42	5	24
VI. Laryngitis	14	1	-	1	-	-	1	-	1	-	-	-	-	-	1
Bronchitis	822	3	4	27	8	3	15	30	25	4	18	29	50	26	59
Pleurisy	19	-	-	-	-	-	1	-	-	1	2	-	-	-	4
Pneumonia	261	-	-	10	-	1	5	5	7	3	8	8	16	9	12
Asthma	39	-	-	1	3	-	-	1	-	-	7	1	3	1	-
Lung Disease	30	-	1	-	-	-	-	-	-	-	3	2	2	-	8
VII. Teething	78	1	-	-	-	1	2	1	4	-	9	2	9	3	4
Quinsey	12	-	-	1	-	-	-	1	1	-	2	-	-	-	-
Gastritis	26	-	1	-	-	-	-	-	-	-	-	-	8	-	3
Enteritis	120	-	-	2	-	2	1	-	3	1	5	6	6	-	11
Peritonitis	56	-	-	-	-	-	-	-	4	-	5	3	9	-	-
Ascites	18	1	-	-	-	-	-	1	-	-	-	-	1	-	2
Ulcer. of Intestines	30	-	-	-	1	-	1	1	-	-	1	2	1	1	1
Hernia	10	-	-	-	-	-	-	-	1	-	-	1	3	-	1
Ileus	12	-	-	-	-	-	-	-	2	-	1	-	1	-	-
Intussusception	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Stricture of Intestines	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Stomach Disease	98	-	1	-	-	-	3	3	4	2	4	3	4	1	7
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	23	-	-	-	-	-	-	-	-	-	2	1	3	-	3
Jaundice	24	-	-	-	-	-	-	-	2	1	-	-	3	3	-
Liver Disease	89	-	-	1	3	1	3	2	1	2	4	5	-	1	6
Spleen Disease	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1
VIII. Nephritis	8	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Nephria	59	-	-	1	-	1	-	4	-	-	-	8	5	-	1
Addison's Disease	5	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Ischuria	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes	13	-	-	-	-	-	1	-	1	-	1	-	2	-	1
Stone	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	32	-	-	2	2	-	3	1	4	1	-	-	1	1	3
IX. Paramenia	6	-	-	-	-	-	1	-	-	-	-	-	-	1	1
Ovarian Dropsy	19	1	-	-	-	1	-	-	1	-	-	-	2	-	1
Childbirth	70	-	-	2	2	-	-	-	1	1	4	-	2	1	2
Organs of Generation	28	-	-	-	1	-	-	1	-	-	2	2	2	-	3
X. Bone Disease	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism	23	1	1	-	-	-	1	-	-	-	-	-	-	-	2
Joint Disease	16	-	1	-	-	-	1	-	1	-	-	1	2	-	1
XI. Carbuncle	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	7	-	-	-	-	-	-	-	1	1	-	-	-	-	2
XVII. Intemperance	12	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Privation	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	17	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Poison	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	35	-	-	1	-	1	1	1	2	-	-	1	2	1	3
Hanging, etc.	4	-	-	-	-	-	-	1	-	-	-	-	1	-	1
Suffocation	22	-	-	1	-	-	-	2	1	1	1	-	2	1	1
Drowning	27	-	-	1	-	1	-	-	1	-	-	-	4	1	4
Fracture & Contusion	33	-	2	1	-	-	-	1	1	-	-	-	2	1	-
Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Not Specified	151	1	-	3	4	-	1	2	7	2	3	9	8	5	14

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1873.—FEMALES. (Continued.)

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	-	2	-	10	8	17	9	2	1	-	-	1	3	1	1	-
Apoplexy	9	4	5	14	24	18	6	8	1	2	-	5	5	4	5	8
Paralysis	14	5	6	18	28	29	7	17	5	8	-	4	11	2	5	9
Delirium Tremens	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	2	3	1	4	6	5	1	2	1	-	-	1	1	1	2	-
Tetanus	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Insanity	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-
Convulsions	4	5	1	12	12	25	5	1	5	1	1	1	1	-	-	2
Brain Disease	2	2	1	11	21	17	4	8	2	-	-	4	-	-	4	6
Pericarditis	-	-	-	1	-	4	1	-	-	-	-	-	-	-	1	-
Aneurism	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Heart Disease	22	8	7	28	71	42	16	21	16	7	5	14	8	8	12	5
Laryngitis	-	-	-	2	8	2	-	2	-	-	-	-	-	-	-	-
Bronchitis	31	21	9	80	108	105	45	41	15	6	3	22	11	6	8	15
Pleurisy	-	-	-	2	2	1	2	1	1	-	-	-	1	1	-	-
Pneumonia	6	4	4	33	37	44	5	6	5	5	1	8	5	4	10	5
Asthma	2	-	-	4	7	5	-	2	1	-	-	-	-	1	-	-
Lung Disease	2	1	1	3	2	8	-	1	-	-	-	1	-	-	-	-
Teething	5	1	-	3	11	10	-	6	8	-	2	-	-	-	1	-
Quinsey	-	-	-	1	8	2	-	-	-	-	-	-	-	1	-	-
Gastritis	1	-	-	3	4	8	-	2	2	-	1	-	3	-	-	-
Enteritis	8	-	1	12	15	27	8	4	2	-	-	-	4	-	1	1
Peritonitis	-	2	-	6	7	8	2	4	-	-	-	3	-	-	2	1
Ascites	-	-	-	1	3	7	-	-	-	-	-	1	1	-	-	-
Ulceration of Intestines	4	1	1	2	5	3	1	2	-	-	-	-	2	-	-	-
Hernia	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
Ileus	-	-	-	-	2	3	-	1	1	-	-	-	-	-	-	1
Intussusception	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Stricture of Intestines	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1
Stomach Disease	4	5	-	6	18	15	3	1	2	-	-	6	-	3	2	1
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	-	-	-	1	5	3	1	1	2	-	-	-	-	-	1	-
Jaundice	1	-	1	-	4	3	3	-	1	1	-	-	-	-	1	-
Liver Disease	4	3	2	18	4	8	1	12	1	-	-	-	-	3	1	2
Spleen Disease	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	-
Nephritis	1	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-
Nephria	1	-	1	1	4	1	4	2	2	-	1	4	-	1	2	-
Addison's Disease	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
Ischuria	1	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Diabetes	-	-	-	3	2	1	-	-	-	-	-	-	-	1	-	-
Stone	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Cystitis	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	1	-	-	2	4	4	-	1	-	-	-	-	-	-	1	1
Paramenia	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	1	1	2	2	2	-	-	-	-	-	-	1	2	1	-
Childbirth	3	3	-	2	13	16	6	5	2	-	1	4	-	-	-	-
Organs of Generation	-	-	1	-	7	6	1	1	-	-	-	-	1	-	-	-
Bone Disease	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-
Rheumatism	1	1	-	5	6	2	-	-	-	1	-	-	-	1	-	1
Joint Disease	2	-	1	1	2	2	1	-	-	-	-	-	-	-	-	-
Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
Intemperance	1	1	-	1	6	-	-	-	1	-	-	-	-	-	-	-
Privation	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	1	-	-	2	9	1	2	-	-	-	1	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-
Poison	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	-	-	-	2	7	6	2	8	1	-	-	-	-	1	-	-
Hanging, etc.	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	1	3	8	-	1	2	1	-	-	1	-	-	-	-
Drowning	2	1	-	3	6	1	-	-	-	-	-	-	-	-	-	2
Fracture and Contusion	2	1	-	4	4	2	-	4	-	-	-	1	3	1	-	2
Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Violent Causes	-	-	-	-	1	4	-	2	-	-	-	-	-	-	-	-
Not Specified	5	17	-	9	7	28	6	2	5	-	-	1	2	9	-	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1873.—BOTH SEXES.

DISEASES.	Total Mainland Rural.	Caithness.	Sutherland	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Black- mannan.
ALL CAUSES	18098	371 397	904 485	55 425	574 1720	433	534 1443	1340	159	99					
SPECIFIED CAUSES	17520	363 363	836 462	52 408	560 1706	429	524 1396	1300	155	96					
I. Zymotic Class	2685	45 41	61 50	15 52	106 289	69	95 193	201	26	23					
II. Diseases of Uncert. Seat	888	27 19	42 20	1 28	22 90	23	30 70	69	11	4					
III. Tubercular Class	2394	38 44	107 51	— 57	63 220	55	61 141	134	21	10					
IV. Brain and Nervous Syst.	1707	32 25	66 36	7 41	67 160	32	44 159	164	16	7					
V. Organs of Circulation	1299	22 11	41 28	— 33	36 146	46	48 110	95	6	3					
VI. Respiratory Organs	2418	46 35	98 51	6 41	80 191	57	65 207	204	23	25					
VII. Organs of Digestion	1320	15 19	50 37	2 37	48 125	24	43 111	90	13	4					
VIII. Urinary Organs	414	13 12	17 9	1 12	21 64	10	13 34	26	10	—					
IX. Organs of Generation	142	5 4	3 4	1 1	5 14	2	3 6	13	3	1					
X. Organs of Locomotion	135	7 5	6 6	— 2	1 8	2	3 9	11	1	—					
XI. Skin, etc.	26	—	—	—	1	—	1	4	3	—					
XII. Malformation	66	—	1 1	— 3	1 19	7	1 6	2	—	1					
XIII. Premature Debility	757	12 16	18 5	6 12	22 109	14	19 52	49	3	4					
XIV. Atrophy	108	— 1	7 1	1 2	1 8	1	5 8	6	1	1					
XV. Age	2479	87 117	290 138	11 76	67 204	73	70 239	165	17	10					
XVI. Sudden Deaths	28	— 1	1 1	— 1	1 2	1	— 3	3	—	—					
XVII. Violent Deaths	704	14 13	28 24	1 9	19 60	12	23 44	65	4	3					
I. Small Pox	129	— 2	—	—	—	—	—	—	—	—					
Measles	102	— 1	1 1	— 9	4 3	—	—	—	—	—					
Scarlatina	329	10 11	2 10	3 12	15 43	10	6 43	12	—	—					
Diphtheria	323	2	4 3	5 8	21 50	9	16 35	23	2	1					
Hooping Cough	291	2 10	16 2	— 8	7 27	4	3 8	23	2	1					
Croup	216	3 2	5 7	5	8 22	4	13 11	20	1	5					
Thrush	12	—	—	—	1 2	—	—	—	—	—					
Diarrhoea	849	5 4	3 6	— 6	16 44	10	16 26	28	7	7					
Dysentery	75	2 1	— 2	— 1	2 10	—	2 5	6	2	1					
Cholera	18	— 1	—	—	—	—	—	—	—	—					
Influenza	40	1	— 2	3	2 3	2	1 8	4	—	—					
Purpura	20	—	—	—	—	—	—	—	—	—					
Ague	3	—	—	—	—	—	—	—	—	—					
Worms	5	—	—	—	—	—	—	—	—	—					
Typhus	115	1	— 4	5	—	—	—	—	—	—					
Enteric Fever	374	7 5	18 4	— 6	14 38	11	15 15	25	6	—					
Relapsing Fever	3	—	—	—	—	—	—	—	—	—					
Simple Continued Fever	41	8	—	—	—	—	—	—	—	—					
Infantile Remittent	29	1	— 1	—	—	—	—	—	—	—					
Metria	51	2 2	— 2	—	—	—	—	—	—	—					
Rheumatic Fever	40	3 2	2 1	—	—	—	—	—	—	—					
Erysipelas	79	1	— 2	4	1 3	3	9 2	3	11	4					
Pyæmia	19	—	— 1	—	—	—	—	—	—	—					
Syphilis	18	2	—	—	—	—	—	—	—	—					
Noma	4	—	—	—	—	—	—	—	—	—					
Hydrophobia	—	—	—	—	—	—	—	—	—	—					
II. Hemorrhage	49	2	— 2	—	—	—	—	—	—	—					
Dropsy	179	2 8	11 11	—	6 2	8	4 3	13	24	5					
Abscess	41	— 1	1 1	—	2 2	5	— 1	5	2	1					
Ulcer	18	4	— 1	—	—	—	—	—	—	—					
Fistula	3	—	—	—	—	—	—	—	—	—					
Mortification	58	1 1	8 3	1 1	—	—	—	—	—	—					
Cancer	487	18 13	24 5	—	19 17	60	17 23	37	34	5					
Gout	3	— 1	—	—	—	—	—	—	—	—					
III. Scrofula	103	4 1	4 6	—	1 5	20	3 2	6	10	1					
Tabes Mesenterica	183	— 3	3 1	—	2 4	5	3 5	8	6	—					
Phthisis	1745	33 37	95 41	—	47 44	169	43 50	116	98	15					
Hydrocephalus	303	1 3	5 3	—	7 10	26	6 4	16	20	5					

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1873.—BOTH SEXES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . . .	639	357	744	549	1184	1896	260	850	841	483	182	89	398	938	418	491
SPECIFIED CAUSES . . .	615	349	716	538	1102	1829	243	829	334	480	125	89	380	910	401	485
Zymotic Class . . .	189	64	78	79	224	290	45	97	62	72	11	6	71	108	83	45
Uncertain Seat . . .	17	19	30	16	48	49	9	39	16	20	2	-	19	48	24	81
Tubercular Class . . .	98	52	189	106	179	191	45	111	37	59	25	2	48	155	73	77
Brain, etc.	47	38	81	40	82	106	22	83	47	54	16	4	49	106	33	48
Heart, etc.	40	23	36	39	75	68	13	89	32	54	9	4	50	77	28	87
Respiratory Organs . . .	80	37	84	81	154	224	27	142	42	58	23	6	48	183	60	90
Digestive Organs . . .	45	24	56	41	86	111	12	69	21	42	12	6	17	67	45	48
Urinary Organs . . .	12	7	14	7	22	15	10	23	4	13	4	2	6	20	6	7
Generative Organs . . .	6	1	2	1	8	11	3	12	3	7	2	-	4	6	6	5
Locomotive Organs . . .	6	5	6	1	14	9	1	5	3	2	1	-	2	11	4	4
Skin	2	-	-	1	-	-	-	1	-	2	-	-	1	1	1	1
Malformation	2	8	-	2	8	2	-	-	-	2	2	1	3	4	3	1
Premature Debility . . .	48	15	17	26	68	82	17	81	15	24	2	5	17	82	12	15
Atrophy	5	1	8	10	12	10	1	10	1	2	-	-	1	2	2	-
Age	53	28	139	62	89	90	24	78	35	52	7	2	31	114	58	58
Sudden Deaths	1	-	-	-	2	4	2	1	3	-	-	-	1	-	-	-
Violent Deaths	24	37	31	21	41	67	12	38	13	17	9	1	12	26	18	18
Small Pox	28	8	5	2	12	31	2	2	-	-	2	-	-	4	1	-
Measles	1	2	4	8	26	19	-	9	-	2	-	-	-	1	2	2
Scarlatina	6	1	7	17	18	44	3	9	12	15	-	-	12	6	-	2
Diphtheria	19	3	16	8	21	30	6	12	5	6	2	-	7	10	2	2
Hooping Cough	13	15	7	10	26	21	1	11	14	10	2	3	18	19	5	3
Croup	17	2	6	6	19	22	5	5	2	1	-	-	6	11	2	6
Thrush	1	-	-	1	1	1	-	-	-	-	-	-	2	1	-	-
Diarrhoea	12	14	5	13	29	33	11	8	8	10	-	-	4	10	4	10
Dysentery	2	-	8	1	5	7	2	3	4	-	-	-	2	5	4	8
Cholera	1	-	1	-	3	2	1	1	2	-	-	-	8	-	-	-
Influenza	4	-	1	-	4	1	1	1	-	1	-	-	-	2	1	1
Purpura	-	1	-	1	1	1	1	1	-	1	-	-	2	1	-	1
Ague	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
Worms	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	1
Typhus	6	4	5	1	4	14	-	1	-	4	-	-	2	4	-	2
Enteric Fever	17	9	10	6	27	39	5	15	11	17	8	2	11	26	6	6
Relapsing Fever	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever . .	2	-	-	1	4	7	2	2	-	-	1	-	-	2	1	1
Infantile Remittent . . .	2	-	-	1	5	3	1	-	1	-	-	1	-	-	2	2
Metria	4	2	-	2	5	4	1	2	2	-	-	-	-	1	-	1
Rheumatic Fever	-	2	1	1	4	3	-	1	-	1	1	-	-	1	1	1
Erysipelas	1	-	-	2	6	2	1	9	1	4	-	-	2	4	2	-
Pyæmia	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-	1
Syphilis	2	-	1	1	1	1	2	2	-	-	-	-	-	-	-	-
Noma	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	2	1	1	1	4	2	1	-	-	2	-	-	-	1	3	4
Dropsy	3	7	7	2	7	22	-	4	6	1	1	-	8	6	8	6
Abscess	1	3	-	2	3	1	-	-	1	1	1	-	-	3	1	3
Ulcer	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	2
Fistula	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Mortification	1	-	4	1	5	3	3	5	1	2	-	-	2	4	1	1
Cancer	10	8	18	10	23	19	5	28	8	14	-	-	14	33	11	14
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Scrofula	7	8	14	6	7	9	7	10	3	1	2	1	3	14	1	11
Tæbe Mesenterica	8	7	4	9	30	30	3	19	3	6	4	-	3	16	5	1
Phthisis	63	34	108	70	113	126	25	72	25	43	14	1	34	104	58	59
Hydrocephalus	15	8	13	21	29	26	10	10	6	9	5	-	8	21	9	6

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1873.—BOTH SEXES. (Continued.)

DISEASES.	Total Mainland- Rural.	Caitness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Porth.	Fife.	Kinross.	Black- nunan.
IV. Cephalitis	175	-	2	10	5	-	8	7	14	3	2	9	24	2	-
Apoplexy	890	6	3	7	2	-	10	18	38	4	13	40	44	6	-
Paralysis	626	17	9	84	21	6	14	22	50	9	17	74	59	4	1
Delirium Tremens . . .	10	-	-	-	-	-	-	-	1	-	-	2	2	-	-
Chorea	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Epilepsy	58	3	8	3	2	-	-	1	5	2	-	3	3	1	1
Tetanus	15	-	-	1	1	-	-	-	-	1	-	1	-	-	-
Insanity	17	-	2	1	-	-	-	-	2	-	1	1	3	1	1
Convulsions	165	4	4	4	2	1	3	10	18	6	4	10	8	1	2
Brain Disease	248	2	2	6	3	-	6	8	86	8	6	20	19	1	3
V. Pericarditis	33	-	-	3	2	-	2	1	3	2	-	3	1	-	1
Aneurism	21	-	-	-	-	-	-	1	4	-	-	2	-	-	-
Heart Disease	1245	22	11	88	26	-	31	34	139	44	48	105	94	6	2
VI. Laryngitis	37	-	1	3	-	-	-	1	2	1	-	3	4	1	-
Bronchitis	1472	26	17	47	36	2	27	50	126	38	41	118	129	9	21
Pleurisy	74	1	-	3	3	1	1	4	5	1	1	4	9	2	-
Pneumonia	632	7	8	16	7	2	7	19	58	14	20	69	51	11	3
Asthma	146	10	8	29	3	1	4	4	2	2	1	7	5	-	1
Lung Disease	57	2	1	-	2	-	2	2	3	1	2	6	6	-	-
VII. Teething	113	-	1	4	1	-	6	4	12	1	5	9	10	-	1
Quinsey	20	1	-	1	1	-	1	-	1	-	-	-	3	-	-
Gastritis	55	-	-	2	-	-	2	-	4	2	-	6	5	-	-
Enteritis	209	4	2	11	3	-	2	3	15	3	3	8	9	17	2
Peritonitis	113	2	1	1	5	-	2	1	12	5	4	8	-	1	1
Ascites	19	-	1	1	2	-	2	3	-	1	3	-	-	-	-
Ulceration of Intestines	71	-	1	1	1	-	2	5	13	2	3	6	4	-	-
Hernia	30	1	-	3	-	-	3	4	-	2	2	3	1	-	-
Ileus	97	-	-	8	6	-	3	3	12	1	4	14	6	2	1
Intussusception . . .	13	-	-	1	-	-	1	1	-	-	-	2	-	-	-
Stricture of Intestines	9	-	-	-	-	-	2	-	-	1	-	-	-	-	-
Stomach Disease . . .	227	2	5	7	8	1	7	9	20	5	10	24	22	8	-
Pancreas Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	52	2	1	2	3	-	-	1	3	-	-	3	4	1	-
Jaundice	64	-	2	2	2	-	1	3	5	3	5	3	5	1	1
Liver Disease	217	3	5	6	5	1	10	11	21	2	5	21	10	2	-
Spleen Disease	11	-	-	-	-	-	-	-	-	-	-	1	1	-	-
VIII. Nephritis	33	-	2	2	1	-	-	1	6	1	-	3	3	-	-
Nephria	106	6	2	4	2	-	1	8	14	2	4	11	8	1	-
Addison's Disease . .	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Ischuria	28	1	2	2	1	-	-	-	4	1	-	4	1	2	-
Diabetes	35	1	-	1	2	-	3	2	5	1	1	-	3	1	-
Stone	29	4	1	3	1	-	-	-	6	-	1	2	2	-	-
Cystitis	54	1	-	-	1	-	-	5	10	2	1	2	3	2	-
Stricture of Urethra .	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Kidney Disease	125	-	5	5	1	1	7	5	19	3	6	12	4	4	-
IX. Paramenia	12	1	1	-	-	-	-	1	1	-	-	-	2	-	-
Ovarian Dropsy	20	2	1	-	-	-	-	3	2	-	1	-	2	1	-
Childbirth	76	1	2	3	4	1	-	1	6	1	1	4	9	1	1
Organs of Generation .	34	1	-	-	-	-	1	-	5	1	1	2	-	1	-
X. Bone Disease	18	-	-	-	2	-	-	-	3	1	-	3	3	-	-
Rheumatism	62	5	3	5	3	-	1	1	1	-	1	3	4	1	-
Joint Disease	55	2	2	1	1	-	1	-	4	1	2	3	4	-	-
XI. Carbuncle	7	-	-	-	-	-	1	-	3	-	-	-	1	-	-
Phlegmon	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	18	-	-	-	-	-	-	-	3	1	1	4	2	-	-
XVII. Intemperance . .	21	-	-	2	-	-	-	-	2	-	1	-	5	-	-
Privation	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Want of Breast Milk . .	12	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	23	-	2	5	2	-	-	1	-	1	1	1	-	-	-
Poison	8	-	1	1	-	-	-	-	1	-	-	-	-	-	-
Poisoned Wounds . . .	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Burns and Scalds . . .	57	2	-	2	2	-	-	1	4	-	2	4	4	-	-
Hanging, etc.	12	-	-	-	-	-	-	-	2	-	-	-	3	1	-
Suffocation	59	1	1	1	2	-	3	7	10	4	1	-	8	-	2
Drowning	211	7	3	8	9	-	3	2	19	4	12	13	14	-	1
Fracture and Contusion	253	3	6	6	1	3	6	11	3	4	21	31	3	-	-
Gunshot Wounds . . .	10	-	-	2	-	-	1	1	-	-	-	2	1	-	-
Cuts and Stabs	9	-	-	1	2	-	-	-	-	-	-	3	1	-	-
Other Violent Causes . .	26	-	-	-	1	-	-	-	8	-	1	-	3	-	-
Not Specified	578	8	34	68	23	3	17	14	14	4	10	47	40	4	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1873.—BOTH SEXES. (Continued.)

DISEASES.	Stirling.	Dumbar-ton	Argyll.	Na-har-row.	Ayr.	Lanark.	Lin-lith-gow.	Edin-burgh.	Hadding-ton	Berwick.	Peebles.	Sal-kirk.	Rox-burgh.	Dumfries.	Kirk-cud-bright.	Wigtown.
Cephalitis	6	3	4	8	20	15	1	5	3	3	2	2	6	8	2	1
Apoplexy	6	11	11	9	23	26	6	26	12	18	1	7	28	3	14	14
Paralysis	17	6	29	11	18	35	6	82	24	21	5	1	14	40	18	12
Delirium Tremens	-	-	2	-	-	1	-	1	-	-	1	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Epilepsy	3	2	5	8	2	-	-	2	1	-	2	-	1	3	2	3
Tetanus	1	-	-	-	2	1	1	-	1	-	-	-	-	1	2	1
Insanity	-	-	2	-	-	2	-	-	-	-	-	-	1	-	-	1
Convulsions	9	7	12	2	6	18	6	4	1	5	2	1	5	11	-	4
Brain Disease	5	4	16	7	11	11	2	13	5	7	3	-	15	15	3	11
Pericarditis	3	-	2	-	1	2	-	2	1	-	1	-	1	1	-	1
Aneurism	-	1	-	2	2	2	-	1	3	-	-	-	1	1	1	-
Heart Disease	37	22	34	37	72	64	12	84	31	54	8	4	48	75	27	36
Laryngitis	-	2	1	8	5	4	-	3	-	1	-	-	1	1	-	-
Bronchitis	51	25	56	46	86	142	19	97	25	30	13	3	34	77	32	49
Pleurisy	1	2	4	2	4	7	1	3	1	1	3	1	1	4	2	2
Pneumonia	20	6	17	28	46	40	6	30	15	21	8	2	12	48	21	30
Asthma	8	2	6	-	7	19	1	4	1	3	3	-	-	8	5	5
Lung Disease	-	-	-	2	6	12	-	5	-	-	1	-	-	-	-	4
Teething	4	4	8	7	8	5	1	3	1	1	2	-	2	6	8	4
Quinsey	1	1	1	-	1	2	-	1	1	-	-	-	2	1	1	1
Gastritis	3	4	2	1	4	6	-	9	1	1	-	-	-	1	1	1
Enteritis	11	-	4	7	16	36	5	15	2	6	3	-	1	13	6	10
Peritonitis	2	2	6	4	8	8	-	6	5	5	-	1	3	11	5	4
Ascites	1	-	1	1	-	-	-	2	-	1	-	-	-	-	-	-
Ulceration of Intestines	-	2	3	1	3	6	2	1	-	2	-	-	1	5	5	2
Hernia	-	-	3	-	1	-	-	1	-	3	-	1	1	-	-	1
Illeus	2	5	4	3	2	2	2	4	1	2	2	1	1	3	2	1
Intussusception	-	-	-	-	2	1	-	1	-	-	-	1	-	1	1	1
Stricture of Intestines	-	-	1	-	-	1	-	1	-	-	-	-	-	3	-	-
Stomach Disease	5	4	8	4	18	13	-	6	4	5	8	1	2	10	10	11
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	3	1	3	3	5	4	-	3	-	2	-	-	-	2	2	4
Jaundice	3	-	1	1	4	7	2	2	1	3	-	-	2	1	2	2
Liver Disease	10	1	11	9	13	18	-	14	5	11	2	-	1	9	5	6
Spleen Disease	-	-	-	-	1	2	-	1	-	-	-	1	1	1	2	-
Nephritis	2	-	2	1	2	1	-	1	-	2	-	-	-	8	-	-
Nephria	2	-	1	2	3	2	3	8	1	3	1	1	3	11	-	2
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Ischuria	-	-	-	1	5	2	-	1	-	-	-	-	-	-	1	-
Diabetes	3	1	1	-	1	1	-	4	1	-	1	-	-	1	-	1
Stone	-	1	2	-	2	-	-	-	-	1	-	1	-	-	-	2
Cystitis	1	-	1	-	3	3	4	3	1	4	1	-	3	-	2	1
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	4	5	7	3	6	6	3	6	1	3	1	-	-	5	2	1
Paramenia	-	-	-	-	1	-	-	1	-	1	1	-	-	1	1	-
Ovarian Dropsy	1	-	-	-	2	-	-	2	-	-	-	-	1	-	2	-
Childbirth	3	1	1	-	1	9	1	6	2	6	1	-	8	4	1	2
Organs of Generation	2	-	1	1	4	2	2	3	1	-	-	-	-	1	2	3
Bone Disease	2	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-
Rheumatism	2	2	3	-	7	6	-	3	2	2	1	-	1	8	1	1
Joint Disease	2	3	3	1	6	3	-	1	1	-	-	-	1	7	3	3
Carbuncle	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Skin Disease	1	-	-	1	-	-	-	1	-	2	-	-	1	1	-	-
Intemperance	1	-	1	1	-	4	-	-	-	1	-	-	1	1	-	1
Privation	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Want of Breast Milk	-	1	-	-	3	1	1	2	-	-	1	-	-	-	-	1
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	1	1	1	-	1	1	-	3	-	-	-	-	1	-	-	1
Poison	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	1	3	3	3	6	6	-	3	1	1	1	-	2	3	1	2
Hanging, etc.	-	1	1	-	1	2	-	-	-	-	-	-	-	-	1	-
Suffocation	2	-	1	3	2	6	-	2	1	2	-	1	-	2	-	2
Drowning	9	22	21	2	6	5	3	9	6	7	3	-	1	8	9	5
Fracture and Contusion	3	8	3	9	19	38	7	14	4	4	4	-	7	11	7	6
Gunshot Wounds	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Cuts and Stabs	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Violent Causes	1	-	-	2	3	3	-	3	-	1	-	-	-	-	-	-
Not Specified	24	8	28	16	52	67	17	21	7	3	7	-	13	28	12	6

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1873.—MALES.

DISEASES.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clack- mannan.
ALL CAUSES	9155	188	186	449	251	25	211	312	866	213	277	725	654	65	54
SPECIFIED CAUSES	8860	180	170	414	244	24	204	302	855	212	273	698	637	63	53
I. Zymotic Class	1843	21	17	30	27	11	27	54	152	38	57	94	98	9	14
II. Uncertain Seat	354	10	8	20	8	-	12	8	36	12	11	26	32	3	2
III. Tubercular Class	1192	17	23	63	26	-	28	43	109	28	24	66	57	9	6
IV. Brain, etc.	878	17	11	33	20	2	22	40	68	20	26	78	86	8	4
V. Heart, etc.	680	11	10	23	17	-	21	16	68	21	22	63	49	4	1
VI. Respiratory Organs	1261	22	15	37	24	4	16	43	91	28	37	118	102	9	12
VII. Digestive Organs	707	11	9	33	22	1	24	25	68	12	24	58	46	8	2
VIII. Urinary Organs	307	12	10	14	8	-	7	18	52	8	11	23	20	4	-
IX. Generative Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. Locomotive Organs	72	6	3	4	3	-	2	-	6	2	2	6	8	-	-
XI. Skin, etc.	17	-	-	-	-	-	-	-	4	1	1	3	3	-	-
XII. Malformation	85	-	-	1	1	-	2	-	7	4	-	1	2	-	-
XIII. Premature Debility	406	7	8	7	4	3	10	14	56	6	10	28	19	2	3
XIV. Atrophy	47	-	-	3	-	-	1	1	4	1	3	-	4	-	1
XV. Age	1009	34	46	124	66	2	26	23	93	25	31	95	54	3	6
XVI. Sudden Deaths	16	-	1	-	-	-	1	1	1	1	-	2	2	-	-
XVII. Violent Deaths	536	12	9	22	18	1	5	16	40	10	14	37	55	4	2
I. Small Pox	70	-	1	-	-	-	-	1	1	1	1	2	9	-	-
Measles	46	-	-	1	-	-	4	2	1	-	3	2	1	-	-
Scarlatina	168	4	6	1	7	1	6	8	27	6	4	27	5	-	1
Diphtheria	173	1	-	4	1	4	2	7	26	4	9	16	10	2	1
Hooping Cough	141	1	8	9	1	-	5	5	14	1	1	2	12	-	1
Croup	125	2	-	1	6	4	-	6	11	2	7	7	12	1	3
Thrush	5	-	-	-	-	-	-	-	1	1	-	1	-	-	-
Diarrhoea	175	3	2	2	3	-	3	9	24	4	13	10	15	3	3
Dysentery	43	-	1	-	2	-	-	-	6	-	2	1	5	1	1
Cholera	13	-	1	-	-	-	-	-	1	-	1	-	1	-	-
Influenza	18	1	-	-	1	-	1	1	2	-	1	1	-	-	-
Purpura	10	-	-	-	-	-	-	-	1	-	-	1	1	1	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	56	1	-	2	3	-	-	1	2	4	2	7	6	-	5
Enteric Fever	183	3	2	7	1	-	2	7	24	6	9	8	13	-	-
Relapsing Fever	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Simple Continued Fever	16	1	-	-	-	-	1	-	-	1	-	3	3	-	-
Infantile Remittent	13	-	-	1	-	-	1	-	3	-	-	1	-	-	-
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	19	3	1	-	1	-	-	2	2	1	1	1	1	-	-
Erysipelas	44	-	-	1	1	1	2	3	4	1	2	4	2	-	-
Pyæmia	9	-	-	-	-	1	-	1	1	1	1	-	1	-	-
Syphilis	12	1	-	1	-	-	-	-	1	-	-	-	-	1	-
Noma	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	26	1	-	1	-	-	-	-	3	2	2	4	2	-	-
Dropsy	89	1	2	4	4	-	1	2	5	8	-	5	17	2	2
Abscess	26	-	1	1	-	-	1	-	5	-	-	5	-	-	-
Ulcer	6	1	-	-	-	-	-	-	3	-	-	1	-	-	-
Fistula	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	28	-	-	2	1	-	1	-	3	-	-	-	2	-	-
Cancer	177	7	5	12	3	-	9	6	16	7	9	11	11	1	-
Gout	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
III. Scrofula	89	1	-	4	5	-	-	3	8	2	2	3	5	-	-
Tabes Mesenterica	106	-	1	1	-	-	2	3	3	2	2	2	5	-	-
Phthisis	842	16	21	55	19	-	21	29	84	20	18	55	39	6	6
Hydrocephalus	155	-	1	8	2	-	5	8	14	4	2	6	8	3	-

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1873.—MALES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Leamark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . . .	342	203	370	289	611	731	140	401	171	242	69	19	189	464	197	246
SPECIFIED CAUSES . . .	383	196	356	279	596	691	130	392	166	240	66	19	183	449	192	243
Zymotic Class . . .	72	32	87	43	114	140	20	50	29	37	5	2	38	51	13	16
Uncertain Seat . . .	5	9	16	7	22	22	-	8	9	11	1	-	11	20	10	15
Tubercular Class . . .	43	26	66	50	98	102	21	55	16	32	15	-	18	75	36	40
Brain, etc. . . .	28	18	42	23	44	53	11	37	26	23	10	3	27	54	16	23
Heart, etc. . . .	30	15	19	18	45	31	10	42	16	24	6	3	26	36	13	20
Respiratory Organs . . .	45	22	44	43	87	130	15	32	24	29	10	3	21	72	29	47
Digestive Organs . . .	23	12	26	22	44	53	10	34	10	25	5	4	11	38	21	26
Urinary Organs . . .	7	5	11	6	17	13	6	10	3	9	2	1	3	15	5	7
Generative Organs . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotive Organs . . .	3	3	2	1	3	3	-	1	2	-	1	-	-	3	1	2
Skin	1	-	-	1	-	-	-	-	-	1	-	-	-	1	1	-
Malformation . . .	1	2	-	1	5	1	-	-	-	1	1	-	1	1	2	1
Premature Debility . . .	25	8	7	15	35	43	12	18	3	13	1	2	11	15	7	9
Atrophy	3	-	4	6	5	4	-	5	1	-	-	-	-	-	1	-
Age	26	9	56	26	38	42	14	25	13	22	3	-	6	50	25	26
Sudden Deaths . . .	1	-	-	-	1	3	1	-	-	-	-	-	1	-	-	-
Violent Deaths . . .	20	35	26	17	33	46	10	25	9	13	6	1	9	18	12	11
Small Pox	14	4	3	2	8	16	1	1	-	-	1	-	-	4	-	-
Measles	-	2	3	-	11	8	-	6	-	1	-	-	-	-	1	-
Scarlatina	2	1	3	10	6	15	1	2	6	9	-	-	3	2	-	1
Diphtheria	10	2	3	5	15	16	2	3	3	4	-	-	3	3	1	1
Hooping Cough . . .	8	9	2	6	12	13	1	6	6	2	1	1	3	3	2	1
Croup	8	1	6	4	13	9	1	1	2	1	-	-	5	7	-	5
Thrush	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea	7	5	2	3	11	13	3	6	3	3	-	-	2	6	4	3
Dysentery	1	-	1	-	4	6	1	2	3	-	-	-	1	1	2	2
Cholera	-	-	1	-	1	2	1	1	1	-	-	-	2	-	-	-
Influenza	4	-	1	-	1	1	1	-	1	-	-	-	-	1	-	-
Purpura	-	-	-	1	-	1	-	1	-	1	-	-	2	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	3	2	1	1	3	6	-	-	-	1	-	-	1	4	-	1
Enteric Fever	9	5	5	4	13	20	4	6	3	10	1	1	6	6	1	2
Relapsing Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Cont. Fever . .	-	-	-	-	2	2	-	-	-	-	1	-	-	1	1	-
Infantile Remittent . .	1	-	-	-	2	1	1	-	1	-	-	-	-	-	1	-
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever . . .	-	1	-	-	1	2	-	1	-	-	1	-	-	-	-	-
Erysipelas	1	-	-	1	4	1	1	7	1	4	-	-	-	3	-	-
Pyæmia	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Syphilis	2	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-
Noma	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	-	-	1	1	2	1	-	1	-	2	-	-	-	-	-	-
Dropsy	2	3	3	1	1	14	-	1	3	-	1	-	-	3	6	2
Abscess	-	3	-	1	3	-	-	-	-	1	-	-	-	2	-	3
Ulcer	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Mortification	-	-	3	-	3	2	-	2	1	2	-	-	-	3	-	-
Cancer	3	3	9	4	12	4	-	4	5	6	-	-	3	12	4	6
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula	4	2	9	2	5	9	2	5	2	1	2	-	1	6	1	1
Tuberc Mesenterica . .	4	4	-	6	19	17	1	11	2	4	3	-	1	9	3	1
Phthisis	31	14	48	31	59	64	12	33	10	23	7	-	14	49	26	32
Hydrocephalus	4	6	9	11	15	12	6	6	2	4	3	-	2	11	6	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the Year 1873.—MALES. (Continued.)

DISEASES.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clack- mannagh.
IV. Cephalitis	101	-	2	7	4	-	5	7	4	2	1	4	13	2	-
Apoplexy	203	8	1	3	1	-	6	10	19	2	6	21	23	4	-
Paralysis	294	8	4	16	9	2	5	11	13	6	11	36	30	-	-
Delirium Tremens . . .	9	-	-	-	-	-	-	-	-	-	-	2	2	-	-
Chorea	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Epilepsy	28	2	1	2	1	-	-	1	2	2	-	1	2	1	-
Tetanus	10	-	-	-	1	-	-	-	-	-	1	-	1	-	-
Insanity	6	-	1	1	-	-	-	-	-	1	-	1	1	1	-
Convulsions	82	2	2	1	2	-	2	6	7	4	1	5	4	-	2
Brain Disease	144	2	-	3	2	-	4	5	23	4	5	9	9	-	2
V. Pericarditis	19	-	-	2	1	-	-	-	1	-	-	2	1	-	1
Aneurism	16	-	-	-	-	-	-	1	3	-	-	1	-	-	-
Heart Disease	645	11	10	21	16	-	21	15	64	21	22	60	48	4	-
VI. Laryngitis	19	-	1	1	-	-	-	1	2	-	-	3	2	1	-
Bronchitis	716	12	8	18	16	1	9	24	43	16	23	63	63	3	11
Pleurisy	88	1	-	1	3	1	1	1	3	1	1	1	3	-	-
Pneumonia	392	4	4	8	4	1	3	15	35	9	11	45	27	5	1
Asthma	68	4	2	9	1	1	2	1	1	1	-	5	4	-	-
Lung Disease	28	1	-	-	-	-	1	1	2	1	2	1	3	-	-
VII. Teething	64	-	-	4	-	-	4	3	6	-	5	4	9	-	-
Quincy	10	1	-	-	-	-	1	-	-	-	-	1	1	-	-
Gastritis	32	-	-	2	-	-	-	3	1	-	-	4	1	-	-
Enteritis	122	4	-	8	2	-	2	2	8	3	-	5	8	2	-
Peritonitis	51	1	1	1	1	-	1	-	6	2	2	6	-	1	-
Ascites	4	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Ulceration of Intestines	40	-	1	1	-	-	1	-	9	1	-	4	2	-	-
Hernia	19	-	-	2	-	-	3	3	-	1	-	1	1	1	-
Ileus	55	-	-	4	5	-	2	3	8	-	2	7	1	1	1
Intussusception . . .	5	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Stricture of Intestines	6	-	-	-	-	-	2	-	-	-	1	-	-	-	-
Stomach Disease . . .	120	1	3	4	5	1	5	4	9	8	8	12	14	2	-
Pancreas Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	26	2	1	2	2	-	-	1	-	-	-	1	1	-	-
Jaundice	35	-	-	2	1	-	-	1	4	1	1	3	3	-	1
Liver Disease	112	2	3	3	5	-	8	4	12	1	4	10	5	1	-
Spleen Disease	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-
VIII. Nephritis	17	-	2	1	1	-	-	-	3	1	-	2	2	-	-
Nephria	67	5	2	3	2	-	1	7	11	-	3	6	5	-	-
Addison's Disease . .	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Ischuria	24	1	2	1	1	-	-	-	4	1	-	3	1	1	-
Diabetes	24	1	-	1	1	-	1	2	4	1	1	-	3	-	-
Stone	23	4	-	3	1	-	-	-	5	-	-	2	2	-	-
Cystitis	47	1	-	-	1	-	-	4	9	2	1	1	1	1	-
Stricture of Urethra .	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Kidney Disease	101	-	4	5	1	-	4	5	16	3	6	9	4	2	-
IX. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. Bone Disease	13	-	-	-	1	-	-	-	2	1	-	3	3	-	-
Rheumatism	29	4	1	3	2	-	1	-	1	-	-	2	2	-	-
Joint Disease	30	2	2	1	-	-	1	-	3	1	2	1	3	-	-
XI. Carbuncle	4	-	-	-	-	-	-	-	2	-	-	-	1	-	-
Phlegmon	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	12	-	-	-	-	-	-	-	2	1	1	3	2	-	-
XVII. Intemperance . .	14	-	-	2	-	-	-	-	2	-	-	-	5	-	-
Privation	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk . .	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	16	-	2	4	2	-	-	1	-	1	1	1	-	-	-
Poison	8	-	1	1	-	-	-	-	1	-	-	-	-	-	-
Poisoned Wounds . . .	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Burns and Scalds . . .	29	1	-	-	1	-	-	1	1	-	-	2	2	-	-
Hanging, etc.	7	-	-	-	-	-	-	1	1	-	-	-	2	1	-
Suffocation	39	1	1	1	1	-	1	6	5	3	1	-	2	-	1
Drowning	170	7	1	6	8	-	2	5	15	3	8	10	12	-	-
Fracture and Contusion	211	2	4	5	4	1	2	5	7	3	2	19	27	3	-
Gunshot Wounds	9	-	-	2	-	-	-	1	1	-	-	2	1	-	-
Cuts and Stabs	8	-	-	1	2	-	-	-	1	-	-	3	1	-	-
Other Violent Causes . .	18	-	-	-	-	-	-	-	6	-	1	-	3	-	-
Not Specified	295	3	16	35	7	1	7	10	11	1	4	27	17	2	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1873.—MALES. (Continued.)

DISEASES.	Stirling.	Dumbar- ton.	Argyll.	Renfrew.	Ayr.	Inanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	5	-	1	6	10	7	1	2	2	-	1	2	6	5	1	1
Apoplexy	3	9	7	3	15	14	4	11	5	8	1	-	3	11	1	5
Paralysis	9	1	15	7	8	19	4	15	13	10	-	-	9	17	4	6
Delirium Tremens	-	-	2	-	-	1	-	1	-	-	1	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	1	-	3	1	-	2	-	1	-	-	1	-	1	1	1	1
Tetanus	-	-	-	-	1	1	1	-	1	-	-	-	1	1	2	-
Insanity	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions	6	4	7	-	8	6	1	2	1	2	2	1	-	7	-	2
Brain Disease	4	4	7	6	7	7	-	5	4	8	2	-	8	12	-	7
Pericarditis	2	-	2	-	-	2	-	-	1	-	1	-	1	1	-	1
Aneurism	-	-	2	-	2	1	1	2	-	-	-	-	1	-	1	-
Heart Disease	28	14	17	16	43	28	9	40	15	24	5	8	24	35	12	19
Laryngitis	-	1	1	2	1	-	-	1	-	1	-	-	-	1	-	-
Bronchitis	33	15	28	22	46	80	9	55	15	12	4	1	14	33	18	21
Pleurisy	-	1	2	1	3	5	-	2	-	1	1	1	1	2	1	-
Pneumonia	9	5	12	17	28	26	6	20	9	13	2	1	6	34	18	19
Asthma	3	-	1	-	5	15	-	2	-	2	2	-	-	2	2	3
Lung Disease	-	-	-	1	4	4	-	2	-	-	1	-	-	-	-	4
Teething	1	3	4	8	5	2	1	1	-	1	1	-	1	2	1	3
Quinsey	1	-	1	-	1	2	-	-	-	-	-	-	1	1	-	-
Gastritis	3	3	2	-	2	2	-	4	1	1	-	-	1	1	1	1
Enteritis	6	-	2	5	9	19	4	10	1	5	1	-	1	6	3	6
Peritonitis	2	-	1	2	6	1	-	2	2	1	-	-	8	7	2	-
Ascites	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Ulceration of Intestines	-	-	2	1	2	5	2	-	-	2	-	-	1	3	1	2
Hernia	-	-	2	-	1	-	-	1	-	2	-	-	1	-	-	1
Ileus	1	3	2	3	1	-	2	2	-	2	-	1	-	2	1	1
Intussusception	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-
Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-
Stomach Disease	3	2	2	2	7	5	-	3	2	2	1	1	1	6	5	7
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	2	-	2	1	2	1	-	3	-	1	-	-	-	-	2	2
Jaundice	2	-	-	1	2	5	1	2	1	1	-	-	1	-	1	1
Liver Disease	2	1	6	4	5	10	-	4	8	6	2	4	1	5	3	2
Spleen Disease	-	-	-	-	1	-	-	1	-	-	-	1	-	1	1	-
Nephritis	-	-	1	1	1	-	-	-	-	-	-	-	-	2	-	-
Nephria	2	-	-	1	1	2	-	3	-	2	-	1	1	7	-	2
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Ischuria	-	-	-	1	5	2	-	1	-	-	-	-	-	-	-	-
Diabetes	2	1	-	-	-	1	-	1	1	-	1	-	-	1	-	1
Stone	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-	2
Cystitis	1	-	1	-	3	3	4	3	1	4	1	-	2	-	2	1
Stricture of Urethra	2	4	7	3	6	5	2	2	1	2	-	-	-	5	2	1
Kidney Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paramania	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bone Disease	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Rheumatism	2	1	1	-	4	2	-	-	1	-	1	-	-	1	-	-
Joint Disease	-	2	1	1	3	1	-	-	1	-	-	-	-	2	1	2
Carbuncle	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Skin Disease	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-
Intemperance	-	-	-	1	-	2	-	-	1	-	-	-	-	1	-	-
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	2	1	-	-	1	-	1	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Poison	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	-	3	1	3	6	1	-	-	-	1	1	-	1	2	1	1
Hanging, etc.	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Suffocation	2	-	1	2	1	2	-	2	1	1	-	1	-	1	-	2
Drowning	7	22	20	2	5	1	8	8	4	6	2	-	1	5	5	4
Fracture and Contusion	8	8	2	6	17	35	7	12	3	3	-	-	6	8	6	4
Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Cuts and Stabs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	1	-	-	2	2	1	-	2	-	-	-	-	-	-	-	-
Not Specified	9	7	14	10	15	40	10	9	5	2	3	-	6	15	5	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1873.—FEMALES.

DISEASES.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clack- mannan.
ALL CAUSES	8948	188	211	455	234	80	214	262	854	220	257	718	686	94	45
SPECIFIED CAUSES	8660	183	193	422	218	28	204	258	851	217	251	698	663	92	43
I. Zymotic Class	1842	24	24	81	23	4	25	52	187	36	38	99	108	17	9
II. Uncertain Seat	484	17	11	22	12	1	16	14	54	11	19	44	37	8	2
III. Tubercular Class	1202	21	21	44	25	—	29	20	111	27	37	75	77	12	4
IV. Brain, etc.	829	15	14	33	16	5	19	27	92	12	18	81	78	8	3
V. Heart, etc.	619	11	1	18	11	—	12	20	78	25	26	47	46	2	2
VI. Respiratory Organs	1157	24	20	61	27	2	25	37	100	29	28	89	102	14	13
VII. Digestive Organs	618	4	10	17	15	1	18	28	57	12	19	53	44	5	2
VIII. Locomotive Organs	107	1	2	3	1	1	5	3	12	2	2	11	6	6	—
IX. Urinary Organs	142	5	4	3	4	1	1	5	14	2	3	6	13	3	1
X. Generative Organs	68	1	2	2	3	—	—	1	2	—	1	3	8	1	—
XI. Skin, etc.	9	—	—	—	—	—	1	—	2	—	—	1	—	—	—
XII. Malformation	31	—	—	—	—	—	1	1	3	3	1	5	—	—	1
XIII. Premature Debility	351	5	8	11	1	3	2	8	53	8	9	24	30	1	1
XIV. Atrophy	61	—	1	4	1	1	1	—	4	—	2	8	2	1	—
XV. Age	1470	53	71	166	72	9	50	44	111	48	39	144	111	14	4
XVI. Sudden Deaths	12	—	—	1	1	—	—	—	1	—	—	1	1	—	—
XVII. Violent Deaths	168	2	4	6	6	—	4	3	20	2	9	7	10	—	1
I. Small Pox	59	—	1	—	—	—	—	2	—	1	—	2	10	—	—
Measles	56	—	1	—	1	—	5	2	2	—	2	3	—	—	1
Scarlatina	161	6	5	1	3	2	6	7	16	4	2	16	7	—	—
Diphtheria	150	1	—	—	2	1	1	14	24	5	7	19	13	—	—
Hooping Cough	150	1	7	7	1	—	3	2	13	3	2	6	11	2	—
Croup	91	1	2	4	1	1	—	2	11	2	6	4	8	—	2
Thrush	7	—	—	—	—	—	1	—	1	—	—	—	—	—	—
Diarrhoea	174	2	2	1	3	—	3	7	20	6	3	16	13	4	4
Dysentery	32	2	—	—	—	—	1	2	4	—	—	4	1	1	—
Cholera	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	22	—	—	2	2	—	1	1	1	2	—	2	4	—	—
Purpura	10	—	—	—	—	—	—	—	4	—	—	1	—	1	—
Ague	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	59	—	—	2	2	—	—	2	6	5	4	5	9	—	—
Enteric Fever	191	4	3	11	3	—	4	7	14	5	6	7	12	6	—
Relapsing Fever	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever	25	2	—	—	—	—	—	—	1	—	1	3	2	—	—
Infantile Remittent	16	1	—	—	—	—	—	—	2	—	—	1	1	—	—
Metria	51	2	2	—	2	—	—	8	7	—	3	1	6	—	1
Rheumatic Fever	21	—	1	2	—	—	—	—	—	1	1	1	2	2	—
Erysipelas	35	1	—	1	3	—	—	5	1	1	1	7	2	1	1
Pysæmia	9	—	—	—	—	—	—	—	2	1	—	1	2	—	—
Syphilis	7	1	—	—	—	—	—	—	4	—	—	—	—	—	—
Noma	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	23	1	—	1	—	—	—	1	3	—	—	4	1	—	—
Dropsy	90	1	1	7	7	—	5	—	3	1	3	8	7	3	2
Abscess	15	—	—	—	1	—	1	2	—	—	1	—	2	1	—
Ulcer	12	3	—	1	—	—	—	—	1	—	1	—	1	—	—
Fistula	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Mortification	30	1	1	1	2	1	—	—	2	—	—	6	2	—	—
Cancer	310	11	8	12	2	—	10	11	44	10	14	26	23	4	—
Gout	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	74	3	1	—	1	—	1	2	12	1	—	3	5	1	1
Tabes Mesenterica	77	—	2	2	1	—	—	1	2	1	3	1	1	—	—
Phthisis	903	17	16	40	22	—	26	15	85	23	32	61	59	9	2
Hydrocephalus	148	1	2	2	1	—	2	2	12	2	2	10	12	2	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the Year 1873.—FEMALES.

DISEASES.	Stirling.	Dumbarton	Argyll.	Renfrew.	Ayr.	Lanark.	Lindlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	297	154	374	260	523	665	120	449	170	241	68	20	204	474	216	245
SPECIFIED CAUSES . .	282	153	360	254	506	638	113	437	168	240	59	20	197	461	209	242
Zymotic Class . . .	67	32	36	36	110	150	25	47	33	35	6	4	33	57	20	29
Uncertain Seat . . .	12	10	14	9	21	27	9	31	7	9	1	-	8	28	14	16
Tubercular Class . .	50	26	78	56	81	89	24	56	21	27	10	2	30	80	37	37
Brain, etc.	19	15	39	17	38	48	11	46	21	31	6	1	22	52	17	25
Heart, etc.	10	8	17	21	30	37	3	47	16	30	8	1	24	41	15	17
Respiratory Organs .	35	15	40	38	67	94	12	60	18	29	18	3	27	61	31	43
Digestive Organs . .	22	12	30	19	42	58	2	35	11	17	7	2	6	29	24	22
Locomotive Organs .	5	2	3	1	5	2	4	13	1	4	2	1	3	5	1	-
Urinary Organs . . .	6	1	2	1	8	11	3	12	3	7	2	-	4	6	6	5
Generative Organs .	3	2	4	-	6	6	1	4	1	2	-	-	2	8	8	2
Skin	1	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1
Malformation . . .	1	1	-	1	3	1	-	-	-	1	1	1	2	3	1	-
Premature Debility .	18	7	10	11	28	39	5	13	7	11	1	3	6	17	5	6
Atrophy	2	1	4	4	7	6	1	5	-	2	-	-	1	2	1	-
Age	27	19	83	36	51	48	10	53	22	30	4	2	25	64	28	32
Sudden Deaths . . .	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-
Violent Deaths . . .	4	2	5	4	8	21	2	13	4	4	3	-	3	8	6	7
Small-pox	14	4	2	-	4	15	1	1	-	-	1	-	-	-	1	-
Measles	1	-	1	8	15	11	-	3	-	1	-	-	-	1	1	2
Scarlatina	4	-	4	7	12	29	2	7	6	6	-	-	4	4	-	1
Diphtheria	9	1	8	3	6	14	4	4	2	2	2	-	4	2	1	1
Hooping-cough . . .	5	6	5	4	14	8	-	5	8	8	1	2	10	11	8	2
Croup	9	1	-	2	6	13	4	4	-	-	-	-	1	4	2	1
Thrush	-	-	-	1	1	-	-	-	-	-	-	-	2	1	-	-
Diarrhoea	5	9	3	5	18	15	8	2	5	7	-	-	2	4	-	7
Dysentery	1	-	2	1	1	1	1	1	1	-	-	-	1	4	2	1
Cholera	1	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Influenza	-	-	-	-	3	-	-	1	-	-	-	-	-	1	1	1
Purpura	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1
Ague	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
Worms	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	1
Typhus	8	2	4	-	1	8	-	1	-	8	-	-	1	-	-	1
Enteric Fever	8	4	5	2	9	19	1	9	8	7	2	1	5	20	5	4
Relapsing Fever . . .	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Simple Cont. Fever . .	2	-	-	1	2	5	2	2	-	-	-	-	-	1	-	1
Infantile Remittent . .	1	-	-	1	3	2	-	-	-	-	-	1	-	-	1	2
Metria	4	2	-	2	5	4	1	2	2	-	-	-	-	1	-	1
Rheumatic Fever . . .	-	1	1	1	8	1	-	-	-	1	-	-	-	1	1	1
Erysipelas	-	-	-	1	2	1	-	2	-	-	-	-	2	1	2	-
Pyæmia	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1
Syphilis	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Noma	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	2	1	-	-	2	1	1	-	-	-	-	-	-	1	3	1
Dropsy	1	4	4	1	6	8	-	3	3	1	-	-	2	3	2	4
Abscess	1	-	-	1	-	1	-	-	1	-	1	-	-	1	1	-
Ulcer	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	2
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	1	-	1	1	2	1	3	3	-	-	-	-	-	1	1	-
Cancer	7	5	9	6	11	15	5	24	3	8	-	-	6	21	7	8
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Scrofula	3	1	5	4	2	-	5	5	1	-	-	1	2	8	-	6
Tabes Mesenterica . .	4	3	4	3	11	13	2	8	1	2	1	-	2	7	2	-
Phthisis	32	20	60	39	54	62	13	39	15	20	7	1	20	55	32	27
Hydrocephalus	11	2	4	10	14	14	4	4	4	5	2	-	6	10	3	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the Year 1873.—FEMALES. (Continued.)

DISEASES.	Total Mainland- Rural.	Caitness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Blackman- nan.
IV. Cephalitis	74	—	—	3	1	—	3	—	10	1	1	5	11	—	—
Apoplexy	187	3	2	4	1	—	4	8	14	2	7	19	21	2	—
Paralysis	332	9	5	18	12	4	9	11	37	3	6	38	29	4	1
Delirium Tremens . . .	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Chorea	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Epilepsy	30	1	2	1	1	—	—	—	3	—	—	2	1	—	1
Tetanus	5	—	—	1	—	—	—	—	1	—	—	—	—	—	—
Insanity	11	—	1	—	—	—	—	—	2	—	—	1	2	—	—
Convulsions	83	2	2	3	—	1	1	4	11	2	3	5	4	1	—
Brain	104	—	2	3	1	—	2	3	13	4	1	11	10	1	1
V. Pericarditis	14	—	—	1	1	—	2	1	2	2	—	1	—	—	—
Aneurism	5	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Heart	600	11	1	17	10	—	10	19	75	23	26	45	46	2	2
VI. Laryngitis	18	—	—	2	—	—	—	—	—	1	—	—	2	—	—
Bronchitis	756	14	9	29	20	1	18	26	78	22	18	55	66	6	10
Pleurisy	36	—	—	2	—	—	—	3	2	—	—	3	6	2	—
Pneumonia	240	3	4	8	3	1	4	4	18	5	9	24	24	6	2
Asthma	78	6	6	20	2	—	2	3	1	1	1	2	1	—	1
Lungs	29	1	1	—	2	—	1	1	1	—	—	5	3	—	—
VII. Teething	49	—	1	—	1	—	2	1	6	1	—	5	1	—	1
Quinsey	10	—	—	1	1	—	—	1	1	—	—	2	—	—	—
Gastritis	23	—	—	—	—	—	2	—	1	1	—	2	4	—	—
Enteritis	87	—	2	3	1	—	—	1	7	—	3	4	9	—	—
Peritonitis	62	1	—	—	4	—	1	1	6	3	2	2	—	—	1
Ascites	15	—	1	1	1	—	—	1	3	—	1	3	—	—	—
Ulcer. of Intestines . .	31	—	—	—	1	—	1	5	4	1	3	2	2	—	—
Hernia	11	1	—	1	—	—	—	—	1	—	1	2	2	—	—
Ileus	42	—	—	4	1	—	1	—	4	1	2	7	5	1	—
Intussusception	8	—	—	1	—	—	1	—	—	—	—	1	—	—	—
Strict. of Intestines . .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	107	1	2	3	3	—	2	5	11	2	2	12	8	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	26	—	—	—	1	—	—	—	3	—	—	2	3	1	—
Jaundice	29	—	2	—	1	—	1	2	1	2	4	—	2	1	—
Liver Disease	105	1	2	3	—	1	2	7	9	1	1	11	5	1	—
Spleen Disease	5	—	—	—	—	—	—	—	—	—	—	—	1	—	—
VIII. Nephritis	16	—	—	1	—	—	—	1	3	—	—	1	1	—	—
Nephria	39	1	—	1	—	—	—	1	3	2	1	5	3	1	—
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	4	—	—	1	—	—	—	—	—	—	—	1	—	1	—
Diabetes	11	—	—	—	1	—	2	—	1	—	—	—	—	1	—
Stone	6	—	1	—	—	—	—	—	1	—	1	—	—	—	—
Cystitis	7	—	—	—	—	—	—	1	1	—	—	1	2	1	—
Stricture of Urethra . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	24	—	1	—	—	1	3	—	3	—	—	3	—	2	—
IX. Paramenia	12	1	1	—	—	—	—	1	1	—	—	—	2	—	—
Ovarian Dropsy	20	2	1	—	—	—	—	3	2	—	1	—	2	1	—
Childbirth	76	1	2	3	4	1	—	1	6	1	1	4	9	1	1
Organs of Generation . .	34	1	—	—	—	—	1	—	5	1	1	2	—	1	—
X. Bone Diseases	5	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Rheumatism	33	1	2	2	1	—	—	1	—	—	1	1	2	1	—
Joint Disease	25	—	—	—	1	—	—	—	1	—	—	2	1	—	—
XI. Carbuncle	3	—	—	—	—	—	1	—	1	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	6	—	—	—	—	—	—	—	1	—	—	1	—	—	—
XVII. Intemperance . . .	7	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Privation	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Want of Milk	7	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	7	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	28	1	—	2	1	—	—	—	3	—	2	2	2	—	—
Hanging, etc.	5	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Suffocation	20	—	—	—	1	—	2	1	5	1	—	—	1	—	1
Drowning	41	—	2	2	1	—	1	—	4	1	4	3	2	—	—
Fracture and Contusion .	42	1	2	1	2	—	1	1	4	—	2	2	4	—	—
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . .	8	—	—	—	1	—	—	—	2	—	—	—	—	—	—
Not Specified	283	5	18	33	16	2	10	4	3	3	6	20	23	2	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1873.—FEMALES. (Continued.)

DISEASES	Stirling.	Dumbarton	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	3	3	2	10	8	—	3	1	3	1	—	—	3	1	—
Apoplexy	3	2	4	6	8	12	2	15	7	10	—	—	4	17	2	8
Paralysis	8	5	14	4	10	16	2	17	11	11	3	1	5	23	10	6
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Epilepsy	2	2	2	2	2	—	—	1	1	—	1	—	—	2	1	2
Tetanus	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
Insanity	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—	1
Convulsions	3	3	5	2	3	7	5	2	—	3	—	—	5	4	—	2
Brain Disease	1	—	9	1	4	4	2	8	1	4	1	—	7	3	3	4
Pericarditis	1	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
Heart Disease	9	8	17	21	29	36	3	44	16	30	3	1	24	40	15	17
Laryngitis	—	1	—	1	4	4	—	2	—	—	—	—	1	—	—	—
Bronchitis	18	10	28	24	40	62	10	42	10	18	9	2	20	44	19	28
Pleurisy	1	1	2	1	1	2	1	1	1	—	2	—	—	2	1	2
Pneumonia	11	1	5	11	18	14	—	10	6	8	1	1	6	14	8	11
Asthma	5	2	5	—	2	4	1	2	1	3	1	—	—	1	3	2
Lung Disease	—	—	—	1	2	8	—	3	—	—	—	—	—	—	—	—
Teething	3	1	4	4	3	3	—	2	1	—	1	—	1	4	2	1
Quinsey	—	1	—	—	—	—	—	1	—	—	—	—	1	—	1	1
Gastritis	—	1	—	1	2	4	—	5	—	—	—	—	—	—	—	—
Enteritis	5	—	2	2	7	17	1	5	1	1	2	—	—	7	3	4
Peritonitis	—	2	5	2	2	7	—	4	3	4	—	1	—	4	3	4
Ascites	1	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—
Ulceration of Intest.	—	2	1	—	1	1	—	1	—	—	—	—	—	2	4	—
Hernia	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—
Ileus	1	2	2	—	1	2	—	2	1	—	2	—	1	1	1	—
Intussusception	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	1
Stricture of Intestines	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—
Stomach Disease	2	2	6	2	11	8	—	3	2	3	2	—	1	4	5	4
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	1	1	2	3	3	—	—	—	1	—	—	—	2	—	2
Jaundice	1	—	1	—	2	2	1	—	—	2	—	—	1	1	1	1
Liver Disease	8	—	5	5	8	8	—	10	2	5	—	—	—	4	2	4
Spleen Disease	—	—	—	—	—	2	—	—	—	—	—	—	1	—	1	—
Nephritis	2	—	1	—	1	1	—	1	—	2	—	—	—	1	—	—
Nephria	—	—	1	1	2	—	3	5	1	1	1	—	2	4	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diabetes	1	—	1	—	1	—	—	3	—	—	—	—	—	—	—	—
Stone	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	1	—	—	—	1	1	4	—	1	1	—	—	—	—	—
Paramenia	—	—	—	—	1	—	—	1	—	1	1	—	—	1	1	—
Ovarian Dropsy	1	—	—	—	2	—	—	2	—	—	—	—	1	—	2	—
Childbirth	3	1	1	—	1	9	1	6	2	6	1	—	3	4	1	2
Organs of Generation	2	—	1	1	4	2	2	3	1	—	—	—	—	1	2	8
Bone Disease	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
Rheumatism	—	1	2	—	3	4	—	3	1	2	—	—	1	2	1	1
Joint Disease	2	1	2	—	3	2	—	1	—	—	—	—	1	5	2	1
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—
Intemperance	1	—	1	—	—	2	—	—	—	—	—	—	1	—	—	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	1	—	—	1	—	1	2	—	—	—	—	—	—	—	1
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	1	1	—	3	—	—	—	—	—	—	—	1
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	2	—	5	—	3	1	—	—	—	—	1	1	—	1
Hanging, etc.	—	1	—	—	1	—	—	—	—	—	—	—	—	—	1	—
Suffocation	—	—	—	1	1	4	—	—	1	—	—	—	—	1	—	—
Drowning	2	—	1	—	1	4	—	1	2	1	1	—	—	3	4	1
Fracture and Contusion	—	—	1	3	2	3	—	2	1	1	2	—	1	3	1	2
Gunshot Wounds	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	1	2	—	1	—	1	—	—	—	—	—	—
Not Specified	15	1	14	6	17	27	7	12	2	1	4	—	7	13	7	3

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1873.

DISEASES.	BOTH SEXES.							MALES.							FEMALES.						
	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
ALL CAUSES . . .	2177	354	430	198	626	392	177	1020	152	215	100	281	190	82	1157	202	215	98	345	202	95
SPECIFIED CAUSES . . .	1886	297	382	179	510	350	168	876	124	190	94	223	167	78	1010	173	192	85	287	183	90
Zymotic Class . . .	291	29	36	56	81	57	32	132	15	13	27	29	30	18	159	14	23	29	52	27	14
Uncertain Seat . . .	81	12	16	11	18	15	9	30	4	8	7	5	4	2	51	8	8	4	13	11	7
Tubercular Class . . .	268	35	52	18	90	49	24	132	16	32	10	44	16	14	136	19	20	8	46	33	10
Brain, etc.	121	15	34	11	19	23	19	79	10	24	10	15	13	7	42	5	10	1	4	10	12
Heart, etc.	53	5	19	2	6	17	4	31	2	10	1	4	12	2	22	3	9	1	2	5	2
Respiratory Organs . . .	223	28	43	12	85	45	10	94	10	19	6	35	22	2	129	18	24	6	50	23	8
Digestive Organs . . .	92	18	16	7	15	23	13	42	6	6	3	9	13	5	50	12	10	4	6	10	8
Urinary Organs . . .	31	—	11	1	9	6	4	26	—	10	1	7	4	4	5	—	1	—	2	2	—
Generative Organs . . .	18	2	2	1	9	3	1	—	—	—	—	—	—	—	18	2	2	1	9	3	1
Locomotive Organs . . .	31	3	6	6	11	3	2	14	2	1	2	7	2	—	17	1	5	4	4	1	2
Skin, etc.	2	—	1	—	—	1	—	—	—	—	—	—	—	—	2	—	1	—	—	1	—
Malformation	1	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . . .	52	17	3	6	23	3	—	33	9	3	4	15	2	—	19	8	—	2	8	1	—
Atrophy	12	—	3	—	5	3	1	1	—	—	—	—	1	—	11	—	3	—	5	2	1
Age	538	119	117	44	131	89	38	201	41	45	20	45	37	13	337	78	72	24	86	52	25
Sudden Deaths . . .	2	1	—	—	1	—	—	2	1	—	—	1	—	—	—	—	—	—	—	—	—
Violent Deaths . . .	70	13	22	4	7	13	11	58	8	18	3	7	11	11	12	5	4	1	—	2	—
Small Pox	18	1	—	—	2	10	5	10	1	—	—	—	6	3	8	—	—	—	2	4	2
Measles	16	1	—	8	3	4	—	6	1	—	5	—	—	—	10	—	—	—	3	4	—
Scarlatina	40	9	9	2	1	15	4	22	5	3	1	—	10	3	18	4	6	1	1	3	1
Diphtheria	18	—	3	5	5	2	3	9	—	1	2	3	1	2	9	—	2	3	2	1	1
Hooping Cough	46	4	—	—	33	8	1	19	1	—	—	14	3	1	27	3	—	—	19	5	—
Croup	42	1	1	32	6	2	—	18	—	—	14	3	1	—	24	1	1	18	3	1	—
Thrush	1	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Diarrhoea	14	1	5	2	2	4	—	8	—	4	1	1	2	—	6	1	1	1	1	2	—
Dysentery	9	—	2	—	2	1	4	3	—	—	—	1	—	2	6	—	2	—	1	1	2
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	11	—	4	4	2	—	1	5	—	2	1	1	—	1	6	—	2	3	1	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	25	6	3	3	8	2	3	13	4	1	3	1	2	2	12	2	2	—	7	—	1
Enteric Fever	30	3	4	—	11	5	7	9	2	—	—	2	2	3	21	1	4	—	9	3	4
Relapsing Fever	2	—	1	—	—	1	—	1	—	—	—	—	1	—	1	—	1	—	—	—	—
Simple Cont. Fever . . .	6	1	—	—	1	2	2	3	—	—	—	1	2	—	3	1	—	—	—	2	—
Infantile Remittent . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	4	1	1	—	2	—	—	—	—	—	—	—	—	—	4	1	1	—	2	—	—
Rheumatic Fever	4	—	1	—	2	—	1	1	—	—	—	1	—	—	3	—	1	—	1	—	1
Erysipelas	3	—	1	—	1	1	—	2	—	1	—	1	—	—	1	—	—	—	—	—	—
Pyæmia	1	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	34	5	8	8	7	3	3	12	1	4	5	2	—	—	22	4	4	3	5	3	3
Abscess	3	1	—	—	1	1	—	2	1	—	—	—	1	—	1	—	—	—	1	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	2	—	—	—	1	—	1	—	—	—	—	—	—	2	1	—	—	—	1	—
Cancer	40	3	8	3	10	10	6	15	1	4	2	3	3	2	25	2	4	1	7	7	4
Gout	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Scrofula	19	2	2	—	2	4	—	5	2	1	—	1	1	—	5	—	—	—	1	3	—
Tabes Mesenterica	13	—	3	—	9	—	1	9	—	3	—	6	—	—	4	—	1	—	3	—	1
Phthisis	224	30	42	18	71	40	23	105	13	23	10	32	13	14	119	17	19	8	39	27	9
Cephalus	21	3	5	—	8	5	—	13	1	5	—	5	2	—	8	2	—	—	3	3	—

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the
YEAR 1873. (Continued.)

DISEASES.	BOTH SEXES.						MALES.						FEMALES.								
	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
Cephalitis . . .	6	-	1	-	1	2	2	2	-	1	-	1	-	-	4	-	-	-	-	2	2
Apoplexy . . .	22	3	10	2	-	3	4	15	-	8	2	-	3	2	7	3	2	-	-	2	2
Paralysis . . .	41	8	8	2	7	9	7	26	6	5	2	5	7	1	15	2	3	-	2	2	6
Delirium Tremens .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy . . .	9	1	2	1	2	2	1	5	1	1	-	1	1	1	4	-	1	1	1	1	-
Tetanus . . .	4	-	-	4	-	-	-	4	-	-	4	-	-	-	1	-	1	-	-	-	-
Insanity . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Convulsions . . .	18	1	6	-	7	3	1	11	1	4	-	6	-	-	7	-	2	-	1	3	1
Brain Disease . . .	20	2	6	2	2	4	4	16	2	5	2	2	2	3	4	1	1	-	-	2	1
Pericarditis . . .	3	-	-	-	1	2	-	2	-	-	-	1	1	-	1	-	-	-	-	1	-
Aneurism . . .	2	-	-	-	-	2	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-
Heart Disease . . .	48	5	19	2	5	13	4	28	2	10	1	3	10	2	20	3	9	1	2	3	2
Laryngitis . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Bronchitis . . .	94	12	20	3	25	27	7	41	5	9	1	12	13	1	53	7	11	2	13	14	6
Pleurisy . . .	27	3	2	1	21	-	-	13	1	1	1	10	-	-	14	2	1	-	11	-	-
Pneumonia . . .	34	1	8	1	10	11	3	13	1	4	1	2	4	1	21	-	4	-	8	7	2
Asthma . . .	60	11	7	6	29	7	-	24	3	3	2	11	5	-	36	8	4	4	18	2	-
Lung Disease . . .	7	1	5	1	-	-	-	3	-	2	1	-	-	-	4	1	3	-	-	-	-
Teething . . .	2	-	-	-	1	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	1
Quinsey . . .	4	1	2	-	1	-	-	2	-	-	-	-	-	-	4	1	2	-	1	-	-
Gastritis . . .	4	-	-	1	-	2	1	2	-	-	1	-	1	-	2	-	-	-	-	1	1
Enteritis . . .	9	1	1	1	2	2	2	6	1	1	1	2	-	1	3	-	-	-	-	2	1
Peritonitis . . .	4	-	-	-	1	2	1	2	-	-	-	1	1	-	2	-	-	-	-	1	1
Ascites . . .	2	-	-	-	-	1	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-
Ulcer. of Intestines	2	-	-	-	1	1	-	1	-	-	-	1	-	-	1	-	-	-	1	-	-
Hernia . . .	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Ileus . . .	11	4	1	-	2	2	2	5	2	-	-	1	1	1	6	2	1	-	1	1	1
Intussusception . .	2	-	1	-	-	1	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-
Strict. of Intestines	2	-	-	1	-	-	1	1	-	-	-	-	-	1	1	-	-	1	-	-	-
Stomach Disease . .	15	4	4	-	2	4	1	4	-	-	-	1	2	1	11	4	4	-	1	2	-
Pancreas Disease . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis . . .	7	-	1	-	1	5	-	5	-	1	-	1	3	-	2	-	-	-	2	-	-
Jaundice . . .	8	2	3	-	2	1	-	5	2	2	-	-	1	-	3	-	1	-	2	-	-
Liver Disease . . .	18	6	3	3	2	2	2	7	1	2	1	1	2	-	11	5	1	2	1	-	2
Spleen Disease . . .	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Nephritis . . .	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Nephria . . .	5	-	1	-	3	-	1	3	-	-	-	2	-	1	2	-	1	-	-	-	-
Addison's Disease .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria . . .	5	-	2	-	1	2	-	5	-	2	-	1	2	-	-	-	-	-	-	-	-
Diabetes . . .	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Stone . . .	4	-	3	-	-	-	1	4	-	3	-	-	-	-	1	-	-	-	-	-	-
Cystitis . . .	7	-	1	1	3	-	2	6	-	1	1	2	-	2	1	-	-	-	1	-	-
Stricture of Urethra	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Kidney Disease . . .	7	-	3	-	1	3	-	6	-	3	-	1	2	-	1	-	-	-	-	1	-
Paramenia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth . . .	13	2	1	1	7	2	-	-	-	-	-	-	-	-	13	2	1	1	7	2	-
Organs of Generation	5	-	1	-	2	1	1	-	-	-	-	-	-	-	5	-	1	-	2	1	1
Bone Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism . . .	26	3	4	6	11	2	-	13	2	-	2	7	2	-	13	1	4	4	4	-	-
Joint Disease . . .	5	-	2	-	-	1	2	1	-	1	-	-	-	-	4	-	1	-	-	1	2
Carbuncle . . .	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Phlegmon . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Intemperance . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Privation . . .	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold . . .	5	1	-	-	-	3	1	4	1	-	-	-	2	1	1	-	-	-	-	1	-
Poison . . .	2	1	1	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds . .	5	2	1	-	1	1	-	2	1	-	-	1	-	-	3	1	1	-	-	1	-
Hanging, etc. . .	3	-	-	1	-	1	1	3	-	-	1	-	1	1	-	-	-	-	-	-	-
Suffocation . . .	3	1	-	-	2	-	-	2	-	-	2	-	-	-	1	1	-	-	-	-	-
Drowning . . .	32	3	13	1	3	7	5	31	3	12	1	3	7	5	1	-	1	-	-	-	-
Fracture & Contusion	18	3	7	2	1	1	4	13	1	5	1	1	1	4	5	2	2	1	-	-	-
Gunshot Wounds . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs . . .	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not Specified . . .	291	57	48	19	116	42	9	144	28	25	6	58	23	4	147	29	23	13	58	19	5

CAUSES OF DEATH in SCOTLAND, at different Periods of Life, in 1873.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	76946	7460	2609	4881	6301	2865	1853	1372	3618	2013	2586	2909	2548
SPECIFIED CAUSES	75397	6933	2504	4757	6183	2814	1821	1341	3556	1973	2543	2872	2524
I. Zymotic Class	14956	852	701	1473	2456	1420	1000	747	1724	571	522	553	438
II. Diseases of Uncertain Seat	2779	55	13	18	37	25	24	13	45	37	39	58	44
III. Tubercular Class	11952	209	333	707	1006	418	271	224	790	680	1212	1370	1110
IV. Brain and Nervous System	7223	528	190	376	376	175	120	104	289	171	146	128	109
V. Organs of Circulation	4510	22	7	9	7	2	6	8	43	65	107	102	114
VI. Respiratory Organs	12524	892	677	1369	1450	527	257	130	292	122	152	177	182
VII. Organs of Digestion	5208	556	267	561	576	102	52	45	122	83	81	107	135
VIII. Urinary Organs	1367	5	4	2	11	14	16	14	38	27	57	58	77
IX. Organs of Generation	541	1	—	1	3	1	—	—	1	—	17	85	95
X. Organs of Locomotion	512	2	2	2	3	4	8	3	50	64	45	26	20
XI. Skin, etc.	96	14	8	7	15	4	—	—	1	1	1	—	2
XII. Malformation	244	205	15	11	4	4	2	—	1	—	1	—	—
XIII. Premature Debility	3755	3370	208	177	—	—	—	—	—	—	—	—	—
XIV. Atrophy	560	—	—	—	159	48	18	16	32	16	13	7	9
XV. Age	6203	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	128	13	6	6	2	—	1	—	4	—	1	7	2
XVII. Violent Deaths	2839	209	73	38	78	70	46	37	126	134	149	194	187
I. Small Pox	1126	80	73	25	25	25	13	22	70	89	136	191	128
Measles	1450	21	24	294	577	224	117	63	100	13	2	4	3
Scarlatina	2227	12	20	118	318	351	312	215	639	145	36	20	14
Diphtheria	1263	22	12	64	211	187	154	149	276	61	19	12	6
Whooping Cough	1598	126	140	374	481	196	116	75	82	6	—	—	1
Croup	1132	44	35	123	314	225	144	107	128	8	2	1	—
Thrush	44	28	7	5	2	1	1	—	—	—	—	—	—
Diarrhoea	2152	338	281	355	343	72	29	16	45	7	15	12	11
Dysentery	294	7	20	11	14	3	3	2	2	3	3	3	3
Cholera	121	6	12	11	18	3	3	1	9	1	2	2	1
Influenza	119	4	—	3	3	2	1	—	5	—	1	2	3
Purpura	64	2	—	5	—	1	4	3	3	8	4	5	2
Ague	6	—	—	—	—	—	—	—	—	—	—	1	1
Worms	14	—	—	1	3	2	3	—	2	—	—	1	1
Typhus	628	3	2	1	14	10	9	10	39	43	66	62	56
Enteric Fever	1495	5	10	15	60	74	53	50	240	139	171	141	117
Relapsing Fever	31	—	—	—	1	2	1	3	2	3	3	1	3
Simple Continued Fever	192	3	3	14	16	13	17	13	32	15	17	5	8
Infantile Remittent	117	7	1	15	23	23	12	10	26	—	—	—	—
Metria	251	—	—	—	—	—	—	—	—	—	13	66	53
Rheumatic Fever	129	—	—	—	—	—	—	1	14	22	13	10	7
Erysipelas	316	72	18	21	15	2	3	6	4	6	11	8	7
Pyæmia	58	—	1	1	1	2	2	1	4	3	5	3	10
Syphilis	180	71	42	16	15	2	1	—	—	—	3	3	3
Noma	9	1	—	1	2	—	2	—	2	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hamorrhage	115	13	3	4	—	1	1	—	1	1	2	14	8
Dropsy	651	5	2	3	17	14	13	8	28	25	14	16	8
Abscess	199	17	4	11	11	6	4	3	7	8	14	11	6
Ulcer	64	5	2	—	2	—	1	1	1	—	2	1	—
Fistula	13	—	—	—	—	—	—	—	—	—	2	1	—
Mortification	183	14	1	—	4	1	1	1	2	2	1	5	5
Cancer	1537	1	1	—	3	3	4	—	6	1	4	10	17
Gout	17	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	707	15	19	41	66	32	32	22	85	82	70	63	28
Tuberc Mesenterica	999	70	72	162	263	100	55	49	135	61	26	16	11
Phthisis	8286	28	55	93	178	101	64	65	330	478	1106	1290	1071
Hydrocephalus	1960	96	187	471	499	185	126	88	240	59	10	1	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	2344	2316	2478	2527	2863	2912	3657	3586	4390	3525	2955	1579	551	181	24	43
SPECIFIED CAUSES . .	2300	2281	2435	2486	2792	2846	3630	3571	4389	3525	2955	1579	551	181	24	31
Zymotic Class . . .	345	270	243	175	212	171	219	208	261	166	149	53	20	3	—	4
Uncertain Seat . . .	74	99	162	205	244	308	296	292	308	196	125	45	14	2	1	—
Tubercular Class . .	841	700	573	455	371	268	187	119	63	28	10	2	1	—	—	4
Brain, etc.	155	190	243	290	360	384	550	590	740	530	300	133	37	6	—	3
Heart, etc.	167	215	248	294	370	428	549	545	542	391	171	76	21	—	—	1
Respiratory Organs .	218	274	399	482	592	627	853	788	865	581	398	172	35	8	1	4
Digestive Organs . .	135	168	199	217	281	282	336	290	278	186	98	31	8	2	—	1
Urinary Organs . . .	64	72	79	89	74	90	110	111	149	97	69	27	10	3	—	—
Generative Organs . .	73	83	72	30	21	18	16	5	10	2	3	4	—	—	—	—
Locomotive Organs .	16	21	18	26	22	18	29	43	34	31	20	4	1	—	—	—
Skin	1	2	4	6	2	5	5	8	4	1	2	2	1	—	—	—
Malformation	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	15	14	14	36	73	90	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	326	457	1037	1247	1559	1006	395	154	20	2
Sudden Deaths . . .	2	7	2	10	7	12	12	9	12	7	4	—	2	—	—	—
Violent Deaths . . .	194	166	178	171	163	145	142	97	86	62	47	24	6	3	2	12
Small Pox	82	57	37	17	25	10	11	3	4	2	—	—	—	—	—	1
Measles	3	2	1	—	1	—	1	—	—	—	—	—	—	—	—	—
Scarlatina	10	7	4	—	3	—	1	—	—	—	—	—	—	—	—	2
Diphtheria	4	4	3	4	3	3	3	2	—	3	1	—	—	—	—	—
Hooping Cough . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Croup	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	19	20	22	22	35	47	67	63	114	94	76	35	12	2	—	—
Dysentery	13	11	10	12	18	13	27	31	39	24	16	6	1	—	—	—
Cholera	6	6	4	4	8	7	3	6	5	2	—	1	—	—	—	—
Influenza	2	2	3	1	1	6	12	13	20	12	17	2	3	1	—	—
Purpura	3	3	4	2	3	3	—	4	4	1	—	—	—	—	—	—
Ague	—	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—
Worms	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	48	42	45	37	42	20	22	28	16	7	3	1	1	—	—	1
Enteric Fever	70	52	49	44	40	38	35	36	31	12	9	4	—	—	—	—
Relapsing Fever . . .	2	3	1	1	—	—	1	1	2	—	1	—	—	—	—	—
Simple Cont. Fever . .	3	2	8	2	4	—	9	3	3	1	1	—	—	—	—	—
Infantile Remittent . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	55	35	26	3	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . .	8	5	11	10	8	10	6	—	1	2	1	—	—	—	—	—
Erysipelas	7	9	7	9	15	9	16	15	20	5	24	4	3	—	—	—
Pyæmia	6	4	—	4	4	3	2	1	—	1	—	—	—	—	—	—
Syphilis	4	4	7	3	2	—	2	1	1	—	—	—	—	—	—	—
Noma	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	7	11	10	7	6	6	3	5	6	3	3	—	—	—	—	—
Dropsy	14	21	26	33	40	36	65	61	93	58	32	14	4	—	1	—
Abscess	11	8	5	7	8	22	14	6	8	4	3	1	—	—	—	—
Ulcer	2	3	2	4	6	5	2	6	7	5	4	2	1	—	—	—
Fistula	—	—	—	3	—	2	1	3	1	—	—	—	—	—	—	—
Mortification	3	2	4	4	8	11	11	16	28	27	17	11	2	2	—	—
Cancer	37	54	114	146	172	225	199	192	164	96	65	17	6	—	—	—
Gout	—	—	1	1	4	1	1	3	1	3	1	—	1	—	—	—
Scrofula	19	25	19	14	21	20	14	7	8	2	3	—	—	—	—	—
Tabes Mesenterica . .	5	5	5	4	10	4	2	2	1	1	—	—	—	—	—	—
Phthisis	817	669	548	436	339	244	171	110	54	25	7	2	1	—	—	4
Hydrocephalus	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—BOTH SEXES. (Contd.)

DISEASES.	ALL AGES.	BOTH SEXES.													
		AGE UNDER													
		MONTHS.													
		3	6	12	2	3	4	5	10	15	20	25	30		
IV. Cephalitis	820	21	42	103	103	52	46	44	132	73	49	33	22		
Apoplexy	1638	26	22	42	39	24	14	13	32	20	13	14	20		
Paralysis	2111	1	—	2	1	2	2	2	6	5	17	13	16		
Delirium Tremens	66	—	—	—	—	—	—	—	—	—	—	—	2		
Chorea	8	—	—	1	—	1	—	—	1	—	—	1	—		
Epilepsy	270	—	—	4	3	3	1	4	8	20	21	27	18		
Tetanus	52	17	—	1	—	1	—	1	2	8	1	2	1		
Insanity	58	—	—	—	—	2	—	—	2	—	—	3	4		
Convulsions	1093	439	111	190	188	65	38	24	38	—	—	—	—		
Brain Disease	1107	24	15	33	42	25	19	16	68	45	44	33	26		
V. Pericarditis	92	1	2	—	—	1	1	2	9	8	10	4	5		
Aneurism	113	—	—	—	—	—	—	—	2	1	3	1	3		
Heart Disease	4305	21	5	9	7	1	5	6	32	56	94	97	106		
VI. Laryngitis	146	8	2	17	18	13	7	4	9	9	1	6	3		
Bronchitis	8308	680	533	1071	1090	377	188	81	144	50	35	49	63		
Pleurisy	274	11	7	4	7	5	4	—	11	8	14	23	9		
Pneumonia	3012	169	130	263	316	122	52	43	116	49	84	87	92		
Asthma	463	—	2	3	1	2	—	—	2	—	4	1	4		
Lung Disease	321	24	3	11	18	8	6	2	10	6	14	11	11		
VII. Teething	770	1	33	326	374	32	4	—	—	—	—	—	—		
Quinsey	93	14	8	6	18	6	2	8	11	2	1	—	2		
Gastritis	225	24	12	15	18	3	2	3	8	5	3	6	11		
Enteritis	924	242	117	121	95	37	16	13	31	15	18	8	14		
Peritonitis	395	21	12	15	9	2	5	8	21	22	21	36	30		
Ascites	73	—	—	—	—	—	1	1	2	4	2	2	1		
Ulceration of Intestines	203	2	3	3	3	2	2	—	9	5	5	9	7		
Hernia	127	4	2	4	3	1	1	—	—	—	1	—	6		
Ileus	267	18	6	12	2	1	4	2	6	5	8	12	8		
Intussusception	49	1	7	3	2	—	—	—	1	1	1	2	2		
Stricture of Intestines	39	1	—	—	1	—	—	—	—	—	—	1	1		
Stomach Disease	824	132	59	48	37	11	11	5	12	10	10	3	18		
Pancreas Disease	4	—	—	—	—	—	—	—	—	—	—	—	—		
Hepatitis	185	6	2	—	3	2	—	2	6	4	2	7	8		
Jaundice	224	69	4	5	4	2	3	—	2	4	3	3	6		
Liver Disease	765	21	2	3	6	3	1	2	10	5	5	18	19		
Spleen Disease	41	—	—	—	1	—	—	1	3	1	1	—	2		
VIII. Nephritis	115	3	1	—	4	6	8	5	16	2	5	5	3		
Nephria	381	1	—	—	2	5	5	3	11	10	21	22	31		
Addison's Disease	14	—	—	—	—	—	—	—	—	—	—	2	1		
Ischuria	82	1	1	1	—	1	1	—	—	1	1	1	2		
Diabetes	105	—	—	1	1	—	—	—	1	3	15	9	12		
Stone	64	—	—	—	—	—	—	1	1	2	—	—	2		
Cystitis	136	—	—	—	—	—	—	2	1	—	3	1	4		
Stricture of Urethra	18	—	—	—	—	—	—	—	—	—	—	—	—		
Kidney Disease	452	—	2	—	4	2	2	3	8	9	12	18	22		
IX. Paramenia	23	—	—	—	—	—	—	—	—	1	6	5	6		
Ovarian Dropsy	69	—	—	—	—	—	—	—	—	—	1	6	6		
Childbirth	325	—	—	—	—	—	—	—	—	—	8	65	73		
Organs of Generation	124	1	—	1	3	1	—	—	—	—	2	9	10		
X. Bone Disease	60	—	—	1	2	1	2	1	7	6	5	4	4		
Rheumatism	214	—	1	—	—	—	—	—	4	3	9	4	5		
Joint Disease	238	2	1	1	1	3	6	2	39	55	31	18	11		
XI. Carbuncle	22	—	—	—	—	1	—	—	—	—	—	—	1		
Plegmon	7	—	—	1	—	1	—	—	1	—	—	—	—		
Skin Disease	67	14	8	6	15	2	—	—	—	1	1	—	1		
XVII. Intemperance	148	—	—	—	—	—	—	—	—	—	—	7	7		
Privation	10	—	—	—	—	—	—	1	—	—	1	—	—		
Want of Breast Milk	105	74	20	8	3	—	—	—	—	—	—	—	—		
Neglect	2	—	1	—	—	—	—	—	—	1	—	—	—		
Cold	54	4	1	—	1	—	—	—	—	—	—	2	1		
Poison	47	—	1	2	1	3	1	1	2	1	5	—	3		
Poisoned Wounds	2	—	—	—	—	—	—	—	—	—	—	—	—		
Burns and Scalds	253	1	1	13	35	38	18	20	32	7	5	3	12		
Hanging, etc.	61	—	—	—	—	—	—	—	—	1	—	4	2		
Suffocation	262	105	47	8	4	2	—	—	—	—	—	—	—		
Drowning	649	4	—	3	22	19	9	6	35	51	42	70	62		
Fracture and Contusion	1057	7	2	3	12	8	12	7	40	62	77	88	78		
Gunshot Wounds	18	—	—	—	—	—	2	—	1	—	3	2	2		
Cuts and Stabs	38	—	—	—	—	—	1	—	—	—	—	—	3		
Other Violent Causes	133	14	—	1	—	—	3	1	10	9	9	13	8		
Not Specified	1549	527	105	124	118	51	32	31	62	40	43	37	24		

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—BOTH SEXES (Contd.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	8	21	13	14	10	5	11	6	4	5	2	1	—	—	—	—
Apoplexy	40	43	58	96	124	129	170	190	224	167	80	30	5	2	—	1
Paralysis	30	45	70	84	114	149	262	292	411	280	182	89	31	3	—	2
Delirium Tremens	7	12	8	12	8	5	5	2	3	—	—	—	—	—	—	—
Chorea	1	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—
Epilepsy	24	15	27	17	21	19	16	6	8	6	2	—	—	—	—	—
Tetanus	2	2	2	7	2	1	—	1	1	—	—	—	—	—	—	—
Insanity	3	3	5	1	4	4	5	7	4	3	5	2	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	40	49	60	59	75	72	81	86	85	69	28	11	1	1	—	—
Pericarditis	8	6	10	3	1	4	5	6	5	1	—	—	—	—	—	—
Aneurism	7	3	14	15	10	8	19	10	13	3	1	—	—	—	—	—
Heart Disease	152	206	224	276	359	416	525	529	524	387	170	76	21	—	—	1
Laryngitis	4	7	5	10	4	—	9	3	5	1	—	1	—	—	—	—
Bronchitis	81	108	196	239	349	386	535	532	614	416	318	137	29	5	1	1
Pleurisy	13	13	17	20	12	30	14	16	11	5	2	—	—	—	—	1
Pneumonia	99	124	142	139	150	159	186	157	157	101	45	21	4	3	—	2
Asthma	4	7	17	54	42	47	62	68	61	43	27	10	2	—	—	—
Lung Disease	17	15	22	23	27	23	31	14	12	9	3	1	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	1	2	1	1	1	2	2	2	2	—	1	—	—	—	—	—
Gastritis	10	7	11	13	11	12	12	12	12	11	2	2	—	—	—	—
Enteritis	19	13	12	18	24	20	27	18	19	16	8	2	—	—	—	1
Peritonitis	24	25	18	15	17	13	23	16	16	19	2	4	1	—	—	—
Ascites	1	6	2	7	7	5	7	11	5	6	2	1	—	—	—	—
Ulceration of Intestines	7	16	18	15	14	20	20	14	12	10	5	2	—	—	—	—
Hernia	—	3	8	6	7	8	13	17	20	13	9	1	—	—	—	—
Ileus	7	6	9	11	21	18	16	32	23	18	14	7	1	—	—	—
Intussusception	2	—	3	2	3	7	4	1	2	2	—	—	—	—	—	—
Stricture of Intestines	2	—	1	3	4	4	9	5	2	2	1	1	1	—	—	—
Stomach Disease	17	21	32	33	48	55	67	60	64	44	20	4	3	—	—	—
Pancreas Disease	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—
Hepatitis	9	14	17	9	13	19	18	19	8	9	7	1	—	—	—	—
Jaundice	4	7	6	7	16	14	12	11	18	14	7	1	2	—	—	—
Liver Disease	31	42	58	73	90	86	98	75	72	21	17	5	—	2	—	—
Spleen Disease	1	6	3	3	6	3	4	2	2	1	1	—	—	—	—	—
Nephritis	4	2	5	9	8	6	4	3	9	6	1	—	—	—	—	—
Nephria	29	24	31	26	31	28	29	28	21	13	5	3	2	—	—	—
Addison's Disease	1	4	—	3	1	—	1	—	—	—	—	1	—	—	—	—
Ischuria	1	2	6	2	1	9	7	8	6	11	14	1	3	1	—	—
Diabetes	5	12	5	7	2	6	8	5	8	3	2	—	—	—	—	—
Stone	2	—	3	3	2	2	9	10	6	11	5	4	—	1	—	—
Cystitis	2	3	3	5	6	11	10	14	30	19	12	8	1	1	—	—
Stricture of Urethra	2	2	2	2	3	1	2	1	—	1	2	—	—	—	—	—
Kidney Disease	18	23	24	32	20	27	40	42	69	33	28	10	4	—	—	—
Paramenia	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	3	8	6	7	6	7	7	4	4	1	2	1	—	—	—	—
Childbirth	59	66	44	9	1	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	9	8	21	13	14	11	9	1	6	1	1	3	—	—	—	—
Bone Disease	1	7	3	3	6	—	3	2	1	—	—	1	—	—	—	—
Rheumatism	6	5	8	14	11	16	22	31	28	26	17	3	1	—	—	—
Joint Disease	9	9	7	9	5	2	4	10	5	5	3	—	—	—	—	—
Carbuncle	—	—	2	3	1	3	2	6	1	—	—	1	1	—	—	—
Phlegmon	—	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Skin Disease	1	—	2	3	1	2	3	2	2	—	2	1	—	—	—	—
Intemperance	11	19	17	26	18	15	15	7	4	—	—	—	—	—	—	2
Privation	1	—	—	—	2	1	1	1	2	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	3	4	2	2	2	7	6	5	3	3	4	1	—	—	—	2
Poison	4	1	4	6	3	2	5	—	1	1	—	—	—	—	—	—
Poisoned Wounds	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Burns and Scalds	6	6	4	7	8	4	5	7	6	9	3	3	—	—	—	—
Hanging, etc.	4	3	8	5	5	8	6	7	5	3	—	—	—	—	—	—
Suffocation	13	5	9	10	8	6	7	4	3	1	—	—	—	—	—	1
Drowning	64	42	48	33	40	25	30	16	14	5	1	1	—	1	—	6
Fracture and Contusion	80	72	73	72	67	60	60	41	38	36	34	17	6	2	2	1
Gunshot Wounds	1	1	—	1	1	—	2	—	—	—	—	1	—	—	—	—
Cuts and Stabs	3	2	6	3	5	8	—	1	3	1	2	—	—	—	—	—
Other Violent Causes	4	11	6	6	4	9	5	8	6	2	3	1	—	—	—	—
Not Specified	44	35	43	41	71	66	27	15	1	—	—	—	—	—	—	12

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	89087	4229	1427	2666	3320	1450	951	695	1870	1055	1824	1530	1287
SPECIFIED CAUSES	88224	3989	1879	2604	3265	1422	929	688	1885	1086	1297	1508	1274
I. Zymotic Class	7528	478	885	802	1228	718	499	375	846	263	277	298	219
II. Diseases of Uncertain Seat	1146	32	10	9	25	18	15	6	31	29	21	33	44
III. Tubercular Class	5872	118	189	387	550	223	140	116	407	312	538	661	543
IV. Brain and Nervous System	3720	298	105	197	212	77	68	49	160	97	81	62	58
V. Organs of Circulation	2825	18	8	5	4	2	3	2	19	31	59	42	55
VI. Respiratory Organs	6519	492	868	758	797	269	126	67	142	68	73	109	104
VII. Organs of Digestion	2676	348	145	316	299	49	27	24	59	56	41	59	55
VIII. Urinary Organs	940	4	3	1	9	7	10	11	28	14	37	31	42
IX. Organs of Generation	1	—	—	1	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	292	1	2	2	3	1	5	2	33	44	31	19	11
XI. Skin, etc.	53	7	5	3	8	4	—	—	—	—	1	—	1
XII. Malformation	138	121	7	5	2	2	1	—	—	—	—	—	—
XIII. Premature Debility	2123	1911	116	96	—	—	—	—	—	—	—	—	—
XIV. Atrophy	245	—	—	—	79	25	10	8	17	7	3	3	3
XV. Age	2450	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	72	6	3	3	1	—	1	—	1	—	—	5	2
XVII. Violent Deaths	2124	110	38	24	53	37	24	23	92	115	135	181	167
I. Small Pox	666	34	49	11	11	12	5	6	37	44	85	184	37
Measles	714	11	15	157	288	106	54	32	42	5	—	1	3
Scarlatina	1156	9	11	70	178	175	162	118	331	67	14	11	6
Diphtheria	600	14	8	86	107	91	90	82	121	23	9	2	1
Whooping Cough	723	68	67	176	204	94	47	29	86	1	—	—	1
Croup	635	31	25	77	178	122	76	53	68	2	2	1	—
Thrush	25	17	2	2	2	1	1	—	—	—	—	—	—
Diarrhoea	1087	188	151	204	170	41	13	7	23	8	11	7	6
Dysentery	153	6	12	9	8	2	1	1	2	1	3	1	1
Cholera	78	4	8	5	14	2	2	1	5	1	2	2	—
Influenza	53	1	—	1	1	2	—	—	2	—	1	—	2
Purpura	32	1	—	4	—	—	3	2	2	4	1	3	1
Ague	2	—	—	—	—	—	—	—	—	—	—	1	1
Worms	4	—	—	—	1	1	1	—	—	—	—	—	—
Typhus	323	3	1	—	6	3	4	4	18	24	34	32	28
Euteric Fever	743	2	4	9	30	36	22	25	112	68	94	89	65
Relapsing Fever	17	—	—	—	—	2	1	2	1	1	2	1	1
Simple Continued Fever	80	1	—	7	8	5	5	5	12	4	5	3	3
Infantile Remittent	67	4	1	10	6	15	7	5	19	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	64	—	—	—	—	—	—	—	9	10	6	6	5
Erysipelas	180	42	11	12	8	2	3	3	8	4	5	2	4
Pyæmia	25	—	1	1	—	1	1	—	2	1	2	—	3
Syphilis	96	41	19	10	8	—	—	—	—	—	1	2	1
Noma	5	1	—	1	—	—	1	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	59	8	2	2	—	1	1	—	—	1	—	7	3
Dropsy	295	3	1	—	12	8	7	4	22	20	8	7	2
Abscess	114	9	4	7	9	2	2	1	4	5	7	8	2
Ulcer	24	2	2	—	—	—	—	—	—	—	1	1	—
Fistula	10	—	—	—	—	—	—	—	—	—	1	1	—
Mortification	92	10	1	—	3	—	1	1	1	2	1	2	1
Cancer	542	—	—	—	1	2	4	—	4	1	3	7	6
Gout	10	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	375	6	11	19	33	21	15	11	52	44	37	32	18
Tabes Mesenterica	572	43	38	60	147	59	32	30	76	37	13	9	6
Phthisis	3854	14	36	48	90	48	34	23	153	201	482	619	519
Hydrocephalus	1071	55	104	260	280	95	59	52	126	30	6	1	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES.																
	AGE UNDER																
	85	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES .	1109	1156	1220	1323	1480	1497	1837	1783	2042	1587	1257	635	206	67	8	27	
SPECIFIED CAUSES	1098	1137	1195	1304	1444	1462	1826	1771	2042	1587	1257	635	206	67	8	19	
Zymotic Class .	147	119	106	91	104	88	115	98	110	75	60	27	8	1	-	1	
Uncertain Seat .	28	40	42	65	82	130	122	129	124	79	43	21	8	-	-	-	
Tubercular Class .	394	314	264	220	179	129	87	53	34	8	4	-	-	-	-	2	
Brain, etc. .	80	115	138	145	178	192	285	311	345	254	141	50	18	2	-	2	
Heart, etc. .	79	111	124	161	206	211	281	290	281	208	92	35	8	-	-	-	
Respiratory Organs	110	165	212	303	337	336	432	380	396	233	160	71	10	4	-	2	
Digestive Organs .	51	70	87	99	140	153	157	142	154	86	46	7	4	1	-	1	
Urinary Organs .	27	41	52	52	50	62	84	82	114	83	63	25	5	3	-	-	
Generative Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Locomotive Organs	12	11	10	10	10	9	15	21	14	13	10	2	1	-	-	-	
Skin .	-	1	3	4	1	2	5	4	2	-	1	1	-	-	-	-	
Malformation .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Premature Debility	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atrophy .	4	7	5	15	28	31	-	-	-	-	-	-	-	-	-	-	
Age .	-	-	-	-	-	-	135	186	414	509	611	387	147	53	7	1	
Sudden Deaths .	1	5	1	7	6	6	5	5	7	8	8	-	1	-	-	-	
Violent Deaths .	165	138	151	132	123	118	108	70	47	36	23	9	1	3	1	10	
Small Pox .	52	33	20	12	16	7	7	1	1	1	-	-	-	-	-	1	
Measles .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina .	3	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	
Diphtheria .	1	2	-	8	2	2	2	-	-	3	1	-	-	-	-	-	
Whooping Cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Croup .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Thrush .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea .	9	4	8	9	15	21	35	25	48	42	25	19	3	-	-	-	
Dysentery .	7	5	6	2	7	4	12	21	16	11	10	4	1	-	-	-	
Cholera .	4	4	2	2	7	6	1	2	3	1	-	-	-	-	-	-	
Influenza .	1	-	1	-	1	4	4	9	7	5	7	1	2	1	-	-	
Purpura .	2	1	1	-	2	1	-	3	1	-	-	-	-	-	-	-	
Ague .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worms .	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus .	20	27	28	21	19	13	16	8	7	8	2	1	1	-	-	-	
Enteric Fever .	33	26	18	24	13	22	14	15	13	4	5	-	-	-	-	-	
Relapsing Fever .	1	2	1	-	-	-	-	-	2	-	-	-	-	-	-	-	
Simple Cont. Fever	2	1	5	1	3	-	7	1	2	-	-	-	-	-	-	-	
Infantile Remittent	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Metria .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever .	2	2	4	6	6	4	3	-	1	-	-	-	-	-	-	-	
Erysipelas .	5	6	4	8	6	4	11	12	9	8	10	2	1	-	-	-	
Pyæmia .	3	2	-	1	4	-	1	1	-	1	-	-	-	-	-	-	
Syphilis .	2	2	5	2	1	-	1	-	1	-	-	-	-	-	-	-	
Noma .	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage .	3	5	2	4	4	4	3	3	2	3	1	-	-	-	-	-	
Dropsy .	5	7	9	13	10	20	25	29	46	19	11	6	1	-	-	-	
Abscess .	5	4	2	5	6	16	2	5	5	2	1	1	-	-	-	-	
Ulcer .	1	3	1	3	1	1	-	2	2	2	1	1	-	-	-	-	
Fistula .	-	-	-	1	-	2	1	3	1	-	-	-	-	-	-	-	
Mortification .	1	-	1	2	4	6	9	11	13	9	7	4	2	-	-	-	
Cancer .	13	21	26	36	54	81	81	74	54	43	22	9	-	-	-	-	
Gout .	-	-	1	1	3	-	1	2	1	1	-	-	-	-	-	-	
Scrofala .	13	13	8	8	13	8	4	4	-	-	1	-	-	-	-	-	
Tubæ Mesenterica	1	4	3	2	7	2	1	2	-	-	-	-	-	-	-	-	
Phthisis .	380	296	252	210	158	119	82	47	30	8	8	-	-	-	-	2	
Hydrocephalus	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.													
		MONTHS.			AGE UNDER										
		3	6	12	2	3	4	5	10	15	20	25	30		
IV. Cephalitis	428	9	23	50	57	16	25	22	74	39	26	16	12		
Apoplexy	821	17	13	22	26	16	10	4	15	8	8	10	12		
Paralysis	1020	1	-	-	1	-	1	-	5	2	8	9	7		
Delirium Tremens	55	-	-	-	-	-	-	-	-	-	-	1	2		
Chorea	5	-	-	1	-	-	-	-	-	-	-	1	-		
Epilepsy	122	-	-	3	1	1	1	4	3	11	12	10	4		
Tetanus	35	12	-	-	-	-	-	1	1	7	1	1	1		
Insanity	19	-	-	-	-	-	-	-	1	-	-	1	1		
Convulsions	587	243	60	102	105	32	20	8	17	-	1	1	2		
Brain Disease	628	16	9	19	22	12	11	10	44	30	25	13	18		
V. Pericarditis	53	-	-	-	-	1	1	1	5	5	7	3	1		
Aneurism	82	-	-	-	-	-	-	-	-	1	2	1	3		
Heart Disease	2190	18	8	5	4	1	2	1	14	25	50	38	51		
VI. Laryngitis	78	5	1	8	10	9	2	2	7	5	1	8	2		
Bronchitis	4097	374	288	585	599	183	96	86	72	27	14	23	31		
Pleurisy	149	6	4	3	3	3	-	-	7	4	10	15	6		
Pneumonia	1777	91	71	151	176	71	27	28	51	30	37	60	59		
Asthma	236	-	2	1	-	-	-	-	1	-	3	-	1		
Lung Disease	182	16	2	5	9	3	1	1	4	2	8	8	5		
VII. Teething	404	1	16	178	193	14	2	-	-	-	-	-	-		
Quinsey	42	7	4	4	4	2	2	6	3	2	-	-	-		
Gastritis	118	17	6	10	8	1	-	1	2	4	3	3	2		
Enteritis	505	143	63	67	52	20	5	8	16	10	7	3	7		
Peritonitis	187	16	8	9	6	1	2	4	11	14	11	13	11		
Ascites	21	-	-	-	-	-	-	1	2	1	1	2	-		
Ulceration of Intestines	104	2	-	1	1	1	-	-	3	4	2	7	2		
Hernia	63	3	1	4	3	-	1	-	-	-	1	5	5		
Ileus	156	14	4	7	1	-	3	1	4	4	5	7	5		
Intussusception	32	-	6	3	1	-	-	-	-	1	1	2	2		
Stricture of Intestines	25	1	-	-	-	-	-	-	-	-	-	1	-		
Stomach Disease	408	84	31	28	22	6	8	2	6	7	5	2	5		
Pancreas Disease	2	-	-	-	-	-	-	-	-	-	-	-	-		
Hepatitis	88	4	2	-	2	1	-	1	2	3	-	4	4		
Jaundice	116	45	3	3	2	-	3	-	2	1	2	3	3		
Liver Disease	389	11	1	2	3	3	1	-	7	4	3	12	9		
Spleen Disease	21	-	-	-	1	-	-	-	1	1	-	-	-		
VIII. Nephritis	71	2	1	-	3	3	7	3	10	-	3	4	2		
Nephria	228	1	-	-	2	2	3	2	9	4	16	13	15		
Addison's Disease	7	-	-	-	-	-	-	-	-	-	-	-	1		
Ischuria	68	1	1	-	-	1	-	-	-	1	1	-	1		
Diabetes	62	-	-	1	1	-	-	-	1	2	9	5	8		
Stone	54	-	-	-	-	-	-	1	1	2	-	-	2		
Cystitis	119	-	-	-	-	-	-	2	1	-	1	1	1		
Stricture of Urethra	18	-	-	-	-	-	-	-	-	-	-	-	-		
Kidney Disease	313	-	1	-	3	1	-	3	6	5	7	8	12		
IX. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-		
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-		
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organs of Generation	1	-	-	1	-	-	-	-	-	-	-	-	-		
X. Bone Disease	45	-	-	1	-	-	1	1	5	6	3	2	3		
Rheumatism	96	-	1	-	-	-	-	-	4	2	4	2	2		
Joint Disease	151	1	1	1	1	1	4	1	24	36	24	15	6		
XI. Carbuncle	15	-	-	-	-	1	-	-	-	-	-	-	1		
Phlegmon	4	-	-	1	-	1	-	-	-	-	-	-	-		
Skin Disease	34	7	5	2	3	2	-	-	-	-	1	-	-		
XVII. Intemperance	88	-	-	-	-	-	-	-	-	-	-	5	3		
Privation	6	-	-	-	-	-	-	1	-	-	1	-	-		
Want of Breast Milk	56	41	11	3	1	-	-	-	-	-	-	-	-		
Neglect	2	-	1	-	-	-	-	-	-	1	-	-	-		
Cold	37	3	1	-	1	-	-	-	-	-	1	2	-		
Poison	30	-	1	1	1	1	1	1	1	-	2	-	2		
Poisoned Wounds	2	-	-	-	-	-	-	-	-	-	-	-	-		
Burns and Scalds	126	-	-	9	20	18	8	10	17	6	3	3	9		
Hanging, etc.	42	-	-	-	-	-	-	-	-	1	-	4	1		
Suffocation	152	51	22	5	3	2	-	1	5	1	4	4	8		
Drowning	549	1	-	3	17	11	8	6	28	38	39	65	57		
Fracture and Contusion	892	6	2	2	10	5	4	3	35	61	75	87	75		
Gunshot Wounds	16	-	-	-	-	-	1	-	1	-	2	2	2		
Cuts and Stabs	33	-	-	-	-	-	1	-	-	-	-	-	3		
Other Violent Causes	93	8	-	1	-	-	1	1	5	7	8	9	7		
Not Specified	813	290	48	62	55	28	22	12	35	19	27	27	13		

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	85	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	14	8	9	6	4	6	4	1	8	—	1	—	—	—	—
Apoplexy	21	24	27	40	57	69	89	97	101	84	40	10	—	1	—	—
Paralysis	14	32	49	42	49	62	128	155	194	126	79	86	17	1	—	2
Delirium Tremens	5	11	8	11	8	2	4	2	1	—	—	—	—	—	—	—
Chorea	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—
Epilepsy	10	5	12	8	10	9	6	3	8	4	2	—	—	—	—	—
Tetanus	2	1	2	4	1	—	—	1	—	—	—	—	—	—	—	—
Insanity	2	1	1	—	1	1	2	2	1	2	1	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	23	27	81	81	44	45	50	47	44	85	18	8	1	—	—	—
Pericarditis	5	3	6	3	—	3	4	5	—	—	—	—	—	—	—	—
Aneurism	7	2	11	12	7	5	12	7	10	2	—	—	—	—	—	—
Heart Disease	67	106	107	146	199	203	265	278	271	206	92	85	8	—	—	—
Laryngitis	—	2	8	4	2	—	6	1	4	1	—	—	—	—	—	—
Bronchitis	84	60	88	145	172	186	248	237	248	168	122	57	7	2	—	—
Pleurisy	5	6	9	11	12	7	13	6	8	7	8	—	—	—	—	1
Pneumonia	55	83	95	92	107	101	115	97	100	42	22	11	2	2	—	1
Asthma	3	5	10	37	26	26	30	84	29	13	12	2	1	—	—	—
Lung Disease	18	9	12	14	18	16	20	5	7	2	1	1	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	1	1	—	1	2	1	1	1	—	—	—	—	—	—	—
Gastritis	8	3	6	8	6	5	5	9	5	5	1	—	—	—	—	—
Enteritis	7	5	2	6	16	11	15	12	15	9	5	—	—	—	—	1
Peritonitis	7	5	8	8	9	6	12	8	9	9	—	—	—	—	—	—
Ascites	—	2	—	1	3	2	2	1	1	1	1	—	—	—	—	—
Ulceration of Intestines	1	11	9	8	6	15	9	6	8	6	1	1	—	—	—	—
Hernia	—	1	2	3	1	3	4	4	14	8	5	—	—	—	—	—
Ileus	5	4	4	7	11	14	7	18	11	9	7	3	1	—	—	—
Intussusception	1	—	2	2	2	2	4	8	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	3	1	4	7	8	1	1	—	1	1	—	—	—
Stomach Disease	4	6	15	14	19	25	29	23	36	20	9	1	1	—	—	—
Pancreas Disease	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Hepatitis	5	7	7	5	7	8	7	8	4	5	2	—	—	—	—	—
Jaundice	1	—	2	2	7	7	7	6	7	6	3	—	1	—	—	—
Liver Disease	15	23	28	31	47	47	45	39	39	6	11	1	—	1	—	—
Spleen Disease	1	2	1	1	4	2	2	1	2	1	1	—	—	—	—	—
Nephritis	1	2	4	4	4	4	2	1	5	5	1	—	—	—	—	—
Nephria	12	14	17	16	19	20	19	19	12	6	4	2	1	—	—	—
Addison's Disease	1	2	—	—	1	—	1	—	—	—	—	1	—	—	—	—
Ischuria	—	2	3	2	1	6	6	8	5	11	14	1	2	1	—	—
Diabetes	2	5	3	1	1	4	6	3	6	2	2	—	—	—	—	—
Stone	—	—	3	3	1	—	8	9	4	10	5	4	—	1	—	—
Cystitis	1	1	2	5	5	10	10	13	28	18	11	7	1	1	—	—
Stricture of Urethra	2	2	2	2	8	1	2	1	—	1	2	—	—	—	—	—
Kidney Disease	8	13	18	19	15	17	30	23	54	30	24	10	1	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease	1	5	3	2	5	—	2	2	1	—	—	—	—	—	—	—
Rheumatism	4	1	4	4	3	7	10	12	11	13	9	2	1	—	—	—
Joint Disease	7	5	3	4	2	2	8	7	2	—	1	—	—	—	—	—
Carbuncle	—	—	2	2	1	2	2	8	1	—	—	—	—	—	—	—
Phlegmon	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Skin Disease	—	—	1	2	—	—	3	1	—	—	—	1	1	—	—	—
Intemperance	7	13	7	12	9	11	11	5	4	—	—	—	—	—	—	1
Privation	1	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	8	4	1	2	1	3	4	2	1	3	3	—	—	—	—	2
Poison	1	1	2	5	8	1	4	—	1	1	—	—	—	—	—	—
Poisoned Wounds	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Burns and Scalds	4	2	2	4	3	1	—	3	2	2	—	—	—	—	—	—
Hanging, etc.	2	1	6	4	2	6	4	6	2	3	—	—	—	—	—	—
Suffocation	10	3	7	7	5	5	6	3	—	—	—	—	—	—	—	—
Drowning	60	36	46	25	32	20	25	12	9	3	—	1	—	1	—	6
Fracture and Contusion	71	67	68	65	58	54	43	33	20	21	16	6	1	2	1	1
Gunshot Wounds	1	1	—	1	1	—	2	—	—	1	—	—	—	—	—	—
Cuts and Stabs	2	2	5	2	5	6	—	1	3	1	2	—	—	—	—	—
Other Violent Causes	3	8	6	5	3	6	3	4	4	1	2	1	—	—	—	—
Not Specified	11	18	25	19	36	35	11	12	—	—	—	—	—	—	—	8

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	37909	8231	1182	2215	2981	1415	902	677	1748	958	1262	1379	1261
SPECIFIED CAUSES	37173	2994	1125	2158	2918	1892	892	658	1721	937	1246	1869	1250
I. Zymotic Class	7428	874	816	671	1283	707	501	372	878	308	245	255	219
II. Diseases of Uncertain Seat	1683	23	8	9	12	12	9	7	14	8	18	25	30
III. Tubercular Class	6080	91	144	820	456	195	181	108	383	368	674	709	567
IV. Brain and Nervous System	3508	280	85	179	164	98	52	55	129	74	65	66	51
V. Organs of Circulation	2185	9	4	4	3	-	3	6	24	34	48	60	53
VI. Respiratory Organs	6005	400	309	616	658	258	181	63	150	54	79	68	78
VII. Organs of Digestion	2532	208	122	245	277	53	25	21	63	27	40	48	80
VIII. Urinary Organs	427	1	1	1	2	7	6	8	10	13	20	27	35
IX. Organs of Generation	540	1	-	-	3	1	-	-	-	1	17	85	95
X. Organs of Locomotion	220	1	-	-	-	3	3	1	17	20	14	7	9
XI. Skin, etc.	43	7	8	4	7	-	-	-	1	1	-	-	1
XII. Malformation	106	84	8	6	2	2	1	-	-	1	1	-	-
XIII. Premature Debility	1632	1459	92	81	-	-	-	-	-	-	-	-	-
XIV. Atrophy	815	-	-	-	80	23	8	8	15	9	10	4	6
XV. Age	3753	-	-	-	-	-	-	-	-	-	-	-	-
XVI. Sudden Deaths	56	7	8	3	1	-	-	-	3	-	1	2	-
XVII. Violent Deaths	715	99	35	14	25	38	22	14	34	19	14	13	20
I. Small Pox	460	46	24	14	14	13	8	16	33	45	51	57	41
Measles	736	10	9	137	289	118	63	31	58	8	2	3	-
Scarlatina	1071	8	9	48	145	176	150	97	308	78	22	9	8
Diphtheria	603	8	4	28	104	96	64	67	155	38	10	10	5
Hooping Cough	875	58	78	198	277	102	69	46	46	5	-	-	-
Croup	497	18	10	46	136	103	68	54	60	6	-	-	-
Thrush	19	11	5	3	-	-	-	-	-	-	-	-	-
Diarrhoea	1065	150	130	151	178	81	16	9	22	4	4	5	5
Dysentery	141	1	8	2	6	1	2	1	-	1	-	2	2
Cholera	43	2	4	6	4	1	1	-	4	-	-	-	1
Influenza	66	3	-	2	2	-	1	-	3	-	-	2	1
Purpura	32	1	-	1	-	1	1	1	1	4	3	2	1
Ague	4	-	-	-	-	-	-	-	-	-	-	-	-
Worms	10	-	-	1	2	1	2	-	2	-	-	1	1
Typhus	305	-	1	1	8	7	5	6	21	19	32	30	28
Enteric Fever	752	3	6	6	30	38	31	25	128	71	77	52	52
Relapsing Fever	14	-	-	-	1	-	-	1	1	2	1	-	2
Simple Continued Fever	112	2	3	7	8	8	12	8	20	11	12	2	5
Infantile Remittent	50	3	-	5	17	8	5	5	7	-	-	-	-
Metria	251	-	-	-	-	-	-	-	-	-	18	66	53
Rheumatic Fever	65	-	-	-	-	-	-	1	5	12	7	4	2
Erysipelas	186	30	7	9	7	-	-	3	1	2	6	6	3
Pyæmia	33	-	-	-	1	1	1	1	2	2	8	3	7
Syphilis	84	30	28	6	7	2	1	-	-	-	2	1	2
Noma	4	-	-	-	2	-	1	-	1	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	56	5	1	2	-	-	-	-	1	-	2	7	6
Dropsy	356	2	1	3	5	6	6	4	6	5	6	9	6
Abscess	85	3	-	4	2	4	2	2	3	8	7	3	4
Ulcer	40	3	-	-	2	-	1	1	1	-	1	-	-
Fistula	8	-	-	-	-	-	-	-	-	-	1	-	-
Mortification	91	4	-	-	1	1	-	-	1	-	-	3	4
Cancer	995	1	1	-	2	1	-	-	2	-	1	8	11
Gout	7	-	-	-	-	-	-	-	-	-	-	-	-
III. Scrofula	832	9	8	22	33	11	17	11	33	38	38	31	10
Tabes Mesenterica	427	27	34	42	116	41	23	19	59	24	13	7	5
Phthisis	4432	14	19	45	88	53	30	42	177	277	624	671	552
Hydrocephalus	889	41	33	211	219	30	61	36	114	29	4	-	-

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	1285	1161	1258	1204	1383	1415	1820	1803	2348	1938	1698	944	345	114	16	16
SPECIFIED CAUSES . .	1202	1144	1240	1182	1348	1384	1804	1800	2347	1938	1698	944	345	114	16	12
Zymotic Class . . .	198	151	187	84	108	88	104	110	151	91	89	26	12	2	-	8
Uncertain Seat . . .	46	59	120	140	162	178	174	163	184	117	82	24	11	2	1	-
Tubercular Class . .	447	386	309	235	192	189	100	66	29	20	6	2	1	-	-	2
Brain, etc.	75	75	105	145	182	192	265	279	395	276	159	83	19	4	-	1
Heart, etc.	88	104	124	188	164	217	268	255	261	183	79	41	18	-	-	1
Respiratory Organs .	108	109	187	179	255	291	421	408	469	348	238	101	25	4	1	2
Digestive Organs . .	84	98	112	118	141	129	179	157	124	100	52	24	4	1	-	-
Urinary Organs . . .	37	31	27	37	24	28	26	29	35	14	6	2	5	-	-	-
Generative Organs . .	78	83	72	80	21	18	16	5	10	2	3	4	-	-	-	-
Locomotive Organs .	4	10	8	16	12	9	14	22	20	18	10	2	-	-	-	-
Skin	1	1	1	2	1	3	-	4	2	1	1	1	1	-	-	-
Malformation	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Debility . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atrophy	11	7	9	21	45	59	-	-	-	-	-	-	-	-	-	-
Age	-	-	-	-	-	-	191	271	623	738	948	619	248	101	18	1
Sudden Deaths . . .	1	2	1	3	1	6	7	4	5	4	1	-	1	-	-	-
Violent Deaths . . .	29	28	27	39	40	32	39	27	39	26	24	15	5	-	1	2
Small Pox	30	24	17	5	9	3	4	2	3	1	-	-	-	-	-	-
Measles	3	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	7	6	2	-	1	-	-	-	-	-	-	-	-	-	-	2
Diphtheria	3	2	3	1	1	1	1	2	-	-	-	-	-	-	-	-
Whooping Cough . . .	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Croup	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa	10	16	14	13	20	26	32	38	66	52	51	16	9	2	-	-
Dysentery	6	6	4	10	11	9	15	10	23	18	6	2	-	-	-	-
Cholera	2	2	2	1	1	1	2	4	2	1	-	1	-	-	-	-
Influenza	1	2	2	1	-	2	8	4	13	7	10	1	1	-	-	-
Purpura	1	2	3	2	1	2	-	1	3	1	-	-	-	-	-	-
Ague	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	28	15	17	16	23	7	6	20	9	4	1	-	-	-	-	1
Enteric Fever	37	26	31	20	27	16	21	21	18	8	4	4	-	-	-	-
Relapsing Fever . . .	1	1	-	1	-	-	1	1	-	-	1	-	-	-	-	-
Simple Cont. Fever . .	1	1	3	1	1	-	2	2	1	1	-	-	-	-	-	-
Infantile Remittent . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Metria	55	35	26	3	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever . . .	6	3	7	4	2	6	3	-	1	1	1	-	-	-	-	-
Erysipelas	2	3	3	1	9	5	5	3	11	2	14	2	2	-	-	-
Pyæmia	3	2	-	3	-	3	1	-	-	-	-	-	-	-	-	-
Syphilis	2	2	2	1	1	-	1	1	-	-	-	-	-	-	-	-
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	4	6	8	3	2	2	-	2	4	-	2	-	-	-	-	-
Dropsy	9	14	17	20	30	16	40	32	47	39	21	8	3	-	1	-
Abscess	6	4	3	2	2	6	12	1	3	2	2	-	-	-	-	-
Ulcer	1	-	1	1	5	4	2	4	5	3	3	1	1	-	-	-
Fistula	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	2	2	3	2	4	5	2	5	15	18	10	7	-	2	-	-
Cancer	24	33	38	110	118	144	118	110	53	43	8	6	-	-	-	-
Gout	-	-	-	-	1	1	-	1	-	2	1	-	1	-	-	-
Scrofula	6	12	11	6	8	12	10	3	4	2	2	-	-	-	-	-
Tabes Mesenterica . .	4	1	2	2	3	2	1	-	1	1	-	-	-	-	-	-
Phthisis	437	373	296	226	181	125	89	63	24	17	4	2	1	-	-	2
Hydrocephalus	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES OF DEATH in SCOTLAND, at different Periods of Life, in 1873.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	392	12	19	53	46	36	21	22	58	34	23	17	10
Apoplexy	817	9	9	20	13	8	4	9	17	12	5	4	8
Paralysis	1091	—	—	2	—	2	1	2	1	3	9	4	9
Delirium Tremens	11	—	—	—	—	—	—	—	—	—	—	1	—
Chorea	3	—	—	—	—	1	—	—	1	—	—	—	—
Epilepsy	148	—	—	1	2	2	—	—	5	9	9	17	14
Tetanus	17	5	—	1	—	1	—	—	1	1	—	1	—
Insanity	39	—	—	—	—	2	—	—	1	—	—	2	—
Convulsions	506	196	51	88	83	33	18	16	21	—	—	—	—
Brain Disease	479	8	6	14	20	13	8	6	24	15	19	20	8
V. Pericarditis	39	1	2	—	—	—	—	1	4	3	3	1	4
Aneurism	31	—	—	—	—	—	—	—	2	—	1	—	—
Heart Disease	2115	8	2	4	3	—	3	5	18	31	44	59	55
VI. Laryngitis	68	3	1	9	8	4	5	2	2	4	—	3	1
Bronchitis	4211	306	245	486	491	194	92	45	72	23	21	26	32
Pleurisy	125	5	3	1	4	2	4	—	4	4	4	8	3
Pneumonia	1235	78	59	112	140	51	25	15	65	19	47	27	33
Asthma	227	—	—	2	1	2	—	—	1	—	1	1	3
Lung Disease	139	8	1	6	9	5	5	1	6	4	6	3	6
VII. Teething	366	—	17	148	181	18	2	—	—	—	—	—	—
Quinsey	51	7	4	2	14	4	—	2	8	—	1	—	2
Gastritis	112	7	6	5	10	2	2	2	6	1	—	3	9
Enteritis	419	99	54	54	43	17	11	5	15	5	11	5	7
Peritonitis	208	5	4	6	3	1	3	4	10	8	10	23	19
Ascites	52	—	—	—	—	—	1	—	3	1	—	1	1
Ulceration of Intestines	99	—	3	2	2	1	2	—	6	1	3	2	5
Hernia	64	1	1	—	—	1	—	—	—	—	—	—	1
Ileus	111	4	2	5	1	1	1	1	2	1	3	5	3
Intussusception	17	1	1	—	1	—	—	—	1	—	—	—	—
Stricture of Intestines	14	—	—	—	1	—	—	—	—	—	—	—	1
Stomach Disease	416	48	28	20	15	5	3	3	6	3	5	1	13
Pancreas Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	97	2	—	—	1	1	—	1	4	1	2	3	4
Jaundice	108	24	1	2	2	2	—	—	3	1	—	—	3
Liver Disease	376	10	1	1	3	—	—	2	3	1	2	6	10
Spleen Disease	20	—	—	—	—	—	—	1	2	—	1	—	2
VIII. Nephritis	44	1	—	—	1	3	1	2	6	2	2	1	1
Nephria	153	—	—	—	—	3	2	1	2	6	5	9	16
Addison's Disease	7	—	—	—	—	—	—	—	—	—	—	2	—
Ischuria	14	—	—	1	—	—	1	—	—	—	—	1	1
Diabetes	43	—	—	—	—	—	—	—	—	1	6	4	4
Stone	10	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	17	—	—	—	—	—	—	—	—	—	2	—	3
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	139	—	1	—	1	1	2	—	2	4	5	10	10
IX. Paramenia	23	—	—	—	—	—	—	—	—	1	6	5	6
Ovarian Dropsy	69	—	—	—	—	—	—	—	—	—	1	6	6
Childbirth	325	—	—	—	—	—	—	—	—	—	8	65	73
Organs of Generation	123	1	—	—	3	1	—	—	—	—	2	9	10
X. Bone Disease	15	—	—	—	—	1	1	—	2	—	2	2	1
Rheumatism	118	—	—	—	—	—	—	—	—	1	5	2	3
Joint Disease	87	1	—	—	—	2	2	1	15	19	7	3	5
XI. Carbuncle	7	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	3	—	—	—	—	—	—	—	1	—	—	—	—
Skin Disease	33	7	3	4	7	—	—	—	—	1	—	—	1
XVII. Intemperance	60	—	—	—	—	—	—	—	—	—	—	2	4
Privation	4	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	49	33	9	5	2	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	17	1	—	—	—	—	—	—	—	—	—	—	1
Poison	17	—	—	1	—	2	—	—	1	1	3	—	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	127	1	1	4	15	20	10	10	15	1	2	—	3
Hanging, etc.	19	—	—	—	—	—	—	—	—	—	—	—	1
Suffocation	110	54	25	3	1	—	—	—	1	1	2	1	1
Drowning	100	3	—	—	5	8	1	—	7	13	3	5	5
Fracture and Contusion	165	1	—	1	2	3	8	4	5	1	2	1	3
Gunshot Wounds	2	—	—	—	—	—	1	—	—	—	1	—	—
Cuts and Stabs	5	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	40	6	—	—	—	—	2	—	5	2	1	4	1
Not Specified	736	237	57	62	63	23	10	19	27	21	16	10	11

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—FEMALES. (Continued.)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	5	7	5	5	4	1	5	2	3	2	2	—	—	—	—	—	
Apoplexy	19	19	31	56	67	60	81	93	123	83	40	20	5	1	—	1	
Paralysis	16	13	21	42	65	87	134	137	217	154	103	53	14	2	—	—	
Delirium Tremens	2	1	—	1	—	3	1	—	2	—	—	—	—	—	—	—	
Chorea	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	14	10	15	9	11	10	10	3	5	2	—	—	—	—	—	—	
Tetanus	—	1	—	3	1	1	—	—	1	—	—	—	—	—	—	—	
Insanity	1	2	4	1	3	3	3	5	3	1	4	2	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	17	22	29	28	31	27	31	39	41	34	10	8	—	1	—	—	
Pericarditis	3	3	4	—	1	1	1	1	5	1	—	—	—	—	—	—	
Aneurism	—	1	3	3	3	3	7	3	3	1	1	—	—	—	—	—	
Heart Disease	85	100	117	130	160	213	260	251	253	181	78	41	13	—	—	1	
Laryngitis	4	5	2	6	2	—	3	2	1	—	—	1	—	—	—	—	
Bronchitis	47	48	113	94	177	200	287	295	366	248	196	80	22	3	1	1	
Pleurisy	8	7	8	6	8	5	17	8	8	4	2	2	—	—	—	—	
Pneumonia	44	41	47	47	43	58	71	60	57	59	23	10	2	1	—	1	
Asthma	1	2	7	17	16	21	32	34	32	30	15	8	1	—	—	—	
Lung Disease	4	6	10	9	9	7	11	9	5	7	2	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	1	1	—	1	—	—	1	1	1	—	1	—	—	—	—	—	
Gastritis	7	4	5	5	5	7	7	3	7	6	1	2	—	—	—	—	
Enteritis	12	8	10	12	8	9	12	6	4	7	3	2	—	—	—	—	
Peritonitis	17	20	10	7	8	7	11	8	7	10	2	4	1	—	—	—	
Ascites	1	4	2	6	4	3	5	10	4	5	1	1	—	—	—	—	
Ulceration of Intestines	6	5	9	7	8	5	11	8	4	4	4	1	—	—	—	—	
Hernia	—	2	6	3	6	5	9	13	6	5	4	1	—	—	—	—	
Ileus	2	2	5	4	10	4	9	14	12	9	7	4	—	—	—	—	
Intussusception	1	—	1	1	—	1	3	1	1	2	2	—	—	—	—	—	
Stricture of Intestines	1	—	1	—	3	—	2	2	1	1	1	—	—	—	—	—	
Stomach Disease	13	15	17	19	29	30	38	37	28	24	11	3	2	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
Hepatitis	4	7	10	4	6	11	11	11	4	4	5	1	—	—	—	—	
Jaundice	3	7	4	5	9	7	5	5	11	8	4	1	1	—	—	—	
Liver Disease	16	19	30	42	43	39	53	36	33	15	6	4	—	1	—	—	
Spleen Disease	—	4	2	2	2	1	2	1	—	—	—	—	—	—	—	—	
Nephritis	3	—	1	5	4	2	2	2	4	1	—	—	—	—	—	—	
Nephria	17	10	14	10	12	8	10	9	9	7	1	1	1	—	—	—	
Addison's Disease	—	2	—	3	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	1	—	3	—	—	3	1	—	1	—	—	—	1	—	—	—	
Diabetes	3	7	2	6	1	2	2	2	2	1	—	—	—	—	—	—	
Stone	2	—	—	—	1	2	1	1	2	1	—	—	—	—	—	—	
Cystitis	1	2	1	—	1	1	—	1	2	1	1	1	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	10	10	6	13	5	10	10	14	15	3	4	—	3	—	—	—	
Paramenia	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	3	8	6	7	6	7	7	4	4	1	2	1	—	—	—	—	
Childbirth	59	66	44	9	1	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	9	8	21	13	14	11	9	1	6	1	1	3	—	—	—	—	
Bone Disease	—	2	—	1	1	—	1	—	—	—	—	1	—	—	—	—	
Rheumatism	2	4	4	10	8	9	12	19	17	13	8	1	—	—	—	—	
Joint Disease	2	4	4	5	3	—	1	3	3	5	2	—	—	—	—	—	
Carbuncle	—	—	—	1	—	1	—	3	—	—	—	1	1	—	—	—	
Phlegmon	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Skin Disease	1	—	1	1	1	2	—	1	2	—	1	—	—	—	—	—	
Intemperance	4	6	10	14	9	4	4	2	—	—	—	—	—	—	—	1	
Privation	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	1	—	1	4	2	3	2	—	1	1	—	—	—	—	
Poison	3	—	2	1	—	1	1	—	—	—	—	—	—	—	—	—	
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	2	4	2	3	5	3	5	4	4	7	3	3	—	—	—	—	
Hanging, etc.	2	2	2	1	3	2	2	1	3	—	—	—	—	—	—	—	
Suffocation	3	2	2	3	3	1	1	1	3	1	—	—	—	—	—	1	
Drowning	4	6	2	8	8	5	5	4	5	2	1	—	—	—	—	—	
Fracture and Contusion	9	5	5	7	9	6	17	8	18	15	18	11	5	—	1	—	
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs	1	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	1	3	—	1	1	3	2	4	2	1	1	—	—	—	—	—	
Not Specified	33	17	18	22	35	31	16	3	1	—	—	—	—	—	—	4	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—Females.

DISEASES.	ALL AGES.	FEMALES.							
		AGE UNDER 15.							
		MONTHS.			AGE UNDER 15.				
		3	6	12	2	3	4	5	15 & 16
IV. Cephalitis	392	12	19	53	46	36	21	22	
Apoplexy	817	9	9	20	13	8	4	9	
Paralysis	1091	—	—	2	—	2	1	2	
Delirium Tremens	11	—	—	—	—	—	—	—	
Chorea	3	—	—	—	—	1	—	—	
Epilepsy	148	—	—	1	2	—	—	—	
Tetanus	17	5	—	1	—	1	—	—	
Insanity	89	—	—	—	—	2	—	—	
Convulsions	506	196	51	88	83	33	18	16	
Brain Disease	479	8	6	14	20	13	8	6	
V. Pericarditis	39	1	2	—	—	—	—	1	
Aneurism	31	—	—	—	—	—	—	—	
Heart Disease	2115	8	2	4	3	—	3	5	
VI. Laryngitis	68	3	1	9	8	4	5	2	
Bronchitis	4211	306	245	486	491	194	92	45	
Pleurisy	125	5	3	1	4	2	4	—	
Pneumonia	1235	78	59	112	140	51	25	16	
Asthma	227	—	—	—	2	1	—	—	
Lung Disease	139	8	1	6	9	5	5	1	
VII. Teething	366	—	17	148	181	18	2	—	
Quinsey	51	7	4	2	14	4	—	—	
Gastritis	112	7	6	5	10	2	2	—	
Enteritis	419	99	54	54	43	17	11	—	
Peritonitis	208	5	4	6	3	1	3	—	
Ascites	52	—	—	—	—	—	1	—	
Ulceration of Intestines	99	—	3	2	2	1	2	—	
Hernia	64	1	1	—	1	—	—	—	
Ileus	111	4	2	5	1	1	1	—	
Intussusception	17	1	1	—	1	—	—	—	
Stricture of Intestines	14	—	—	—	1	—	—	—	
Stomach Disease	416	48	28	20	15	5	3	—	
Pancreas Disease	2	—	—	—	—	—	—	—	
Hepatitis	97	2	—	—	1	1	—	—	
Jaundice	108	24	1	2	2	2	—	—	
Liver Disease	376	10	1	1	3	—	—	—	
Spleen Disease	20	—	—	—	—	—	—	—	
VIII. Nephritis	44	1	—	—	1	3	1	—	
Nephria	153	—	—	—	—	3	2	—	
Addison's Disease	7	—	—	—	—	—	—	—	
Ischuria	14	—	—	1	—	—	1	—	
Diabetes	43	—	—	—	—	—	—	—	
Stone	10	—	—	—	—	—	—	—	
Cystitis	17	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	
Kidney Disease	139	—	1	—	1	1	2	—	
IX. Parametria	23	—	—	—	—	—	—	—	
Ovarian Dropsy	69	—	—	—	—	—	—	—	
Childbirth	325	—	—	—	—	—	—	—	
Organs of Generation	123	1	—	—	3	1	—	—	
X. Bone Disease	15	—	—	—	—	1	1	—	
Rheumatism	118	—	—	—	—	—	—	—	
Joint Disease	87	1	—	—	—	2	—	—	
XI. Carbuncle	7	—	—	—	—	—	—	—	
Phlegmon	3	—	—	—	—	—	—	—	
Skin Disease	33	7	3	4	7	—	—	—	
XVII. Intemperance	60	—	—	—	—	—	—	—	
Privation	4	—	—	—	—	—	—	—	
Want of Breast Milk	49	33	9	5	2	—	—	—	
Neglect	—	—	—	—	—	—	—	—	
Cold	17	1	—	—	—	—	—	—	
Poison	17	—	—	1	—	2	—	—	
Poisoned Wounds	—	—	—	—	—	—	—	—	
Burns and Scalds	127	1	1	4	15	20	—	—	
Hanging, etc.	19	—	—	—	—	—	—	—	
Suffocation	110	54	25	3	1	—	—	—	
Drowning	100	3	—	—	5	8	—	—	
Fracture and Contusion	165	1	—	1	2	3	—	—	
Gunshot Wounds	2	—	—	—	—	—	—	—	
Cuts and Stabs	5	—	—	—	—	—	—	—	
Other Violent Causes	40	6	—	—	—	—	—	—	
Not Specified	736	227	57	62	63	23	—	—	

00 105

30 1

80 1

- -

- -

3 2

8 -

6 2 1

2 1 -

- -

- -

- -

- -

- -

- -

- -

- -

6 42 25

5 1 -

- -

- -

- -

- -

- -

6 2

- -

3 -

- -

1 -

1 -

- -

- -

3 2 1

- -

- -

- -

1 1 1

6 1 3

1 3 2

2 4 1

9 4 1

16 8 4

1 -

- -

3 -

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	30008	2952	1195	2309	3150	1366	873	609	1569	784	949	1152	1039
SPECIFIED CAUSES	29820	2886	1177	2296	3137	1361	866	604	1560	780	942	1148	1037
I. Zymotic Class	6543	379	333	741	1249	654	455	310	727	203	188	240	178
II. Diseases of Uncertain Seat	932	19	2	8	25	15	9	7	21	21	11	24	16
III. Tubercular Class	4967	82	143	302	490	181	142	120	354	269	463	512	420
IV. Brain and Nervous System	2861	256	109	184	192	100	58	46	130	69	50	42	49
V. Organs of Circulation	1619	7	2	3	3	—	2	3	17	20	46	49	60
VI. Respiratory Organs	5801	401	331	699	796	313	140	65	162	55	67	78	85
VII. Organs of Digestion	1918	210	109	258	272	44	19	18	46	35	22	46	60
VIII. Urinary Organs	509	2	1	1	3	7	9	7	22	17	25	26	35
IX. Organs of Generation	207	—	—	1	1	—	—	—	—	—	4	38	46
X. Organs of Locomotion	195	—	1	—	2	1	2	3	24	38	17	7	8
XI. Skin, etc.	39	6	3	1	5	1	—	—	1	1	—	—	2
XII. Malformation	81	71	4	2	3	1	—	—	—	—	—	—	—
XIII. Premature Debility	1534	1357	100	77	—	—	—	—	—	—	—	—	—
XIV. Atrophy	207	—	—	—	71	18	11	7	14	5	1	—	2
XV. Age	1251	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	62	6	4	5	1	—	—	—	3	—	—	5	1
XVII. Violent Deaths	1094	90	35	14	24	26	19	18	39	47	48	81	75
I. Small Pox	467	26	31	9	11	11	6	10	38	40	47	90	55
Measles	901	7	18	196	382	123	75	37	50	4	1	2	3
Scarlatina	1130	5	13	57	148	190	160	115	334	71	11	7	8
Diphtheria	393	5	1	26	96	68	50	38	74	18	3	4	4
Hooping Cough	631	32	47	158	212	82	49	25	26	—	—	—	—
Croup	424	10	18	47	129	91	50	39	39	1	—	—	—
Thrush	20	14	2	2	1	—	—	—	—	—	—	—	—
Diarrhœa	1067	196	159	197	190	34	14	9	27	4	8	4	7
Dysentery	85	1	6	1	4	1	2	1	—	1	2	2	2
Cholera	46	2	6	2	11	1	1	—	3	—	—	1	—
Influenza	34	2	—	2	—	2	—	—	3	—	—	1	1
Purpura	20	1	—	4	—	1	2	—	1	1	2	—	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	1
Worms	5	—	—	1	1	1	1	—	1	—	—	—	—
Typhus	311	2	—	—	2	4	3	2	10	16	24	32	31
Enteric Fever	472	—	1	6	26	23	23	18	87	31	64	50	31
Relapsing Fever	10	—	—	—	—	1	1	—	—	2	—	—	1
Simple Continued Fever	78	2	1	9	9	8	8	9	14	5	2	1	1
Infantile Remittent	50	1	—	7	10	10	5	4	13	—	—	—	—
Metria	110	—	—	—	—	—	—	—	—	—	8	34	23
Rheumatic Fever	38	—	—	—	—	—	—	1	3	4	7	4	1
Erysipelas	129	29	7	10	10	1	1	2	3	3	4	4	3
Pyæmia	24	—	1	—	—	1	1	—	1	2	4	2	3
Syphilis	93	44	22	7	5	1	—	—	—	—	1	—	3
Noma	4	—	—	—	2	—	2	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	41	5	1	—	—	1	—	—	1	1	—	5	3
Dropsy	216	4	—	1	11	11	7	6	15	14	4	10	1
Abscess	72	5	—	7	8	2	1	—	2	5	4	2	1
Ulcer	32	1	1	—	—	1	1	1	1	—	1	1	—
Fistula	6	—	—	—	—	—	—	—	—	—	1	1	—
Mortification	71	4	—	—	4	1	—	—	—	—	—	3	4
Cancer	490	—	—	—	1	—	—	—	2	1	1	2	7
Gout	4	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	300	6	9	24	42	16	24	17	37	36	23	20	8
Tabes Mesenterica	418	29	35	42	134	40	25	22	69	26	8	6	—
Phthisis	3368	7	21	35	82	46	26	32	165	190	428	485	412
Hydrocephalus	851	40	78	201	232	79	67	49	83	17	4	1	—

CAUSES OF DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE.																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	1033	996	1136	1109	1171	1148	1389	1171	1253	759	529	266	63	30	1	7	
SPECIFIED CAUSES . .	1030	992	1130	1106	1161	1141	1389	1170	1253	759	529	266	63	30	1	6	
Zymotic Class . . .	152	107	126	72	86	56	83	64	63	37	27	8	3	—	—	2	
Uncertain Seat . . .	33	49	70	85	87	107	110	76	71	36	19	8	3	—	—	—	
Tubercular Class . .	371	313	260	202	141	93	58	29	15	3	2	—	—	—	—	2	
Brain, etc.	62	85	101	128	160	159	217	213	232	128	65	21	3	2	—	—	
Heart, etc.	84	93	125	142	146	182	215	162	150	64	25	16	3	—	—	—	
Respiratory Organs .	116	129	209	239	287	321	387	328	286	171	84	43	6	2	1	—	
Digestive Organs . .	58	69	79	73	106	97	102	72	64	32	20	4	2	1	—	—	
Urinary Organs . . .	28	30	38	44	33	24	46	42	36	15	14	4	—	—	—	—	
Generative Organs . .	27	33	29	10	8	2	5	2	1	—	—	—	—	—	—	—	
Locomotive Organs .	9	7	8	10	8	7	12	15	7	6	3	—	—	—	—	—	
Skin	1	2	2	3	—	1	2	3	2	1	1	1	—	—	—	—	
Malformation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	1	4	3	13	28	29	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	99	127	286	256	260	156	42	25	—	—	
Sudden Deaths . . .	1	4	2	6	4	5	4	4	7	—	—	—	—	—	—	—	
Violent Deaths . . .	87	67	78	79	67	58	49	33	33	10	9	5	1	—	—	2	
Small Pox	40	21	18	4	6	—	1	1	1	—	—	—	—	—	—	1	
Measles	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	4	3	2	—	1	—	—	—	—	—	—	—	—	—	—	1	
Diphtheria	1	1	—	1	1	—	—	1	—	—	1	—	—	—	—	—	
Whooping Cough . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa	7	8	13	7	20	25	32	25	28	29	16	6	2	—	—	—	
Dysentery	10	6	8	3	5	4	10	4	9	1	2	—	—	—	—	—	
Cholera	2	3	2	2	4	2	1	1	2	—	—	—	—	—	—	—	
Influenza	1	—	1	1	—	2	3	4	6	2	3	—	—	—	—	—	
Purpura	2	1	2	—	—	—	—	—	—	1	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	30	32	31	28	26	8	12	13	4	—	1	—	—	—	—	—	
Enteric Fever	16	17	20	14	10	8	13	8	3	2	1	—	—	—	—	—	
Relapsing Fever . . .	2	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Simple Cont. Fever . .	1	—	4	1	—	—	2	—	1	—	—	—	—	—	—	—	
Infantile Remittent .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria	26	6	12	1	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever . . .	1	2	5	3	3	3	1	—	—	—	—	—	—	—	—	—	
Erysipelas	3	5	3	4	7	2	6	6	9	1	3	2	1	—	—	—	
Pyæmia	3	—	—	1	2	2	—	—	—	1	—	—	—	—	—	—	
Syphilis	2	1	3	2	—	—	1	1	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	4	6	5	2	1	3	—	—	1	1	1	—	—	—	—	—	
Dropsy	7	6	8	17	14	14	18	18	19	6	3	1	1	—	—	—	
Abscess	5	5	2	4	2	5	4	3	4	1	—	—	—	—	—	—	
Ulcer	1	2	1	1	3	2	1	3	3	2	3	2	—	—	—	—	
Fistula	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	
Mortification	1	2	3	2	4	5	6	9	9	9	4	1	—	—	—	—	
Cancer	15	28	50	58	63	76	80	41	35	16	8	4	2	—	—	—	
Gout	—	—	1	1	—	—	—	1	—	1	—	—	—	—	—	—	
Scrofula	7	5	5	3	4	8	4	2	—	—	—	—	—	—	—	—	
Tabes Mesenterica . .	1	3	1	2	3	2	—	—	—	—	—	—	—	—	—	—	
Phthisis	363	305	254	197	154	83	54	27	15	3	2	—	—	—	—	—	
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	367	9	19	46	55	30	27	18	60	31	16	10	9
Apoplexy	676	15	16	26	24	13	4	5	14	5	4	8	8
Paralysis	650	—	—	—	—	—	2	1	1	3	6	2	6
Delirium Tremens	84	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	2	—	—	—	—	1	—	—	—	—	—	1	—
Epilepsy	104	—	—	1	—	2	—	4	—	10	8	11	9
Tetanus	15	3	—	—	—	—	—	—	—	2	—	1	—
Insanity	21	—	—	—	—	—	—	—	—	—	—	—	3
Convulsions	547	217	65	91	94	37	14	11	18	—	—	—	—
Brain Disease	445	12	9	20	19	17	11	7	87	18	16	9	13
V. Pericarditis	24	—	1	—	—	—	1	—	2	—	4	—	2
Aneurism	57	—	—	—	—	—	—	—	1	—	2	—	—
Heart Disease	1538	7	1	3	3	—	1	3	14	20	40	49	56
VI. Laryngitis	61	8	1	9	5	8	2	2	4	3	1	5	1
Bronchitis	4083	112	259	553	590	229	106	42	84	23	16	24	34
Pleurisy	94	—	1	1	2	1	—	—	4	4	4	11	7
Pneumonia	1303	73	68	129	187	70	27	19	62	21	40	33	40
Asthma	96	—	—	—	—	—	—	—	2	—	1	—	—
Lung Disease	164	13	2	7	12	5	5	2	6	4	5	5	3
VII. Teething	392	—	15	168	189	18	2	—	—	—	—	—	—
Quinsey	38	7	2	4	5	2	1	5	4	—	—	—	—
Gastritis	88	13	4	4	8	1	2	2	4	2	1	5	7
Enteritis	330	89	42	48	37	14	8	2	10	7	4	4	8
Peritonitis	119	4	2	3	8	—	2	2	8	12	6	17	13
Ascites	18	—	—	—	—	—	—	—	—	1	—	1	—
Ulceration of Intestines	42	1	1	—	—	1	—	—	2	1	3	3	1
Hernia	55	2	—	2	1	—	—	—	—	—	—	—	5
Ilens	93	6	3	9	—	1	2	—	3	1	2	5	6
Intussusception	15	—	3	1	1	—	—	—	—	1	—	—	1
Stricture of Intestines	14	—	—	—	—	—	—	—	—	—	—	1	—
Stomach Disease	284	52	35	14	21	4	6	3	6	4	2	1	6
Pancreas Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	60	2	—	—	—	2	—	2	3	2	1	2	4
Jaundice	79	22	1	3	4	—	—	—	—	3	1	1	2
Liver Disease	274	12	1	2	2	1	1	2	4	1	2	6	7
Spleen Disease	15	—	—	—	1	—	—	—	2	—	—	—	—
VIII. Nephritis	48	—	—	—	2	4	6	3	11	—	1	—	2
Nephria	145	1	—	—	1	2	1	1	6	7	9	9	11
Addison's Disease	5	—	—	—	—	—	—	—	—	—	—	1	—
Ischuria	25	1	1	—	—	1	1	—	—	—	—	—	2
Diabetes	36	—	—	1	—	—	—	—	—	1	7	3	7
Stone	16	—	—	—	—	—	—	—	1	2	—	—	—
Cystitis	32	—	—	—	—	—	—	1	—	—	1	—	1
Stricture of Urethra	13	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	189	—	—	—	—	—	1	2	4	6	7	13	12
IX. Paramenia	3	—	—	—	—	—	—	—	—	—	2	—	1
Ovarian Dropsy	20	—	—	—	—	—	—	—	—	—	—	3	1
Childbirth	138	—	—	—	—	—	—	—	—	—	2	32	36
Organs of Generation	46	—	—	1	1	—	—	—	—	—	—	3	8
X. Bone Disease	24	—	—	—	1	—	—	1	1	4	1	3	—
Rheumatism	73	—	1	—	—	—	—	—	1	3	6	1	3
Joint Disease	98	—	—	—	1	1	2	2	22	31	10	3	5
XI. Carbuncle	8	—	—	—	—	—	—	—	—	—	—	—	1
Phlegmon	5	—	—	—	—	—	—	—	1	—	—	—	—
Skin Disease	26	6	3	1	5	1	—	—	—	1	—	—	1
XVII. Intemperance	71	—	—	—	—	—	—	—	—	—	—	3	5
Privation	2	—	—	—	—	—	—	1	—	—	—	—	—
Want of Breast Milk	49	35	8	4	2	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	7	1	1	—	1	—	—	—	—	—	—	—	—
Poison	27	—	1	2	—	2	1	1	1	—	4	—	3
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	103	—	—	5	14	14	4	10	13	2	2	3	9
Hanging, etc.	20	—	—	—	—	—	—	—	—	—	—	1	1
Suffocation	108	45	24	1	2	—	—	—	2	—	3	2	2
Drowning	187	1	—	1	2	5	1	—	8	12	4	23	19
Fracture and Contusion	450	2	1	1	3	5	10	5	12	30	31	42	33
Gunshot Wounds	2	—	—	—	—	—	—	—	—	—	—	1	—
Cuts and Stabs	12	—	—	—	—	—	1	—	—	—	—	—	1
Other Violent Causes	55	6	—	—	—	—	2	1	3	3	4	6	2
Not Specified	188	66	18	13	13	5	7	5	9	4	7	4	2

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	3	8	6	6	4	2	3	—	2	2	1	—	—	—	—	—	
Apoplexy	18	22	30	50	65	54	68	75	78	43	24	6	1	—	—	—	
Paralysis	7	20	24	34	53	57	107	102	119	60	84	10	1	1	—	—	
Delirium Tremens	5	9	4	6	1	3	3	1	1	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	10	7	9	5	9	8	6	2	2	—	1	—	—	—	—	—	
Tetanus	—	1	2	4	1	—	—	—	1	—	—	—	—	—	—	—	
Insanity	2	—	2	1	2	2	2	3	1	1	1	1	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	17	18	24	22	25	33	28	30	28	22	4	4	1	1	—	—	
Pericarditis	4	2	1	1	1	—	2	2	1	—	—	—	—	—	—	—	
Aneurism	4	1	8	6	8	3	10	8	4	—	—	—	—	—	—	—	
Heart Disease	76	90	116	135	137	179	203	152	145	64	25	16	3	—	—	—	
Laryngitis	1	4	2	5	2	—	1	1	1	—	—	—	—	—	—	—	
Bronchitis	51	54	116	129	206	229	288	259	236	132	69	35	5	1	1	—	
Pleurisy	6	7	7	7	10	4	9	2	3	28	1	1	—	—	—	—	
Pneumonia	50	55	70	62	49	57	63	49	31	28	12	6	1	1	—	—	
Asthma	1	—	4	22	8	19	12	9	9	7	2	—	—	—	—	—	
Lung Disease	7	9	10	14	12	12	14	8	6	2	—	1	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	1	2	1	1	—	1	—	1	—	—	1	—	—	—	—	—	
Gastritis	6	6	3	4	4	3	4	3	1	1	—	—	—	—	—	—	
Enteritis	12	4	5	7	9	5	11	4	2	2	1	—	—	—	—	—	
Peritonitis	10	5	6	8	5	4	5	4	1	4	—	—	—	—	—	—	
Ascites	—	3	1	1	2	1	2	3	2	—	1	—	—	—	—	—	
Ulceration of Intestines	3	4	4	4	2	5	4	2	1	—	—	—	—	—	—	—	
Hernia	—	1	4	1	7	6	4	9	7	2	4	—	—	—	—	—	
Ileus	1	3	3	4	11	5	7	6	6	4	4	1	—	—	—	—	
Intussusception	1	—	2	1	—	1	1	1	—	1	—	—	—	—	—	—	
Stricture of Intestines	1	—	—	1	1	2	3	1	2	1	1	—	—	—	—	—	
Stomach Disease	6	7	13	8	16	16	21	14	17	8	2	1	1	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
Hepatitis	5	7	4	3	4	8	3	6	—	1	1	—	—	—	—	—	
Jaundice	1	3	5	4	5	4	4	3	4	5	3	—	1	—	—	—	
Liver Disease	11	21	25	30	37	35	32	14	20	3	2	2	—	1	—	—	
Spleen Disease	—	3	3	1	3	1	1	—	—	—	—	—	—	—	—	—	
Nephritis	4	1	2	4	2	1	3	—	2	—	—	—	—	—	—	—	
Nephria	13	10	14	13	13	8	10	5	6	3	1	1	—	—	—	—	
Addison's Disease	—	1	—	1	1	—	—	—	—	—	—	1	—	—	—	—	
Ischuria	—	1	3	1	1	4	1	2	1	2	2	—	—	—	—	—	
Diabetes	2	5	3	—	—	1	2	2	2	—	—	—	—	—	—	—	
Stone	1	—	1	2	1	—	3	5	—	—	—	—	—	—	—	—	
Cystitis	1	1	1	2	1	2	2	7	5	4	3	—	—	—	—	—	
Stricture of Urethra	2	2	1	1	2	1	2	1	—	—	1	—	—	—	—	—	
Kidney Disease	5	9	13	20	12	7	23	20	20	6	7	2	—	—	—	—	
Paramania	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	4	1	3	3	—	3	2	—	—	—	—	—	—	—	—	
Childbirth	26	25	17	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	1	4	11	7	5	2	2	—	1	—	—	—	—	—	—	—	
Bone Disease	1	3	2	2	4	—	1	—	—	—	—	—	—	—	—	—	
Rheumatism	5	2	3	6	2	5	9	12	6	5	3	—	—	—	—	—	
Joint Disease	3	2	3	2	2	2	2	3	1	1	—	—	—	—	—	—	
Carbuncle	—	—	1	1	—	1	1	2	—	—	—	1	—	—	—	—	
Phlegmon	—	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	
Skin Disease	1	—	1	2	—	—	1	1	1	—	1	—	—	—	—	—	
Intemperance	5	11	9	13	5	10	6	3	1	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	
Poison	3	—	2	1	2	1	2	—	1	—	—	—	—	—	—	—	
Poisoned Wounds	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	4	3	4	4	2	3	1	4	1	1	—	—	—	—	—	—	
Hanging, etc.	2	1	4	3	2	4	1	—	1	—	—	—	—	—	—	—	
Suffocation	7	1	5	3	3	3	2	—	3	—	—	—	—	—	—	—	
Drowning	29	18	17	13	12	6	6	4	4	—	—	—	—	—	—	2	
Fracture and Contusion	34	29	32	40	85	23	28	16	17	8	8	4	1	—	—	—	
Gunshot Wounds	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs	—	—	3	1	1	3	—	—	1	—	1	—	—	—	—	—	
Other Violent Causes	3	4	1	1	4	3	3	4	3	1	—	1	—	—	—	—	
Not specified	3	4	6	3	10	7	—	1	—	—	—	—	—	—	—	1	

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES.

DISEASES.	ALL AGES.	MALES.												
		AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
ALL CAUSES	15227	1672	629	1279	1692	680	449	306	801	429	474	570	505	
SPECIFIED CAUSES	15128	1681	621	1274	1687	679	443	306	797	427	471	566	505	
I. Zymotic Class	3887	211	174	410	632	330	224	153	354	90	111	134	88	
II. Diseases of Uncertain Seat	869	12	1	4	17	8	5	3	14	17	4	11	6	
III. Tubercular Class	2413	48	75	165	274	90	68	61	181	133	193	221	188	
IV. Brain and Nervous System	1488	148	55	94	112	46	35	23	70	85	29	22	28	
V. Organs of Circulation	802	4	—	3	2	—	1	1	8	10	22	19	29	
VI. Respiratory Organs	2983	226	169	400	436	153	77	34	88	32	33	38	48	
VII. Organs of Digestion	957	129	55	140	147	20	11	8	18	24	12	24	30	
VIII. Urinary Organs	840	2	1	1	3	5	6	6	16	10	14	12	19	
IX. Organs of Generation	1	—	—	1	—	—	—	—	—	—	—	—	—	
X. Organs of Locomotion	118	—	1	—	2	—	—	2	16	30	11	5	4	
XI. Skin, etc.	18	8	1	—	1	1	—	—	—	—	—	—	1	
XII. Malformation	46	40	3	1	1	1	—	—	—	—	—	—	—	
XIII. Premature Debility	877	770	68	44	—	—	—	—	—	—	—	—	—	
XIV. Atrophy	98	—	—	—	42	9	7	5	6	2	—	—	2	
XV. Age	451	—	—	—	—	—	—	—	—	—	—	—	—	
XVI. Sudden Deaths	36	2	3	2	1	—	—	—	1	—	—	4	1	
XVII. Violent Deaths	794	41	20	9	17	16	9	10	25	44	42	76	61	
I. Small Pox	282	13	21	3	4	6	3	4	23	17	30	63	35	
Measles	465	3	11	106	207	58	33	19	23	1	—	1	3	
Scarlatina	581	4	6	31	79	96	85	62	168	33	3	4	5	
Diphtheria	191	3	—	15	49	35	27	19	32	5	2	2	—	
Hooping Cough	291	15	22	88	95	38	20	8	10	—	—	—	—	
Croup	234	7	12	27	71	51	25	21	20	—	—	—	—	
Thrush	14	11	—	1	1	—	1	—	—	—	—	—	—	
Diarrhoea	547	111	82	119	87	19	6	4	11	2	6	2	4	
Dysentery	41	1	3	1	2	1	1	1	—	—	2	1	1	
Cholera	30	1	4	1	10	—	1	—	1	—	—	1	—	
Influenza	13	—	—	1	—	2	—	—	1	—	—	—	1	
Purpura	10	—	—	3	—	—	1	—	1	1	—	2	—	
Ague	1	—	—	—	—	—	—	—	—	—	—	—	1	
Worms	3	—	—	—	1	1	1	—	—	—	—	—	—	
Typhus	163	2	—	—	—	—	1	1	6	9	13	18	15	
Enteric Fever	259	—	—	3	11	11	9	8	41	18	44	35	19	
Relapsing Fever	5	—	—	—	—	1	1	—	—	—	—	—	—	
Simple Continued Fever	80	1	—	3	5	3	3	4	4	1	1	1	—	
Infantile Remittent	33	1	—	5	4	7	4	2	10	—	—	—	—	
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever	19	—	—	—	—	—	—	—	1	1	6	3	—	
Erysipelas	67	14	4	5	3	1	1	—	2	2	1	1	2	
Pyæmia	10	—	1	—	—	—	—	—	—	—	2	—	1	
Syphilis	47	24	8	3	8	—	—	—	—	—	1	—	1	
Noma	1	—	—	—	—	—	1	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	
II. Hæmorrhage	23	5	—	—	—	1	—	—	—	1	—	2	—	
Dropsy	101	2	—	—	8	6	5	3	11	12	2	4	—	
Abscess	38	2	—	4	6	1	—	—	2	3	1	1	1	
Ulcer	13	—	1	—	—	—	—	—	—	—	—	1	—	
Fistula	5	—	—	—	—	—	—	—	—	—	—	1	—	
Mortification	33	3	—	—	3	—	—	—	—	—	—	1	1	
Cancer	153	—	—	—	—	—	—	—	1	1	1	1	2	
Gout	3	—	—	—	—	—	—	—	—	—	—	—	—	
III. Scrofula	150	2	5	8	20	8	11	8	20	20	10	12	7	
Tabes Mesenterica	267	17	15	25	83	24	13	14	40	19	7	2	—	
Phthisis	1537	5	13	20	42	19	18	10	76	86	172	206	181	
Hydrocephalus	459	24	42	112	129	39	26	29	45	8	4	1	—	

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	494	534	551	580	580	583	670	567	547	309	196	94	19	11	-	6	
SPECIFIED CAUSES . . .	493	531	549	578	575	577	670	567	547	309	196	94	19	11	-	5	
Zymotic Class . . .	74	58	56	42	43	25	44	27	28	14	9	4	1	-	-	1	
Uncertain Seat . . .	8	22	18	21	29	49	38	37	27	18	4	6	-	-	-	-	
Tubercular Class . . .	172	155	119	99	68	42	31	14	11	2	1	-	-	-	-	2	
Brain, etc.	30	52	63	70	75	82	121	111	98	59	27	7	1	-	-	-	
Heart, etc.	41	54	60	77	77	87	100	89	72	29	14	2	1	-	-	-	
Respiratory Organs . . .	58	77	104	136	147	162	180	154	120	63	29	16	2	1	-	-	
Digestive Organs . . .	17	33	31	31	52	55	37	25	34	16	7	1	-	-	-	-	
Urinary Organs . . .	11	20	27	28	22	20	35	30	27	11	11	3	-	-	-	-	
Generative Organs . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Locomotive Organs . . .	8	2	6	5	4	4	8	5	1	2	2	-	-	-	-	-	
Skin	-	1	2	3	-	1	2	1	1	-	-	-	-	-	-	-	
Malformation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Premature Debility . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atrophy	-	3	2	5	7	8	-	-	-	-	-	-	-	-	-	-	
Age	-	-	-	-	-	-	38	49	104	96	68	53	13	10	-	-	
Sudden Deaths . . .	1	3	1	4	3	2	3	1	4	-	-	-	-	-	-	-	
Violent Deaths . . .	73	51	65	57	48	40	33	24	20	4	4	2	1	-	-	2	
Small Pox	30	18	11	3	2	-	-	-	-	-	-	-	-	-	-	1	
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Whooping Cough . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea	3	2	4	4	12	11	19	9	15	9	4	2	-	-	-	-	
Dysentery	6	3	4	-	-	1	3	4	3	1	2	-	-	-	-	-	
Cholera	1	2	1	1	4	2	-	-	-	-	-	-	-	-	-	-	
Influenza	-	-	-	-	-	1	-	2	2	1	2	-	-	-	-	-	
Purpura	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	13	20	17	16	12	4	9	4	3	-	-	-	-	-	-	-	
Enteric Fever	11	10	9	9	4	4	7	4	1	1	-	-	-	-	-	-	
Relapsing Fever	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Simple Cont. Fever . . .	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	
Infantile Remittent . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever	-	1	1	2	2	1	1	-	-	-	-	-	-	-	-	-	
Erysipelas	2	4	1	3	4	1	4	4	4	1	-	2	1	-	-	-	
Pyæmia	2	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	
Syphilis	2	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage	2	3	1	2	1	1	-	-	1	1	-	-	-	-	-	-	
Dropsy	2	2	2	4	5	3	5	7	10	1	1	1	-	-	-	-	
Abscess	-	3	-	3	2	4	1	2	2	-	-	-	-	-	-	-	
Ulcer	-	2	1	1	1	-	-	2	2	-	1	1	-	-	-	-	
Fistula	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	
Mortification	-	-	-	1	2	3	4	7	5	2	-	1	-	-	-	-	
Cancer	4	12	8	9	13	31	27	17	7	9	2	3	-	-	-	-	
Gout	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	
Scrofula	3	3	4	1	2	3	2	1	-	-	-	-	-	-	-	-	
Tabes Mesenterica . . .	-	3	-	1	3	1	-	-	-	-	-	-	-	-	-	-	
Phthisis	169	149	115	97	63	38	29	13	11	2	1	-	-	-	-	2	
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1873.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.												
		AGE UNDER												
		MONTHS.			2	8	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	85	1	-	8	4	5	4	8	6	3	1	1	1	
Apoplexy	50	-	-	-	1	1	-	1	-	-	-	1	2	
Paralysis	83	-	-	-	-	-	1	-	-	-	-	-	-	
Delirium Tremens	1	-	-	-	-	-	-	-	-	-	-	-	-	
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	
Epilepsy	7	-	-	-	-	-	-	-	-	-	1	1	-	
Tetanus	2	-	-	-	-	-	-	-	-	-	-	-	-	
Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	
Convulsions	24	7	2	5	3	8	1	-	8	-	-	-	-	
Brain Disease	88	5	1	1	4	-	1	1	4	2	-	1	1	
V. Pericarditis	2	-	-	-	-	-	-	-	-	-	-	-	-	
Aneurism	1	-	-	-	-	-	-	-	-	-	-	-	-	
Heart Disease	97	-	-	1	-	-	1	2	1	1	2	2	3	
VI. Laryngitis	5	1	-	-	-	-	-	-	1	-	-	1	-	
Bronchitis	188	17	14	29	24	15	10	5	8	1	1	-	2	
Pleurisy	5	-	-	-	-	-	-	-	-	1	-	2	-	
Pneumonia	98	7	6	14	15	7	2	1	8	-	2	2	3	
Asthma	7	-	-	-	-	-	-	-	-	-	-	-	-	
Lung Disease	16	1	1	1	1	1	2	-	1	-	-	2	-	
VII. Teething	40	-	-	18	28	8	1	-	-	-	-	-	-	
Quinsey	1	-	-	-	1	-	-	-	-	-	-	-	-	
Gastritis	5	-	-	-	1	-	-	-	-	-	-	-	1	
Enteritis	17	8	5	8	1	8	-	-	1	-	-	-	-	
Peritonitis	15	-	-	-	1	-	-	-	-	8	-	1	3	
Ascites	4	-	-	-	-	-	-	-	-	1	-	-	-	
Ulceration of Intestines	1	-	-	-	-	-	-	-	-	-	-	-	-	
Hernia	2	-	-	-	-	-	-	-	-	-	-	-	-	
Ileus	5	1	-	-	-	-	-	-	1	-	-	-	-	
Intussusception	1	-	-	-	-	-	-	-	-	-	-	-	1	
Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stomach Disease	11	1	2	2	1	-	1	-	1	1	-	-	-	
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hepatitis	7	-	-	-	-	-	-	1	-	-	-	-	2	
Jaundice	4	1	-	-	-	-	-	-	-	1	-	1	-	
Liver Disease	9	1	-	1	-	1	-	-	1	-	-	-	-	
Spleen Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. Nephritis	2	-	-	-	-	1	-	-	1	-	-	-	-	
Nephria	6	-	-	-	-	-	-	1	1	-	-	1	-	
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ischuria	1	-	-	-	-	-	-	-	-	-	-	-	-	
Diabetes	2	-	-	1	-	-	-	-	-	-	-	-	1	
Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cystitis	1	-	-	-	-	-	-	-	-	-	-	-	-	
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kidney Disease	18	-	-	-	-	-	1	-	-	1	-	-	2	
IX. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ovarian Dropsy	1	-	-	-	-	-	-	-	-	-	-	1	-	
Childbirth	18	-	-	-	-	-	-	-	-	-	-	1	4	
Organs of Generation	2	-	-	-	-	-	-	-	-	-	-	-	-	
X. Bone Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatism	8	-	-	-	-	-	-	-	-	-	-	-	-	
Joint Disease	7	-	-	-	1	-	-	-	2	2	1	-	-	
XI. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phlegmon	1	-	-	-	-	-	-	-	1	-	-	-	-	
Skin Disease	4	1	1	-	-	-	-	-	-	-	-	-	-	
XVII. Intemperance	8	-	-	-	-	-	-	-	-	-	-	-	-	
Privation	2	-	-	-	-	-	-	1	-	-	-	-	-	
Want of Breast Milk	9	7	2	-	-	-	-	-	-	-	-	-	-	
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cold	-	-	-	-	-	-	-	-	-	-	-	-	-	
Poison	1	-	-	-	-	-	1	-	-	-	-	-	-	
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	
Burns and Scalds	19	-	-	1	8	2	-	2	2	1	1	1	2	
Hanging, etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	
Suffocation	4	2	1	-	-	-	-	-	-	-	-	-	1	
Drowning	24	-	-	-	-	-	-	-	1	1	-	2	-	
Fracture and Contusion	46	-	-	-	-	-	8	-	-	4	2	5	8	
Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	1	-	
Cuts and Stabs	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Causes	2	-	-	-	-	-	-	-	1	-	-	-	1	
Not Specified	56	23	8	7	4	8	8	1	2	1	1	-	1	

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1873.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	—	1	—	—	2	—	7	—	—	1	—	2	—	—	—	—	
Apoplexy	—	2	2	3	2	5	7	9	12	8	5	2	—	—	—	—	
Paralysis	—	3	2	1	5	2	6	4	16	8	4	1	—	1	—	—	
Delirium Tremens	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	—	1	—	—	2	1	1	—	—	—	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Insanity	1	—	2	1	—	—	—	1	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	2	3	2	1	2	2	2	2	3	7	1	—	—	—	—	—	
Pericarditis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Aneurism	—	—	—	—	3	—	2	2	1	—	—	—	—	—	—	—	
Heart Disease	7	2	8	8	8	8	19	12	18	6	3	3	1	—	—	—	
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	2	5	3	3	3	6	7	13	27	16	18	6	2	—	—	—	
Pleurisy	1	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	
Pneumonia	2	8	2	4	4	3	2	2	2	2	—	1	—	—	—	—	
Asthma	—	—	—	1	—	1	—	1	2	2	—	—	—	—	—	—	
Lung Disease	—	1	1	—	1	—	1	—	—	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	
Gastritis	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
Enteritis	1	—	1	1	2	—	—	—	—	1	—	—	—	—	—	—	
Peritonitis	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
Hernia	—	—	1	—	—	1	—	3	—	1	1	—	—	—	—	—	
Ileus	—	—	2	1	2	—	2	3	1	3	1	1	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Stomach Disease	1	—	1	1	1	2	1	1	—	1	—	1	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Hepatitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Jaundice	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	
Liver Disease	—	2	—	1	—	2	2	3	2	—	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria	2	—	—	1	—	1	1	1	1	2	—	1	—	—	—	—	
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	
Diabetes	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Stone	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	
Kidney Disease	—	1	1	1	2	—	—	5	5	2	1	1	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Bone Disease	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	1	—	—	1	—	—	—	1	—	3	—	—	—	—	—	—	
Joint Disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
Hanging, etc.	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Suffocation	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	3	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
Fracture and Contusion	2	—	2	—	2	—	1	—	4	1	1	—	1	—	—	—	
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	
Not Specified	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in PERTH, at different Periods of Life, in 1873.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	637	61	16	20	22	18	7	5	21	23	19	19	21
SPECIFIED CAUSES	634	59	16	20	22	18	7	5	21	23	19	19	21
I. Zymotic Class	87	14	3	6	7	3	4	2	8	4	4	1	6
II. Diseases of Uncertain Seat	21	-	-	-	-	-	-	1	-	-	-	-	-
III. Tubercular Class	109	-	3	2	5	2	-	2	8	9	9	12	6
IV. Brain and Nervous System	81	3	2	2	1	1	-	-	2	3	3	-	6
V. Organs of Circulation	61	-	-	-	1	-	-	-	-	-	2	1	1
VI. Respiratory Organs	92	5	6	7	5	5	2	-	1	2	-	2	-
VII. Organs of Digestion	89	3	2	3	3	-	-	-	1	1	-	-	1
VIII. Urinary Organs	12	-	-	-	-	1	-	-	1	2	-	-	-
IX. Organs of Generation	2	-	-	-	-	-	-	-	-	-	-	1	-
X. Organs of Locomotion	2	-	-	-	-	-	1	-	-	-	-	-	-
XI. Skin, etc.	1	-	-	-	-	-	-	-	-	-	-	-	1
XII. Malformation	2	2	-	-	-	-	-	-	-	-	-	-	-
XIII. Premature Debility	81	81	-	-	-	-	-	-	-	-	-	-	-
XIV. Atrophy	8	-	-	-	-	-	-	-	-	-	-	-	-
XV. Age	67	-	-	-	-	-	-	-	-	-	-	-	-
XVI. Sudden Deaths	2	-	-	-	-	-	-	-	-	-	-	-	-
XVII. Violent Deaths	22	1	-	-	-	1	-	-	-	2	1	2	-
I. Small Pox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	1	-	2	-	-	-	-	-	-	-	-	-
Scarlatina	1	-	-	-	-	-	-	-	1	-	-	-	-
Diphtheria	5	-	-	-	1	-	-	-	2	2	-	-	-
Whooping Cough	2	-	-	-	2	-	-	-	-	-	-	-	-
Croup	7	-	-	-	3	2	1	-	1	-	-	-	-
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	24	10	8	3	-	-	-	1	-	-	-	-	-
Dysentery	5	-	-	-	-	-	1	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	17	-	-	-	1	1	1	1	1	2	1	-	3
Enteric Fever	8	-	-	-	-	-	-	-	3	-	2	1	1
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever	3	-	-	-	-	-	1	-	-	-	-	-	-
Infantile Remittent	-	-	-	-	-	-	-	-	-	-	-	-	-
Metria	4	-	-	-	-	-	-	-	-	-	-	-	2
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	4	2	-	1	-	-	-	-	-	-	-	-	-
Pyæmia	3	-	-	-	-	-	-	-	-	-	1	-	-
Syphilis	1	1	-	-	-	-	-	-	-	-	-	-	-
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	-	-	-	-	-	-	-	-	-	-	-	-	-
Dropsy	2	-	-	-	-	-	-	1	-	-	-	-	-
Abscess	2	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer	1	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	3	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	13	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-
III. Scrofula	8	-	1	-	-	-	-	1	1	-	1	1	1
Tabes Mesenterica	13	-	1	-	4	1	-	1	4	2	-	-	-
Phthisis	79	-	-	-	-	-	-	-	-	6	8	11	5
Hydrocephalus	9	-	1	2	1	1	-	-	3	1	-	-	-

CAUSES of DEATH in PERTH, at different Periods of Life, in 1873.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	85	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	24	27	82	28	39	27	34	33	58	35	29	15	6	3	-	-
SPECIFIED CAUSES . .	24	27	82	28	38	27	34	33	58	35	29	15	6	3	-	-
Zymotic Class . . .	1	1	6	2	4	-	4	3	4	-	-	-	-	-	-	-
Uncertain Seat . . .	2	2	3	3	4	2	2	1	-	-	-	-	1	-	-	-
Tubercular Class . .	10	13	12	7	4	-	1	-	4	-	-	-	-	-	-	-
Brain, etc.	1	3	1	4	7	5	2	9	12	8	5	1	-	-	-	-
Heart, etc.	3	4	1	4	3	6	10	6	14	3	1	-	1	-	-	-
Respiratory Organs .	1	2	5	5	8	6	8	6	8	3	2	1	2	-	-	-
Digestive Organs . .	1	1	3	1	2	5	5	2	3	2	-	-	-	-	-	-
Urinary Organs . . .	-	-	-	1	1	1	-	1	2	-	1	1	-	-	-	-
Generative Organs . .	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Locomotive Organs . .	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malformation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Debility . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atrophy	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Age	-	-	-	-	-	-	1	2	10	18	19	12	2	3	-	-
Sudden Deaths . . .	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Violent Deaths . . .	4	1	1	1	2	1	1	3	-	-	1	-	-	-	-	-
Small Pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping Cough . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	-	-	1	-	1	-	1	2	2	-	-	-	-	-	-	-
Dysentery	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	1	-	2	2	-	-	-	1	-	-	-	-	-	-	-	-
Enteric Fever	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Cont. Fever . .	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Infantile Remittent . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Metria	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Pyæmia	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Droopy	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
Cancer	-	2	3	2	3	1	1	-	-	-	-	-	1	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tabs Mesenterica . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis	9	13	12	7	3	-	1	-	4	-	-	-	-	-	-	-
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in PERTH, at different Periods of Life, in 1873.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	3	-	-	-	-	-	-	-	2	-	1	-	-
Apoplexy	15	-	-	-	-	-	-	-	-	-	-	-	2
Paralysis	27	-	-	-	-	-	-	-	-	-	-	-	-
Delirium Tremens	2	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	3	-	-	-	-	-	-	-	-	1	-	-	1
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity	2	1	-	-	1	-	-	-	-	-	-	-	1
Convulsions	5	1	1	1	1	1	-	-	-	-	-	-	-
Brain Disease	24	2	1	1	-	-	-	-	-	2	2	-	2
V. Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurism	5	-	-	-	-	-	-	-	-	-	-	-	-
Heart Disease	56	-	-	-	1	-	-	-	-	-	2	1	1
VI. Laryngitis	1	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	60	3	5	6	5	3	1	-	-	1	-	-	-
Pleurisy	1	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia	27	1	1	1	-	2	1	-	1	1	-	2	-
Asthma	3	-	-	-	-	-	-	-	-	-	-	-	-
Lung Disease	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. Teething	6	-	1	2	3	-	-	-	-	-	-	-	-
Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis	5	1	1	1	-	-	-	-	-	-	-	-	-
Peritonitis	3	-	-	-	-	-	-	-	-	-	-	-	1
Ascites	1	-	-	-	-	-	-	-	-	-	-	-	-
Ulceration of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	3	-	-	-	-	-	-	-	-	-	-	-	-
Ileus	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	5	1	-	-	-	-	-	-	-	-	-	-	-
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	2	-	-	-	-	-	-	-	-	1	-	-	-
Jaundice	1	1	-	-	-	-	-	-	-	-	-	-	-
Liver Disease	12	-	-	-	-	-	-	-	1	-	-	-	-
Spleen Disease	1	-	-	-	-	-	-	-	-	-	-	-	-
VIII. Nephritis	1	-	-	-	-	1	-	-	-	-	-	-	-
Nephria	4	-	-	-	-	-	-	-	1	1	-	-	-
Addison's Disease	2	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	1	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-
Stone	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	4	-	-	-	-	-	-	-	-	1	-	-	-
IX. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	1	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	1	-	-	-	-	-	-	-	-	-	-	-	-
X. Bone Disease	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism	1	-	-	-	-	-	-	-	-	-	-	-	-
Joint Disease	1	-	-	-	-	-	1	-	-	-	-	-	-
XI. Carbuncle	1	-	-	-	-	-	-	-	-	-	-	-	1
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	-	-	-	-	-	-	-	-	-	-	-	-	-
(XVII. Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	1	1	-	-	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison	1	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	1	-	-	-	-	-	-	-	-	-	-	1	-
Hanging, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	6	-	-	-	-	1	-	-	-	1	-	-	-
Fracture and Contusion	12	-	-	-	-	-	-	-	-	1	1	1	-
Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	1	-	-	-	-	-	-	-	-	-	-	-	-
Not Specified	3	2	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in PERTH, at different Periods of Life, in 1873.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Apoplexy	-	-	-	1	2	1	-	3	3	2	1	-	-	-	-	-
Paralysis	-	-	-	2	5	1	1	3	7	3	4	1	-	-	-	-
Delirium Tremens	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Insanity	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Disease	1	2	1	1	-	3	-	1	2	3	-	-	-	-	-	-
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurism	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
Heart Disease	2	4	-	3	3	6	9	6	13	3	1	-	1	-	-	-
Laryngitis	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	1	-	4	1	5	8	4	4	7	2	1	1	2	-	-	-
Pleurisy	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Pneumonia	-	2	1	3	2	2	3	2	1	-	1	-	-	-	-	-
Asthma	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
Lung Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quinsey	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Peritonitis	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Ascites	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Ulceration of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
Ileus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Jaundice	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Liver Disease	-	-	2	-	1	1	3	-	2	2	-	-	-	-	-	-
Spleen Disease	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephria	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Addison's Disease	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Ischuria	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
Paramania	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Bone Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Joint Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanging, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Fracture and Contusion	2	1	-	1	1	1	1	1	-	-	1	-	-	-	-	-
Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Not Specified	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

TABLE showing the Distribution of DEATHS according to MONTHS,
or the Influence of SEASON on the MORTALITY.

		DEATHS in 1873.												
		Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
MEAN TEMPERATURE in 1873		39°·2	36°·4	39°·7	44°·8	46°·9	55°·9	58°·3	56°·4	51°·4	44°·3	41°·2	42°·3	46°·3
SCOTLAND		6587	7242	7614	6762	6959	6210	6150	5588	5339	5730	5950	6731	76,837
PRINCIPAL TOWN DISTRICTS		2441	2790	2859	2567	2651	2449	2486	2216	2176	2379	2352	2638	30004
LARGE TOWN DISTRICTS		720	849	941	821	915	732	708	634	673	711	755	885	9844
SMALL TOWN DISTRICTS		1493	1598	1724	1497	1551	1425	1413	1294	1135	1241	1316	1531	17213
MAINLAND-RURAL DISTRICTS		1725	1780	1851	1680	1647	1459	1402	1277	1215	1238	1365	1498	18137
INSULAR-RURAL DISTRICTS		208	230	239	197	195	145	141	162	140	161	162	179	2159
DIVISIONS.														
1	NORTHERN	206	197	219	204	208	149	152	188	150	152	138	155	2068
2	NORTH-WESTERN	260	309	334	262	249	225	195	194	168	195	229	209	2829
3	NORTH-EASTERN	631	638	680	583	644	524	538	461	459	510	518	599	6785
4	EAST-MIDLAND	1055	1096	1165	1017	998	946	948	918	840	858	872	999	11702
5	WEST-MIDLAND	511	484	542	501	524	444	419	393	375	407	452	473	5535
6	SOUTH-WESTERN	2635	3133	3266	2967	3085	2724	2775	2520	2370	2573	2680	3047	33775
7	SOUTH-EASTERN	931	976	981	852	876	866	812	701	727	785	802	931	10340
8	SOUTHERN	358	409	427	376	380	332	311	258	250	255	259	318	3933
COUNTIES.														
I. NORTHERN.														
1	Shetland	45	85	40	39	38	31	25	37	28	36	32	46	432
2	Orkney	50	56	69	55	52	34	29	29	32	34	36	42	518
3	Caithness	82	65	80	69	84	54	60	48	58	47	35	41	723
4	Sutherland	29	41	30	41	34	30	38	24	32	35	35	26	395
II. NORTH-WESTERN.														
5	Ross and Cromarty	118	133	149	117	108	104	106	95	62	79	103	87	1261
6	Inverness	142	176	185	145	141	121	89	99	106	116	126	122	1568
III. NORTH-EASTERN.														
7	Nairn	7	20	18	8	14	14	18	13	11	8	16	13	155
8	Elgin (or Moray)	69	72	80	67	69	64	56	51	47	50	59	52	796
9	Banff	88	99	115	89	88	97	72	67	67	65	59	76	932
10	Aberdeen	414	383	419	368	417	310	352	287	310	348	343	410	4351
11	Kincardine	58	64	53	51	56	39	40	43	24	39	41	48	551
IV. EAST-MIDLAND.														
12	Forfar	488	504	540	446	461	437	482	456	403	393	391	470	5471
13	Perth	232	267	242	234	211	195	196	178	175	200	215	208	2553
14	Fife	274	265	326	239	277	263	223	221	214	222	222	268	3064
15	Kinross	21	18	13	12	12	17	13	10	13	11	5	13	158
16	Clackmannan	40	42	44	36	32	34	34	53	35	27	89	40	456
V. WEST-MIDLAND.														
17	Stirling	211	189	211	192	191	190	176	185	148	160	176	169	2148
18	Dumbarton	127	123	115	124	147	118	95	95	91	115	128	156	1434
19	Argyll	141	136	185	155	148	105	120	125	103	105	122	118	1563
20	Bute	32	36	31	30	38	31	28	38	33	27	26	30	380
VI. SOUTH-WESTERN.														
21	Renfrew	425	529	545	506	464	435	458	453	439	542	534	507	5837
22	Ayr	384	420	458	412	448	388	371	386	325	381	366	477	4816
23	Lanark	1826	2184	2263	2049	2173	1901	1946	1681	1606	1650	1780	2063	23122
VII. SOUTH-EASTERN.														
24	Linlithgow	87	99	82	69	95	80	65	55	62	72	70	89	925
25	Edinburgh	640	670	664	619	609	633	574	516	547	574	585	676	7307
26	Haddington	75	97	97	54	61	56	71	46	48	62	53	59	779
27	Berwick	63	52	71	64	50	46	50	42	31	43	54	50	616
28	Peebles	14	12	21	19	25	17	19	11	14	8	12	17	189
29	Selkirk	52	46	46	27	36	34	33	31	25	26	28	40	424
VIII. SOUTHERN.														
30	Roxburgh	70	90	87	95	85	79	89	58	55	79	60	93	940
31	Dumfries	158	160	158	149	152	135	118	117	100	94	96	107	1544
32	Kirkcudbright	64	83	94	72	62	64	51	36	62	47	54	56	745
33	Wigtown	66	76	88	60	81	54	53	47	33	35	49	62	704

The numbers given above are taken from the Registrar-General's Quarterly Reports, which, being made up from the Returns furnished by the Registrars do not correspond with those given in the foregoing tables.

**CONSTITUTION OF THE DISTRICTS DISTINGUISHED IN THE PRECEDING TABLES
BY AN ASTERISK (*).**

No.	District.	Component Parts (Parishes).
13	Birray	Part of Harray and Birray.
14	Deerness	Part of St Andrews.
15	Eday and Pharay	Part of Stronsay and Eday.
22	North Ronaldshay	Part of Cross and Burness.
26	Sanday	Lady, and part of Cross and Burness.
718	Kinlochluichart	Parts of Contin, Fodderty, and Urray.
860	Carlway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) East of Kilmuir and part of Snisort.
126	Elgin	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
147	Banff	Banff, and part of Gamrie.
152	Baie	Parts of Bellie and Bathven.
1855	Glenrimes	Part of Aberlour and Mortlach.
187	Seafield	Parts of Cullen and Bathven.
2228	Millbrex	Parts of Fyvie and Monquhitter.
2276	New Machar	New Machar, and part of Udny.
2276	New Fisligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
2376	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tairland.
2455	Ythan Wells	Parts of Auchterless and Forgue.
272	Arbroath	Arbroath, and part of St Vigeana.
282	Dundee	Dundee, and part of Liff, Banvie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
3295	Ardoch	Parts of Blackford, Dunblane, and Muthill.
331	Balquhadder	Balquhadder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld and Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld and Dowally.
355a	Fortingall	Parts of Fortingall and Weem.
355b	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait.
375	Logiealmond	Parts of Fowls-Wester, Little Dunkeld, Methven, Monzie, and Redgorton.
379	Meigie	Meigie, and part of Coupar-Angus.
395a	Muthill	Muthill, and part of Ardoch. [Kinloch, and Rattray.
396b	Peraie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy and
397	Perth	Perth, and parts of Kinnoull, Seane, and Tibbermore.
394b	Strathfillan	Part of Killin.
394c	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
402	Anstruther-Easter	Parts of Anstruther-Easter and Kilrenny.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
424	Dunfermline	Parts of Dunfermline and Inverkeithing.
422	Inverkeithing	Parts of Inverkeithing and Dunfermline.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall and Kinghorn.
460	Stirling	Stirling, and small part of St Ninians.
483	Bonhill	Bonhill, and part of Dumbarton.
494	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballauchulish, etc.	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
512	Glenorchy	Glenorchy, and part of Inishall.
515	Kilbrandon and Kilchattan	Kilbrandon and Kilchattan, and part of Jura.
517	Kilchrenan	(1) Parts of Kilchrenan, etc., and Inishall.
526	Lochgilphead	Parts of Glassary and South Knapdale.
529	Muckairn	Muckairn, and part of Inishall. [Knapdale.
535	Tarbert	Parts of Kilcalmonell and Kilberry, of Saddell and Skipness, and of South.
536	Bowmore (or Killarrow)	Part of Killarrow and Kilmeny.
538	Kilfinichen and Kilvickeon	Parts of Kilfinichen and Kilvickeon, and of Torosay.
542	Kilmeny	Part of Killarrow and Kilmeny.
543	Kinlochspelve	Part of Torosay.
545	Oa	Part of Kildalton.
546	Portmahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian and Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian and Kilmore.
564	Lochrannas	Parts of Kilbride and of Kilmore.
567	North Bute	North Bute, and part of Rothesay.
569	Abbey	(1) Parts of Abbey and Renfrew, (2 and 3) Rest of Abbey.
573	Falsley	High, Middle, and Low Church Parishes.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
586	Irvine	Irvine, and part of Dundonald.
612	St Quivox, etc.	Parts of Newton-upon-Ayr, and St Quivox.
620b	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingston and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingston, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton and East Calder, and part of Kirkliston.
691	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
696b	Stobhill	Parts of Borthwick, Cockpen, Newbattle, and Temple.
774a	Caddonfoot	Parts of Galashiels, Selkirk, Yarrow, Innerleithen, and Stow.
787b	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
812b	Brydekirk	Parts of Annan, Cummertrees, and Hoddam.
833b	Wanlockhead	Part of Sanquhar.
857b	Bargrennan	Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigtown).
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Farton.
864	Dalbeattie	Part of Urr.
866	Stranraer	Stranraer, and parts of Inch and Leaswall.

LIST of REGISTRATION DISTRICTS which include BURGHS, or TOWNS of 2000 Inhabitants and upwards, or parts thereof, bearing a different name from the Districts in which they are situated.

No.	Registration Districts.	Burghs.	Towns.
80	Rosemarkie - - -	*Fortrose.	
130	Drainie - - -	- - -	*Lossiemouth.
164	Rathven - - -	- - -	*Buckle.
167	Seafield - - -	Cullen.	
211	Kinnellar - - -	Kintore.	
213	Kintore - - -	Inverurie.	
251 ¹	Banchory-Devenick - - -	Aberdeen.	
253	Benholm - - -	Inverbervie.	
255	Dunnottar - - -	- - -	Stonehaven.
258 ¹	Fetteresso - - -	- - -	Do.
262	Kinneff, etc. - - -	Inverbervie.	
274	Barry - - -	- - -	Carnoustie.
280	Craig - - -	Montrose.	
282 ⁴	St Andrews (Dundee) - - -	- - -	Broughty-Ferry.
310	Monifeth - - -	- - -	Do.
316	Panbride - - -	- - -	Carnoustie.
371	Lecropt - - -	- - -	Bridge of Allan.
374	Logie - - -	Stirling.	Do.
385	Muckhart - - -	- - -	Dollar.
386 ^a	Muthill - - -	- - -	Crief.
389	Rattray - - -	- - -	Blairgowrie.
400	Abdie - - -	- - -	Suburban of Newburgh.
405	Auchterderran - - -	- - -	Lochgelly.
408	Ballingry - - -	- - -	Do.
427	Elie - - -	- - -	Suburban of Earlsferry.
436	Kilconquhar - - -	*Earlsferry.	Do.
438	Kilrenny - - -	Anstruther-Easter.	
456	Soonie - - -	- - -	*Leven.
459	Wemyss - - -	- - -	Buckhaven.
466	Clackmannan - - -	- - -	Alloa.
475	Campsie - - -	- - -	*Lennoxtown.
478	Dunipace - - -	- - -	Denny.
488	St Ninians - - -	- - -	Bannockburn.
493	Bonhill - - -	- - -	*Alexandria.
494	Cardross - - -	- - -	*Renton.
500	New or East Kilpatrick - - -	- - -	*Mingavie.
503	Row - - -	- - -	*Helensburgh.
523	Kilmore and Kilbride - - -	*Oban.	
559 ¹	Abbey - - -	Falsley.	
559 ²	Do. (Landward) - - -	- - -	Barrhead.
560	Cathcart - - -	- - -	{Busby.
562	Eastwood - - -	- - -	{Crosshill (Suburban of Glasgow).
564	Greenock (East) - - -	Port-Glasgow.	*Pollokshaws and Thornliebank.
571	Mearns - - -	- - -	Busby.
576 ⁴	Old Ardrossan - - -	- - -	Saltcoats.
577	Auchinleck - - -	- - -	Cumnock.
593	Galston - - -	- - -	Newmilns.
597	Kilmarnock - - -	- - -	Hurlford.
603	Loudoun - - -	- - -	Galston and Newmilns.
611	Biccarton - - -	Kilmarnock.	Hurlford.
613	Born - - -	- - -	*Catrine.
615	Stevenston - - -	- - -	Saltcoats.
621	Avondale - - -	- - -	*Strathaven.
622 ²	Shettleston - - -	- - -	Tollcross.
625 ¹	Bothwell - - -	- - -	*Bellehill.
625 ²	Holytown - - -	- - -	Calderbank.
628	Cambusnethan - - -	- - -	*Newmains and Wishaw.
639	Dalsiel - - -	- - -	Motherwell.
643	East Kilbride - - -	- - -	Busby.
646 ¹	Govan Church - - -	- - -	Suburban of Glasgow.
646 ²	Partick - - -	- - -	{Hillhead, Whiteinch, and Suburban of Glasgow.
647	Hamilton - - -	- - -	Larkhall and Motherwell.
651 ²	New Monkland (Landward) - - -	- - -	Suburban of Airdrie.
652	Old Monkland - - -	- - -	
	(1) Western District - - -	- - -	Ballieston, and Tollcross.
	(2) Middle District - - -	- - -	Coatbridge and Rosehall.
	(3) Eastern District - - -	- - -	Do. do. and Calderbank.
654	Rutherglen - - -	- - -	Cambuslang.
664	Carriiden - - -	- - -	Bo'ness.
678 ²	Fauldhouse - - -	- - -	*Crofthead.
689	Inveresk - - -	*Mussalburgh.	
691	Lasswade - - -	- - -	Penicuik.
727	Ayton - - -	- - -	Eyemouth.
776 ^b	Ladhope - - -	Galashiels.	
810	Wilton - - -	Hawick.	
813 ^b	Brydekirk - - -	Annan.	
863	Crossmichael - - -	- - -	Castle-Douglas.
868	Kells - - -	*New Galloway.	
869	Kelton - - -	- - -	Castle-Douglas.
876	Minnigaff - - -	- - -	Newton-Stewart.
880	Terregles - - -	Dumfries.	
882	Troqueer - - -	Do.	
895	Penninghame - - -	- - -	Newton-Stewart.

* The asterisk indicates that the entire Burgh or Town is embraced in the Registration District.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 to 901.**

Abbey, . . . 559	Baldernock, . . . 471	Buckhaven, . . . 459	Corsock-Bridge, 862	Dolphington, . . . 640
Abbey St Bath- ans, . . . 726	Balforn, . . . 472	Buittle, . . . 859	Corstorphine, . . . 878	Dores, . . . 90
Abbotshall, . . . 399	Ballaehulish & Cor- ran of Ardgour, 506	Bunkle and Preston, . . . 728	Cortachy & Clova 278	Dornoch (Suth- erland) . . . 47
Abdie, . . . 400	Ballantrae, . . . 579	Burntisland, . . . 411	Coall, . . . 182	Dornock (Dum- fries), . . . 819
Abercorn, . . . 661	Ballingry, . . . 408	Burra & Quarff, 1	Coupar-Angus, . . . 279	Douglas, . . . 641
Aberdalgie, . . . 323	Balmacellian, . . . 856		Covington and Thankerton, . . . 634	Dowally, . . . 344
Aberdeen, . . . 168	Balmaghie, . . . 857	Cabrach, . . . 177	Craig, . . . 280	Drainie, . . . 130
Aberdour (Aber- deen), . . . 169	Balmerino, . . . 409	Cadder, . . . 626	Craigie, . . . 584	Dreghorn, . . . 589
Aberdour (Fife), 401	Balquhider, . . . 331	Caddonfoot, . . . 774	Craigish, . . . 508	Dron, . . . 345
Aberfeldy, . . . 324	Banchory-Deve- nick, . . . 251	Cairney, . . . 178	Craill, . . . 417	Drumblade, . . . 188
Aberfoyle, . . . 325	Banchory-Ter- nan, . . . 252	Callander, . . . 386	Crailling, . . . 786	Drumelsier, . . . 759
Aberlady, . . . 702	Banff, . . . 147	Calton, . . . 644	Cramond, . . . 679	Drumoak, . . . 189
Aberlemno, . . . 269	Bannockburn, 488	Cambuslang, . . . 627	Cranshaw, . . . 734	Dryfesdale, . . . 820
Aberlour, . . . 145	Barnegannan, . . . 857	Cambusnethan, 628	Cranston, . . . 690	Drymen, . . . 477
Abernethy, . . . 326	Barony, . . . 622	Cameron, . . . 412	Crathie and Braemar, . . . 183	Duddingston, . . . 684
Abernethy, and Kincairdine, . . . 90	Barr, . . . 580	Camlachie, . . . 644	Crawford, . . . 635	Duffus, . . . 131
Abernyte, . . . 327	Barra (Inver- ness), . . . 108	Campbeltown, 507	Crawfordjohn, 636	Duirinish, . . . 110
Aboyne, . . . 170	Barrhead, . . . 572	Campaie, . . . 475	Creich (Fife), . . . 418	Dull, . . . 346
Aharacle, . . . 506	Barrhill, . . . 582	Canisbay, . . . 35	Crichton, . . . 681	Dumbarton, . . . 496
Airdrie, . . . 651	Barry (Forfar), 274	Caunobie, . . . 814	Crieck (Suther- land), . . . 46	Dumfries, . . . 821
Airrie, . . . 270	Barras, . . . 86	Canongate, . . . 685	Crief, . . . 342	Dun, . . . 281
Airth, . . . 469	Bathgate, . . . 662	Caputh, . . . 337	Criffr, . . . 184	Dunbar, . . . 706
Alford, . . . 171	Beath (Fife), . . . 410	Cardross, . . . 494	Crinmond, . . . 61	Dunbarney, . . . 347
Alloa, . . . 465	Bedrule, . . . 782	Careston, . . . 277	Cromarty, . . . 61	Dunblane, . . . 348
Alness, . . . 57	Beith (Ayr), . . . 581	Cargill, . . . 338	Cromdale and Advie, . . . 128	Dunbog, . . . 428
Alva (Stirling), 470	Belhelvie, . . . 174	Carluverock, . . . 815	Crossmichael, . . . 863	Dundee, . . . 282
Alvah (Banff), 146	Bellie, . . . 126	Carloway, . . . 86	Croy & Dalross, 94	Dundonald, . . . 590
Alves, . . . 125	Bendocula, . . . 118	Carlruke, . . . 629	Cruden, . . . 185	Dunfermline, . . . 424
Alvie, . . . 90	Bendochy, . . . 332	Carmichael, . . . 630	Cullen, . . . 150	Dunino, . . . 425
Altyh, . . . 328	Benholm, . . . 253	Carmunnock, . . . 631	Culross, . . . 348	Dunipace, . . . 478
Ancrum, . . . 780	Bernera, . . . 111	Carmylie, . . . 276	Culsamond, . . . 186	Dunkeld, . . . 349
Anderson, . . . 644	Bervie, . . . 254	Carnbee, . . . 413	Culter, . . . 637	Dunlop, . . . 591
Annan, . . . 812	Biggar, . . . 623	Carnoch (Ross), 595	Culta, . . . 419	Dunnet, . . . 36
Anstruther-E., . . . 402	Birnie, . . . 127	Carnock (Fife), 414	Cumbernauld, . . . 495	Dunnichen, . . . 283
Anstruther-W., 403	Birsay, . . . 13	Carnwath, . . . 632	Cumbranauld, . . . 495	Dunning, . . . 350
Anwoth, . . . 855	Birse, . . . 175	Carrington, . . . 675	Cumbranes, . . . 552	Dunnottar, . . . 255
Appin, . . . 525	Blackford, . . . 333	Carsphairn, . . . 860	Dunoon & Kil- mun, . . . 510	
Applecross, . . . 58	Blackfriars, . . . 644	Carstairs, . . . 633	Dunrobin, . . . 3	
Applegarth, . . . 813	Blair-Athol, . . . 334	Castleton, . . . 784	Dunrosness, . . . 822	
Arbriot, . . . 271	Blairgowrie, . . . 335	Cathcart, . . . 560	Dunscore, . . . 735	
Arbroath, . . . 272	Blantyre, . . . 624	Cavers, . . . 785	Dunse, . . . 642	
Arbuthnot, . . . 250	Blythswood, . . . 644	Cawdor, . . . 122	Dunsyre, . . . 48	
Ardochattan, . . . 504	Boddam, . . . 232	Ceres, . . . 415	Dunur, . . . 525	
Ardclach, . . . 120	Boharm, . . . 128	Channelkirk, . . . 729	Durrie, . . . 256	
Ardersier, . . . 91	Boisdale, . . . 118	Chapel-of-Gari- och, . . . 179	Durrisdeer, . . . 823	
Ardnamurchan, 505	Boleskine, . . . 92	Chirnside, . . . 730	Duthil, . . . 96	
Ardoch, . . . 328	Bolton, . . . 704	Clackmannan, 466	Dyce, . . . 190	
Ardrossan, . . . 576	Bonar, . . . 46	Clatt, . . . 180	Dyke, . . . 183	
Arisaig, . . . 505	Bonhill, . . . 493	Cleish, . . . 460	Dysart, . . . 426	
Armadaie, . . . 662	Borgue, . . . 858	Clooseburn, . . . 816		
Arngask, . . . 404	Bo'ness, . . . 663	Clunie (Perth), . . . 339		
Arrochar, . . . 492	Borthwick, . . . 674	Clunie (Aber'd'n), 181		
Ashkirk, . . . 781	Bothkennar, . . . 473	Clyne, . . . 45		
Assynt, . . . 44	Bothwell, . . . 625	Cockburnspath, 731		
Athelstaneford, 703	Botriphny, . . . 148	Cockpen, . . . 76		
Auchindoir, . . . 173	Bourie, . . . 176	Coigach, . . . 675		
Auchinleck, . . . 572	Bowden, . . . 783	Coldingham, . . . 732		
Auchterarder, . . . 329	Bower, . . . 34	Coldstream, . . . 733		
Auchterderran, 405	Bowmore, . . . 586	Colinton, . . . 677		
Auchtergaven, . . . 330	Boydie, . . . 149	Coll, . . . 551		
Auchterhouse, . . . 273	Bracadale, . . . 109	Collice, . . . 340		
Auchterless, . . . 173	Brechin, . . . 275	Collessie, . . . 416		
Auchtermuchty, 406	Bressay, . . . 1	Colmonell, . . . 582		
Auchtertool, . . . 407	Bridgeton, . . . 644	Colonsay, . . . 539		
Auldearn, . . . 121	Brodick, . . . 558	Colvend, . . . 861		
Avonah, . . . 59	Broughton, . . . 753	Comrie, . . . 341		
Avondale, . . . 621	Brydekirk, . . . 813	Contin, . . . 60		
Ayr, . . . 578	Buchanan, . . . 474	Cookney, . . . 258		
Ayton, . . . 727				

* The actual number of Districts is 1032—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 14 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place compound names in the order in which they are pronounced.

Edsall, . . .	285	Glenbucket, . . .	200	Jedburgh, . . .	792	Kinfauns, . . .	366	Langton, . . .	747
Elgin, . . .	185	Glencairn, . . .	826	Johnstone . . .	882	Kingarth, . . .	555	Larbert, . . .	485
Elie, . . .	427	Glencoe and . . .		(Dumfries), . . .		King-Edward, . . .	210	Largo, . . .	443
Ellon, . . .	192	Ballachulish, . . .	525	Johnstone (Ren- . . .		Kinghorn, . . .	439	Larga, . . .	603
Enzie, . . .	152	Glencross, . . .	687	frew), . . .	559	Kinglassie, . . .	440	Larkhall, . . .	638
Errol, . . .	351	Glendevon, . . .	358	Jura, . . .	539	Kingoldrum, . . .	295	Lasswade, . . .	691
Erskine, . . .	563	Glenelg, . . .	97			Kingsbarns, . . .	441	Latheron, . . .	38
Eskdalemuir, . . .	824	Glenegarry, . . .	99	Keig, . . .	205	Kinguassie, &c., . . .	102	Lauder, . . .	748
Ettrick, . . .	774	Glenholm, . . .	761	Keir, . . .	833	Kinloch, . . .	372	Laurencekirk, . . .	263
Evie & Rendall, . . .	16	Glenisla, . . .	290	Keith, . . .	159	Kinlochbervie, . . .	49	Leadhills, . . .	635
Ewes, . . .	825	Glenlivet, . . .	157	Keith-hall, . . .	206	Kinlochluichart, . . .	71	Lecroft, . . .	371
Eyemouth, . . .	739	Glenmoriston, . . .	107	Kells, . . .	868	Kinloch-Ran- . . .		Legerwood, . . .	749
		Glenmuick, Tul- . . .		Keiso, . . .	793	noch, . . .	367	Leith, . . .	692
Fair Isle, . . .	3	lich, &c., . . .	201	Kelton, . . .	809	Kinlochspelve, . . .	545	Leochel-Cush- . . .	
Fala & Soutra, . . .	686	Glenorchy, . . .	512	Kelvin, . . .	644	Kinloss, . . .	138	niak, . . .	214
Falkirk, . . .	479	Glenrinnies, . . .	155	Kemback, . . .	433	Kinnaird, . . .	398	Lerwick, . . .	5
Falkland, . . .	428	Glenashee, . . .	370	Kemnay, . . .	207	Kinneff and . . .		Leslie (Aber'd'n), . . .	215
Farnell, . . .	286	Glenashiel, . . .	67	Kenmore, . . .	360	Catterline, . . .	262	Leslie (Fife), . . .	444
Farr, . . .	50	Golspie, . . .	51	Kennoway, . . .	434	Kinnell, . . .	296	Leamnahagow, . . .	649
Fauldhouse, . . .	673	Gorbals, . . .	644	Kettins, . . .	294	Kinnellar, . . .	211	Leswalt, . . .	891
Fearn (Forfar), . . .	287	Gordon, . . .	742	Kettle, . . .	435	Kinlochmont, . . .	212	Leuchendy, . . .	372
Fearn (Ross), . . .	64	Gourrock, . . .	567	Kilbarchan, . . .	568	Kinnettles, . . .	297	Lethnott and . . .	
Fenwick, . . .	592	Govan Church, . . .	646	Kilberry, . . .	516	Kinning Park, . . .	644	Navar, . . .	300
Ferry-Port-on- . . .		Graitney (or . . .		Kilbirnie, . . .	596	Kinnoull, . . .	369	Neuchars, . . .	445
Craig, . . .	429	Gretna), . . .	827	Kilbrandon and . . .		Kinnross, . . .	463	Libborton (Lan- . . .	
Fetlar, . . .	4	Grange, . . .	156	Kilchattan, . . .	515	Kintail, . . .	72	ark), . . .	650
Fettercairn, . . .	257	Grangemouth, . . .	481	Kilbride, . . .	553	Kintore, . . .	213	Liberton (Edin.) . . .	698
Fetteresso, . . .	258	Greenlaw, . . .	743	Kilbucko, &c., . . .	763	Kippen, . . .	484	Liff, Benvie, & . . .	
Findo-Gask, . . .	352	Greenock, . . .	554	Kilcalmonell, . . .	516	Kirkbean, . . .	870	Invergowrie, . . .	301
Fintry (Aber- . . .		Guthrie, . . .	291	Kilchoman, . . .	540	Kirkcaldy and . . .		Lilliesleaf, . . .	795
deen), . . .	193			Kilchrenan, . . .	517	Abbottshall, . . .	442	Linlithgow, . . .	698
Fintry (Stirling), . . .	480	Haddington, . . .	709	Kilconquhar, . . .	438	Kirkcolum, . . .	887	Linton, . . .	796
Firth & Stennes, . . .	17	Hagga, . . .	476	Kildalton & Oa, . . .	541	Kirkconnel, . . .	824	Lintrathen, . . .	302
Flisk, . . .	430	Halfmorton, . . .	828	Kildonan, . . .	52	Kirkcowan, . . .	888	Lismore, . . .	535
Flotta, . . .	32	Halkirk, . . .	37	Kildrummy, . . .	208	Kirkcudbright, . . .	871	Little Dun- . . .	
Fodderty, . . .	65	Hamilton, . . .	18	Kilfinan, . . .	518	Kirkcudbright, . . .	298	keld, . . .	373
Fogo, . . .	740	Harry, . . .	18	Kilfinichen and . . .		Kirkgunzeon, . . .	872	Livingstone, . . .	699
Fordoun, . . .	269	Harris, . . .	111	Kilvickeon, . . .	542	Kirkhill, . . .	103	Lochaber, . . .	90
Fordyce, . . .	153	Hawick, . . .	789	Killeen and . . .		Kirkhope, . . .	776	Lochalsh, . . .	74
Forfar, . . .	288	Heriot, . . .	688	Kilchensie, . . .	519	Kirkinner, . . .	889	Lochbroom, . . .	75
Forgan, . . .	431	Hobkirk, . . .	790	Killearn, . . .	482	Kirkintilloch, . . .	498	Lochcarron, . . .	76
Forgandenny, . . .	353	Hoddom, . . .	829	Killearnan, . . .	68	Kirkliston, . . .	667	Lochee, . . .	282
Forglen, . . .	154	Holm & Paplay, . . .	19	Killin, . . .	361	Kirkmahreck, . . .	873	Lochgillhead, . . .	536
Forgue, . . .	194	Holytown, . . .	625	Kilmadock, . . .	362	Kirkmahoe, . . .	835	Lochgillhead, . . .	537
Forres, . . .	137	Holywood, . . .	830	Kilmalcolm, . . .	569	Kirkmaiden, . . .	890	Lochlee, . . .	368
		Houston and . . .		Kilmallie, . . .	520	Kirkmichael . . .		Lochmaben, . . .	940
Fort-Augustus . . .		Killellan, . . .	565	Kilmally (Fife), . . .	437	(Ayr), . . .	600	Lochransha, . . .	556
(or Aberlath), . . .	92	Howmore, . . .	118	Kilmarnock, . . .	597	Kirkmichael . . .		Lochrutton, . . .	875
Forteviot, . . .	354	Hownam, . . .	791	Kilmarnock, . . .	497	(Banff), . . .	160	Lochs, . . .	87
Fortingall, . . .	355	Hoy & Gramsay, . . .	20	Kilmartin, . . .	521	Kirkmichael . . .		Lochwinnoch, . . .	570
Fortrose, . . .	80	Humble, . . .	710	Kilmaurs, . . .	598	(Dumfries), . . .	836	Logie (Fife), . . .	446
Foss, . . .	855	Hume, . . .	744	Kilmelford, . . .	524	Kirkmichael . . .		Logie (Perth), . . .	374
Fossaway and . . .		Huntly, . . .	202	Kilmeny (Ar- . . .		(Perth), . . .	370	Logiealmond, . . .	375
Tullebole, . . .	461	Hutchesontown, . . .	644	gyl), . . .	543	Kirknewton and . . .		Logie-Buchan, . . .	216
Foula, . . .	12	Hutton (Ber- . . .		Kilmodan, . . .	522	East-Calder, . . .	690	Logie-Cold- . . .	
Foulden, . . .	741	wick), . . .	745	Kilmonivaig, . . .	99	Kirkoswald, . . .	601	stone & Cromar, . . .	217
Foveran, . . .	195	Hutton (Dumf.) . . .	831	Kilmorack, . . .	100	Kirkpatrick- . . .		Logie-Easter, . . .	77
Fowles-Easter, . . .	358			Kilmore & Kil- . . .		Durham, . . .	874	Logie-Perth, . . .	304
Fowles-Wester, . . .	357	Inch (Wigtown), . . .	886	bride, . . .	523	Kirkpatrick- . . .		Logierait, . . .	376
Fraserburgh, . . .	196	Inchinnan, . . .	566	Kilmorieh, . . .	527	Fleming, . . .	837	Longforan, . . .	377
Fyvie, . . .	197	Inchture, . . .	359	Kilmory, . . .	554	Kirkpatrick- . . .		Longformacus, . . .	750
		Inverkip, . . .	567	Kilmuir, . . .	112	Juxta, . . .	838	Longside, . . .	218
Gairloch, . . .	66	Innerleithen, . . .	762	Kilmuir-Easter, . . .	69	Kirkton (As- . . .		Lonmay, . . .	219
Galashiels, . . .	775	Innerleithen (Had.) . . .	711	Kilmun, . . .	510	synt), . . .	44	Loth, . . .	54
Galston, . . .	593	Innerwick in . . .		Kilninian and . . .		Kirkton (Farr), . . .	50	Loudoun, . . .	608
Gamrie, . . .	155	Glenlyon, . . .	355a	Kilmore, . . .	544	Kirktown (Rox- . . .		Lumphanan, . . .	220
Gargunnoch, . . .	481	Inch (Aber'd'n), . . .	203	Kilniver, . . .	524	burgh), . . .	794	Lunan, . . .	305
Garly, . . .	198	Inverallan, . . .	128	Kilrenny, . . .	438	Kirkurd, . . .	764	Lundie, . . .	306
Garvald, . . .	707	Inveraray, . . .	513	Kilspindie, . . .	363	Kirkwall & St Ola . . .	21	Lunnasting, . . .	7
Garvoock, . . .	260	Inverarity, . . .	292	Kilsyth, . . .	483	Kirriemuir, . . .	299	Luss, . . .	499
Gigha, . . .	537	Inveravon, . . .	157	Kiltarity, . . .	101	Knockando, . . .	139	Lyne, . . .	765
Girthon, . . .	866	Inverchaulain, . . .	514	Kiltarn, . . .	70	Knockbain, . . .	73		
Girvan, . . .	594	Inveresk, . . .	689	Kilwinning, . . .	599	Knoydart, . . .	97	Madderty, . . .	378
Glasdmuir, . . .	708	Inverkeillor, . . .	293	Kincardine . . .				Maina, . . .	307
Glamis, . . .	289	Inverkeithing, . . .	432	(Perth), . . .	364	Ladhope, . . .	776	Makerston, . . .	797
Glasgow, . . .	644	Inverkeithny, . . .	158	Kincardine . . .		Ladykirk, . . .	746	Manor, . . .	766
Glass, . . .	199	Inverness, . . .	98	(Ross), . . .	71	Laggan, . . .	104	Markinch, . . .	447
Glassary, . . .	511	Inverurie, . . .	204	Kincardine . . .		Lairg, . . .	53	Marnoch, . . .	161
Glasserton, . . .	885	Iona, . . .	538	O'Neil, . . .	209	Lanark, . . .	648	Marymiller, . . .	264
Glassford, . . .	645	Irongray, . . .	867	Kinclaven, . . .	365	Langholm, . . .	839	Maryhill, . . .	623
Glenbervie, . . .	261	Irvine, . . .	695						

**EDINBURGH : PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.**

NINETEENTH
DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES
IN SCOTLAND.

[ABSTRACTS OF 1873.]

Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.
1877.

20
TWENTIETH
DETAILED ANNUAL REPORT
OF THE 337736
REGISTRAR-GENERAL
OF
BIRTHS, DEATHS, AND MARRIAGES
IN SCOTLAND.

[ABSTRACTS OF 1874]

Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH:
PRINTED BY NEILL AND COMPANY,
FOR HER MAJESTY'S STATIONERY OFFICE.
1878.

[C.—2118.] Price 1s. 8d.

SDN
Digitized by Google

TWENTIETH
DETAILED ANNUAL REPORT
OF THE
REGISTRAR-GENERAL
OF
BIRTHS, DEATHS, AND MARRIAGES
IN SCOTLAND.

[ABSTRACTS OF 1874.]


Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH:
PRINTED BY NEILL AND COMPANY,
FOR HER MAJESTY'S STATIONERY OFFICE.

1878.

[C.—2118.] Price 1s. 8d.



REPORT.

TO THE

RIGHT HON^{BLE} R. ASSHETON CROSS, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,

EDINBURGH, July 13, 1878.

SIR,

On the 21st April 1875, I had the honour, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 & 18 Vict. cap. 80, to submit to the Secretary of State for the Home Department the usual General Abstracts of the Births, Deaths, and Marriages registered in Scotland during the year 1874, along with some explanation and commentary.

On the same date, my Tenth Annual Report on Vaccination was transmitted, in accordance with the nineteenth section of the Scottish Vaccination Act, 26 & 27 Vict. cap. 108.

I have now the honour to transmit the Detailed Annual Report, together with the relative Tables, regarding the Births, Deaths, and Marriages registered in Scotland during the same year (1874).

It will be observed that the general Birth-rate of 1874 has been the highest hitherto recorded in Scotland; that the Marriage-rate has been well sustained; and that the Death-rate has been high, having been only once surpassed during the last twenty years.

In course of the present Report will be found some Tables illustrative of the degree of density with which the population was, at the period of Census 1871, aggregated in various parts of the country, and particularly in the several Registration Districts of the Eight Principal Towns.

In illustration of the good effected in Scotland by the Vaccination Act, I have in this Report introduced three Supplemental Tables relative to the marked decrease of the mortality from Smallpox among children under five years of age, which has, beyond question, been observed in Scotland since the Vaccination Act became law.

I have the honour to be,

SIR,

Your obedient Servant,

W. PITT DUNDAS,

Registrar-General.

CONTENTS.

Report of Registrar-General to the Secretary of State, ...	Page iii
Report by Dr Robertson to the Registrar-General, ...	ix
Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855-1874 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths, ...	ix
Density and Proximity of Population, with Illustrative Tables, ...	x
Table showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855-1874, ...	xiv
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1874, ...	xv
Occasional Table, showing the State of Illegitimacy in all Scotland, in the Five Groups of Districts, Principal Towns, and Two Counties in 1874, ...	xvi
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1874, ...	xvii

BIRTHS.

Births in 1874, and their Proportion to the Population, with relative Tables, ...	xiv
Tables showing particulars relative to the Births during each of the years 1855 to 1874 inclusive, ...	xiv
Number and Proportion of Twins and Triplets, ...	xviii

MARRIAGES.

Number of Marriages in 1874, and their Proportion to the Population, ...	xix
Influence of Density of Population on the Marriages, ...	xix
Proportion of Legitimate Children to the Marriages in Scotland and England and in Sweden, ...	xx
Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1874, and 1855-1874, with relative Tables, ...	xx
Number and Proportion of Persons marrying at different Ages, with relative Tables, ...	xxii
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables, ...	xxii
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark, ...	xxiii & xxiv

	Page
DEATHS.	
Number of Deaths in Scotland in 1874, and their Proportion to the Population, ...	xxv
Death-rates in Scotland, and in its Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855-1874, with relative Tables, ...	xxv
Death-rates in each of the Eight Principal Towns of Scotland during each of the years 1864-1874, ...	xxvi
Series of Tables of the Deaths at different Ages in Scotland, and its Five Great Groups of Districts, during the year 1874, ...	xxvii
Mortality of Female lower than that of the Male at about every period of life, ...	xxix
High Mortality in Towns at every period of life, as compared with that of the Rural Districts, ...	xxx
Causes of Death in 1874, with relative Tables, ...	xxxi
Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables, ...	xxxii
Smallpox Deaths in Scotland for twenty years, ...	xxxix
Particulars relative to Vaccination in Scotland, with relative Tables, ...	xl
Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths, ...	xliii
The Nineteen most fatal Diseases in England and Scotland in 1874, ...	xlvi

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1874.

Weather, Weekly and Monthly, and its Influence on the Mortality, ...	i
Table showing the Meteorology of Scotland during each month of the year 1874, together with the Monthly and Daily Number of Births, Deaths, and Marriages, ...	lii
Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland during each Month of the year 1874, ...	liii
Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland, during each week of the year 1874, ...	liv
Deaths in Scotland compared with the Average Price of Wheat and Potatoes during each of the years 1855 to 1874, ...	lvii
Influence of Season, etc., on the Mortality at different Ages, ...	lviii

APPENDIX.

Vaccinations in the several Counties of Scotland during the year 1874, ...	lix
--	-----

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Groups of Districts, Divisions, and Counties of Scotland in 1874, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1861 and 1871, the Excess of Births over Deaths, and the Area in Square Miles of each County, ...	1
Tables of the Population in 1861 and 1871, and of the Births, Deaths, and Marriages during the year 1874, also of the Illegitimate Births in every Registration District, ...	2-23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1874; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ...	24
---	----

	Page
Table of the Civil Condition of the parties who married in 1874 ; distinguishing the Marriages of Bachelors with Spinsters ; Bachelors with Widows ; Widowers with Spinsters ; and Widowers with Widows ; giving the particulars as to the Age of each Sex,	25
Table of the Ages of all Males who married in Scotland and its Counties in 1874, . . .	26
Table of the Ages of all Females who married in Scotland and its Counties in 1874 . . .	28

DEATHS.

Table of the Ages of all persons of both Sexes who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1874, together with the Populations in 1861 and 1871, ...	30
Table of the Ages of all Males who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1874, together with the Male Populations in 1861 and 1871, ...	32
Table of the Ages of all Females who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1874, together with the Female Populations in 1861 and 1871, ...	34
Deaths at different Ages in both Sexes in each of the Large Towns, and in the Small Town Districts of the Counties of Scotland in 1874, ...	36
Do. Males, ...	38
Do. Females, ...	40
Deaths at different Ages in both Sexes in the Mainland-Rural and in the Insular Districts of Scotland in 1874, ...	42
Do. Males, ...	44
Do. Females, ...	46
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1874, ...	48-51
Do. Males, ...	52-55
Do. Females, ...	56-59
Summary Table of the Causes of Death in both Sexes in each of the Principal Towns of Scotland in 1874, ...	60
Do. Males, ...	62
Do. Females, ...	64
Summary Table of the Causes of Death in both Sexes in each of the Large Towns of Scotland in 1874, ...	66
Do. Males, ...	68
Do. Females, ...	70
Summary Table of the Causes of Death in both Sexes in each of the Small Town Districts of the Counties of Scotland in 1874, ...	72-75
Do. Males, ...	76-79
Do. Females, ...	80-83
Summary Table of the Causes of Death in both Sexes in the Mainland-Rural Districts of Scotland in 1874, ...	84-87
Do. Males, ...	88-91
Do. Females, ...	92-95
Summary Table of the Causes of Death in both Sexes, and in Males and Females in the Insular-Rural Districts of Scotland in 1874, ...	96
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, ...	98-101
Do. Males, ...	102-105
Do. Females, ...	106-109
Table of the Causes of Death in both Sexes in the Principal Town Districts of Scotland at different Periods of Life, ...	110-113
Do. Males, ...	114-117
Do. Females, ...	118-121

	Page
Table of the Causes of Death in both Sexes in the Large Town Districts of Scotland at different Periods of Life, ...	122-125
Do. Males, ...	126-129
Do. Females, ...	130-133
Table of the Causes of Death in both Sexes in the Small Town Districts of Scotland at different Periods of Life, ...	134-137
Do. Males, ...	138-141
Do. Females, ...	142-145
Table of the Causes of Death in both Sexes in the Mainland-Rural Districts of Scotland at different Periods of Life, ...	146-149
Do. Males, ...	150-153
Do. Females, ...	154-157
Table of the Causes of Death in both Sexes in the Insular-Rural Districts of Scotland at different Periods of Life, ...	158-161
Do. Males, ...	162-165
Do. Females, ...	166-169
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, ...	170-173
Do. Males, ...	174-177
Do. Females, ...	178-181
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, ...	182-185
Do. Males, ...	186-189
Do. Females, ...	190-193
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, ...	194-197
Do. Males, ...	198-201
Do. Females, ...	202-205
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, ...	206-209
Do. Males, ...	210-213
Do. Females, ...	214-217
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, ...	218-221
Do. Males, ...	222-225
Do. Females, ...	226-229
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, ...	230-233
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, ...	234-237
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, ...	238-241
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, ...	242-245
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1874, in each of the Groups of Districts, Divisions, and Counties of Scotland, ...	246
—	
Constitution of the Compound Districts, ...	247
List of Registration Districts which include Burghs or Towns of 2000 Inhabitants and upwards, or parts thereof, bearing a different name from the Districts in which they are situated, ...	248
Index to Districts, ...	249

REPORT TO THE REGISTRAR-GENERAL,

BY WILLIAM ROBERTSON, M.D., F.R.S.E.

SIR,

DURING 1874, the commercial reaction which had set in before the end of 1873 made steady progress. The prices of the most important articles used in manufactures were greatly reduced, and in the case of coal and iron the reduction amounted to at least 25 per cent., when compared with the prices obtained in 1873. Corresponding reduction in wages followed as a matter of course, and in some parts of the country strikes and lock-outs embarrassed the employers of labour, and added to the inevitable distress felt by the working classes. Happily the harvest was an abundant one, and the prices of wheat and of potatoes, especially towards the end of the year, were more moderate than usual. During the last few weeks of the year, much rain fell, and the temperature of the air was low beyond all recent precedent. It is not to be wondered at that such unfavourable conditions should have materially affected the public health, and accordingly it may be seen on reference to Table I. that the death-rate of 1874 has only once been surpassed

TABLE I.—Population estimated to the middle of each year; with the Number of Births, Deaths, and Marriages registered in Scotland during each of the Years 1855 to 1874, and their Proportion to the Population; also the Excess of Births over Deaths, the Illegitimate Births, and their Proportion to the Total Births.

YEARS	Estimated Population.	BIRTHS.		Deaths.	Marriages.	Excess of Births over Deaths.	Percentage to Population.			Percent. of Illegit. to Total Births.
		Total.	Illegit.				Births.	Deaths.	Marriages.	
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·1491	2·0820	0·6608	7·8
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·3988	1·9537	0·6923	8·5
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·4331	2·0551	0·7094	8·5
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·4356	2·0986	0·6492	8·9
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·5026	2·0288	0·6969	9·1
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·5578	2·2316	0·6948	9·2
1861	3,069,404	107,009	9,929	62,341	20,896	44,668	3·4863	2·0310	0·6808	9·2
1862	3,097,009	107,069	10,376	67,195	20,597	39,874	3·4572	2·1697	0·6651	9·7
1863	3,126,879	109,341	10,948	71,481	22,234	37,860	3·4968	2·2860	0·7160	10·0
1864	3,156,021	112,333	11,197	74,416	22,725	37,917	3·5594	2·3579	0·7200	9·9
1865	3,185,437	113,070	11,262	70,891	23,611	42,179	3·5496	2·2255	0·7412	9·9
1866	3,215,129	113,667	11,673	71,848	23,688	42,319	3·5354	2·2191	0·7367	10·2
1867	3,245,098	114,044	11,148	69,067	22,618	44,976	3·5063	2·1284	0·6970	9·7
1868	3,275,350	115,514	11,354	69,416	21,855	46,098	3·5267	2·1193	0·6673	9·8
1869	3,305,885	113,354	11,066	75,875	22,144	37,479	3·4288	2·2951	0·6698	9·7
1870	3,336,707	115,390	11,108	74,165	23,854	41,225	3·4582	2·2227	0·7149	9·6
1871	3,367,922	116,128	11,077	74,712	24,019	41,416	3·4481	2·2183	0·7132	9·5
1872	3,399,225	118,765	10,927	75,794	25,641	42,971	3·4989	2·2298	0·7543	9·2
1873	3,430,923	119,700	10,925	76,946	26,748	42,754	3·4889	2·2427	0·7796	9·1
1874	3,462,916	123,711	10,991	80,720	26,390	42,991	3·5725	2·3310	0·7621	8·9

within the last twenty years. The marriage-rate was less affected by the unsettled condition of trade and commerce than might have been anticipated. Although somewhat below the rate of 1873, the frequency of marriages during 1874 was far above the average of recent years. The birth-rate of 1874 was the highest that has ever been recorded in Scotland.

POPULATION.

The estimates of population used in the course of this Report are calculated to the middle of the year 1874, by means of the Census Enumerations of males and females made in 1861 and 1871. It is assumed that the rates of increase or decrease indicated in each division of the country between these periods have since 1871 been uniformly maintained. The particulars which refer to the Five New Groups of Districts are given in Table II. The constitution of these Groups has been fully explained in former Reports. It is believed that in the Large Towns the population is increasing annually by about 20 per thousand; in the Eight Principal Towns the annual increase is about 19 per thousand; and in the Small Towns about 7 per thousand. In the Mainland-Rural Districts there is an annual diminution of population of about 1 per thousand; and in the Insular-Rural Districts the annual decrease is about 4 per thousand. In All Scotland there is an estimated annual increase of population amounting to about 9·3 per thousand.

The whole population of Scotland, as on 30th June 1874, according to the estimate here used, consisted of 1,656,372 males, and 1,806,544 females, or, in all, of 3,462,916 persons.

DENSITY AND PROXIMITY OF POPULATION.

That human beings, when their habitations are too closely aggregated or overcrowded, are subject to a correspondingly high rate of mortality is well ascertained; and if it were possible exactly to define the degree of aggregation that exists in each Registration District, or Group of Districts, no doubt the comparison of the rates of mortality that prevail in them would lead to interesting results. Unfortunately great precision is unattainable in ascertaining the density of population in any district; not because there is any difficulty in calculating its area, nor because any important error need be feared in estimating the numbers of the population belonging to that area; but because there notoriously exist many great irregularities in the distribution of the popula-

TABLE II.—Population of Scotland, in its Five New Groups of Districts, by the Censuses of 1861 and 1871, and estimated to the middle of 1874.

FIVE NEW GROUPS OF DISTRICTS.	CENSUS 1861.			CENSUS 1871.			Estimated to 30th June 1874.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Principal Towns	407,839	477,116	884,955	502,021	566,535	1,068,556	537,090	599,064	1,136,154
Large Towns	129,933	144,448	274,381	160,176	174,081	334,257	170,483	183,852	354,335
Small Towns	335,356	369,024	704,380	371,118	404,969	776,087	381,172	415,728	796,900
Mainland-Rural	513,554	548,239	1,061,793	608,787	640,327	1,049,114	507,247	537,780	1,045,027
Insular-Rural	63,166	73,619	136,785	61,041	70,963	132,004	60,380	70,120	130,500
SCOTLAND	1,449,848	1,612,446	3,062,294	1,603,143	1,756,875	3,360,018	1,656,372	1,806,544	3,462,916

tion over a given area, and hence it is quite conceivable that the most pernicious overcrowding may exist in some portions of a district, while the mean density of its population may appear to be very moderate. Still it seems desirable to attempt in Scotland some such researches regarding the influence of density of population upon death-rate, as Dr Farr has suggested in his various Reports to the Registrar-General in England, and illustrated very fully in the Supplement to the 35th of these Reports. It seems in

TABLE A.—Areas of Registration Districts of Principal Towns, and Density of their Population, at Census 1871.

Towns.	Acres.	Square Miles.	Census 1871. Population.	Persons per Square Mile.	Acres to each Person.	Proximity in Yards.
GLASGOW—						
Bridgeton	583	·911	31,154	34,198	0·019	10·2
Camachie	544	·850	32,676	38,442	0·017	9·6
Dennistoun	1064	1·662	31,024	18,667	0·034	13·8
Calton	286	·416	43,654	104,937	0·006	5·8
Blackfriars	208	·325	54,602	167,237	0·004	4·6
St Rollox	715	1·117	38,883	34,354	0·019	10·2
Blythswood	374	·584	44,310	75,873	0·008	6·9
Milton	247	·385	38,223	99,281	0·006	6·0
Kelvin	567	·887	32,516	36,658	0·017	9·9
Anterston	490	·766	40,178	52,452	0·012	8·3
Hutchesontown	293	·458	29,717	64,884	0·010	7·4
Gorbals	206	·322	43,212	134,199	0·005	5·2
Tradeston	262	·394	22,340	56,700	0·011	7·9
Kinning Park	105	·164	9,857	60,101	0·011	7·7
Whole Area	5914	9·241	491,846	53,224	0·012	8·2
EDINBURGH—						
St George	1116	1·744	55,049	31,565	0·020	10·6
St Andrew	931	1·455	39,781	27,341	0·024	11·4
Canongate	625	·977	38,183	33,964	0·019	10·3
(Do. without Landward)	(218)	(·340)	...	(97,597)	(0·007)	(6·1)
St Giles	325	·508	31,960	62,913	0·010	7·5
(Do. without Meadows, &c.)	(231)	(·361)	...	(88,532)	(0·007)	(6·4)
Newington	1183	1·849	41,079	22,217	0·029	12·7
Whole Area	4180	6·533	201,052	30,775	0·021	10·8
DUNDEE—						
St Peter	629	·983	22,894	23,290	0·027	12·4
St Mary	490	·766	23,582	30,786	0·021	10·8
St Clement	301	·470	25,090	53,383	0·002	8·2
St Andrew	892	1·393	38,082	27,338	0·023	11·4
Lochee	1096	1·713	11,076	6,466	0·098	23·5
Whole Area	3408	5·325	120,724	22,671	0·028	12·6
ABERDEEN—						
St Nicholas	879	1·374	47,077	34,263	0·019	10·2
Old Machar (burghal)	4932	7·706	41,104	5,334	0·120	25·9
Whole Area	5811	9·080	88,181	9,712	0·066	19·2
GREENOCK	1509	2·358	59,794	25,358	0·025	11·9
PAISLEY—						
City Parishes	882	1·378	31,910	23,157	0·028	12·4
Part of Abbey	2611	4·080	16,348	4,007	0·163	29·9
Whole Area	3493	5·458	48,258	8,842	0·073	20·1
LEITH	1440	2·250	46,434	20,637	0·031	13·2
PERTH	4336	6·775	26,382	13,894	0·164	30·3
EIGHT PRINCIPAL TOWNS	30093	47·020	1,082,671	23,026	0·0278	12·5

the first instance sufficient to collect reliable data regarding the various Registration Districts of the Eight Principal Towns of Scotland, and such data will, it is hoped, be found in the accompanying Table A. The areas of the several districts have been computed by means of the Ordnance 6-inch scale maps, and Amaler's planimeter, an instrument admirably adapted for the purpose in hand. It must be noted that the mean density of population in every district refers to the period of last Census, viz. April 1871; for there exist no available means for ascertaining the present population of most of the Districts included in the Table. It is probable that the most densely peopled districts of such Towns as Glasgow and Edinburgh, being already packed with inhabitants to saturation, cannot since the Census have materially increased in population; but some of the less densely peopled districts about Glasgow were, at the period of the Census, known to be rapidly increasing in population, and it is certain must still be annually becoming more densely peopled.

In connection with the subject of the distribution of population, Table B may be instructive. If the population of a given district be supposed to be *uniformly* distributed over its area, the distance between person and person is termed their "proximity." In order that this proximity may be uniform, and the least possible, the area is conceived to consist of equilateral triangles, each angle of which represents an inhabitant, while the length of a side represents the proximity. If the density of population, or number of persons per square mile, is known, the proximity may be obtained in yards by the formula $p = \frac{2^{\frac{1}{2}}}{3^{\frac{1}{2}}} \times \frac{1760}{D^{\frac{1}{2}}}$. This formula is

TABLE B.—Proximity and Density. In constructing this Table, p is successively assumed = 1, 2, 3, &c.

The log. c is = 3.2767474, being the log. of $\left(\frac{\sqrt{2}}{\sqrt{3}} \times 1760\right)$, and of course constant. The formula for constructing the Table is:—log. $d = 2 (\log. c - \log. p)$.

p	d	p	d	p	d	p	d
Proximity in Yards.	Density of Population per Sq. Mile.	Proximity in Yards.	Density of Population per Sq. Mile.	Proximity in Yards.	Density of Population per Sq. Mile.	Proximity in Yards.	Density of Population per Sq. Mile.
1	3576800	26	5291	51	1375	76	619
2	894200	27	4906	52	1323	77	603
3	397422	28	4562	53	1273	78	588
4	223550	29	4253	54	1227	79	573
5	143072	30	3974	55	1182	80	559
6	99356	31	3722	56	1141	85	495
7	72996	32	3493	57	1101	90	442
8	55888	33	3284	58	1063	95	396
9	44156	34	3094	59	1028	100	358
10	35768	35	2920	60	994	150	159
11	29560	36	2760	61	961	200	89
12	24839	37	2613	62	931	300	40
13	21165	38	2477	63	901	400	22
14	18249	39	2352	64	873	500	14
15	15897	40	2236	65	847	600	10
16	13972	41	2128	66	821	700	7
17	12376	42	2028	67	797	800	6
18	11039	43	1934	68	774	900	4
19	9908	44	1848	69	751	1000	3.6
20	8942	45	1766	70	730	1100	3.0
21	8111	46	1690	71	710	1250	2.3
22	7390	47	1619	72	690	1500	1.6
23	6761	48	1553	73	671	1760	1.2
24	6210	49	1490	74	653	1891	1.0
25	5723	50	1431	75	636	2000	0.9

derived from Dr Farr's Report on English Census 1871, vol. iv. p. xxviii. Table B exhibits the relations between density and proximity of population, within such limits as should amply suffice for all practical purposes. These Tables have already appeared in our Twenty-third Annual Report.

Table C, which has been calculated for the present Detailed Annual Report, shows, for All Scotland and for each of its Counties, various particulars in regard to population, area, density, proximity, birth-rate, and death-rate, which it seems convenient to have recorded in a synoptical form. The populations used in computing the birth and death-rates for this tabular view are the enumerated Census populations of 1871, which may without sensible error be regarded as the mean populations of the decennial period 1866-1875 inclusive. As an example of what may be gathered from Table C, it may suffice to mention that by its means it may be easily found that in ten counties of Scotland, the annual death-rate does not exceed 17 per thousand; that the united population of these counties was at last Census 359,782; that their area embraces 8813·2 square miles; that the average density of their population was about 41 per square mile; and that the proximity of person to person would, if the population were spread uniformly over the area, be 296 yards.

TABLE C.—Showing, for each County in Scotland, the Population at Census 1871; the Births and Deaths during the Ten Years, 1866-1875; the Annual Birth-rate and Death-rate per 1000 of Census Population; the Area in Square Miles; the Density of the Population per Square Mile; and the Proximity of Person to Person expressed in yards, on the hypothesis of uniform distribution of Population over Area.

No	COUNTIES.	Population at Census 1871.	Births in Ten Years 1866-1875.	Deaths in Ten Years 1866-1875.	Annual Births to 1000 Living.	Annual Deaths to 1000 Living.	Area in Square Miles.	Density or Persons per Square Mile.	Proximity in Yards.
	SCOTLAND . . .	3,360,018	1,173,683	749,829	34·93	22·32	30,532·0	110	180
1	Shetland . . .	31,608	7,640	4,726	24·17	14·95	935·5	67	231
2	Orkney . . .	31,274	7,854	4,759	25·11	15·22			
3	Caithness . . .	41,011	11,299	6,423	27·55	15·66			
4	Sutherland . . .	23,298	5,104	3,622	21·91	15·55	2093·2	11	570
5	Ross and Cromarty . . .	82,093	21,122	13,348	25·73	16·26	3150·6	26	371
6	Inverness . . .	84,258	22,586	14,857	26·81	17·63	4255·5	20	423
7	Nairn . . .	8,372	2,366	1,576	28·26	18·83	199·9	42	292
8	Elgin (or Moray) . . .	44,549	13,310	7,658	29·88	17·19	488·0	91	198
9	Banff . . .	58,883	18,639	9,657	31·65	16·40	646·5	91	198
10	Aberdeen . . .	246,298	83,271	43,995	33·81	17·86	1972·0	125	169
11	Kincardine . . .	35,097	11,113	5,628	31·66	16·03	387·9	90	199
12	Forfar . . .	240,049	85,265	56,282	35·52	23·43	890·4	270	115
13	Perth . . .	128,560	35,718	25,266	27·79	19·66	2569·8	50	267
14	Fife . . .	160,924	53,456	30,943	33·22	19·23	513·2	314	107
15	Kinross . . .	7,918	2,103	1,346	26·56	17·00	77·8	102	187
16	Clackmannan . . .	22,235	7,699	4,579	34·63	20·59	49·8	446	90
17	Stirling . . .	98,345	35,257	20,863	37·77	22·35	466·5	200	134
18	Dumbarton . . .	61,116	22,081	13,907	36·13	22·76	269·8	227	126
19	Argyll . . .	79,661	20,755	14,599	26·05	18·33	3254·9	25	378
20	Bute . . .	16,966	4,059	3,945	23·92	23·25	225·0	75	218
21	Renfrew . . .	195,306	74,989	51,242	38·39	26·40	253·8	770	68
22	Ayr . . .	200,908	77,104	45,184	38·38	22·49	1148·8	175	142
23	Lanark . . .	787,006	324,514	220,413	41·23	28·01	888·9	885	64
24	Linlithgow . . .	41,379	17,450	8,615	42·17	21·30	126·7	327	105
25	Edinburgh . . .	328,138	112,632	78,162	34·29	23·82	367·1	894	63
26	Haddington . . .	37,755	11,794	7,170	31·24	18·99	279·9	135	163
27	Berwick . . .	86,382	11,013	5,937	30·27	16·32	464·3	78	217
28	Peebles . . .	12,218	3,889	1,982	31·83	16·22	356·0	34	324
29	Selkirk . . .	19,651	6,277	3,342	31·94	17·01	260·2	76	217
30	Roxburgh . . .	48,241	16,381	9,285	33·96	19·25	669·5	72	223
31	Dumfries . . .	74,842	22,780	15,169	30·44	20·27	1103·0	68	229
32	Kircudbright . . .	42,087	12,764	7,892	30·33	18·75	953·7	44	285
33	Wigtown . . .	38,602	11,499	7,279	29·79	18·86	512·4	75	218

BIRTHS.

The Births registered in Scotland during 1874 were 123,711—exceeding by fully 4000 the largest number recorded in any former year. There were consequently 357 births for every ten thousand of estimated population; or in other words, the birth-rate was 3·57 per cent., being considerably higher than even the exceptionally high birth-rate of 1864.

TABLE III.—Births, Deaths, and Marriages in the Five New Groups of Districts in Scotland, 1855–1874.

YEARS.	PRINCIPAL TOWNS.			LARGE TOWNS.			SMALL TOWNS.			MAINELAND-RURAL.			INSULAR-RURAL.		
	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1855	28113	22706	6937	8374	8954	1980	16042	10015	3371	37994	21656	6829	2826	1673	563
1856	31719	22254	7507	9221	5374	1975	17289	9542	3428	39649	19462	7106	3943	1897	724
1857	32674	23363	7476	9387	5860	2113	17848	10009	3442	39466	20706	7483	4040	1968	855
1858	32563	23445	6865	9282	6163	1824	17678	10076	3133	40307	21789	7044	4183	2066	789
1859	33027	22352	7554	9545	5775	1918	18533	10045	3643	41210	21090	7222	4228	2452	864
1860	32958	26066	7688	9223	6042	1983	18239	10770	3443	41043	22593	7408	4166	2399	703
1861	34351	23149	7753	9895	5831	1940	18453	10366	3365	40432	20820	7032	4078	2175	806
1862	34436	24960	7724	9618	6566	1837	18376	10933	3289	40621	22108	6998	4018	2628	749
1863	35838	27045	8544	9895	6780	2086	18707	11542	3521	40975	23509	7416	3876	2605	667
1864	37058	28345	8897	10263	7132	2234	19389	12294	3750	41704	23805	7178	3919	2341	666
1865	38109	28515	9347	10594	6896	2304	19283	11256	3775	40449	22080	7512	4635	2144	669
1866	38541	27466	9458	10453	6906	2279	19326	11809	3839	41485	22905	7430	3895	2262	682
1867	39012	26519	8870	10651	6776	2156	19178	11557	3607	41339	21986	7271	3864	2230	714
1868	39492	28037	8589	10733	6684	2101	19563	11392	3469	41840	21164	7090	3886	2139	606
1869	39517	31467	9156	10618	7486	2201	18895	11901	3398	40640	22616	6806	3684	2405	583
1870	40452	28508	9733	10999	7712	2369	18958	12097	3762	41378	23654	7383	3603	2194	607
1871	40442	31426	9819	12599	8071	2656	26507	16200	5081	32825	17180	5863	3755	1835	600
1872	41673	30199	10427	13318	8940	2967	29059	16478	5545	32157	18093	6063	3558	2084	639
1873	41500	30008	10594	14033	9306	3140	28841	17357	6130	31963	18098	6291	3363	2177	593
1874	42631	32124	10574	15189	10026	3051	29557	17560	5695	32877	18816	6443	3457	2194	627

Principal Towns above 25,000 inhabitants. Large Towns above 10,000 and under 25,000 inhabitants. The Small Towns from 3000 to 10,000 inhabitants from 1855 to 1871—but from 1871 and upwards the Small Towns have from 2000 to 10,000 of population.

TABLE IV.—Percentage of Births, Deaths, and Marriages in the Five New Groups of Districts of Scotland, to the Population during each of the Years 1855–1874.

YEARS.	Principal Towns.			Large Towns.			Small Towns.			Mainland-Rural.			Insular-Rural.		
	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1855	3·397	2·747	0·838	3·525	2·506	0·833	3·324	2·075	0·698	2·955	1·631	0·531	2·192	1·298	0·437
1856	3·787	2·657	0·896	3·835	2·235	0·821	3·554	1·962	0·705	3·080	1·512	0·552	3·078	1·481	0·565
1857	3·855	2·757	0·882	3·858	2·409	0·868	3·641	2·042	0·702	3·062	1·606	0·580	3·173	1·546	0·672
1858	3·797	2·734	0·801	3·771	2·504	0·741	3·579	2·040	0·634	3·052	1·689	0·546	3·310	1·633	0·623
1859	3·807	2·577	0·871	3·833	2·319	0·770	3·724	2·018	0·732	3·190	1·632	0·559	3·362	1·950	0·688
1860	3·756	2·971	0·876	3·662	2·398	0·787	3·637	2·207	0·686	3·173	1·747	0·573	3·334	1·920	0·563
1861	3·863	2·603	0·872	3·797	2·284	0·760	3·663	2·058	0·668	3·121	1·607	0·543	3·282	2·115	0·603
1862	3·809	2·761	0·854	3·701	2·521	0·705	3·621	2·155	0·648	3·122	1·703	0·539	3·177	2·126	0·606
1863	3·887	2·929	0·925	3·724	2·552	0·767	3·631	2·240	0·683	3·150	1·807	0·569	3·153	2·119	0·543
1864	3·939	3·073	0·946	3·699	2·631	0·824	3·751	2·378	0·725	3·199	1·826	0·560	3·205	1·914	0·545
1865	3·975	2·906	0·975	3·831	2·493	0·833	3·718	2·170	0·728	3·096	1·690	0·562	3·810	1·762	0·550
1866	3·945	2·811	0·968	3·705	2·448	0·808	3·699	2·260	0·735	3·169	1·750	0·567	3·191	1·869	0·563
1867	3·958	2·691	0·900	3·701	2·454	0·749	3·645	2·196	0·685	3·151	1·675	0·554	3·210	1·852	0·593
1868	3·893	2·763	0·866	3·656	2·276	0·716	3·690	2·149	0·654	3·182	1·610	0·539	3·245	1·786	0·487
1869	3·822	3·044	0·886	3·545	2·499	0·735	3·539	2·229	0·636	3·085	1·717	0·517	3·092	2·019	0·478
1870	3·836	2·703	0·923	3·559	2·524	0·775	3·525	2·249	0·699	3·134	1·791	0·559	3·040	1·851	0·512
1871	3·767	2·927	0·915	3·751	2·403	0·791	3·408	2·033	0·653	3·130	1·633	0·559	2·847	1·391	0·455
1872	3·809	2·760	0·953	3·887	2·609	0·866	3·581	2·103	0·708	3·070	1·727	0·579	2·707	1·586	0·486
1873	3·722	2·692	0·950	4·039	2·679	0·904	3·657	2·193	0·775	3·056	1·730	0·601	2·568	1·662	0·453
1874	3·752	2·827	0·931	4·287	2·830	0·861	3·709	2·204	0·715	3·146	1·801	0·617	2·649	1·681	0·480

The very large number of marriages registered during 1872 and 1873 rendered it probable that the birth-rate would in 1874 be well sustained.

It must be noted that in all calculations regarding birth-rate in Scotland, the live births only are dealt with, for no returns as to still-births are made to the Registrar-General. It is otherwise in several foreign countries, such as Sweden, in which a Register of still-births is carefully kept. In the absence of a similar record in this country and in England, the number of mothers cannot be stated from year to year with such precision as statisticians require for resolving various problems connected with the laws of population, and the mortality connected with the process of child-bearing.

Of the Five New Registration Groups, the Large Towns had the highest birth-rate, the 15,189 registered births being at the rate of 4·287 per cent.—the highest rate that has ever been observed in any of the Scottish Registration Groups. In the Eight Principal Towns, the 42,631 births were at the rate of 3·752 per cent. It appears that the births in the Principal Towns were, in proportion to the population, less frequent than during the average of the last ten years. In the Small Towns, there were 29,557 births, being at the rate of 3·709 per cent.—a proportion which has not been exceeded in the Small Towns since 1865. In the Mainland-Rural Districts, there were 32,877 births, showing a rate of 3·146 per cent.—a proportion slightly exceeding the average of the last ten years. In the Insular-Rural Districts, the births, 3457 in number, were at the rate of 2·649. This proportion is decidedly below the average of recent experience, and a glance at Table IV. shows that a tendency to a decrease in the birth-rate still exists among the inhabitants of the Rural Districts of the Scottish Islands.

Of the 123,711 births that took place in the whole of Scotland, 10,991 were illegitimate. The rate of illegitimacy for the whole country may accordingly be stated as 8·9 per cent. of all registered births. It is the lowest rate recorded in these Tables since 1857. The amount of illegitimacy in various parts of the country is amply illustrated in Tables Va. and VI. The Occasional Table headed Vb is designed to correct any unwarranted inferences regarding the morality of females in certain localities, which the mere examination of the relative numbers of legitimate and illegitimate births might seem to suggest. On the authority of the Census enumeration of 1871, it may be positively stated,

TABLE Va.—Number of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1874, and their Proportion to the Estimated Population; also the Illegitimate Births, and their Proportion to the Total Births.

TOWNS.	Esti- mated Popu- lation, 1874.	BIRTHS.		ILLEGITIMATE BIRTHS.		DEATHS.		MARRIAGES.	
		Births.	Per cent. to Pop.	Illegit. Births.	Per cent. to Total Births.	Deaths.	Per cent. to Pop.	Mar- riages.	Per cent. to Pop.
Glasgow .	508,109	20,039	3·944	1790	8·9	15,845	3·118	4993	0·983
Edinburgh .	211,691	6,838	3·230	595	8·7	5,011	2·367	1903	0·899
Dundee .	131,777	5,102	3·872	588	11·5	4,170	3·164	1250	0·949
Aberdeen .	93,222	3,222	3·456	392	12·0	2,066	2·216	683	0·732
Greenock .	66,020	2,806	4·250	139	5·0	1,690	2·560	600	0·909
Paisley .	48,517	1,779	3·667	127	7·1	1,383	2·861	445	0·917
Leith .	50,341	1,978	3·929	108	5·5	1,254	2·491	468	0·930
Perth .	26,477	867	3·275	81	9·3	700	2·644	232	0·876

that the numbers of females aged between 15 and 45 years, unmarried or widowed—the numbers, in short, of possible mothers of illegitimate children—vary exceedingly in the Principal Towns of Scotland. In Edinburgh, for instance, the proportion which such females bear to the married females of the same age is far higher than is the case in Greenock or even in Glasgow. This circumstance is no doubt chiefly due to the comparatively large number of females employed as domestic servants in Edinburgh, a class which is continually being recruited by draughts of young females from the country districts. On careful examination of the last two columns of Table Vb, it will be found that the percentage of illegitimate children to possible mothers is lower in Edinburgh than in any other of the Principal Towns of Scotland, and very decidedly lower than in Glasgow; and yet the relative frequency of illegitimate and legitimate births does not particularly differ in the two cities.

Of the 123,711 births registered in Scotland in 1874, there were 63,602 males and 60,109 females. For every hundred females born there were accordingly 105·8 male births. The preponderance of males did not much differ in the classes of legitimate and illegitimate births, but on the whole was rather more marked among the legitimate.

In England there were during 1874, for every hundred legitimate female births, 103·7 males; for every hundred illegitimate female births, 103·1 males.

In Holland, for every hundred live legitimate female births there were 105·2 males; and for every hundred live illegitimate female births, 103·9 males.

In Austria, for every hundred live legitimate female births there were 105·8 males; while among the live illegitimate births, there were for every hundred females, 107· males.

In Sweden for every hundred live legitimate female births, there

OCCASIONAL TABLE Vb.—Showing the state of Illegitimacy in All Scotland, in the Five New Groups of Registration Districts, in each of the Principal Towns, and in two Counties during 1874.

LOCALITIES.	Estimated Number of Unmarried Women and of Widows living between the Ages of 15 and 45 at middle of 1874.	Number of Illegitimate Children born during 1874.	Percentage of Illegitimate Children to the Unmarried and Widowed Women Aged 15-45.	Percentage of Illegitimacy in Total Births.
All Scotland . . .	464,906	10,991	2·36	8·88
Principal Towns . . .	164,620	3,820	2·32	9·0
Large Towns . . .	46,555	984	2·11	6·5
Small Towns . . .	100,269	2,451	2·44	8·3
Mainland-Rural . . .	134,110	3,518	2·62	10·7
Insular-Rural . . .	19,352	218	1·13	6·3
Glasgow . . .	68,514	1,790	2·61	8·9
Edinburgh . . .	35,940	595	1·66	8·7
Dundee . . .	22,832	588	2·58	11·5
Aberdeen . . .	13,718	392	2·86	12·0
Greenock . . .	7,063	139	1·97	5·0
Paisley . . .	7,197	127	1·76	7·1
Leith . . .	5,637	108	1·95	5·5
Perth . . .	3,819	81	2·12	9·3
County Elgin . . .	6,191	220	3·55	17·1
County Banff . . .	7,784	320	4·11	17·1

were 105·5 males; and for every hundred live illegitimate female births, 103·8 males.

There were 1512 twin births in Scotland during 1874. There were likewise 13 triplet births. Hence it appears that one in every 81

TABLE VI.—Number of Births, Deaths, and Marriages in 1874, and their Proportion to the Population, estimated to the middle of the year, in Scotland, its Groups of Districts, its Divisions and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

DIVISIONS AND COUNTIES.		Population Estimated to middle of year 1874.	TOTAL BIRTHS.		ILLEGIT. BIRTHS.		DEATHS.		MARRIAGES.	
			No.	Per cent to Pop.	No.	Per cent to Births	No.	Per cent to Pop.	No.	Per cent to Pop.
SCOTLAND		3,462,916	123711	3·5725	10991	8·88	80729	2·3310	26390	0·7621
1. PRINCIPAL TOWN DISTRS. .		1,136,154	42631	3·752	3820	9·0	32124	2·827	10574	0·931
2. LARGE TOWN DISTRICTS .		354,335	15189	4·287	984	6·5	10028	2·830	3051	0·861
3. SMALL TOWN DISTRICTS .		796,900	29557	3·709	2451	8·3	17560	2·204	5695	0·715
4. MAINLAND-RURAL DISTRS.		1,045,027	32877	3·146	3518	10·7	18816	1·801	6443	0·617
5. INSULAR-RURAL DISTRS. .		130,500	3457	2·649	218	6·3	2194	1·681	627	0·480
I. DIVISIONS.										
I.	NORTHERN	126,163	3170	2·513	256	8·1	1842	1·460	621	0·492
II.	NORTH-WESTERN	166,068	4317	2·600	294	6·8	2987	1·769	793	0·478
III.	NORTH-EASTERN	401,588	12855	3·201	1950	15·2	7176	1·787	2531	0·630
IV.	EAST-MIDLAND	571,825	19015	3·328	1773	9·3	13008	2·276	4258	0·745
V.	WEST-MIDLAND	258,624	8650	3·411	637	7·4	5779	2·279	1607	0·634
VI.	SOUTH-WESTERN	1,245,073	52782	4·239	3845	7·3	35489	2·850	11473	0·921
VII.	SOUTH-EASTERN	497,283	16741	3·366	1364	8·1	10578	2·123	3870	0·778
VIII.	SOUTHERN	201,797	6181	3·068	872	14·1	3916	1·941	1287	0·618
COUNTIES.										
1	Shetland	31,588	783	2·321	35	4·8	522	1·658	153	0·484
2	Orkney	30,918	841	2·720	44	5·2	406	1·313	180	0·582
3	Caithness	40,682	1109	2·729	138	12·4	566	1·393	198	0·487
4	Sutherland	23,025	487	2·115	89	8·0	348	1·511	90	0·391
5	Ross and Cromarty	81,985	2060	2·513	96	4·7	1480	1·805	359	0·438
6	Inverness	84,078	2257	2·684	198	8·8	1457	1·733	434	0·516
7	Nairn	8,380	224	2·673	21	9·4	152	1·814	38	0·453
8	Elgin	44,629	1287	2·884	220	17·1	802	1·797	244	0·547
9	Banff	59,713	1874	3·138	320	17·1	986	1·567	361	0·605
10	Aberdeen	263,666	8414	3·317	1239	14·7	4698	1·852	1633	0·644
11	Kincairdine	85,200	1056	3·000	150	14·2	588	1·670	255	0·724
12	Forfar	251,430	8889	3·535	936	10·5	6489	2·581	2095	0·833
13	Perth	126,795	3453	2·723	354	10·3	2608	2·057	773	0·610
14	Fife	162,530	5608	3·450	379	6·7	3309	2·036	1203	0·740
15	Kinross	7,653	213	2·783	20	9·4	137	1·790	47	0·614
16	Clackmannan	22,917	852	3·718	84	9·9	460	2·007	140	0·611
17	Stirling	94,893	3826	4·032	284	7·4	2255	2·376	742	0·782
18	Dumbarton	63,416	2396	3·778	150	6·3	1664	2·624	458	0·722
19	Argyll	78,169	2026	2·592	168	8·3	1447	1·851	309	0·395
20	Bute	17,146	402	2·345	35	8·7	413	2·409	98	0·572
21	Renfrew	204,354	8007	3·918	479	6·0	5097	2·494	1724	0·843
22	Ayr	201,060	8282	4·119	652	7·9	4998	2·436	1829	0·910
23	Leamark	339,659	36493	4·346	2714	7·4	25394	3·024	7920	0·943
24	Linlithgow	42,074	1710	4·064	143	8·4	746	1·773	300	0·713
25	Edinburgh	347,096	11642	3·354	927	8·0	7951	2·291	2949	0·852
26	Haddington	37,794	1144	3·027	96	8·4	749	1·982	224	0·593
27	Berwick	36,349	1057	2·908	104	9·8	566	1·557	182	0·501
28	Peebles	12,517	392	3·132	28	7·1	182	1·454	71	0·567
29	Selkirk	21,453	796	3·710	66	8·3	384	1·790	144	0·671
30	Roxburgh	47,817	1534	3·208	170	11·1	760	1·589	300	0·627
31	Dumfries	74,500	2196	2·948	329	15·0	1586	2·129	461	0·619
32	Kirkcudbright	41,896	1281	3·053	189	14·8	798	1·905	243	0·580
33	Wigtown	37,584	1170	3·113	184	15·7	772	2·504	233	0·620

mothers of live children gave birth to twins, and that one in 9398 bore triplets.

TABLE VII.—Births in Scotland, 1855-1874; with the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births during each year, and the Proportion of Mothers who had Multiple Births.

YEARS.	TOTAL BIRTHS.		LEGITIMATE BIRTHS.		ILLEGIT. BIRTHS.		TWIN BIRTHS.	TRIPLT BIRTHS.	Proportion of Males to every 100 Females in the			Proportion of Mothers who had Multiple Births. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	...	...	104.9	104.9	104.5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105.3	105.2	106.1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105.7	105.8	104.4	76
1858	53694	50324	48743	45921	4961	4403	1262	17	106.6	106.1	110.2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105.2	104.7	110.0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106.2	106.1	107.3	80
1861	54606	52408	49438	47642	5163	4761	1249	18	104.2	103.7	108.5	82
1862	55257	51812	49836	46807	5371	5005	1279	18	106.6	106.5	107.3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	106.8	105.7	107.3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104.4	104.3	104.8	82
1865	58220	54850	52441	49367	5779	5433	1364	9	106.1	106.2	105.4	81
1866	58360	55307	52336	49608	5974	5699	1366	12	105.5	105.6	104.8	81
1867	58517	55527	52751	50145	5766	5332	1365	13	105.4	105.1	107.1	82
1868	59222	56292	53375	50735	5847	5507	1443	15	105.2	105.1	106.1	78
1869	59321	56033	52711	49577	5610	5456	1407	15	105.9	106.3	102.8	78
1870	58959	56481	53254	51028	5705	5403	1384	9	104.4	104.3	105.6	81
1871	60029	56099	54220	50631	5809	5268	1299	17	107.0	106.7	110.3	87
1872	61293	57472	55641	52197	5652	5275	1333	11	106.6	106.6	107.1	85
1873	61467	58233	55925	52350	5542	5333	1410	15	105.5	105.6	103.0	84
1874	63602	60109	57960	54760	5642	5349	1512	13	105.8	105.8	105.5	80

TABLE VIII.—Births, 1874. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Five Groups of Districts, distinguishing the Sexes. Also the number of Twin and Triplet Births.

FIVE GROUPS OF DISTRICTS.	TOTAL BIRTHS.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Principal Towns	21859	20772	42631	19895	18916	38811	1964	1856	3820	507	3
Large Towns	7768	7423	15189	7250	6955	14205	518	463	984	172	1
Small Towns	15266	14291	29557	13938	13118	27106	1278	1173	2451	373	4
Mainland-Rural	16898	15979	32877	15127	14232	29359	1771	1747	3518	426	4
Insular-Rural	1813	1644	3457	1700	1539	3239	113	106	218	35	1
SCOTLAND . .	63602	60109	123711	57960	54760	112720	5642	5349	10991	1512	13

TABLE IX.—Proportion of Births in 1874. Percentage of Births to Population, and of Illegitimate to the Total Births; also the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; with the Proportion of Mothers who bore Twins and Triplets in Scotland, and its Five Groups of Districts in 1874.

FIVE GROUPS OF DISTRICTS.	Per-centage of Births to Population.	Per-centage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bore TWINS. — One in every	Proportion of Mothers who bore TRIPLETS. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Principal Towns	3.752	9.0	105.2	105.2	105.8	83	14039
Large Towns	4.287	6.5	104.6	104.2	110.3	87	15015
Small Towns	3.709	8.3	106.8	106.6	109.0	78	7294
Mainland-Rural	3.146	10.7	105.8	106.3	101.4	76	8111
Insular-Rural	2.649	6.3	110.3	110.5	107.6	98	3420
SCOTLAND . . .	3.5725	8.88	105.8	105.8	105.5	81	9398

MARRIAGES.

The number of Marriages registered in Scotland in 1874 was 26,390, being 358 fewer than the recorded marriages of the preceding year. This number corresponds to a marriage-rate of 76.21 for every ten thousand of estimated population—a rate which far exceeds the average of the last twenty years, and which in fact has only once been surpassed, viz., in 1873. As usual the marriage-rate was highest in the Principal Towns, where it amounted to fully 93 per ten thousand inhabitants. In the Large Towns, the rate was rather above 86 per ten thousand inhabitants, and in the Small Towns, 71½ per ten thousand. In all these urban

TABLE X.—Marriages, 1874. Number of Marriages contracted in Scotland and its Five Groups of Districts according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages in each Group.

RELIGIOUS DENOMINATIONS.	Number of Marriages.						Proportion in every 100 Marriages.					
	SCOTLAND.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.	SCOTLAND.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
Established Church .	11820	3680	1359	2738	3722	276	44.79	34.80	44.55	48.87	57.77	44.02
Free Church .	5922	2278	578	1114	1699	253	22.44	21.54	18.94	19.58	26.37	40.35
United Presb. Church .	3586	1522	466	938	622	43	13.59	14.39	15.27	16.38	9.65	6.86
Roman Catholic Ch. .	2267	1332	367	399	142	27	8.59	12.60	12.08	7.01	2.20	4.30
Episcopal Church .	643	404	72	92	75	-	2.44	3.82	2.36	1.62	1.16	0.00
Other Denominations .	1928	1150	202	362	181	28	7.29	10.88	6.62	6.36	2.82	4.47
Denomin. not stated .	13	8	2	6	2	-	0.05	0.03	0.07	0.10	0.03	0.00
Irregular Marriages .	216	205	5	6	-	-	0.81	1.94	0.16	0.10	0.00	0.00
Total Marriages .	26390	10674	3051	5695	6443	627	100.00	100.00	100.00	100.00	100.00	100.00

TABLE XI.—Marriages, 1855-1874. Number of Marriages in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855-1874.

YEARS.	Total MARRIAGES.		REGULAR MARRIAGES according to Rites of the							IRREGULAR MARRIAGES.
	Number.	Percentage to Population.	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	19680	0.660	8879	4665	2952	1826	850	923	76	9
1856	20740	0.692	9863	4645	2875	1958	860	984	24	36
1857	21369	0.709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0.649	9104	4650	2707	1697	879	1034	57	27
1859	21201	0.697	9769	4861	2936	1822	878	1175	243	17
1860	21225	0.695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0.681	9332	4969	2925	1806	386	1290	163	25
1862	20697	0.666	9307	4930	2846	1778	871	990	348	27
1863	22234	0.711	9929	5242	3249	2119	487	1113	76	19
1864	22725	0.720	9907	5507	3198	2276	469	1281	115	23
1865	23611	0.743	10177	5636	3345	2399	476	1516	30	32
1866	23688	0.737	10392	5570	3385	2359	516	1483	41	42
1867	22618	0.697	10066	5347	3247	2089	488	1323	65	43
1868	23855	0.667	9736	5015	3244	1872	467	1403	58	60
1869	22144	0.669	9761	5096	3277	2043	450	1393	56	69
1870	23864	0.7149	10678	5465	3422	2121	538	1496	60	74
1871	24019	0.7102	10985	5404	3325	2087	551	1498	64	105
1872	25641	0.7543	11794	5661	3312	2461	579	1681	5	148
1873	26748	0.7796	12187	5806	3596	2451	648	1853	10	197
1874	26390	0.7621	11820	5922	3586	2267	643	1923	13	216

populations the rate was rather lower than in 1873. In the Mainland-Rural Districts the rate was nearly 62 per ten thousand, thus surpassing even the ample rate recorded in the preceding year. In the Insular-Rural Districts the rate was 48 per ten thousand of estimated population; and this rate, although considerably higher than that of 1873, did not come up to the average rate of the last ten years.

The number of marriages registered during the year having been 26,390, and the number of live legitimate births during the same period, 112,720, the births may be stated to have occurred in the proportion of 4·27 live legitimate births to every marriage. The marriages in England during 1874 were 202,010, the live legitimate births, 811,853; hence, for every marriage there were 4·02 such births—a proportion which is, as usual, somewhat lower than that stated for Scotland. In Sweden, a country with which it is always interesting to contrast Scotland in matters connected with vital statistics, the marriages of 1874 were 31,422, and the live legitimate births, 119,000. Hence for each marriage in Sweden there were about 3·79 live legitimate births—a proportion lower than that recorded for England, and of course still lower when contrasted with the proportion above computed for Scotland. In Table X. will be found the number of marriages celebrated in the whole country, and in its several Groups of Registration Districts, by clergymen of each of the principal religious denominations, and likewise the number registered as *irregular*, i.e. registered without previous publication of banns.

Of the 26,390 marriages, 11,820 appear to have been celebrated by ministers of the Established Church, 5922 by ministers of the Free Church, 3586 by clergymen of the United Presbyterian Church, 2267 by priests of the Roman Catholic Church, 643 according to the forms of the Church of England, 1923 according to the practice of other religious

TABLE XII.—Proportion of Marriages, 1855–1874. Percentage of Marriages contracted in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1874.

YEARS.	PERCENTAGE OF REGULAR MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·07
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·14
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·61	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·62	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·23	2·03	6·29	0·25	0·31
1870	44·76	22·91	14·35	8·89	2·26	6·26	0·26	0·31
1871	45·73	22·50	13·85	8·69	2·29	6·24	0·26	0·44
1872	46·00	22·03	12·92	9·60	2·28	6·55	0·02	0·57
1873	45·66	21·71	13·44	9·16	2·42	6·98	0·04	0·74
1874	44·79	22·44	13·59	8·59	2·44	7·29	0·05	0·81

denominations which it is unnecessary to enumerate, 13 according to the rites of unspecified denominations, and 216 in an irregular manner.

Of the whole marriages registered, 44·79 per cent. were celebrated by ministers of the Established Church of Scotland, 22·44 per cent. by ministers of the Free Church, 13·59 per cent. by clergymen of the United Presbyterian Church, 8·59 per cent. by priests of the Romish Church, 2·44 per cent. according to the practice of the Church of England, 7·29 per cent. according to the rites of various denominations which we deem

TABLE XIII.—Marriages, 1874. Ages of Men and Women at Marriage.

AGES.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15	-	1	-	-	-	2	-	-	1	-	-	-
15-16	-	9	-	-	-	-	5	-	2	-	-	-
16-17	8	99	1	35	1	14	1	24	24	-	2	2
17-18	25	434	14	178	3	43	3	126	5	63	-	4
18-19	156	1201	67	527	20	165	45	274	23	229	1	6
19-20	735	1922	313	814	109	223	168	473	135	392	10	20
20-21	1257	2334	528	981	143	281	299	535	276	503	11	34
21-25	9249	9675	3699	3785	1133	1123	2146	2109	2170	2436	101	222
25-30	7478	5964	2928	2288	836	663	1589	1193	1910	1615	215	205
30-35	3387	2293	1365	910	327	255	654	461	893	588	148	79
35-40	1656	1234	661	530	182	125	330	239	421	311	62	29
40-45	952	690	403	297	107	86	182	143	228	137	32	17
45-50	594	825	249	137	82	44	106	74	143	66	14	4
50-55	428	130	176	63	53	18	82	25	104	22	13	2
55-60	217	41	84	21	29	4	43	8	56	7	5	1
60-65	150	18	59	7	17	4	30	4	39	3	5	-
65-70	50	2	18	1	4	-	10	-	14	1	4	-
70-75	28	1	8	-	4	-	4	-	9	1	3	-
75-80	7	1	1	-	1	-	1	-	4	1	-	-
80-85	1	1	-	-	-	-	-	-	1	1	1	-
Not stated	17	15	-	-	1	2	2	13	10	2	2	2
TOTAL	26390	26390	10574	10574	3051	3051	5695	5695	6443	6443	627	627

TABLE XIV.—Marriages, 1874. Percentage of Men and Women at different Ages who contracted Marriage in Scotland in 1874.

AGES.	MEN.						WOMEN.					
	SCOTLAND.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.	SCOTLAND.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
15-20 years	3·48	3·74	4·36	3·81	2·53	1·75	13·89	14·70	14·65	15·84	11·35	5·10
20-25	39·81	39·98	41·81	42·93	37·96	17·86	45·51	45·07	46·02	46·43	45·62	40·83
25-30	28·34	27·69	27·40	27·90	29·64	34·29	22·60	21·64	21·73	20·95	25·07	32·70
30-35	12·83	12·91	10·72	11·48	13·86	23·60	8·69	8·61	8·86	8·09	9·13	12·60
35-40	6·28	6·25	5·97	5·79	6·53	9·89	4·63	5·01	4·10	4·20	4·33	4·63
40-45	3·61	3·81	3·51	3·20	3·54	5·10	2·61	2·80	2·82	2·51	2·28	2·71
45-50	2·25	2·35	2·69	1·86	2·22	2·23	1·23	1·30	1·44	1·30	1·02	0·64
50 and above	3·34	3·27	3·54	2·99	3·51	4·94	0·74	0·87	0·85	0·65	0·56	0·48
Not stated	0·06	0·00	0·00	0·04	0·21	0·34	0·05	0·00	0·03	0·03	0·14	0·31
TOTAL	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

it unnecessary to enumerate, 0·05 per cent. by ministers of denominations not stated to the Registrars, and 0·81 per cent. without previous proclamation of banns or without religious ceremony.

It must not be supposed that the above numbers afford any just idea of the relative strength of religious denominations in Scotland. Many causes besides the religious persuasions of the contracting parties may determine the choice of a celebrant for a marriage; so that the relative frequency of marriage ceremonies conducted by the clergy of any particular denomination, affords a very rude approximation to the relative number of the adherents of that denomination.

Of the 26,390 men who married in 1874, the age was recorded in all

TABLE XV.—Marriages, 1855-1874. Number and Proportion of Men and Women in Scotland at each Quinquennial Period of Age who contracted Marriage during the Years 1855-1874.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Percentage at each age to Total Marriages.	Number who married at each Age.	Percentage at each age to Total Marriages.
15-20 years	13408	2·98	57657	12·81
20-25	172784	38·39	205091	45·56
25-30	133810	29·78	108089	24·01
30-35	56467	12·54	39344	8·74
35-40	29419	6·54	20137	4·47
40-45	17704	3·93	10432	2·32
45-50	11165	2·48	5119	1·14
50 and above	14784	3·27	3155	0·70
Not stated	618	0·14	1085	0·25
TOTAL	450109	100·00	450109	100·00

TABLE XVI.—Marriages in Scotland, 1855-1874. Numbers.

YEARS.	Number who Married						Number who Signed				Number of Marriages between					
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinners.	Bachelors and Widows.	Widows and Spinners.	Widows and Widows.		
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.						
1855	?	?	7724	11118	11858	8390	17496	15174	2244	4506	15251	557	1863	619		
1856	?	?	8433	12038	12307	8707	18485	15772	2455	4968	17035	536	1721	605		
1857	1598	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	601		
1858	1448	4173	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	533		
1859	1571	4565	8728	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603		
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	558		
1861	1490	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517		
1862	1569	4495	8668	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	501		
1863	1758	4897	8731	12304	12488	8896	19819	17819	2415	4915	19142	348	1856	534		
1864	1696	4989	9662	12547	13093	9182	20120	17298	2605	5427	19383	497	1922	631		
1865	1690	5010	9859	12864	13724	9696	20914	18364	2697	5247	20158	598	2055	642		
1866	1706	4896	9923	12843	13752	9812	21032	18483	2658	5205	20080	610	2094	715		
1867	1532	4611	9180	12991	13414	9595	20224	17931	2394	4687	19067	578	2075	689		
1868	1459	4463	8668	12459	13169	9384	19712	17701	2143	4154	18609	494	1966	671		
1869	1576	4623	9792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	651		
1870	1744	5175	9657	12723	14176	10102	21403	19194	2451	4660	20262	653	2132	759		
1871	1831	5321	9895	12945	14124	10074	21630	19315	2389	4704	20440	610	2099	778		
1872	1973	5666	10714	14953	14927	10688	22965	20330	2676	5261	21637	798	2269	889		
1873	2229	6129	11673	15938	15175	10810	24175	21754	2573	4994	22643	813	2368	851		
1874	2176	6000	11425	15575	14965	10715	23989	21643	2401	4747	22291	840	2330	855		

but 17 instances. In 2176 cases, or in 8.25 per cent. of all marriages that took place, the husband had not attained the age of 21 years. Of the females who married during the year, the ages of 15 were not ascertained, 23 were aged 60 and upwards, and 6000 or 22.73 per cent. had not reached the age of 21 years. One girl under 15 years of age, was married in one of the Midland-Rural Districts.

In 22,291 instances, or in 84.47 per cent. of all marriages, bachelors espoused spinsters; in 2330 cases, or in 8.83 per cent., widowers married spinsters; in 855, or 3.24 per cent., widowers were united to widows; and finally in 840 cases, being 3.18 per cent. of all marriages, bachelors became the husbands of widows.

Table XVIII. exhibits the percentage of men and of women who at the time of their marriage signed the Register, or, in consequence of professed inability to write, exhibited a mark. The Table applies to each of the Groups, Divisions, and Counties of Scotland. It shows that in the Insular-Rural Districts, and in such Counties as Ross, Cromarty, and Inverness, the accomplishment of writing is as yet by no means so common as could be desired, and as it will doubtless ere long become through the operation of the Education Act. In every part of the country it seems that the education of females must have been comparatively little attended to; for the proportion of females who do not sign the Register in writing is about double that of men who use their mark. No very decided change since 1873 is to be traced in Table XVIII., and it must of necessity be several years before the influence of the recent legislative attempts to enforce the education of the young can be expected to become apparent in the Marriage Registers.

Table XVII., as usual, concludes with two lines applicable to the cities of Edinburgh and of Glasgow, from which it appears that the

TABLE XVII.—Marriages in Scotland, 1855-1874. Proportions.

YEARS.	Percentage who Married						Percentage who signed				Proportion in every 100 Marriages between					
	Under 21 years		Under 25 years		Above 25 years		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widows and Spinsters.	Widows and Widows.	Spinsters and Widows.	Widows.
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.						
1855	?	?	39.44	57.99	60.56	42.01	88.60	77.10	11.40	22.90	83.48	8.04	10.20		3.38	
1856	?	?	40.79	58.44	59.21	41.56	89.13	76.05	10.87	23.95	85.62	2.69	8.65		3.04	
1857	7.47	21.43	42.19	58.84	57.81	41.16	87.89	75.34	12.11	24.66	86.01	2.63	8.32		3.04	
1858	7.38	21.23	41.25	58.70	58.75	41.30	88.16	75.95	11.84	24.05	85.95	2.61	8.62		2.82	
1859	7.42	21.60	41.22	58.80	58.78	41.20	89.58	77.80	10.42	22.10	85.25	2.76	9.06		2.93	
1860	7.36	21.77	40.89	58.89	59.11	41.11	89.68	78.28	10.32	21.72	86.62	2.42	8.29		2.67	
1861	7.09	21.13	40.96	58.72	59.04	41.28	89.39	78.67	10.61	21.33	86.48	2.19	8.77		2.56	
1862	7.62	21.86	42.11	59.35	57.89	40.65	89.99	79.65	10.01	20.35	86.51	2.31	8.69		2.49	
1863	7.91	22.05	43.79	59.93	56.21	40.07	89.14	77.89	10.86	22.11	87.29	1.59	8.46		2.66	
1864	7.46	21.99	42.57	59.73	57.42	40.26	88.54	78.12	11.46	21.88	86.41	2.21	8.57		2.81	
1865	7.16	21.26	41.38	58.84	58.62	41.16	88.58	77.78	11.42	22.22	85.97	2.53	8.77		2.73	
1866	7.20	20.69	41.91	58.62	58.09	41.48	88.78	78.50	11.22	22.00	85.49	2.55	8.92		2.74	
1867	6.77	20.41	40.63	57.47	59.37	42.53	89.41	79.27	10.59	20.73	85.09	2.58	9.26		3.07	
1868	6.68	20.45	39.69	57.00	60.31	43.00	90.19	80.99	9.81	19.01	85.64	2.22	9.05		3.09	
1869	7.08	20.87	39.70	57.34	60.30	42.66	89.92	80.04	10.08	19.96	85.38	2.83	8.84		2.95	
1870	7.32	21.72	40.62	57.60	59.48	42.40	89.73	80.46	10.27	19.54	85.11	2.74	8.96		3.19	
1871	7.58	22.15	41.20	58.06	58.80	41.94	90.05	80.42	9.95	19.58	85.10	2.54	8.74		3.24	
1872	7.71	22.10	41.78	58.32	58.22	41.68	89.56	79.48	10.44	20.52	84.38	3.11	8.35		3.47	
1873	8.33	22.91	43.26	59.58	56.74	40.42	90.33	81.33	9.62	18.67	84.89	3.06	8.88		3.18	
1874	8.25	22.73	43.29	59.40	56.71	40.60	90.90	82.01	9.10	17.99	84.47	3.18	8.83		3.24	

relative amount of education possessed by those who married in these cities during 1874 remains as in former years.

TABLE XVIII.—MARRIAGES, 1874. Percentage of Men and Women who signed by Writing or by Mark, of persons under 21 years of age, and of Marriages between Persons in different conjugal conditions, in Scotland, its Groups of Districts, Divisions, and Counties; also the percentage of the same in Edinburgh and Glasgow.

1874.		Signed by Writing.		Signed by Mark.		Persons under 21 Years.		Percentage of Marriages between			
		Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Bachelors and Spinners.	Widowers and Spinners.	Widowers and Widows.	Widowers and Widows.
SCOTLAND.		90.10	82.01	9.10	17.99	8.25	22.74	84.47	8.18	8.83	8.24
GROUPS.											
PRINCIPAL TOWNS . .		89.62	78.61	10.38	21.39	8.73	23.97	82.34	4.23	9.10	4.28
LARGE TOWNS . . .		89.41	79.29	10.59	20.71	9.05	28.88	82.89	3.18	9.93	3.93
SMALL TOWNS . . .		90.68	81.95	9.32	18.05	9.06	25.23	85.09	2.99	8.62	3.09
MAINLAND-RURAL . .		95.08	90.47	4.97	9.53	6.81	19.15	88.11	1.80	7.88	1.52
INSULAR-RURAL . .		79.43	66.35	20.57	33.65	3.51	10.53	84.85	1.59	10.53	1.28
DIVISIONS.											
I.	NORTHERN . . .	95.81	87.12	4.19	12.88	4.51	15.30	88.08	1.45	8.86	1.13
II.	NORTH-WESTERN . .	73.90	59.14	26.10	40.86	0.15	8.95	86.89	1.01	10.09	0.88
III.	NORTH-EASTERN . .	98.14	98.24	1.86	6.76	5.81	20.62	87.00	2.05	8.30	2.53
IV.	EAST-MIDLAND . . .	95.04	87.01	4.96	12.99	8.49	19.40	86.21	2.54	8.50	2.54
V.	WEST-MIDLAND . . .	89.78	82.89	10.27	17.11	6.41	21.03	84.26	2.74	9.52	2.63
VI.	SOUTH-WESTERN . .	86.75	74.38	13.25	25.62	10.24	27.43	82.86	3.93	8.84	4.23
VII.	SOUTH-EASTERN . .	95.43	91.52	4.57	8.48	6.56	19.77	83.95	3.59	9.10	3.15
VIII.	SOUTHERN . . .	96.12	93.78	3.88	6.22	7.76	19.03	86.74	2.34	8.41	1.37
COUNTIES.											
1	Shetland . . .	96.73	78.43	3.27	21.57	2.61	9.15	86.27	0.65	11.11	0.00
2	Orkney . . .	98.33	97.22	1.67	2.78	7.22	18.33	87.22	2.22	8.89	1.67
3	Caithness . . .	95.46	90.40	4.54	9.60	5.05	18.69	85.89	2.02	7.58	1.52
4	Sutherland . . .	80.00	74.44	10.00	25.56	1.11	12.22	91.11	0.00	7.78	1.11
5	Ross & Cromarty . .	70.19	53.48	29.81	46.52	1.39	8.08	88.30	0.56	9.19	1.67
6	Inverness . . .	76.96	63.62	23.04	36.18	1.61	9.68	85.71	1.38	10.33	0.69
7	Nairn . . .	97.37	78.69	2.63	21.31	0.00	10.59	73.68	10.53	13.16	2.63
8	Elgin . . .	97.13	91.39	2.87	8.61	5.83	16.80	87.30	0.41	11.07	1.23
9	Banff . . .	96.40	84.21	3.60	15.79	7.20	13.30	85.32	1.39	9.42	3.60
10	Aberdeen . . .	98.65	95.69	1.35	4.41	5.88	21.55	87.39	2.27	7.65	2.57
11	Kincardine . . .	98.43	95.69	1.57	4.31	4.71	19.22	88.63	1.96	7.45	1.96
12	Forfar . . .	93.51	80.72	6.49	19.28	9.55	21.19	85.54	2.82	8.50	3.01
13	Perth . . .	97.37	94.44	2.33	5.56	4.68	14.23	86.56	2.59	8.41	1.81
14	Fife . . .	96.76	93.93	3.24	6.07	9.31	19.04	87.12	2.00	8.65	2.24
15	Kinross . . .	97.87	95.74	2.13	4.26	4.26	17.02	85.11	2.13	10.84	2.13
16	Clackmannan . . .	87.86	77.86	12.14	22.14	7.86	25.00	87.14	2.86	7.14	2.14
17	Stirling . . .	90.30	83.69	9.70	16.31	8.63	26.42	83.96	2.83	9.03	2.83
18	Dumbarton . . .	89.62	79.91	10.43	20.09	6.33	20.31	85.81	2.84	8.73	2.62
19	Argyle . . .	88.03	83.50	11.97	16.50	1.67	9.06	84.14	2.27	10.68	1.94
20	Bute . . .	91.84	88.78	8.16	11.22	5.10	21.43	79.59	3.06	13.27	4.08
21	Renfrew . . .	87.53	72.80	12.47	27.20	8.93	25.41	82.83	3.38	8.76	4.81
22	Ayr . . .	89.72	80.21	10.28	19.79	11.15	27.28	84.53	2.79	8.04	4.64
23	Lanark . . .	85.90	73.38	14.10	26.62	10.32	27.90	82.47	4.32	9.04	4.03
24	Linlithgow . . .	90.33	79.00	9.67	21.00	11.67	37.67	89.67	3.00	4.00	1.33
25	Edinburgh . . .	95.73	92.47	4.27	7.53	6.21	18.24	82.30	4.20	9.80	3.66
26	Haddington . . .	92.41	86.61	7.59	13.39	5.80	16.96	84.82	1.34	10.27	3.57
27	Berwick . . .	98.35	96.70	1.65	3.30	6.04	15.38	91.21	1.10	7.14	0.55
28	Peebles . . .	100.00	98.90	0.00	1.10	1.41	16.90	92.96	0.00	7.04	0.00
29	Selkirk . . .	98.61	96.53	1.39	3.47	7.64	25.00	90.97	0.69	6.94	0.69
30	Roxburgh . . .	93.00	96.00	2.00	4.00	8.33	18.67	89.00	2.67	7.67	0.33
31	Dumfries . . .	98.48	95.83	1.52	4.12	6.51	18.44	86.12	2.39	10.63	0.43
32	Kirkcudbright . . .	95.88	93.00	4.12	7.00	9.05	19.75	87.24	2.06	7.00	8.70
33	Wigtown . . .	89.27	87.55	10.73	12.45	8.15	20.17	84.55	2.15	6.44	2.15
EDINBURGH . . .		96.58	93.43	3.42	6.56	5.62	17.66	80.82	4.41	11.19	3.57
GLASGOW . . .		85.38	71.64	14.62	28.36	9.93	26.72	81.31	4.65	8.89	4.57

DEATHS.

The Deaths registered in Scotland during 1874 were 80,720, being at the rate of 233 for every ten thousand of estimated population. The average annual rate deduced from the returns of the ten years immediately preceding was 222·6; and the rate for 1873 was about 224. That the deaths during 1874 were unusually numerous is consequently evident; indeed, during the last twenty years the mortality of 1874 seems to have been only once equalled, or slightly surpassed, viz. during the year 1864.

In England, the death-rate of 1874 was 223 per ten thousand of population, exactly the same as the mean rate in 1838-74, but 12 per ten thousand above the rate of 1873. The state of the public health, accordingly appears to have been in 1874 decidedly more satisfactory in England than in this country.

On reviewing the mortality of the Five Groups of Districts into which for registration purposes, Scotland is in these Reports regarded as divided, it is found that the registered deaths numbered 32,124 in the Eight Principal Towns, 10,026 in the Large Towns, 17,560 in the Small Towns, 18,816 in the Mainland-Rural Districts, and 2,194 in the Insular-Rural Districts.

The proportion of deaths to estimated population was in the Principal Towns, 28·27 per thousand; in the Large Towns, 28·3; in the Small Towns, 22·04; in the Mainland-Rural Districts, 18·01; and 16·81 in the Insular-Rural Group. On examining Table IV., it is easy to see that the death-rate was heaviest in the Large Towns, and that in every one of the Five Registration Groups it was in excess of the recorded death-rates of 1873.

TABLE XIX.—Deaths of Males and Females in Scotland, and its Five Groups of Districts, during each of the Years 1855-1874.

YEARS.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	30626	31378	11189	11517	2972	2982	4963	5062	10681	10975	821	852
1856	29418	29111	11165	11089	2708	2671	4785	4757	9855	9607	920	877
1857	30937	30969	11692	11671	2917	2943	4911	5098	10421	10285	996	872
1858	31652	31887	11770	11675	3034	3129	5046	5030	10792	10997	1010	1056
1859	30588	31128	11075	11277	2946	2829	4975	5070	10418	10672	1174	1278
1860	33610	34560	12814	13252	2972	3070	5480	5590	11169	11424	1175	1224
1861	30890	31451	11464	11685	2869	2962	5150	5216	10346	10474	1061	1114
1862	33179	34016	12270	12690	3236	3280	5368	5565	10967	11141	1288	1340
1863	35631	35850	13624	13421	3358	3422	5862	5680	11510	11999	1277	1328
1864	37010	37406	14504	14341	3544	3588	6132	6162	11722	12082	1108	1233
1865	35190	35701	14263	14252	3352	3544	5598	5658	10906	11174	1071	1073
1866	35355	35993	13742	13724	3378	3528	5777	6032	11334	11571	1124	1138
1867	34363	34705	13219	13800	3322	3454	5786	5771	10964	11022	1072	1158
1868	34662	34754	14154	13883	3359	3325	5640	5752	10522	10642	987	1152
1869	37868	38007	15744	15723	3647	3839	6022	5879	11274	11342	1181	1224
1870	36866	37299	14234	14274	3858	3854	5929	6168	11760	11894	1085	1109
1871	36827	37835	15478	15948	4003	4068	7913	8287	8527	8653	906	929
1872	37939	37355	15192	15007	4363	4240	8500	8315	8876	9217	1008	1076
1873	39037	37909	15227	14781	4766	4540	8869	8488	9155	8943	1020	1157
1874	40678	40042	16245	15879	5079	4947	8852	8708	9419	9397	1083	1111

The highest death-rate recorded in any of the Eight Principal Towns was 3·16 per cent., the rate which prevailed in Dundee. The rates in the other Principal Towns were, 3·12 per cent. in Glasgow; 2·86 per cent. in Paisley; 2·64 per cent. in Perth; 2·56 per cent. in Greenock; 2·49 per cent. in Leith; 2·37 per cent. in Edinburgh; and 2·22 per cent. in Aberdeen. This is not the order of mortality observed in these towns during 1873;

TABLE XX.—Percentage of Male and Female Deaths to the Population in Scotland, and its Five Groups of Districts, during each of the Years 1855–1874.

YEARS.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	2·162	2·003	2·929	2·584	2·644	2·382	2·163	1·995				
1856	2·065	1·850	2·887	2·460	2·378	2·107	2·070	1·883				
1857	2·161	1·953	2·991	2·556	2·539	2·292	2·109	1·981				
1858	2·202	2·005	2·976	2·527	2·612	2·407	2·152	1·939				
1859	2·120	1·940	2·769	2·412	2·509	2·179	2·107	1·938				
1860	2·321	2·150	3·168	2·801	2·336	2·304	2·304	2·125				
1861	2·125	1·946	2·796	2·438	2·386	2·193	2·157	1·924				
1862	2·260	2·087	2·931	2·608	2·675	2·384	2·231	2·085				
1863	2·402	2·181	3·188	2·706	2·676	2·441	2·363	2·114				
1864	2·470	2·256	3·324	2·842	2·764	2·512	2·510	2·277				
1865	2·325	2·135	3·202	2·777	2·559	2·435	2·274	2·076				
1866	2·313	2·134	3·021	2·628	2·524	2·379	2·329	2·198				
1867	2·226	2·040	2·853	2·504	2·430	2·286	2·315	2·088				
1868	2·222	2·025	2·985	2·569	2·405	2·159	2·240	2·067				
1869	2·404	2·196	3·252	2·860	2·556	2·448	2·374	2·098				
1870	2·317	2·137	2·880	2·552	2·647	2·412	2·319	2·185				
1871	2·291	2·152	3·069	2·802	2·486	2·326	2·127	2·042	1·676	1·602	1·486	1·310
1872	2·337	2·132	2·949	2·593	2·654	2·379	2·268	2·034	1·746	1·709	1·658	1·523
1873	2·381	2·117	2·895	2·510	2·855	2·511	2·343	2·056	1·803	1·681	1·684	1·654
1874	2·456	2·216	3·025	2·651	2·979	2·691	2·322	2·096	1·857	1·747	1·794	1·584

TABLE XXI.—Town Deaths, 1864–1874. Annual Number of Deaths in the Eight Principal Towns of Scotland.

TOWNS.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.
Glasgow . . .	13674	13914	12829	12578	13832	15648	13955	15790	14053	14499	15845
Edinburgh . . .	4678	4858	4813	4765	4781	5406	4715	5447	5484	4578	5011
Dundee . . .	3105	3000	3130	2952	2917	3564	3185	3336	3491	3281	4170
Aberdeen . . .	2139	1981	2324	1824	2029	1787	1927	1997	2119	2120	2066
Greenock . . .	1929	1675	1488	1433	1658	1750	1674	1772	1697	2220	1690
Paisley . . .	1521	1410	1345	1335	1221	1449	1352	1453	1430	1589	1388
Leith . . .	928	948	924	1064	973	1169	1059	1081	1338	1084	1254
Perth . . .	871	729	613	569	626	694	641	550	587	637	700

TABLE XXII.—Proportion of Town Deaths, 1864–1874. Annual Percentage of Deaths to the Population in each of the Principal Towns in Scotland.

TOWNS.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	Mean Annual Mortality.	1874.
Glasgow .	3·25	3·25	2·93	2·82	3·04	3·37	2·96	3·29	2·87	2·91	3·069	3·12
Edinburgh .	2·60	2·65	2·58	2·52	2·48	2·77	2·38	2·70	2·67	2·20	2·555	2·37
Dundee .	3·09	2·91	2·95	2·71	2·60	3·09	2·69	2·75	2·80	2·56	2·815	3·16
Aberdeen .	2·73	2·48	2·86	2·20	2·41	2·09	2·21	2·26	2·35	2·31	2·390	2·22
Greenock .	3·97	3·34	2·88	2·69	3·01	3·09	2·87	2·94	2·73	3·47	3·099	2·56
Paisley .	3·19	2·95	2·81	2·78	2·54	3·01	2·80	3·01	2·96	3·28	2·933	2·86
Leith .	2·37	2·36	2·24	2·51	2·24	2·63	2·32	2·31	2·79	2·21	2·398	2·49
Perth .	2·94	2·77	2·33	2·16	2·38	2·62	2·43	2·08	2·22	2·41	2·434	2·64

neither is it the order indicated by the mean annual mortality which is given in the twelfth column of Table XXII. The mortality of our Principal Towns varies from year to year, being of course much influenced by any epidemic diseases that may chance to prevail in each, and likewise by local meteorological peculiarities. It is only when the average mortality experienced during ten or more successive years is examined, that the connection between density of population and the frequency of deaths can be fully understood.

The deaths registered in All Scotland were 80,720. Of these deaths 40,678 occurred in males, and 40,042 in females. By means of the estimates of male and female population exhibited in Table II., it may be found that for every thousand inhabitants of Scotland, the deaths amounted to 23·31; for every thousand males, to 24·56; and for every thousand females, to 22·16. The general death-rate, both for males and females, was considerably higher than in 1873, or in any year since 1864. There is nothing exceptional in the circumstances of the male death-rate having been decidedly higher than the female; for it is well known that, although for many years past the annual number of male births has exceeded that of the female births, successive Census enumerations have always shown the numbers of the female population to be larger than that of the male. In 1871 there were enumerated for every hundred males, 109·2 females. In former Reports it has been pointed out that this marked preponderance in the number of the female population of Scotland is mainly effected by the higher death-rate that prevails among the males. On carefully examining Table XX., it is found that so general is this law of a greater mortality among males, that during the last twenty years it has not once occurred in any of the Five Divisions of the country that the female deaths have exceeded the male. By means of Table XXIV. it is easy to trace the periods of life at which the influence of high mortality among the males was in 1874 best

TABLE XXIII.—Ages of Males and Females who died in Scotland, and in each of its Groups of Districts, during the Year 1874.

AGE.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	8692	6755	3629	2826	1160	897	1955	1517	1783	1408	165	107
— 2	3383	3014	1643	1495	479	432	719	595	499	451	48	41
— 3	1881	1710	921	869	242	237	356	333	290	250	22	21
— 4	1297	1236	618	604	199	157	257	263	209	197	14	15
— 5	982	918	486	434	140	138	195	182	152	152	9	12
0-5	16190	13633	7297	6228	2220	1861	3482	2890	2933	2458	258	196
5-10	2537	2374	1193	1027	343	336	500	503	474	493	22	15
10-15	1097	1110	436	399	143	135	225	279	265	275	28	22
15-20	1307	1257	465	492	162	182	336	266	311	288	33	29
20-30	2787	2904	1104	1186	357	370	623	626	605	639	98	83
30-40	2353	2614	1070	1180	320	317	451	557	465	535	47	75
40-50	2613	2553	1219	1121	303	298	550	543	488	538	53	53
50-60	3031	2834	1240	1203	365	349	655	590	695	616	76	76
60-70	3394	3583	1152	1347	382	415	770	798	986	907	104	116
70-80	3467	4247	814	1186	335	443	827	1000	1317	1399	174	219
80-90	1652	2500	227	501	123	209	386	563	768	1042	148	180
90-100	205	398	27	56	14	26	43	84	98	186	23	46
100 and above	2	17	—	2	—	2	—	2	1	10	1	1
Not stated	43	18	1	1	7	4	4	2	13	11	18	—
ALL AGES	40678	40042	16245	15879	5079	4947	8852	8708	9419	9397	1083	1111

marked in each of the Registration Groups. During the first year of life (in which the average annual mortality is about 15 per cent.) the male death-rate greatly exceeded the female in every division of the country. In the Large Towns, in particular, the male deaths exceeded the female by 4·288 per cent. In the second and third years of life (in which the average annual mortality is about 7·1 and 3·4 per cent. respectively) the male death-rate everywhere preponderated, and was most conspicuous in the Principal and Large Towns. In the fourth year of life, the females

TABLE XXIV.—Percentage of Deaths to the Population at each Age in 1874.

AGE.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	16·476	13·162	19·812	15·944	20·379	16·091	15·524	12·434	12·085	9·785	10·947	7·053
— 2	7·400	6·805	10·811	9·497	9·758	9·139	6·697	5·645	3·684	3·457	3·414	3·166
— 3	3·845	3·714	6·080	5·797	4·836	4·798	3·056	3·009	2·027	1·838	1·445	1·418
— 4	2·795	2·714	4·170	4·363	4·070	3·331	2·271	2·351	1·480	1·447	0·862	0·987
— 5	2·157	2·088	3·457	3·179	2·986	3·018	1·773	1·711	1·086	1·126	0·529	0·780
0-5	6·789	5·897	9·414	8·247	8·816	7·573	6·078	5·198	4·146	3·607	3·323	2·655
5-10	1·200	1·153	1·880	1·638	1·588	1·367	0·975	1·009	0·711	0·764	0·288	0·205
10-15	0·599	0·593	0·764	0·703	0·715	0·702	0·474	0·613	0·423	0·471	0·361	0·301
15-20	0·756	0·728	0·841	0·817	0·913	1·005	0·836	0·679	0·582	0·585	0·535	0·448
20-30	1·060	0·965	1·077	1·032	1·263	1·179	1·121	0·957	0·861	0·800	1·323	0·814
30-40	1·233	1·131	1·571	1·352	1·594	1·311	1·075	1·081	0·885	0·842	0·729	0·844
40-50	1·717	1·413	2·423	1·821	1·903	1·646	1·582	1·330	1·063	1·015	0·996	0·725
50-60	2·731	2·099	3·770	2·841	3·290	2·707	2·570	1·917	1·855	1·447	1·606	1·222
60-70	4·548	3·719	6·186	4·926	5·681	4·720	4·529	3·595	3·506	2·754	2·775	2·436
70-80	9·727	8·487	12·298	10·029	11·796	10·384	9·928	8·594	8·711	7·381	7·131	7·223
80-90	19·671	18·527	20·508	20·686	22·004	20·232	22·100	19·723	18·670	17·679	19·551	16·057
90-100	34·356	31·476	33·825	27·413	42·683	27·180	34·127	37·433	34·507	31·208	31·944	41·902
100 and above	12·130	31·263	0·000	17·267	0·000	38·052	0·000	25·000	10·000	45·455	60·000	25·000
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
TOTAL	2·456	2·216	3·026	2·649	2·979	2·691	2·322	2·096	1·857	1·747	1·794	1·584

TABLE XXV.—Percentage of Deaths at each Age to the Total Deaths in 1874.

AGE.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	21·37	16·87	22·34	17·80	22·84	18·13	22·09	17·42	18·93	14·98	15·24	9·63
— 2	8·32	7·53	10·11	9·42	9·43	8·78	8·12	6·83	5·30	4·80	4·43	3·69
— 3	4·50	4·27	5·67	5·47	4·76	4·79	4·02	3·82	3·08	2·66	2·03	1·89
— 4	3·19	3·09	3·80	3·80	3·92	3·17	2·90	3·02	2·22	2·10	1·29	1·35
— 5	2·42	2·29	2·99	2·73	2·75	2·79	2·20	2·09	1·61	1·62	0·83	1·08
0-5	39·80	34·05	44·91	39·22	43·70	37·61	39·33	33·18	31·14	26·16	23·82	17·64
5-10	6·24	5·93	7·34	6·47	6·85	6·79	5·65	5·78	5·03	5·25	2·03	1·35
10-15	2·70	2·77	2·68	2·51	2·82	2·74	2·54	3·20	2·81	2·93	2·59	1·98
15-20	3·22	3·14	2·86	3·10	3·19	3·68	3·80	3·06	3·30	3·06	3·05	2·61
20-30	6·85	7·25	6·80	7·47	7·03	7·48	7·04	7·19	6·42	6·80	9·05	7·47
30-40	5·78	6·53	6·59	7·12	6·30	6·41	5·09	6·40	4·94	5·69	4·34	6·75
40-50	6·42	6·38	7·50	7·06	5·97	6·02	6·21	6·24	5·19	5·71	4·89	4·77
50-60	7·45	7·08	7·64	7·58	7·19	7·06	7·40	6·79	7·38	6·58	7·02	6·84
60-70	8·34	8·95	7·09	8·48	7·52	8·39	8·70	9·16	10·47	9·65	9·60	10·44
70-80	8·52	10·61	5·01	7·47	6·60	8·95	9·34	11·48	13·98	14·89	16·07	19·72
80-90	4·06	6·24	1·40	3·16	2·42	4·22	4·36	6·52	8·15	11·09	13·67	16·20
90-100	0·50	0·99	0·17	0·35	0·28	0·53	0·49	0·96	1·04	1·98	2·12	4·14
100 and above	0·01	0·04	0·00	0·01	0·00	0·04	0·00	0·02	0·01	0·11	0·09	0·00
Not stated	0·11	0·04	0·01	0·00	0·13	0·08	0·05	0·02	0·14	0·12	1·66	0·00
TOTAL . .	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

in the whole of Scotland still showed a less death-rate than the males; but in the Principal Towns, the Small Towns, and Insular-Rural Districts, the male death-rate was the lesser. In the fifth year of life the mortality of females exceeded that of males in the Large Towns, and in the Rural Districts both of the Mainland and Islands; but in the other districts, and in Scotland regarded as a whole, the male mortality slightly predominated.

At all ages after the fifth year, the male mortality is seen in Table XXIV. to exceed the female. The difference in favour of female life is least marked between the ages of 10 and 15; and, in fact, at this period male life appears to have the advantage in the Small Towns and in the Mainland-Rural Districts.

TABLE XXVI.—Deaths at different Ages in each of the Eight Principal Towns of Scotland during the Year 1874.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	3240	910	928	420	346	235	270	106
— 2	1837	389	402	126	125	115	127	37
— 3	986	200	272	83	72	74	67	36
— 4	628	151	228	49	53	33	50	25
— 5	484	107	153	33	36	29	46	27
0-5	7175	1737	1983	716	632	491	560	231
5-10	1169	239	376	93	100	77	105	61
10-15	436	108	101	53	53	33	31	15
15-20	464	123	131	75	63	52	30	14
20-30	1136	361	257	147	152	112	87	38
30-40	1077	400	219	142	156	79	85	42
40-50	1157	418	280	122	143	98	77	45
50-60	1178	437	268	146	139	136	81	53
60-70	1089	515	233	215	117	126	83	71
70-80	695	433	205	230	87	136	84	80
80-90	247	167	61	104	42	45	23	39
90-100	19	18	6	17	6	3	8	6
100 and above	1	—	—	1	—	—	—	—
Not stated	2	—	—	—	—	—	—	—
ALL AGES . . .	15845	5011	4170	2066	1690	1388	1254	700

TABLE XXVII.—Percentage of Deaths to the Population at each Age in each of the Principal Towns of Scotland in 1874.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	19.14	15.00	23.25	14.17	15.12	16.20	15.85	15.92
— 2	13.47	7.30	12.05	4.94	6.42	9.31	8.70	5.79
— 3	7.29	3.84	8.08	3.40	3.80	5.84	4.38	5.66
— 4	4.84	3.04	6.44	1.91	2.80	3.01	3.44	3.83
— 5	3.94	2.22	4.48	1.62	2.00	2.38	3.51	4.59
0-5	10.35	6.65	11.05	5.56	6.43	7.63	7.51	7.27
5-10	2.02	1.10	2.47	0.85	1.29	2.35	1.75	2.09
10-15	0.85	0.54	0.73	0.60	0.82	0.60	0.60	0.55
15-20	0.90	0.53	0.93	0.81	1.05	0.93	0.66	0.55
20-30	1.11	0.87	1.03	0.95	1.19	1.41	0.94	0.90
30-40	1.54	1.37	1.25	1.23	1.61	1.34	1.19	1.21
40-50	2.31	1.99	2.09	1.33	2.32	2.11	1.59	1.55
50-60	3.68	2.89	3.15	2.13	3.43	3.97	2.53	2.76
60-70	6.05	5.26	5.51	4.33	5.01	5.31	4.45	4.74
70-80	10.84	11.11	10.73	10.11	9.83	12.84	11.29	10.32
80-90	21.32	20.10	18.54	18.87	24.26	21.84	17.16	23.21
90-100	18.13	23.13	19.76	39.53	50.00	25.79	100.00	37.50
100 and above	11.31	0.00	0.00	100.00	0.00	0.00	0.00	0.00

Several of the Tables of the present Report illustrate the important subject of infant mortality, and to Table XXIV. in particular those are referred who are specially interested in this matter. The mortality, probably at a maximum about the period of birth, is seen to decrease annually with great rapidity. This rate of decrease is, however, apt to vary considerably from year to year, as may be seen by comparing Table XXIV. of this Report with the corresponding table for 1873, and with the figures deduced from the experience of 1871 which were given in the Life-Table at page lvii. of last year's Report.

There can be little question of the general correctness of the doctrine which connects the rate of infant mortality with the density of the population. Perhaps it would be more strictly correct to connect it with the figures expressing the birth-rate. Thus, in the Large Towns, where the birth-rate of 1874 was 4.287 per cent., the male infant mortality during the first year of life was 20.379; in the Principal Towns, where the birth-rate was 3.752, the mortality of male infants under one year of age was 19.812; in the Small Towns, the birth-rate was 3.709, and the mortality of males during the first year of life 15.524; in the Mainland-Rural Districts, the birth-rate was 3.146, and the deaths of male infants under one year were 12.085 per cent; and finally, in the sparsely peopled Insular-Rural Districts, where the birth-rate was only 2.649 per cent., the male death-rate at ages below twelvemonths amounted to only 10.947 per cent.

On carefully examining the successive columns of Table XXIV., one can easily trace at every period of life the connection between density of population and the amount of mortality. The gradual decrease of mortality that is met with as we pass from the crowded city districts to the far more thinly peopled rural districts of the Scottish Islands is very remarkable, and suggests explanations not very flattering to modern civilization and to the progress of sanitary science. There is, however, one rather marked exception to the comparative salubrity of the Island Districts, which has been repeatedly, perhaps uniformly, noted in the course of Reports similar to the present. It is that among males between the ages of 20 and 30, and amongst such males alone, a far higher annual mortality prevails in the islands than even in the most densely peopled districts on the mainland. It has been suggested by way of explaining this mortality, that the frequency of death by shipwreck and drowning is of course far greater among our young islanders than among those of the same age residing on the mainland. It must likewise be kept in mind that when a body is thrown ashore by the waves, and receives sepulture on the soil of one of our islands, a registered death is presumed to have taken place among the inhabitants of that island. It is besides well known that the occupation of a young boatman or fisherman is one full of hardship and of danger to life in consequence of the exposure to cold and wet which it involves, that the proportion of our island population which at an early age encounter these hardships and dangers is very large, and that the number of deaths attributed to consumption among our male islanders between the ages of 20 and 35 years is likewise very large, and no doubt connected with the hard life of the sea-faring man.

It is for some statistical purposes important to study the mortality at different ages and in different places, by contrasting the numbers of those who die within certain limits of age, with the total number of deaths at All Ages. Such a comparison is readily made by means of Tables XXIII. and XXV. It appears that it is during the first five

years of life that 45 per cent. of All Deaths of males take place in the Principal Towns; 44 per cent. in the Large Towns; 39 per cent. in the Small Towns; 31 per cent. in the Mainland-Rural Districts; and nearly 24 per cent. in the Insular-Rural Group. In further illustration of the great male mortality between the ages of 20 and 30 among the islanders, Table XXV. shows that it amounts to no less than 9·05 per cent. of the total deaths of males at All Ages; while the corresponding mortality in the Principal Towns does not exceed 6·8 per cent. of the male mortality at All Ages.

By the help of Table XXV. a fair enough approximation may be made to the comparative longevity of the inhabitants of the Five Registration Groups of Districts. It would of course be highly inexpedient to attach implicit credence or give authoritative publication to the mistaken accounts of instances of extraordinary old age which sometimes reach the Registrars in the more remote parts of the country, but which, when carefully inquired into, are generally found to rest on very slender foundation. There is, however, no reason to doubt that the deaths of persons of each sex at the ages of 70 years and upwards are known and registered with great precision. It is notorious that the proportion of females who die at these advanced ages is greater than that of males; and the proportion of such female mortality was during 1874 as follows:—In All Scotland, the females who died aged 70 and upwards constituted nearly 18 per cent. of all the females that died. In the Principal Towns the rate was 11 per cent.; in the Large Towns, about 14 per cent.; in the Small Towns, nearly 19 per cent.; in the Mainland-Rural Districts, 28 per cent.; and in the Insular-Rural Group, 40 per cent.

CAUSES OF DEATH.

During 1874, the number of Deaths registered in All Scotland was 80,720; but in 1539 instances, or in about 1·9 per cent. of all deaths registered, the cause of death was either unspecified, or specified in such terms as rendered it useless for statistical purposes. The correction rendered necessary by the number of deaths from unspecified causes is applied to each of the columns of Tables XXVIII. and XXIX., and to various other tabular statements to which there will be frequent occasion to refer in the present section of this Report. It must be noted that this correction is not the same for All Scotland, and for each of its Divisions or Towns: on the contrary it varies considerably, and as might be expected, is least negligible in those districts of the country in which the population is widely scattered, and medical attendance difficult to procure. Thus among the inhabitants of the Insular-Rural Districts, 12·2 per cent. of the deaths during 1874 were not referred to any specified cause; while in the city of Edinburgh, the deaths from unspecified causes constituted less than 0·24 per cent. of the whole mortality. It must not, however, be supposed that in every case of death from specified cause a medical certificate of death has been obtained. It very often happens that the only information which the Registrars can procure regarding the causes of deaths rests upon the authority of relatives of the deceased or upon the testimony of other non-medical informants, and to such information effect is given in the absence of a medical certificate. But whenever a medical certificate has been procured, its terms are always used in filling up the entry as to the cause of death.

The deaths from Diseases of the Zymotic Class numbered 18855, and constituted 23·81 per cent. of the deaths from specified causes. Since 1864 so high a population of deaths from Zymotic Diseases has not been

TABLE XXVIII.—Proportion of Deaths from different Diseases to every

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SCOTLAND.			PRINCIPAL TOWNS.			LARGE TOWNS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2331	2456	2216	2827	3025	2651	2830	2979	2691
1. Zymotic Class . .	555	576	535	730	771	693	757	771	745
2. Uncertain Seat . .	85	71	98	93	79	104	93	79	105
3. Tubercular Class . .	383	338	328	427	441	415	486	432	440
4. Nervous System . .	214	239	190	250	292	212	271	303	242
5. Organs of Circulation .	130	138	123	142	156	130	130	137	123
6. Respiratory Organs .	893	435	355	567	613	528	465	540	396
7. Organs of Digestion .	155	165	143	162	172	154	177	191	164
8. Urinary Organs . .	41	56	27	45	59	33	47	64	31
9. Generative Organs . .	19	—	37	21	—	39	20	—	39
10. Locomotive Organs .	15	15	15	17	17	17	16	12	19
11. Skin, etc.	3	3	3	3	4	3	2	3	2
12. Malformations . .	8	10	7	8	10	5	10	12	8
13. Premature Debility .	108	127	90	133	160	114	143	174	123
14. Atrophy	14	13	15	18	18	19	15	12	18
15. Age	163	127	197	97	65	126	153	118	185
16. Sudden Deaths . .	3	4	2	5	6	4	4	5	3
17. Violent Deaths . .	91	138	48	109	161	62	86	125	49
Small-pox	37	46	28	31	39	24	90	117	64
Measles	32	36	29	42	46	37	47	45	50
Scarlatina	186	201	172	297	328	271	255	262	243
Diphtheria	34	34	34	27	29	26	48	46	50
Whooping-Cough . . .	50	46	53	34	77	90	58	56	60
Croup	32	37	27	31	37	28	36	43	30
DIARRHŒA	61	59	62	34	35	33	79	67	90
Dysentery	8	8	8	7	7	7	14	16	12
Cholera	3	3	3	3	3	3	1	2	1
Influenza	4	4	4	2	2	2	4	4	4
ALL FEVERS, viz.	70	72	68	75	80	71	72	77	69
Typhus	21	23	20	33	36	30	22	21	23
Enteric	43	43	42	37	39	36	46	51	42
Relapsing	1	1	1	1	1	1	—	—	—
Continued	3	3	3	2	2	2	2	2	2
Infantile	2	2	2	2	2	2	2	3	2
Metria	11	—	21	11	—	21	18	—	35
Erysipelas	11	11	10	12	18	12	16	15	17
Dropsy	19	18	20	22	22	22	22	24	21
Cancer	48	34	62	43	33	62	51	34	67
Scrofula	20	25	17	24	30	19	21	27	14
Tabes Mesenterica . .	23	31	25	42	49	35	33	40	36
PHTHISIS	232	223	239	291	230	301	294	270	316
Hydrocephalus	52	53	47	71	82	61	84	95	74
Apoplexy	53	56	50	60	66	54	69	73	66
Paralysis	60	63	57	63	67	59	73	73	74
Epilepsy	7	8	7	8	9	7	12	17	7
Convulsions	29	36	23	45	53	35	33	45	23
BRONCHITIS	255	264	246	333	333	333	299	332	269
Pneumonia	101	127	77	133	175	104	132	163	102
Teething	23	27	19	31	35	26	24	32	16
Enteritis	27	31	24	27	29	25	23	34	22
All Liver Diseases . .	36	33	34	33	40	36	39	39	33
CHILDBIRTH	13	—	25	15	—	29	14	—	26
Burns and Scalds . .	9	9	9	11	12	10	9	9	8
Drowning	19	33	6	16	29	4	13	19	7
Fracture & Contusion .	30	52	10	37	62	14	32	57	9

recorded in these Reports. It is remarkable that in 1874 these deaths occurred with greater frequency among females than among males, in every division of the country. It must, however, be understood that this

Hundred Thousand Persons of the Population in 1874, allowing for Causes not specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2204	2323	2095	1800	1857	1747	1681	1794	1584
1. Zymotic Class . .	538	561	516	348	354	342	212	226	200
2. Uncertain Seat . .	85	69	99	79	64	94	56	61	52
3. Tubercular Class . .	314	316	311	227	230	224	180	188	173
4. Nervous System . .	203	225	184	175	184	187	111	138	87
5. Organs of Circulation .	135	140	129	121	124	118	71	83	55
6. Respiratory Organs .	322	373	275	256	282	232	191	203	181
7. Organs of Digestion .	159	164	154	142	154	131	110	129	94
8. Urinary Organs . .	37	52	23	39	55	24	26	40	15
9. Generative Organs . .	19	-	35	18	-	34	23	-	42
10. Locomotive Organs .	13	13	13	13	14	13	32	34	31
11. Skin, etc.	4	3	4	3	2	3	1	2	-
12. Malformations . .	10	12	8	8	8	8	2	2	2
13. Premature Debility .	112	131	93	78	84	63	32	42	24
14. Atrophy	14	14	15	10	9	10	4	4	5
15. Age	147	107	184	212	174	248	536	432	582
16. Sudden Deaths . .	8	3	2	2	2	1	-	-	-
17. Violent Deaths . .	90	139	46	75	117	36	94	161	37
Small-pox	57	71	45	13	14	11	3	2	3
Measles	23	21	25	24	23	19	11	19	5
Scarlatina	157	170	144	81	89	76	24	38	13
Diphtheria	36	35	37	39	39	39	10	9	10
Whooping-Cough . .	32	31	32	26	23	30	23	21	24
Croup	34	39	29	27	31	23	41	49	34
DIARRHŒA	58	57	60	37	36	38	11	9	13
Dysentery	7	6	8	8	8	7	7	8	6
Cholera	4	5	3	2	3	2	-	-	-
Influenza	4	5	4	6	5	7	8	8	8
ALL FEVERS, viz . .	83	83	85	56	57	54	55	54	53
Typhus	18	20	17	11	11	10	19	23	16
Enteric	57	55	59	39	40	39	26	23	29
Relapsing	1	1	1	1	1	-	-	-	-
Continued	4	5	4	3	3	3	7	8	6
Infantile	8	2	4	2	2	2	1	-	2
Metria	11	-	21	9	-	18	11	-	21
Erysipelas	11	13	9	9	9	8	3	4	3
Dropsy	19	19	20	15	12	17	22	25	19
Cancer	49	35	62	51	36	64	27	23	31
Scrofula	19	23	16	18	21	16	9	9	8
Tabes Mesenterica . .	27	29	26	14	14	13	7	11	3
PHTHISIS	215	207	223	168	169	168	159	161	157
Hydrocephalus . . .	52	58	47	27	27	27	5	6	5
Apoplexy	51	53	49	46	46	46	15	15	15
Paralysis	58	63	53	56	59	54	44	53	36
Epilepsy	8	6	9	6	7	6	3	6	-
Convulsions	24	28	20	17	19	15	10	17	5
BRONCHITIS	201	220	184	153	157	149	100	108	94
Pneumonia	88	111	66	70	88	53	30	34	26
Teething	25	29	13	14	18	13	10	11	8
Enteritis	32	34	30	26	31	21	11	17	6
ALL Liver Diseases . .	37	37	35	35	40	30	27	25	29
CHILDBIRTH	13	-	24	10	-	20	16	-	29
Burns and Scalds . .	8	9	7	6	7	6	7	6	8
Drowning	23	40	7	17	27	7	57	114	8
Fracture & Contusion .	29	50	9	26	46	8	7	11	3

statement applies merely to the relative frequency of deaths from Zymotic and from other diseases among males and among females; for examination of Table XXVIII. will show that the proportion of the female

TABLE XXIX.—Proportion of Deaths from different

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SCOTLAND.			PRINCIPAL TOWNS.			LARGE TOWNS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class . . .	2381	2347	2416	2581	2548	2614	2676	2586	2769
2. Uncertain Seat . . .	868	290	443	327	262	394	327	265	391
3. Tubercular Class . . .	1429	1376	1480	1512	1458	1566	1542	1451	1635
4. Nervous System . . .	917	975	858	883	936	799	959	1018	898
5. Organs of Circulation . . .	557	561	553	503	516	490	459	459	458
6. Respiratory Organs . . .	1686	1770	1601	2005	2025	1984	1644	1812	1472
7. Organs of Digestion . . .	664	671	657	574	568	580	625	643	608
8. Urinary Organs . . .	175	227	123	161	195	126	166	216	115
9. Generative Organs . . .	83	1	168	74	1	149	71	-	143
10. Locomotive Organs . . .	66	62	70	61	58	65	56	42	70
11. Skin, etc.	13	18	18	12	14	9	8	10	6
12. Malformations	35	40	31	27	35	18	84	40	29
13. Premature Debility . . .	464	519	408	472	530	412	521	583	458
14. Atrophy	60	53	67	65	59	71	54	42	65
15. Age	700	515	888	343	215	474	541	397	638
16. Sudden Deaths . . .	13	15	11	16	19	14	14	16	12
17. Violent Deaths . . .	392	564	218	385	533	234	303	421	182
Small-pox	157	186	123	111	130	92	317	393	239
Measles	139	147	132	147	153	141	168	150	186
Scarlatina	798	819	777	1050	1078	1021	900	880	921
Diphtheria	147	140	153	96	96	87	170	156	184
Whooping-Cough	213	187	240	296	256	338	205	188	223
Croup	135	150	121	112	124	100	128	146	111
DIARRHŒA	261	241	281	297	281	314	278	224	334
Dysentery	33	33	34	25	25	25	48	54	43
Cholera	11	12	10	9	9	10	5	6	4
Influenza	18	16	20	9	7	10	14	14	14
ALL FEVERS, viz.	302	298	307	266	266	265	258	260	256
Typhus	92	94	89	116	121	112	79	72	86
Enteric	184	177	191	133	129	136	163	170	156
Relapsing	3	4	3	3	3	3	-	-	-
Continued	13	14	12	6	7	5	8	8	8
Infantile	10	9	12	8	6	9	8	10	6
Metria	48	-	96	38	-	78	65	-	131
Erysipelas	46	46	46	44	42	46	56	50	61
Dropsy	82	74	90	77	72	83	79	80	78
Cancer	203	138	278	170	108	233	130	114	248
Scrofula	87	100	75	87	100	73	73	92	53
Tabes Mesenterica	121	123	115	147	162	132	135	136	135
PHTHISIS	994	910	1080	1028	925	1134	1038	906	1173
Hydrocephalus	224	238	211	250	271	228	296	317	274
Apoplexy	226	226	226	210	218	203	245	243	246
Paralysis	257	258	255	221	220	222	260	243	276
Epilepsy	32	34	30	27	28	26	42	58	27
Convulsions	126	143	105	161	191	130	118	152	84
BRONCHITIS	1095	1073	1118	1373	1233	1465	1058	1116	999
Pneumonia	434	544	349	487	577	394	465	547	381
Teething	99	110	88	109	117	100	84	108	59
Enteritis	117	125	108	94	95	94	99	116	82
All Liver Diseases	154	156	153	134	132	136	136	132	141
CHILDBIRTH	56	-	112	54	-	110	49	-	98
Burns and Scalds	37	37	36	39	40	39	80	30	31
Drowning	81	134	27	56	96	15	45	64	27
Fracture & Contusion	130	213	46	131	207	54	114	192	35

population removed by Zymotic Diseases was everywhere less than the proportion of the male population that succumbed to these diseases.

In Table XXXII., the deaths from each of the principal Zymotic

Diseases to the Total Deaths from Specified Causes in 1874.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class . . .	2441	2417	2466	1932	1906	1957	1262	1258	1265
2. Uncertain Seat . . .	886	296	478	440	344	536	332	338	327
3. Tubercular Class . .	1423	1860	1486	1259	1237	1282	1070	1047	1092
4. Nervous System . . .	923	970	877	972	992	963	659	772	551
5. Organs of Circulation .	611	604	617	669	666	672	421	465	378
6. Respiratory Organs . .	1459	1606	1311	1422	1518	1325	1137	1181	1143
7. Organs of Digestion . .	722	707	736	788	828	748	654	719	592
8. Urinary Organs . . .	167	225	109	216	294	138	156	222	92
9. Generative Organs . .	84	1	169	98	-	197	185	-	265
10. Locomotive Organs . .	58	55	60	75	76	74	192	190	194
11. Skin, etc.	17	14	21	14	12	17	5	11	-
12. Malformations . . .	45	52	37	46	43	48	10	11	10
13. Premature Debility . .	508	563	452	407	454	360	192	233	153
14. Atrophy	66	59	73	53	47	59	26	21	31
15. Age	689	461	880	1180	939	1421	3188	2685	3673
16. Sudden Deaths . . .	12	13	12	9	12	7	-	-	-
17. Violent Deaths . . .	408	506	218	419	682	206	561	899	235
Small-pox	259	304	213	70	78	63	15	11	20
Measles	127	133	121	129	152	107	67	106	81
Scarlatina	712	734	689	451	468	434	145	211	81
Diphtheria	163	149	177	218	210	223	57	53	61
Whooping-Cough	143	132	154	147	123	171	135	116	153
Croup	154	169	139	151	167	134	244	276	214
DIARRHŒA	265	246	284	204	192	216	67	53	81
Dysentery	81	25	37	42	44	40	42	42	41
Cholera	17	21	13	12	14	10	-	-	-
Influenza	19	20	19	32	28	37	47	42	51
ALL FEVERS, viz.	332	360	406	311	311	313	317	296	337
Typhus	84	88	80	60	62	59	114	127	102
Enteric	259	236	282	217	213	221	156	127	184
Relapsing	6	6	7	3	4	2	-	-	-
Continued	20	22	19	18	19	18	42	42	41
Infantile	18	8	18	13	13	13	5	-	10
Metria	51	-	102	50	-	100	67	-	133
Erysipelas	48	54	41	46	46	46	21	21	20
Dropsy	88	80	97	82	65	99	130	137	122
Cancer	223	151	296	280	196	365	161	127	194
Scrofula	87	97	76	101	111	90	52	53	51
Tabs Mesenterica	123	124	123	76	75	77	42	63	20
PTHMISIS	977	890	1065	933	905	961	945	899	990
Hydrocephalus	236	250	222	150	146	154	31	32	31
Apoplexy	231	228	235	254	246	262	88	85	92
Paralysis	261	269	253	313	319	308	260	266	224
Epilepsy	34	28	41	35	36	33	15	32	-
Convulsions	109	121	97	93	101	86	62	95	31
BRONCHITIS	912	947	877	850	843	753	597	603	592
Pneumonia	397	477	316	389	473	305	177	190	163
Toothing	115	126	103	79	87	72	57	63	51
Enteritis	145	146	144	145	169	121	67	96	41
All Liver Diseases	162	157	166	192	213	172	161	137	184
CHILDBIRTH	58	-	116	57	-	113	93	-	184
Burns and Scalds	37	38	36	36	37	34	42	32	51
Drowning	104	173	84	96	152	40	337	634	51
Fracture & Contusion . .	130	215	44	146	250	43	42	63	20

diseases are so stated as to show the intensity of each cause of death during each of five periods of life. Of every hundred deaths from Zymotics, 57.1 occurred among children during the first five years of life, 72.4 among those under ten years of age, and 77.2 at ages under fifteen.

Children under five years appear to have suffered very severely from Scarlatina during 1874. The deaths from this single cause among such children were 3899, and constituted 61.7 per cent. of the total deaths from Scarlatina registered in Scotland. Hooping-cough caused 1607 deaths among children under five years old; and of every hundred deaths from Hooping-cough, 95.2 occurred at this early age. Diarrhoea caused 1466 deaths at this first stage of life. Measles proved fatal to 973; Croup to 923; Diphtheria to 728; and Small-pox to 291, whereof 177 had not attained the age of six months, and probably were unvaccinated almost without exception. Between the ages of five and ten years there were 1815 deaths from Scarlatina, being 28.7 per cent. of all the deaths attributed to this cause. There were 280 deaths from Diphtheria; 284 from Fevers, including 202 ascribed to Typhoid or Enteric Fever; 173 from Croup; 96 from Measles; and 80 from Hooping-cough. From Small-pox there were 93 deaths, and of these 85 occurred in the Town Districts.

TABLE XXX.—Proportion of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland during the Year 1874, allowing for Causes not Specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of Deaths to every 100,000 Persons living.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
TOTAL DEATHS, . . .	3120	2367	3164	2216	2560	2861	2511	2644
Zymotic Class . . .	817	489	1060	497	558	657	721	724
Tubercular Class . . .	487	362	404	309	401	497	380	368
Brain, etc., . . .	244	259	260	225	265	231	221	276
Heart, etc., . . .	128	179	130	148	127	131	149	203
Respiratory Organs . . .	722	416	599	368	409	453	372	310
Organs of Digestion . . .	189	134	115	143	169	208	127	146
Premature Debility . . .	143	90	192	72	143	112	145	138
Old Age . . .	77	91	101	132	101	206	78	215
Violent Deaths . . .	116	104	104	72	162	104	94	73
Small-pox . . .	42	3	4	33	58	125	2	-
Measles . . .	52	43	25	73	9	2	18	4
Scarlatina . . .	331	126	641	74	156	214	384	425
Diphtheria . . .	27	32	37	16	27	25	12	27
Hooping-cough . . .	133	53	40	43	17	54	40	57
Croup . . .	28	29	23	35	29	46	60	57
Diarrhoea . . .	79	73	133	79	90	77	80	46
Dysentery . . .	7	5	11	5	8	15	2	8
Cholera . . .	2	3	1	1	9	-	8	-
Fevers, viz. . .	69	80	90	73	94	47	74	72
Typhus . . .	22	43	56	31	38	8	30	38
Enteric . . .	42	28	29	39	50	33	42	34
Relapsing . . .	1	-	1	2	-	-	-	-
Continued . . .	2	3	2	-	3	2	-	-
Infantile . . .	2	1	2	6	3	4	2	-
Dropsy . . .	22	14	25	12	29	50	32	11
Cancer . . .	38	76	42	62	32	40	40	61
Phthisis . . .	332	244	286	231	261	339	201	249
Apoplexy . . .	54	63	63	39	98	83	40	73
Paralysis . . .	51	72	62	67	49	104	90	111
Bronchitis . . .	504	243	432	272	247	331	247	207
Pneumonia . . .	170	118	146	67	124	96	94	77
Teething . . .	39	7	18	47	37	69	16	15

Between the ages of ten and fifteen there were 372 deaths from Scarlatina; 252 from Fevers, including 175 from Typhoid; and 133 from Small-pox, of which 113 were registered in Town Districts.

Between the ages of fifteen and sixty, there occurred 1250 fatal cases of Fevers, including 731 of Typhoid and 480 of Typhus; 229 deaths from Scarlatina; 227 from Diarrhœa and Dysentery; and 713 from Small-pox, whereof 637 took place in the Town Districts.

At ages exceeding sixty there occurred 507 deaths from Diarrhœa and Dysentery; 220 from Fevers, including 118 from Typhoid and 79 from Typhus; and 102 from Erysipelas.

For every hundred thousand persons living in the Principal Towns, there were 730 deaths from Zymotic Diseases. In the other Registration Groups, the deaths from this class of diseases were as follows:—757 per hundred thousand in the Large Towns, 538 in the Small Towns, 348 in the Mainland-Rural Districts, and 212 in the Insular-Rural Group. These rates are very high when compared with those recorded for 1873; and it may readily be seen, on examining Table XXVIII., that the unusual number of deaths from Scarlatina in 1874 is more than sufficient to account for the higher Zymotic death-rate of the latter year.

In Tables XXX. and XXXI. will be found full illustration of the

TABLE XXXI.—Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in each of the Eight Principal Towns of Scotland, during the Year 1874.

DISEASES AND CLASSES OF DISEASE.	Proportion of Deaths in every 10,000 Specified Causes of Death.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Palmer.	Leith.	Perth.
Zymotic Class	2621	2066	3349	2242	2181	2297	2894	2789
Tubercular Class	1562	1530	1276	1393	1567	1737	1527	1391
Brain, etc.	788	1094	822	1014	1087	981	887	1048
Heart, etc.	412	754	411	670	495	458	600	768
Respiratory Organs	2815	1756	1892	1659	1597	1584	1495	1174
Organs of Digestion	606	566	383	645	662	727	512	551
Premature Debility	457	380	608	422	560	392	584	522
Old Age	247	384	320	597	393	719	312	312
Violent Deaths	371	440	329	325	632	363	376	275
Small-pox	136	14	12	150	226	436	8	—
Measles	166	182	79	330	36	7	72	14
Scarlatina	1061	530	2025	335	608	749	1543	1609
Diphtheria	86	136	115	68	107	87	48	101
Whooping-cough	427	222	127	189	66	189	160	217
Croup	91	124	82	155	113	160	240	217
Diarrhœa	344	308	421	354	352	269	320	174
Dysentery	22	20	34	24	30	51	8	29
Cholera	8	12	2	5	36	—	32	—
Fevers, viz.	222	344	279	355	370	166	296	275
Typhus	72	204	178	141	149	29	120	145
Enteric	134	120	91	175	197	116	168	130
Relapsing	4	2	2	10	—	—	—	—
Continued	6	12	4	—	12	7	—	—
Infantile	6	6	4	29	12	14	8	—
Dropsy	71	58	79	53	113	174	128	43
Cancer	122	322	132	281	125	138	160	232
Phthisis	1066	1032	904	1043	1019	1185	807	942
Apoplexy	173	266	214	175	381	291	160	275
Paralysis	164	300	195	301	191	363	360	420
Bronchitis	1616	1048	1366	1228	965	1156	991	783
Pneumonia	544	500	462	301	483	334	376	290
Teething	124	28	58	213	143	240	64	58

share which each Zymotic Disease had in the mortality of each of our Principal Towns during 1874; and in briefly adverting to this subject, it will be convenient, as on former occasions, to arrange those towns in the order of the mortality experienced in each from Zymotic Diseases.

(1.) In Dundee, Zymotic Diseases were fatal to 1060 out of every hundred thousand of estimated population, constituting 33·49 per cent. of the deaths from all causes. The most destructive epidemic was Scarlatina, which contributed no less than 20·25 per cent. to the list of deaths from all causes. 4·21 per cent. of deaths were due to Diarrhœa, and 2·79 per cent. to Fevers, chiefly of the Typhoid type.

(2.) In Glasgow, 817 per hundred thousand of population perished by Zymotic Diseases, which caused 26·21 per cent. of the gross mortality. Of deaths from all causes, Scarlatina caused 10·61 per cent.; Hooping-cough, 4·27; Diarrhœa, 3·44; and Fevers, chiefly Typhoid, 2·22. In addition, 1·36 per cent of all registered deaths were due to Small-pox.

(3.) In Perth, 724 per hundred thousand of population died of Zymotic Diseases, which caused 27·39 per cent of the gross mortality. Of this last number, 16·09 was contributed by Scarlatina; 2·75 by Fevers; and 2·17 by each of the two diseases, Hooping-cough and Croup.

(4.) In Leith, Zymotic Diseases carried off 721 out of every hundred thousand inhabitants, being 28·94 per cent. of the mortality from all causes. Of all deaths 15·43 per cent. were due to Scarlatina; 3·20 to Diarrhœa; 2·96 to Fevers; 2·40 to Croup; and 1·60 to Hooping-cough.

(5.) In Paisley, 657 out of every hundred thousand of population were cut off by diseases of the Zymotic class, which thus effected 22·97 per cent. of the gross mortality, to which Scarlatina contributed 7·49; Small-pox, 4·36; Diarrhœa, 2·69; Fevers, 1·66; Hooping-cough, 1·89; and Croup 1·60.

TABLE XXXII.—Number and Proportion of Deaths at different Ages from the Zymotic and Ordinary Diseases in Scotland in 1874.

DISEASES.	NUMBER OF DEATHS AT EACH AGE.						PERCENTAGE AT EACH AGE.					
	0-5 years.	5-10.	10-15.	15-60.	Above 60.	Total.	0-5.	5-10.	10-15.	15-60.	Above 60.	Total.
Small-pox	291	93	183	713	16	1246	23·4	7·5	10·7	57·2	1·2	100
Measles	973	96	11	21	2	1103	88·2	8·7	1·0	1·9	0·2	100
Scarlatina	3899	1815	372	229	6	6321	61·7	28·7	5·9	3·6	0·1	100
Diphtheria	728	280	71	75	9	1163	62·6	24·1	6·1	6·4	0·8	100
Hooping-cough . .	1607	80	1	-	2	1690	95·2	4·7	0·0	0·0	0·1	100
Croup	923	187	8	1	2	1071	86·2	12·8	0·7	0·1	0·2	100
Diarrhœa	1466	89	16	162	383	2066	71·0	1·9	0·8	7·8	18·5	100
Dysentery	68	6	2	65	124	265	25·7	2·3	0·8	24·5	46·7	100
Cholera	46	11	2	17	10	86	58·5	12·8	2·3	19·8	11·6	100
All Fevers, viz. . .	386	284	252	1260	220	2392	16·1	11·9	10·5	52·3	9·2	100
Typhus	60	51	58	480	79	726	8·3	7·0	7·7	68·1	10·9	100
Enteric	229	202	175	781	118	1455	15·7	13·9	12·0	50·2	8·2	100
Relapsing	1	2	9	13	2	27	8·7	7·4	33·3	43·2	7·4	100
Simple Continued	27	18	12	26	21	104	28·0	17·3	11·5	25·0	20·2	100
Infantile	69	11	-	-	-	80	86·3	13·7	0·0	0·0	0·0	100
Syphilis	155	-	-	81	7	193	80·8	0·0	0·0	16·1	3·6	100
Erysipelas	120	6	4	183	102	365	32·9	1·6	1·1	36·4	28·0	100
All Zymotics . . .	10765	2892	908	3290	1005	18855	57·1	15·3	4·8	17·4	5·4	100
All other Diseases, } exclud'g Zymotics }	19058	2019	1804	20963	18521	61865	30·9	3·3	2·0	33·9	29·9	100
Total Deaths . . .	29823	4911	2207	24253	19526	80720	36·9	6·1	2·7	30·1	24·2	100

(6.) In Greenock, 558 per hundred thousand of population died of Zymotic Disease; consequently 21·81 per cent. of the mortality from all causes was due to diseases of this class. Of the total deaths, 6·08 per cent. were ascribed to Scarlatina; 3·70 to Fevers; 3·52 to Diarrhœa; and 2·26 to Small-pox.

(7.) In Aberdeen, the Zymotic Diseases were fatal to 497 per hundred thousand inhabitants, constituting 22·42 per cent. of the total deaths. Of the gross mortality, 3·55 per cent. was due to Fevers; 3·54 to Diarrhœa; 3·35 to Scarlatina; 3·30 to Measles; 1·89 to Hooping-cough; 1·55 to Croup; and 1·50 to Small-pox.

(8.) In Edinburgh, there died by Zymotic Diseases 489 per hundred thousand of population. Of the gross mortality, 20·65 per cent. was due to diseases of this class. To this mortality, Scarlatina contributed 5·30; Fevers, chiefly Typhus, 3·44; Hooping-cough, 2·22; Measles, 1·82; Diphtheria, 1·36; and Croup, 1·24.

The deaths from Small-pox were 1246, being at the rate of 37 to every hundred thousand of estimated population, and constituting 1·57 per cent. of the deaths from specified causes. Of the fatal cases of Small-pox, fully one half occurred in the county of Lanark; but in the county

TABLE XXXIII.—Percentage of Deaths from the Zymotic and Ordinary Diseases at each Age.

AGE.	NUMBER OF DEATHS.			PERCENTAGE OF DEATHS AT EACH AGE FROM	
	Total Deaths.	Zymotic Deaths.	All other Diseases.	Zymotic Deaths.	All other Diseases.
0—5	29,823	10,765	19,058	36·1	63·9
5—10	4,911	2,892	2,019	58·9	41·1
10—15	2,207	908	1,304	40·9	59·1
15—60	24,253	8,290	20,963	13·6	86·4
Above 60	19,526	1,005	18,521	5·1	94·9
0—15	36,941	14,560	22,381	39·4	60·6
15 and upwards	43,779	4,295	39,484	9·1	90·9

TABLE XXXIV.—Small-pox Deaths in Scotland.

YEAR.	Small-pox Deaths.	YEAR.	Small-pox Deaths.
1855	1,309	1865	383
1856	1,306	1866	200
1857	845	1867	100
1858	332	1868	15
1859	682	1869	64
1860	1,495	1870	114
1861	766	1871	1,442
1862	426	1872	2,448
1863	1,648	1873	1,126
1864	1,741	1874	1,246

of Ayr the deaths from this cause numbered 203, in Dumbartonshire 120, and in Renfrewshire 107. In Aberdeen, Wigtown, Bute, and Dumfries, the deaths from Small-pox were from 39 to 16; in Haddington and in Linlithgow, 13 and 10 respectively. Elsewhere the incidence of the disease was very trifling.

The mortality from Small-pox in the Large Towns amounted to 90 per hundred thousand of estimated population,* in the Small Towns to 57, in the whole of Scotland to 37, in the Principal Towns to 31, in the Mainland-Rural Districts to 13, and in the Insular-Rural Districts to only 3, in a like number of inhabitants. Paisley was the only one of the Eight Principal Towns in which the disease seems to have assumed serious epidemic proportions; but even in Greenock, Glasgow, and Aberdeen, there were from 58 to 33 deaths from Small-pox for every hundred thousand of population.

Of children under five years of age, 291 died of Small-pox. Of these, 206 were under twelve months of age, and of these, again, 177 had not completed their sixth month of life; finally, 101 were under three months old. Notwithstanding the clamour with which our arguments in favour of vaccination are met by some anti-vaccinators, we venture to commend these figures to the attention of any competent inquirer whose faith in the efficacy of vaccination may be shaky. And it is necessary to repeat here that the death by Small-pox of a child under five years of age which

SUPPLEMENTAL TABLE A.—Estimated Numbers of those Living in each of the First Five Years of Life in Scotland, during each year from 1855 to 1874.

Year.	0-1	1-2	2-3	3-4	4-5
1855	89493	77458	80544	79368	76961
1856	90025	77919	81022	79840	77418
1857	90522	78349	81470	80281	77845
1858	90983	78748	81885	80690	78242
1859	91408	79116	82267	81067	78607
1860	91797	79452	82617	81412	78942
1861	92237	79833	83013	81802	79320
1862	93067	80552	83760	82533	80034
1863	93965	81329	84568	83334	80806
1864	94840	82036	85366	84110	81559
Average of 10 years.	91834	79484	82650	81444	78973
1865	95732	82858	86159	84902	82326
1866	96624	83620	86961	85693	83093
1867	97523	84408	87771	86490	83866
1868	98434	85197	88590	87298	84649
1869	99352	85991	89417	88112	85439
1870	100278	86793	90250	88933	86235
1871	101208	87568	91087	89758	87035
1872	102149	88382	91934	90593	87844
1873	103101	89206	92791	91437	88663
1874	104072	90046	93665	92293	89498
Average of 10 years.	99847	86407	89863	88551	85865

* Erratum in Detailed Annual for 1873, page xxxv. line 9, for "ten" read "hundred."

has been properly vaccinated *before the invasion of the Small-pox*,* is in the experience of most British physicians a very rare event indeed. Had all the children in Scotland been in 1874 protected by vaccination applied before the completion of the third month of life, there seems good reason for believing that at least 180 deaths from Small-pox would during that year have been saved among children under five years of age.

In the Detailed Annual Report for 1873 the subject of Vaccination was illustrated by tables, showing the rates of mortality from Small-pox, both before and after the Vaccination Act came into operation, among children aged from 0 to 6 months, and among those aged from 6 to 12 months. And in a more recent publication of the Registrar-General—his ordinary Annual Report for 1877—a further step in analysing the Act was taken by contrasting the mortality from Small-pox during each of the first five years of life, for each of the ten years preceding the passing of the Act, and for each of the ten years that have elapsed since it became law. In order to do this, and at the same time to supply data available for statisticians who may be engaged in kindred inquiries, the following Supplemental Tables, A, B, and C, were presented. *In A are given the estimated numbers of children alive in Scotland in each of the first five years of life, during each of the twenty years 1855–74. In Table B are recorded the numbers of the registered deaths from Small-pox in

SUPPLEMENTAL TABLE B.—Deaths from Small-pox during each of the First Five Years of Life, registered in Scotland during each year from 1855 to 1874, a period of 20 years.

Years.	0-1	1-2	2-3	3-4	4-5
1855	431	287	158	92	66
1856	395	246	156	118	67
1857	264	191	94	61	47
1858	113	64	36	26	10
1859	162	120	92	58	41
1860	422	217	156	129	67
1861	228	126	80	58	43
1862	121	72	59	81	22
1863	436	265	153	122	60
1864	413	227	148	103	92
Average of 10 years.	299	177	118	80	51
1865	102	30	32	17	18
1866	64	18	17	12	17
1867	31	17	5	7	2
1868	8	3	0	1	0
1869	17	7	3	3	3
1870	33	6	3	0	4
1871	206	20	27	81	23
1872	378	52	34	42	46
1873	178	25	25	13	22
1874	206	25	19	15	26
Average of 10 years.	122	20	17	14	16

* This reservation it is considered advisable to make, because, during the recent epidemic of Small-pox in Edinburgh, vaccine matter was in some cases liberally applied, to an abraded surface, or even injected into the subcutaneous areolar tissue as a cure for the disease.

the 1st, 2d, 3d, 4th and 5th years of life in each of these twenty years. In Table C the rates of mortality are presented, as experienced by each hundred thousand children living at the five ages mentioned, during each of the years comprised in the tables. Each table is divided into two equal parts; and thus the general results obtained by examining the Small-pox mortality of the period when no vaccination law existed may be very conveniently contrasted with those furnished by the later and equal period during which a good Vaccination Act has existed in the country. While compiling and analysing these vaccination statistics for the Registrar-General, the superintendent has frequently regretted that it is not in his power to furnish an accurate account of the number of cases of Small-pox, and of the number of deaths from Small-pox that have occurred at each age and during each successive year, first among the vaccinated children, second among the unvaccinated, and lastly among those about whose thorough vaccination doubt exists. No materials for such a statement are, however, here available. The death certificates in cases of Small-pox do not in general state whether the deceased had been vaccinated or not; and it is necessarily so long after the event ere such certificates reach this office, that the attempt to obtain, on the above point, additional particulars from the informant is futile. A Register of Vaccinations is no doubt kept in each district; but it is preserved *there*, and not forwarded to Edinburgh at all. To attempt to identify a child as vaccinated when its death has been reported, and when the vaccination register can furnish the only reliable information regarding it, would be

SUPPLEMENTAL TABLE C.—Rate of Mortality from Small-pox during each of First Five Years of Life in Scotland, between the years 1855 and 1874, a period of 20 years, for each hundred thousand living at each age.

Years.	0-1	1-2	2-3	3-4	4-5
1855	482	306	196	116	84
1856	439	316	193	148	86
1857	292	244	115	76	60
1858	124	81	44	32	13
1859	177	152	112	72	52
1860	460	273	189	153	85
1861	247	158	96	71	54
1862	130	89	70	38	27
1863	464	326	181	146	74
1864	435	277	173	122	113
Average of 10 years.	325	222	137	98	65
1865	107	36	37	20	22
1866	66	22	20	14	20
1867	32	20	6	8	2
1868	8	4	—	1	—
1869	17	8	3	3	4
1870	33	7	3	—	5
1871	204	23	30	34	26
1872	370	59	36	46	52
1873	173	23	27	14	25
1874	198	23	20	16	29
Average of 10 years.	122	23	19	16	19

perfectly hopeless. Finally, as to the number of cases of Smallpox that occur and do not proceed to a fatal termination, the Registrar-General is not empowered to call for any returns. In Tables XXXV. and XXXVI. will be found all the usual details regarding the practice of Vaccination in Scotland between 1864 and 1874.

The deaths from Fevers registered in 1874 were 2392, being 70 deaths to every hundred-thousand of estimated population, and 3·02 per cent. of the total deaths from specified causes. It is not many years since Typhus was, at least in the Principal Towns and Urban Districts of Scotland, a far more frequent cause of death than all the other forms of Fever combined; and physicians, whose early experience in the treatment of Fever was obtained in the great hospitals of Glasgow and Edinburgh, are aware that of late years the epidemic occurrence of Typhus has been becoming comparatively rare, while Typhoid or Enteric Fever is now almost everywhere far more common, or more generally recognised than it was less than twenty years ago. The disease termed Relapsing Fever, although it still occupies a separate place in our tables, is now of rare occurrence, causing hardly more than one per cent. of the deaths attributed to Fevers; and there is some reason to believe that the terms Simple Continued Fever and Infantile Fever are not always applied by informants with strict pathological precision, and that they might often be interchanged with the terms Typhoid or Typhus. The relative frequency of Typhus and of Enteric Fever during 1874 in all Scotland was as 21 to 43; in the Principal Towns, as 33 to 37; in the Large Towns, as 22 to 46; in the Small Towns, as 18 to 57; in the Mainland-Rural Districts, as 11 to 39; and in the Insular-Rural Districts, as 19 to 26. In Glasgow, the relative frequency of Typhus and Typhoid was as 22 to 42;

TABLE XXXV.—Vaccinations in Scotland, 1864-74, and Proportion to the Births each Year.

Years.		Successful Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination—			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL BIRTHS.
				From Constitutional Insusceptibility.	From having had Small-pox	From previous Vaccination.			
1864	Numbers	96047	663	667	154	440	9180	2701	108851
1865	Numbers	99648	719	474	34	207	9366	2629	118070
1866	Numbers	100408	579	332	20	227	9433	2658	118667
1867	Numbers	101139	670	233	16	151	9355	2480	114044
1868	Numbers	102140	914	377	7	230	9440	2506	115514
1869	Numbers	99265	968	177	17	174	10069	2773	113441
1870	Numbers	101875	843	215	28	229	9724	2532	115446
1871	Numbers	101923	841	241	142	175	10280	2582	116184
1872	Numbers	104902	811	184	64	322	10325	2351	118959
1873	Numbers	106177	1113	162	39	163	10527	2629	119810
10 Years.	Average	101152·4	811·8	296·2	53·1	231·8	9769·9	2620·0	114935·2
1874.	Numbers	106022	1229	206	33	205	11288	2878	123861
1864	Percentage	87·313	0·608	0·613	0·142	0·404	8·438	2·481	100·000
1865	Percentage	88·130	0·636	0·419	0·030	0·183	8·283	2·319	100·000
1866	Percentage	88·335	0·510	0·292	0·026	0·200	8·299	2·338	100·000
1867	Percentage	88·684	0·667	0·204	0·014	0·132	8·203	2·176	100·000
1868	Percentage	88·423	0·791	0·240	0·005	0·199	8·172	2·170	100·000
1869	Percentage	87·504	0·862	0·156	0·015	0·153	8·676	2·444	100·000
1870	Percentage	88·246	0·730	0·186	0·024	0·198	8·493	2·193	100·000
1871	Percentage	87·726	0·734	0·208	0·122	0·150	8·848	2·222	100·000
1872	Percentage	88·183	0·682	0·155	0·054	0·271	8·679	1·976	100·000
1873	Percentage	87·786	0·930	0·135	0·033	0·136	8·786	2·194	100·000
10 Years.	Percentage	88·008	0·706	0·258	0·046	0·202	8·500	2·280	100·000
1874	Percentage	87·213	0·992	0·166	0·027	0·165	9·114	2·323	100·000

in Edinburgh, as 48 to 28; in Dundee, as 56 to 29; in Aberdeen, as 31 to 39; in Greenock, as 38 to 50; in Paisley, as 8 to 33; in Leith, as 30 to 42; and in Perth, as 38 to 34. The numbers above used express likewise the proportion of deaths from each of the two diseases in one hundred thousand of estimated population in each locality.

Scarlatina proved fatal to 186 out of every hundred thousand of population, and as usual was everywhere more destructive to males than to females. Its influence was most severely felt in the Urban Districts, and especially in the Principal Towns. Of these last, Dundee seems to have been most severely visited; though in Perth, Leith, Glasgow, and Paisley, the deaths were likewise very numerous.

Diarrhœa was the cause assigned for 61 deaths in every hundred thousand of population. These deaths were about equally frequent among males and females. The Urban Districts suffered most from this cause of death; but even in the Principal Towns, the deaths from Diarrhœa do not appear to have been quite so numerous as in some recent years. The mortality in Dundee from Diarrhœa was far more considerable than in any other of the Eight Principal Towns.

Hooping-Cough caused 50 Deaths in every hundred thousand of population. The disease was decidedly more fatal among females than among males, and prevailed chiefly in the Principal and Large Towns. In Glasgow, the mortality from Hooping-Cough amounted to 133 per hundred thousand inhabitants; while in Greenock, it did not exceed 17 in a like number of population,

Diphtheria caused 34 deaths in every hundred thousand of popula-

TABLE XXXVI.—Vaccinations in Scotland, 1864-1874, deducting from the Births those who died before they could be Vaccinated, and giving the Proportion of the Vaccinated to the surviving Births of each Year.

Years.		Successfully Vaccinated	Vaccination Postponed	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.		
1864	Numbers .	95047	662	667	154	440	2701	99671
1865	Numbers .	99648	719	474	34	207	2622	103704
1866	Numbers .	100406	579	332	30	227	2668	104234
1867	Numbers .	101139	670	233	16	151	2490	104639
1868	Numbers .	102140	914	277	7	290	2506	106074
1869	Numbers .	99265	966	177	17	174	2773	103372
1870	Numbers .	101875	843	215	28	229	2532	105722
1871	Numbers .	101923	841	241	142	175	2582	105904
1872	Numbers .	104902	811	184	64	322	2351	106634
1873	Numbers .	105177	1113	162	39	163	2629	109288
10 Years.	Average .	101152.4	811.8	296.2	53.1	231.8	2620.0	105165.8
1874	Numbers .	106022	1229	206	33	205	2878	112573
1864	Percentage	95.361	0.664	0.669	0.155	0.441	2.710	100.000
1865	Percentage	96.089	0.694	0.457	0.033	0.199	2.528	100.000
1866	Percentage	96.329	0.556	0.218	0.029	0.217	2.551	100.000
1867	Percentage	96.600	0.640	0.222	0.015	0.144	2.370	100.000
1868	Percentage	96.292	0.861	0.261	0.007	0.216	2.363	100.000
1869	Percentage	96.027	0.935	0.171	0.016	0.168	2.683	100.000
1870	Percentage	96.362	0.797	0.203	0.026	0.217	2.395	100.000
1871	Percentage	96.241	0.794	0.228	0.134	0.165	2.438	100.000
1872	Percentage	96.565	0.747	0.169	0.059	0.296	2.164	100.000
1873	Percentage	96.243	1.018	0.148	0.036	0.149	2.406	100.000
10 Years.	Percentage	96.184	0.772	0.232	0.051	0.220	2.491	100.000
1874	Percentage	95.958	1.092	0.183	0.029	0.182	2.556	100.000

tion. These deaths were not more frequent in one than in the other sex. The disease seems to have been least common in the Insular-Rural Districts and in the Principal Towns; most common in the Large Towns.

Measles and Croup each caused 32 deaths per hundred thousand of population. In the case of both diseases, but especially in that of the latter, the males died in higher proportion than the females. The prevalence of Measles, as may be seen in Table XXX., was most remarkable in Aberdeen; while the deaths from Croup were especially common in Leith.

The deaths attributed to Diseases of Uncertain Seat were 2899 in number,—85 per hundred thousand of population, and 3·66 per cent. of the total deaths from Specified Causes. Females suffered from these diseases far more frequently than males, the relative frequency of death per hundred thousand of either sex being 71 males to 91 females.

Cancer accounted for 1646 deaths, being a mortality of 48 per hundred thousand of population, or 2·08 per cent. of all deaths from Specified Causes. The relative frequency of death by Cancer in males and in females during 1874 is expressed by the numbers 34 and 62, which are the death-rates from this one disease per hundred thousand of each sex. The deaths by Cancer were most numerous in Edinburgh, Aberdeen, and Perth; least numerous in Greenock and in Glasgow. They were fully as frequent in the Mainland-Rural as in any of the Urban Districts.

Dropsy caused 651 deaths, of which 354 occurred in females. It is,

TABLE XXXVII.—Deaths from Fever in 1874.

FEVERS.	RURAL DISTRICTS.		TOWN DISTRICTS.	
	Deaths from each Fever.	Percentage to Total Fever Deaths.	Deaths from each Fever.	Percentage to Total Fever Deaths.
Typhus	182	21·0	594	33·7
Enteric	425	67·6	1030	58·4
Relapsing	6	0·9	21	1·2
Simple Continued . .	41	6·5	63	3·6
Infantile	25	4·0	55	3·1
ALL FEVERS	629	100·0	1763	100·0

TABLE XXXVIII.—Monthly Deaths from Fever in the Eight Principal Towns of Scotland during the Ten Years 1865–1874; specifying those from Typhus and Enteric Fever.

MONTHS.	Total Fever Deaths.	Typhus.	Enteric.	MONTHS.	Total Fever Deaths.	Typhus.	Enteric.
January	1499	989	360	July	1064	689	283
February	1323	860	333	August	922	545	297
March	1424	942	352	September	921	530	314
April	1276	869	305	October	1101	600	389
May	1211	784	323	November	1278	752	379
June	1112	746	287	December	1314	734	424

of course, very desirable that "Dropsy" should as seldom as possible appear in these Reports as a cause of death, and that it should be replaced by some distinct information as to the pathological cause of the dropsical symptoms. In absence of such information, we must necessarily relegate to the heading Dropsy many deaths from causes so different as Ovarian Tumour, Degeneration of the Kidney, Disease of the Liver, and Valvular Diseases of the Heart. When no medical certificate is forthcoming, it is in vain to expect more precise information than we are in the habit of receiving in cases where dropsical symptoms have been observed about the time of death; but there is reason to fear that the medical certificates are not always so precise as could be desired. In Edinburgh, the deaths attributed to Dropsy were in 1874 only 14 per hundred thousand of estimated population; while in Paisley, the rate was 50 for a like number of inhabitants. It is hardly credible that Dropsy can be $3\frac{1}{2}$ times more common in Paisley than in Edinburgh; and it is not easy to resist the impression, that the certificates of cause of death in the former city were not, in certain cases, drawn up with sufficient care.

236 deaths were attributed to Abscess, 16 to Fistula, and 93 to Ulcer. There were likewise 89 deaths ascribed to Hæmorrhage of unspecified seat, and 149 due to Mortification; the greater number of which were probably cases of Senile Gangrene, as 100 of them occurred in persons whose age exceeded sixty years. There were 19 deaths from Gout, 15 of which occurred after the sixtieth year of age.

The deaths from Tubercular Diseases were 11,303, of which 5485 occurred in males and 5818 in females. These numbers correspond to a mortality of 333 out of every hundred thousand of the estimated population of Scotland, and to 14.29 per cent. of all deaths from Specified

TABLE XXXIX.—The Nineteen most fatal Diseases in Scotland and England in 1874, arranged in the order of their fatality.

SCOTLAND.		ENGLAND.	
DISEASES.	Proportion of Deaths to 100,000 living.	DISEASES.	Proportion of Deaths to 100,000 living.
Bronchitis	255	Bronchitis	226
Phthisis	232	Phthisis	219
Scarlatina	186	Atrophy, Debility, and Pre- } mature Birth	177
Age	163	Heart, etc., Diseases of	128
Heart, etc., Diseases of	130	Age	122
Atrophy, Debility, and Pre- } mature Birth	122	Convulsions	116
Pneumonia	101	Pneumonia	110
All Fevers	70	Scarlatina	106
Diarrhoea	61	Diarrhoea	90
Paralysis	60	All Fevers	59
Apoplexy	53	Apoplexy	55
Hydrocephalus	52	Paralysis	53
Hooping-cough	50	Measles	52
Cancer	48	Cancer	47
Small-pox	37	Hooping-cough	44
Liver Diseases	36	Liver Diseases	41
Diphtheria	34	Hydrocephalus	31
Measles	32	Fractures and Contusions	31
Croup	32	Tabs Mesenterica	29

Causes. Tubercular Diseases were most fatal in the Large Towns; but in the Principal Towns they were almost equally destructive. In the Small Towns, the death-rate due to these causes was decidedly lower; in the Mainland-Rural Districts, it little exceeded half the rate observed in the Large Towns; and in the Insular-Rural Districts, it only amounted to 180 for every hundred thousand of population. Of all deaths, Tubercular Diseases caused 16·42 per cent. in the Large Towns, 15·12 per cent. in Principal Towns, 14·23 per cent. in the Small Towns, 12·59 per cent. in the Mainland-Rural, and 10·70 per cent. in the Insular-Rural Districts. The rates per hundred thousand inhabitants in each of the Eight Principal Towns were in Paisley, 497; in Glasgow, 487; in Dundee, 404; in Greenock, 401; in Leith, 380; in Perth, 368; in Edinburgh, 362; in Aberdeen, 309. Except in Edinburgh and in Leith these rates are considerably lower than those recorded for 1873.

Consumption is, of course, the most common and important disease belonging to the Tubercular class. The deaths ascribed to this single cause in 1874 were 7873. Of these, 1288, or 16·4 per cent., occurred at ages under 15 years; 5232, or 66·5 per cent., between the ages of 15 and 45; and 1353, or 17·1 per cent., at ages believed to exceed 45 years. In All Scotland, and in each of the Urban Groups of Districts, Consumption was as usual more frequent among females than among males; in the Mainland-Rural Districts neither sex can be said to have manifested special liability to the disease; but in the Insular Group, the numerous deaths of young males from Consumption, a circumstance already alluded to in the course of this Report, has the effect of making the male death-rate from this disease higher than the rate that prevails among the female islanders. In the Principal Towns, the deaths from Consumption per hundred thousand of population were as follows:—in Paisley, 339; in Glasgow, 332; in Dundee, 286; in Greenock, 261; in Perth, 249; in Edinburgh, 244; in Aberdeen, 231; and in Leith, 201. In Paisley, Glasgow, and Greenock, the deaths from Phthisis have been decidedly less numerous than during 1873; in Perth, Edinburgh, and Leith, the mortality of 1874 has been the higher. Again it falls to be remarked that Leith seems to suffer less from Consumption than any of the other seven Principal Towns of Scotland.

The deaths from other Tubercular Diseases were 1777 from Hydrocephalus, 962 from Tabes Mesenterica, and 691 from Scrofula. From each of these diseases, males suffered in considerably higher proportion than females, and the Principal and Large Towns had from these causes a mortality about thrice as great as that experienced in the Rural, and especially in the Insular-Rural Districts.

From Diseases of the Brain and Nervous System, there were 7257 deaths, being 214 for every hundred thousand of population, and 9·17 per cent. of all deaths that occurred. It appears that the mortality from diseases of this class was a trifle lower than that experienced in 1873. In Scotland regarded as a whole, in all its Urban Divisions, and in the Islands the incidents of Brain Diseases was most apparent among the males. In the Mainland-Rural Districts, the sexes seem to have suffered in equal proportions. Of the Principal Towns, Paisley, Perth, and Greenock, show in Table XXX. the highest, and Leith the lowest proportion of deaths from Brain Diseases.

Diseases of the Heart and Circulatory System account for 4411 deaths, being at the rate of 130 for every hundred thousand persons living, and thus constituting 5·57 per cent. of all deaths registered. In

every part of the country, males died from Diseases of the Heart in greater proportion than females. It appears from our tables that the Insular-Rural Districts enjoy a marked comparative immunity from these diseases. There is, however, no reason to believe that such immunity really exists; and the low rate which we find attributed to heart complaints among the islanders, is naturally explicable by reference to the paucity of medical certificates of death in these sparsely peopled districts. In the absence of such certificates, the registrars are often obliged to content themselves, and complete the entries of cause of death in their books on the authority of the statements of non-medical, and it may be ignorant informants, who no doubt often attribute to Asthma, Dropsy, Palsy, Apoplexy, Debility, and Old Age, deaths which a medical man would prefer to ascribe to Disease of the Heart or Aorta.

Diseases of the Respiratory System caused 13,351 deaths, being 393 for every hundred thousand of population, and 16·86 per cent. of all deaths from Specified Causes. It must be noted that, in the classification employed in these Reports, Diseases of the Respiratory System do not include Diphtheria, Croup, Hooping-cough, or Consumption. But notwithstanding this limitation of the term, Respiratory Diseases constitute, after Zymotic Diseases, the most important cause of mortality in Scotland, and in the year 1874 this was especially the case. The deaths from this class of diseases were everywhere more numerous among males than among females. An inspection of Table XXVIII. shows that these deaths occurred with greatest frequency in the Principal Towns, and that they were less and less numerous in the several Registration Groups in proportion as these were less densely peopled. The mortality from Chest Diseases was exceedingly high in Glasgow. It was likewise excessive in Dundee; comparatively low in Leith, Aberdeen, and Perth. The deaths in All Scotland attributed to Bronchitis alone were 8667, being 255 to every hundred thousand inhabitants, or 10·95 per cent. of the deaths from all causes. There died of Bronchitis per hundred thousand of population, in the Principal Towns, 388; in the Large Towns, 299; in the Small Towns, 201; in the Mainland-Rural Districts, 153; and in the Insular-Rural 100. In Glasgow, the death-rate from Bronchitis was 504; in Dundee, 432; in Paisley, 331; in Aberdeen, 272; in Edinburgh, 248; in Greenock and in Leith, 247; and in Perth, 207. The deaths from Pneumonia in All Scotland were 3440, and were distributed in the different districts and towns in a manner not particularly differing from that described in our remarks on Bronchitis. To Pleurisy, 287 deaths were ascribed; to Laryngitis 208; and to Disease of the Lungs, of not clearly specified nature, 275. There were likewise 474 deaths attributed to Asthma, by which term, however, pure Spasmodic Asthma is not in general to be understood, but under which a great variety of diseases are probably grouped, *e.g.* Emphysema Pulmonum, some cases of Heart Disease, Chronic Bronchitis, &c. Death from uncomplicated Asthma is, we believe, rather a rare event; but reference to the detailed abstracts which follow this Report will show that where medical informants are presumably scarce, deaths are in accordance with popular medical nomenclature freely attributed to this cause. It is, for example, very often the term employed in recording the deaths of females who die in our Insular-Rural Districts, at ages exceeding 60 years; thus, of 182 females who died in Shetland in 1874, at ages exceeding 60, there died of Bronchitis only 3, or 1·6 per cent., and of Asthma 5, or 2·7 per cent. Of course, it is quite conceivable that in a small population like that of Shetland such an apparent anomaly as the above stated

relative frequency of Bronchitis and of Asthma, might in a single year occur; but on referring to the records of some former years, we find a similar proportion of deaths from Asthma among the inhabitants of the Island Districts, so that we must seek some other cause for the frequent recurrence of the term Asthma. In common parlance, and among the poorer classes in particular, "Asthma" and "Shortness of Breath" are synonymous, and to this circumstance we are inclined to refer the vague and obviously erroneous use of the term Asthma as a cause of death, not only in our islands but also in some of the rural districts on the mainland.

The deaths from Diseases of the Digestive System were 5225, being at the rate of 155 to every hundred thousand of population, and constituting 6·64 per cent. of all deaths from specified causes. Males as usual suffered in greater proportion than females from these diseases; and the deaths were most numerous in the Urban Districts, and especially in the Large Towns. From Teething, there were 782 deaths; from Gastritis, 227; from Enteritis, 927; from Peritonitis, 482; from various Diseases of the Stomach not more particularly specified 763; from various Diseases of the Biliary Organs, 1223; from Ileus and Intussusception, 326. To Hernia 118 deaths were referred. Of these, 56 occurred in males, and 62 in females. Of those that died of Hernia, 9, or about $\frac{1}{4}$ th part, were under one year of age; 13, or $\frac{1}{3}$ th, under the age of 20 years; while 60, or about 51 per cent., were at least 60 years of age.

Diseases of the Urinary System caused 1388 deaths, of which 906 occurred in males, and 482 in females. The deaths from Nephritis and Nephria combined were 581; from Diseases of the Urinary System of unspecified nature, 445; from Diabetes, 111; from Inflammation of the Bladder, 104; from Ischuria, 67; from Calculus, 64; from Stricture of the Urethra, 13; and from Addison's Disease of the Suprarenal Capsules, 3.

From Diseases of the Generative System there were 656 deaths, of which all except two occurred in females. 442 of these deaths were attributed to Childbirth, and if to these there be added 378 deaths attributed to Metria, the total deaths due to puerperal causes appear to have been 820. The number of children born alive in Scotland in 1874 was 123711. Correcting for the twin and triplet births, we estimate the number of mothers who gave birth to live children as 122173; and of these, 0·67 per cent., or about one in 149, died of diseases or accidents directly referrible to the act of parturition. But in the above calculation no account has been taken of those mothers who gave birth to still-born children. If it be assumed that for every hundred live births there were five still-births in 1874, the total number of mothers may be stated at 128,282, and the mortality due to child-bearing would then appear to be about 0·64 per cent., or about 1 in 156. This mortality is no doubt very serious, and considerably exceeds that recorded in 1873. But it is our duty to point out that it is probably understated. For, as has been frequently pointed out in these Reports, the mortality of mothers after still-births is notoriously far higher than after ordinary labours, and there is reason to believe that the deaths of many such mothers are not communicated to the Registrar with any indication of their having been the consequence of child-bearing. This is most likely to be the case in connection with the deaths of mothers which follow still-births of illegitimate children.

The deaths from Diseases of the Uterus were 101; from Ovarian Tumours, 92; and from various diseases grouped under the heading Paramenia, 19.

The deaths from Diseases of the Organs of Locomotion were 523. Of these, 225 were due to Rheumatism, 223 to Diseases of the Joints, and 75 to Diseases of the Bones.

There were 101 deaths from Diseases of the Skin; of which 52 were of unspecified nature: while 31 were attributed to Carbuncle; and 19 to Phlegmon.

From Malformations there were 281 deaths, of which 161 occurred in males; from Infantile or Premature Debility, 3674 deaths, of which 2070 took place in males. Such deaths appear to have been more frequent in Dundee and elsewhere; while their rarity among the population of the Rural, and especially of the Insular-Rural Groups, may be in great measure explained by reference to the comparatively low birth-rate of these districts.

To Atrophy, 476 deaths are ascribed; and to Old Age 5543, including 3489 females. In the Insular-Rural Districts, nearly 32 per cent. of the deaths from all causes are referred to Old Age, in the Mainland-Rural Districts nearly 12 per cent., but in the Principal Towns only 3·4 per cent. It is hardly necessary to say that the use of the term Old Age as a cause of death must, in the great majority of cases, be held as a mere confession of ignorance on the part of those who give currency to it.

There were 104 Sudden Deaths, for which no more clearly specified cause was assigned.

There were 3103 Violent Deaths, of which 2248 occurred in males. Of the Violent Deaths, 1031 were due to Fractures and Contusions, 642 to Drowning, 312 to Suffocation, 292 to Burns and Scalds, 234 to Intemperance, 199 to Violent Causes of unspecified nature, 134 to Want of Breast-Milk, 71 to Cold, 53 to Hanging, 51 to Poison, 39 to Cuts or Stabs, 19 to Gunshot Wounds, 13 to Privation, 6 to Neglect, and a like number to Poisoned Wounds.

There were registered 109 instances of Suicide, of which 71 were in males, and 38 in females. Self-destruction was accomplished in 49 cases by Hanging, in 25 by Cutting the Throat, in 18 by Drowning, in 7 by Poison, in 4 by Gun-shot, in 2 by Precipitation, and in 4 by other means not communicated to the registrars. In two of the seven cases of Suicidal Poisoning, Opium was used; in other two, Laudanum; in one, Oxalic Acid; and in the remaining two, some poison unknown to the Registrars.

It is customary to conclude this section of each Detailed Report with a list of the deaths at ages exceeding 99 which have been registered during the year, but in doing this we offer no guarantee of the accuracy of the information which has been given to the Registrars. In 1874, one male, a crofter, is stated to have died at the age of 108; and another, who had been a fisherman, died a pauper at the age of 100. Five females died at the age of 100, three at 101; four at 102; one, a domestic servant, at 103; one, a pauper, at 105; one a fisherman's widow, at 106; and one, a pauper, at 107. Thus the total deaths at these extreme ages were 2 males and 17 females, or 19 in all.

WEATHER AND ITS INFLUENCE ON THE MORTALITY.

In former Reports it has been deemed right to point out the amount and nature of the illustration which our Death Registers receive from

the recorded meteorological observations throughout the country. At present it is not our intention to repeat what has been already written on this subject. It seems sufficient to remind our readers, that the great meteorological agency which seems to promote an increase in the death-rate of the people of Scotland is a notable, sudden, and long-continued fall of temperature; and that the influence of this agency is increased when it is accompanied with much rain, and with the easterly and northerly gales which popular experience admits as a frequent cause of disease.

The Tables in which it is endeavoured to present all needful details regarding the meteorology of the year 1874 are numbered XL. to XLVII. inclusive. They are in the usual form, and have for the most part already appeared in the Annual Report applicable to the Eight Principal Towns.

By means of Table XL. we attempt to exhibit for every month of 1874 the mean temperature, deduced from observations made at 55 different stations in Scotland, the actual number of deaths which occurred in each month, and the proportion of these which took place in each month, equalized so as to embrace a period of 31 days. In the last two columns of the Table are exhibited the proportion of deaths and the mean monthly temperature, deduced from observations made during the ten years 1855-64. In ordinary years, January and February are our coldest months, their average temperature being $37^{\circ}3$ and $37^{\circ}4$ respectively. After these, we may rank December, with a mean temperature of $38^{\circ}6$; and March, with $39^{\circ}8$. But in 1874 the month of December was by far the coldest month of the year, the mean temperature being only $30^{\circ}9$, or more than $9\frac{1}{2}$ degrees below the mean of ten previous Decembers. In order of coldness, February, with a temperature of $38^{\circ}8$, came next; and was followed by January, with $40^{\circ}5$; November, with $41^{\circ}1$; and March, with $43^{\circ}3$. The month of March then appears to have been unusually warm,—in fact, $3\frac{1}{2}$ degrees warmer than the average of March 1855-64.

The year 1873 had closed with a by no means inclement December.

TABLE XL.—Monthly Mortality and Mean Temperature in Scotland during 1874, compared with the Mean of the Ten Years 1855-1864.

YEAR 1874.					1855-1864.	
MONTHS.	Mean Temperature.	Actual Deaths.	Deaths when Months are equalized to 31 Days.	Proportion to 12,000 per Annum, or 1000 per Month.	Proportion.	Mean Temperature.
January . . .	40.5	6933	6933	1011	1134	37.2
February . . .	38.8	6604	7312	1068	1193	37.4
March . . .	43.3	7238	7238	1056	1145	39.8
April . . .	46.7	6811	7038	1027	1083	44.1
May . . .	47.1	6455	6455	942	1010	49.5
June . . .	54.8	6374	6586	961	956	55.8
July . . .	59.4	6265	6265	914	895	57.6
August . . .	55.9	6044	6044	882	856	57.8
September . . .	52.8	5790	5983	873	843	52.8
October . . .	46.5	6166	6166	900	858	47.2
November . . .	41.1	6815	7042	1027	954	40.2
December . . .	30.9	9181	9181	1339	1073	38.6
YEAR . .	46.5	80,676	82,243	12,000	12,000	46.7

In fact, the mean temperature of that month had been $42^{\circ}5$, or $3^{\circ}9$ above the ten years' average, and deaths had taken place at the rate of 217 per diem.

From the Astronomer-Royal's Notes appended to our Quarterly Returns, we have the means of gleanings the following particulars regarding the meteorological phenomena of each month of 1874, and of the average of the corresponding months of 1856-73:—

January 1874 was characterized by high mean temperature, heavy westerly and southerly winds, and a rainfall not much short of the average. The thermometer stood highest at the Southern and Western stations. The daily number of deaths was 224.

February showed a mean temperature very slightly exceeding the average. There was some frost, with east wind, recorded in the Principal Town stations about the 7th of the month. But, on the whole, the prevailing air-currents were from the south and west, and towards the end of the month a south-east gale caused considerable destruction on our east coast. The rainfall was far short of the average of former seasons. As might have been expected from the increasing cold of winter, the daily deaths rose to 236.

March was an unusually mild month, the mean temperature having exceeded the average by $3^{\circ}6$, and having been the highest hitherto recorded in Scotland. The barometer stood high, and there was a full rainfall, with general prevalence of W.S.W. winds, and a very fair amount of sunshine. The genial influences indicated by these mean numbers were, however

TABLE XLI.—Meteorology of Scotland for 1874, deduced from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1874, as stated in the Quarterly Reports.

1874.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
Highest Temp. in shade	55°5	58°0	63°5	79°0	76°0	82°0	87°3	80°5	70°0	65°0	61°7	53°0	87°3
Lowest Temp. in do.	15°3	11°0	13°0	25°0	25°0	26°0	38°4	31°0	31°0	23°2	30°0	1°0	1°0
Mean Day Temp.	45°4	44°5	49°3	54°4	54°2	64°2	67°3	63°2	59°3	53°1	45°9	36°6	53°1
Mean Night Temp.	35°5	33°2	37°3	39°0	40°0	45°4	51°6	48°7	45°2	39°9	36°4	25°2	39°9
Daily Range	9°9	11°3	12°0	16°4	14°2	18°8	15°7	14°6	13°2	13°2	9°5	11°4	13°3
Mean Temperature	40°5	38°8	43°3	46°7	47°1	54°8	59°4	55°9	52°8	46°5	41°1	30°9	46°5
Highest Temperature in sun	87°1	91°3	113°8	191°0	93°0	181°0	199°0	127°0	116°3	110°0	90°0	76°8	121°0
Lowest on grass at night	21°8	9°2	9°0	18°2	15°0	22°0	29°5	27°0	23°8	18°2	12°3	−6°0	−6°0
Wet-bulb Temperature	38°7	36°7	40°7	43°9	44°4	51°7	56°3	53°0	50°3	44°4	39°3	29°3	44°1
Dew-point Temperature	36°9	34°8	38°4	41°2	41°4	48°4	53°6	50°6	48°2	42°4	37°5	26°3	41°6
Humidity of Air	88	88	86	83	81	78	82	84	86	87	89	84	85
Elastic force of Vapour (inches)	0.216	0.202	0.238	0.268	0.269	0.341	0.413	0.370	0.338	0.272	0.235	0.143	0.273
Number of Rainy Days	18	11	16	13	12	9	14	20	19	17	17	13	179
Amount of Rain (inch.)	4.02	1.71	2.82	2.27	1.82	1.42	3.11	5.54	4.18	6.05	4.54	2.69	40.17
Amount of Cloud	6.3	5.9	6.2	5.9	6.6	4.9	6.1	6.2	6.6	5.8	6.6	5.4	6.0
Hours of Sunshine	74	103	138	179	170	277	239	188	145	140	78	84	1815
Mean Barometer (in.)	29.748	29.867	29.988	29.741	30.001	30.075	29.890	29.783	29.717	29.670	29.860	29.781	29.842
Easterly Winds (number of days)	1	6	4	6	15	7	5	5	4	3	8	9	78
Westerly Winds (do.)	25	14	20	18	8	16	18	19	18	21	16	13	204
Births	10339	9040	10458	10772	10712	10811	10780	9916	10006	10642	9890	10429	123795
Deaths	6933	6604	7238	6811	6456	6374	6265	6044	5790	6166	6815	9181	80676
Marriages	3596	1539	1642	1600	1142	3988	2497	1640	1445	1721	2467	2970	26247
Daily Births	324	323	337	359	346	360	348	330	334	343	330	336	339
Daily Deaths	224	236	233	227	208	212	202	195	193	199	227	296	221

either too partial, or continued for too short a time, materially to affect the daily rate of mortality, which continued to be 233 deaths per diem.

April was likewise a remarkably fine month, with high mean temperature, considerable amount of westerly and southerly wind, average rainfall, and plenty of clear sunny weather. The daily deaths during the month were 227,—still slightly exceeding the death-rate observed in January.

May was far from a genial month. The mean temperature was fully two degrees below the average, there was much fog with cold northerly or north-east winds, a somewhat deficient rainfall, and prevalence of dull cloudy weather. The mortality, however, which had no doubt been influenced by the fine April weather, continued to fall during May, and only amounted to 208 deaths a-day.

The weather in *June* was in no respect remarkable, except that towards the end of the month heavy rains and lightning were recorded at most of the meteorological stations throughout the country. The deaths were 212 per diem.

During *July*, the mean temperature was about 1°·9 above the average of the period 1856–73. There was more than the usual amount of clear sunshine, the rainfall was ample, and the prevailing breezes were from the south and west. The average daily number of deaths was 202.

In *August*, the mean temperature was below the average. The barometer, too, was low, the rainfall large, and the winds strong, without, however, any unusual preponderance of easterly or northerly gales. The mortality continued to fall, the deaths numbering 195 daily.

September, as regards mean temperature, was an average month. There was a full amount of rain. The atmospheric currents were chiefly from the south and west. The month was the most salubrious in the whole year, the daily number of deaths having been only 193.

October presented no marked peculiarity as to mean temperature. It was, however, a very wet month, and it was remarked that the amount

TABLE XLII.—Showing the connection between certain Atmospheric Phenomena, especially Temperature, and the Deaths from certain Diseases and Classes of Disease, in the Eight Principal Towns of Scotland, during each Month of the Year 1874.

1874.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature . . .	41°·0	40°·0	44°·1	47°·2	47°·3	55°·7	60°·2	57°·0	53°·9	47°·3	41°·9	31°·5
Highest Temperature . . .	54°·3	56°·5	63°·5	70°·0	67°·5	75°·3	81°·3	80°·0	70°·0	65°·0	61°·7	61°·0
Lowest Temperature . . .	26°·2	31°·0	30°·0	30°·0	25°·0	35°·0	44°·5	38°·6	36°·3	28°·9	25°·0	7°·0
Rainfall in inches . . .	3·07	0·97	2·17	1·57	1·92	1·05	3·16	5·03	3·39	5·57	3·54	2·28
Easterly Winds (days) . .	2	6	4	6	20	9	6	6	4	8	8	8
Westerly Winds (days) . .	26	16	24	19	7	18	20	20	23	23	19	16
Total Deaths . . .	2668	2464	2728	2636	2568	2464	2527	2412	2305	2536	2897	3906
Daily Deaths . . .	86	88	88	88	83	82	82	78	77	82	96	126
Zymotic Diseases . . .	612	535	565	522	541	613	667	758	748	881	860	900
Small-pox . . .	70	41	65	60	41	25	14	10	5	4	13	8
Measles . . .	80	49	45	36	41	51	62	32	24	22	20	26
Scarlatina . . .	178	166	176	148	166	214	175	295	402	570	490	360
Diphtheria . . .	36	36	39	35	16	20	21	20	18	34	13	26
Whooping-cough . . .	43	58	73	67	111	107	76	71	56	54	112	147
Croup . . .	45	37	30	24	20	21	16	26	23	25	47	39
All Fevers . . .	78	64	80	81	61	62	77	48	70	59	77	82
Diarrhoea . . .	33	40	41	23	47	64	169	208	108	69	38	45
Dysentery . . .	2	6	3	2	5	11	10	12	1	4	5	4
Cholera . . .	1	1	1	—	1	3	10	6	3	3	—	—
Consumption . . .	266	271	318	320	308	286	259	254	209	190	238	239
Diseases Respiratory Organs .	560	528	552	539	527	433	337	276	271	406	657	1258
Heart, etc., Diseases . . .	181	123	126	136	137	144	111	104	100	94	144	179
Brain, etc., Diseases . . .	228	213	255	243	213	197	255	230	221	188	212	277
Debility and Premat. Birth .	116	99	135	151	122	121	147	140	141	117	123	179
Age . . .	122	114	105	99	103	106	81	79	88	74	106	202

of rainfall, everywhere great, was on the west coast three to four times that which fell on the east coast. The barometer was low, and fluctuated exceedingly. The winds were high, and at times blew in strong gales from the south-west. The daily number of deaths did not, however, exceed 199.

In *November*, the mean temperature was above the average, the rainfall still excessive, the winds normal both in force and direction. The daily deaths, however, rose to 227.

December was the month which, in its meteorological features, was most exceptional. The mean temperature was only 30°·9, being 7°·5 below the mean of 1856-73, and 2°·5 below the average temperature of any December included within that period. The cold was more remarkable in the southern than in the northern parts of the country. It was associated with moderate north winds, a considerable amount of snow and rain, little cloud, and much clear sunshine. The deaths during this month became greatly increased in frequency, reaching the very high average of 296 per diem.

The influence of season upon the fatality of various diseases in our Eight Principal Towns may be traced by reference to Table XLII.

It is at once made obvious by the Table that the cold of December—unprecedented since the institution of these Reports—was accompanied with a most marked increase in the number of deaths recorded. This increase was more particularly due to the fatality of Diseases of the Respiratory System, and of such complaints as Consumption and Hooping-cough, in which the symptoms immediately referrible to the Respiratory System are of the highest importance. The Diseases of the Brain and Nervous System, Infantile Debility, and Senile Decay, were likewise obviously influenced by the cold of December. Diseases of the Heart (which there is reason to believe were in very many instances associated

TABLE XLIII.—Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland during each Week of the Year 1874.

No. of Week.	Week ending	DEATHS	TEMPERATURE			RAIN, in inches	No. of Week.	Week ending	DEATHS	TEMPERATURE			RAIN, in inches
			Mean.	Highest	Lowest					Mean.	Highest	Lowest	
1	January 3	615	39·0	51·8	27·0	0·82	27	July 4	517	59·0	75·0	42·0	1·24
2	10	624	40·0	49·0	28·9	0·84	28	11	544	58·9	76·2	44·5	0·08
3	17	645	40·9	53·2	30·1	1·09	29	18	539	61·6	81·4	44·3	0·56
4	24	608	40·9	52·8	28·6	0·86	30	25	643	61·2	81·0	46·1	1·25
5	31	572	43·6	54·0	26·2	0·24	31	1	587	68·6	76·0	44·4	0·44
6	February 7	582	41·5	52·6	29·2	0·11	32	8	580	66·7	71·5	42·0	0·97
7	14	621	38·6	56·5	21·0	0·19	33	15	587	66·1	66·2	46·0	8·19
8	21	650	40·6	52·5	27·0	0·36	34	22	549	59·3	78·0	42·0	0·24
9	28	611	41·1	52·3	29·0	0·35	35	29	545	57·6	80·0	38·6	0·60
10	March 7	627	44·2	56·4	28·0	0·28	36	September 5	518	56·4	69·0	37·0	1·36
11	14	613	38·8	55·0	20·0	0·29	37	12	512	53·9	66·0	36·0	1·04
12	21	635	46·4	61·0	32·0	0·94	38	16	546	51·4	65·4	38·0	0·64
13	28	591	47·1	63·5	27·0	0·44	39	26	561	54·9	67·5	41·9	1·28
14	April 4	609	43·7	55·8	30·0	1·77	40	October 3	580	52·1	65·6	42·0	1·16
15	11	638	43·8	56·7	32·0	0·41	41	10	568	47·9	59·3	35·5	1·12
16	18	623	43·9	61·0	31·0	0·26	42	17	567	48·6	68·0	35·3	1·53
17	25	609	53·1	69·0	33·0	0·07	43	24	571	47·0	65·0	32·0	2·01
18	May 2	593	49·9	70·0	32·0	0·03	44	31	628	44·8	58·7	28·9	0·15
19	9	571	44·2	64·5	31·0	0·39	45	November 7	668	45·7	58·1	27·5	0·74
20	16	593	44·1	60·6	25·0	0·29	46	14	645	43·1	61·7	37·0	0·85
21	23	575	48·9	67·5	32·0	0·07	47	21	672	41·8	53·3	31·0	0·53
22	30	631	51·5	66·3	40·0	1·80	48	28	689	37·5	49·0	23·0	1·15
23	June 6	578	57·5	74·4	40·5	0·12	49	December 5	714	37·8	50·0	25·5	1·55
24	13	573	53·6	70·0	35·0	0·16	50	12	769	34·9	50·7	22·5	1·07
25	20	547	56·0	78·2	39·0	0·00	51	19	840	32·2	47·0	16·0	0·33
26	27	535	55·9	71·0	41·0	0·65	52	26	888	29·7	51·0	12·1	0·19
							53	January 2	1066	26·5	45·4	8·0	0·74

with Pneumonia or Bronchitis) likewise carried off victims in larger numbers during December than in any other month.

Turning now to individual diseases, we find that deaths from Small-pox, upon the whole, decreased in frequency from January to December, and that deaths from Measles obeyed a somewhat similar law.

Scarlatina was prevailing rather extensively when the year set in. In January it caused 178 deaths; but by the end of April the mortality from this cause began to decrease. With the approach of autumn the disease again assumed more formidable proportions, and during the last four months of the year caused 1822 deaths, whereof 402 occurred in September, 570 in October, 490 in November, and 360 in December.

Hooping-cough was most fatal in December, though it caused many deaths likewise in November, May, and June. In January, it had not prevailed to any great extent.

TABLE XLIV.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Year 1874, and Proportion at each Age in every hundred Deaths per Month.

MONTHS.	Actual Number of Deaths in 1874.					Proportion at each Age in every Hundred Deaths per Month.				
	0-5 years.	5-20.	20-60.	60 and above.	Total Deaths.	0-5 years.	5-20.	20-60.	60 and above.	Total.
January . .	1041	285	865	477	2668	39.0	10.7	32.5	17.8	100.0
February . .	979	273	750	462	2464	39.7	11.1	30.4	18.8	100.0
March . . .	1061	361	882	454	2728	38.9	12.1	32.3	16.7	100.0
April . . .	1062	319	819	436	2636	40.3	12.1	31.1	16.5	100.0
May	1005	333	791	439	2568	39.1	13.0	30.8	17.1	100.0
June	1045	297	716	406	2464	42.4	12.0	29.1	16.5	100.0
July	1168	315	669	375	2527	46.2	12.5	26.4	14.9	100.0
August . . .	1134	300	635	344	2413	47.0	12.4	26.3	14.3	100.0
September .	1087	339	587	342	2356	45.0	14.7	25.5	14.8	100.0
October . . .	1185	399	636	316	2536	46.7	15.7	25.1	12.5	100.0
November . .	1332	410	717	438	2897	46.0	14.2	24.7	15.1	100.0
December . .	1481	397	1198	830	3906	37.9	10.2	30.6	21.3	100.0
YEAR . . .	13,530	3,998	9,265	5,319	32,112	42.1	12.5	28.8	16.6	100.0

TABLE XLV.—Months equalized to 31 Days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in the Eight Principal Towns during each Month of the Year 1874.

MONTHS.	Relative Number of Deaths in 1874.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per annum.
	0-5 years.	5-20.	20-60.	60 and above.	Total.	
January . . .	1041	285	865	477	2668	979
February . . .	1084	302	830	512	2728	1000
March	1061	331	882	454	2728	1000
April	1097	330	846	451	2724	999
May	1005	333	791	439	2568	942
June	1080	307	740	419	2546	934
July	1168	315	669	375	2527	927
August	1134	300	635	344	2413	885
September . .	1072	350	607	353	2382	874
October	1185	399	636	316	2536	930
November . . .	1376	424	741	453	2994	1098
December . . .	1481	397	1198	830	3906	1432
YEAR	13,784	4,073	9,440	5,423	32,720	12,000

The mortality from Fevers had its minimum during August, when the deaths were 48. It had fluctuated a good deal from January up to this time, and continued to fluctuate till December, when it attained its maximum, causing 82 deaths.

The influence of warm weather upon the mortality from Bowel Complaints is illustrated by the deaths from Diarrhœa, Dysentery, and Cholera, which were only 25 in April, but 78 in June, 189 in July, 227 in August, and 112 in September, falling to 49 in December.

The deaths from Consumption were 339 in December, when the extreme cold no doubt precipitated the fatal event in many cases, 320 during April, 318 during March, and 308 during the cold, ungenial, foggy month of May.

Diseases of the Respiratory System caused only 271 deaths in September; but, no doubt in consequence of the excessive rainfall of October, they numbered 406 in October, 657 in November, and no less than 1258 in December. It seems needless here to reiterate the trite popular doctrine which attributes to cold and wet the fatality if not the production of Bronchitis, Pneumonia, Pleurisy, etc. On referring to Table XLII., it will be found that the deaths from respiratory disorders during the cold month of December 1874 far exceeded in number the deaths from the same causes during the *whole quarter* from 1st July to 1st October.

By means of Tables XLIV. and XLV., the attempt is made to show how the influence of season during 1874 affected, 1st, children under the age of five; 2d, adolescents between five and twenty years of age; 3d, adults between twenty and sixty; and 4th, aged persons whose years exceeded sixty.

To children under five, the cold December was the most fatal month. From the first column of Table XLV., in which for convenience of comparison the months are equalized to 31 days, and a correction of the death-numbers introduced, it appears that there died 1481 children in December, 1376 in November, 1185 in October. The influence of hot weather in the production of Diarrhœa is traceable in the 1168 deaths which occurred in July, and in the 1134 which took place in August. The health of chil-

TABLE XLVI.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Ten Years 1856-1865, and the Proportion at each Age in every Hundred Deaths per Month.

MONTHS.	Absolute Number of Deaths—Ten Years, 1856-1865.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5-20.	20-60.	60 and above.	Total Deaths.	Under 5 years.	5-20.	20-60.	60 and above.	Total.
January . .	11066	2305	7003	4387	24711	44.78	9.38	28.34	17.55	100.00
February . .	10190	2145	6235	3802	22372	45.54	9.59	27.87	17.00	100.00
March . .	10359	2271	6809	3865	23304	44.45	9.75	29.22	16.58	100.00
April . .	9609	2131	6095	3625	21460	44.77	9.94	28.40	16.89	100.00
May . .	9058	2214	5899	3180	20351	44.51	10.88	28.98	15.63	100.00
June . .	9395	2086	5559	3111	19151	43.84	10.39	29.03	16.24	100.00
July . .	9052	2121	5287	2886	19346	46.79	10.96	27.33	14.92	100.00
August . .	8889	1929	4988	2698	18504	48.05	10.42	26.95	14.58	100.00
September . .	8370	1870	4572	2454	17266	48.48	10.83	26.48	14.21	100.00
October . .	9078	2120	4936	2679	18813	48.25	11.26	26.24	14.25	100.00
November . .	10121	2148	5690	3549	21508	47.05	9.99	26.45	16.51	100.00
December . .	10590	2258	6344	3893	23085	45.87	9.78	27.49	16.86	100.00
TEN YEARS	114,777	25,598	69,417	40,079	249,871	45.93	10.25	27.78	16.04	100.00

dren seems to have been best preserved during January, when the deaths were 1041, and during May, when they were only 1005.

Adolescents, or those between the ages of five and of twenty years, suffered in largest proportion during November, when the deaths amounted to 424. It is curious to observe that even October, which though a wet month was not ungenial as regards temperature, was to adolescents more fatal than the unprecedentedly severe December. The deaths were, in November, 424; in October, 399; and in December, 397. January was to persons between the fifth and the twentieth year of life decidedly the most healthy month of the year, the deaths numbering only 285. In August, February, and June, the numbers of deaths registered were 300, 302, and 307 respectively.

TABLE XLVII.—Months equalized to 31 Days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age during every Month of the Ten Years 1856–1865.

MONTHS.	Relative Number of Deaths—Ten Years 1856–1865.					Monthly Deaths proportioned to 1000 per Month, or 12,000 per Annum.
	Under 5 years.	5–20.	20–60.	60 and above.	Total.	
January . . .	11066	2305	7033	4337	24711	1164
February . . .	11165	2348	6833	4165	24511	1155
March . . .	10359	2271	6309	3865	23304	1098
April . . .	9929	2202	6298	3746	22175	1045
May . . .	9058	2214	5899	3180	20351	959
June . . .	8675	2155	5744	3215	19789	938
July . . .	9052	2121	5287	2886	19346	912
August . . .	8889	1929	4988	2698	18504	872
September . . .	8649	1932	4724	2536	17841	841
October . . .	9078	2120	4936	2679	18813	886
November . . .	10458	2220	5879	3668	22225	1047
December . . .	10590	2258	6344	3893	23085	1088
TEN YEARS . .	116,968	26,075	70,744	40,868	254,655	12,000

TABLE XLVIII.—Deaths in Scotland compared with the Average Price of Wheat and Potatoes during the Twenty Years 1855–1874.

YEAR.	Average Price of WHEAT per quarter.	DEATHS IN SCOTLAND.	Average Price of POTATOES per ton.
	<i>s. d.</i>		<i>s. d.</i>
1855	74 8	62,004	100 6
1856	69 2	52,529	85 6
1857	56 5	61,906	120 8
1858	44 8	63,539	120 0
1859	43 10	61,714	94 0
1860	53 3	68,170	132 6
1861	55 4	62,341	124 0
1862	55 5	67,195	137 0
1863	44 8	71,481	100 0
1864	40 2	74,416	75 0
1865	41 9	70,891	85 5
1866	49 11	71,348	89 6
1867	64 5	69,068	138 0
1868	63 9	69,416	137 6
1869	48 2	75,875	99 6
1870	46 10	74,165	104 6
1871	56 10	74,712	77 3
1872	57 0	75,794	132 0
1873	58 8	76,946	158 6
1874	55 9	80,720	111 0

Adults, between the ages of twenty and sixty years, died in largest numbers in December, when the deaths were 1198. March, January, April, and February were next in order of fatality, causing from 882 to 830 deaths. The cold easterly winds of May, too, appear to have made their lethal influence felt upon adults, for during this month there were registered 791 deaths among such adults. Next in order of fatality to such persons was November with 741 deaths, and June with 740. September furnished only 607 deaths, and was, as regards adults, the healthiest month of 1874.

Aged persons—that is to say, persons whose age exceed sixty years—seem to have been severely tried by the cold weather in December. During that month the frequency of deaths among aged persons was, indeed, matter of popular remark, and a very cursory glance at the figures in the fourth column of Table XLV. will show that the remark was well founded. The deaths of aged persons in December amounted to 830, while in February, the second month in point of fatality, the deaths were only 512. In January, they numbered 477, and in October, which was for old people the most salubrious month, only 316 deaths were recorded.

In short, the mortality at the four periods of life contrasted in Table XLV., was during 1874 influenced by season in very different ways; and in connection with this subject, no circumstance is more remarkable than the extraordinary havoc which the cold of December seems to have committed, firstly, among those who, from age and consequent exhaustion of vitality, were liable to suffer from extreme diminution of atmospheric temperature; secondly, among the very young, whose delicate frames were not yet inured to the unfavourable influence of hard winter weather; and, thirdly, among the adult members of the population aged from 20 to 60, including, of course, the bulk of the labouring classes and of those whose daily duties and occupations caused them to be much exposed to the cold and wet.

In order to furnish a standard of comparison with which it may be interesting to contrast the observations of 1874, Tables XLVI. and XLVII. are here inserted. It will be seen that they present, in a collected form, the results of observations made during the ten years 1856–65.

In Table XLVIII. the mortality of each of the last twenty years is given, together with the average prices of wheat and of potatoes. This Table seems to lead to no practical conclusion, and is inserted merely in compliance with old custom. In future Reports it will probably be omitted.

I have the honour to be,

SIR,

Your most obedient Servant,

WILLIAM ROBERTSON.

GENERAL REGISTRY OFFICE OF BIRTHS,
EDINBURGH, 1st July 1878.

VACCINATIONS IN SCOTLAND—1874.

		Successful Vaccinated.	Vaccination Postponed.	In susceptible of Vaccine Disease.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1874.
				On the ground of Constitutional Insuscep- tibility.	In respect of the Children having already had Smallpox.	On the ground of previous Successful Vaccina- tion.			
SCOTLAND, - -		108022	1229	206	33	205	11288	2878	123861
GROUPS OF DISTRICTS.									
1	PRINCIPAL TOWNS, - - -	36570	199	57	16	136	4471	1208	42647
2	LARGE TOWNS, - - -	13255	106	21	8	26	1464	322	15202
3	SMALL TOWNS, - - -	25799	366	37	7	28	2652	497	29386
4	MAINLAND-RURAL, - - -	29832	880	82	2	21	2420	440	33177
5	INSULAR-RURAL, - - -	2566	178	9	0	4	281	411	3449
DIVISIONS.									
1	NORTHERN, - - -	2591	226	7	0	4	207	132	3167
2	NORTH-WESTERN, - - -	3232	280	18	0	2	410	386	4328
3	NORTH-EASTERN, - - -	11611	101	27	2	4	1053	79	12877
4	EAST-MIDLAND, - - -	16844	122	33	0	68	1796	162	19023
5	WEST-MIDLAND, - - -	7591	94	8	2	6	761	199	8661
6	SOUTH-WESTERN, - - -	45927	197	70	27	101	5025	1484	52831
7	SOUTH-EASTERN, - - -	14727	141	23	1	4	1517	363	16776
8	SOUTHERN, - - -	5499	68	20	1	18	519	73	6198
COUNTIES.									
I. NORTHERN.									
1	Shetland, - - - - -	554	94	1	0	4	45	93	721
2	Orkney, - - - - -	755	48	2	0	0	35	4	844
3	Caithness, - - - - -	843	141	3	0	0	104	21	1112
4	Sutherland, - - - - -	439	13	1	0	0	23	14	490
II. NORTH-WESTERN.									
5	Ross and Cromarty, - - -	1574	202	9	0	0	207	76	2068
6	Inverness, - - - - -	1658	78	9	0	2	203	210	2260
III. NORTH-EASTERN.									
7	Nairn, - - - - -	196	2	0	0	0	22	1	224
8	Elgin (or Moray), - - -	1167	16	2	0	0	96	7	1268
9	Banff, - - - - -	1711	21	6	0	0	127	11	1876
10	Aberdeen, - - - - -	7587	64	9	2	4	718	53	8427
11	Kincairdine, - - - - -	948	7	10	0	0	90	7	1062
IV. EAST-MIDLAND.									
12	Forfar, - - - - -	7704	42	22	0	57	998	69	8892
13	Perth, - - - - -	3125	29	4	0	1	248	48	3455
14	Fife, - - - - -	5069	36	7	0	8	456	34	5610
15	Kinross, - - - - -	198	2	0	0	0	12	1	213
16	Clackmannan, - - - - -	748	13	0	0	0	82	10	863
V. WEST-MIDLAND.									
17	Stirling, - - - - -	3406	11	0	0	5	359	51	3832
18	Dumbarton, - - - - -	2081	18	4	2	1	219	71	2396
19	Argyll, - - - - -	1764	61	3	0	0	163	50	2081
20	Bute, - - - - -	340	4	1	0	0	30	27	409
VI. SOUTH-WESTERN									
21	Renfrew, - - - - -	6968	39	22	9	34	771	174	8017
22	Ayr, - - - - -	7432	41	15	3	0	707	103	8301
23	Leamark, - - - - -	31527	117	33	15	67	3647	1207	36513
VII. SOUTH-EASTERN.									
24	Lithgow, - - - - -	1506	9	0	0	0	162	35	1712
25	Edinburgh, - - - - -	10185	105	12	0	1	1074	290	11667
26	Haddington, - - - - -	1008	10	2	1	2	106	20	1148
27	Berwick, - - - - -	965	9	5	0	1	73	6	1059
28	Peebles, - - - - -	353	1	1	0	0	33	5	393
29	Selkirk, - - - - -	710	7	3	0	0	70	7	797
VIII. SOUTHERN.									
30	Roxburgh, - - - - -	1401	9	3	0	0	122	7	1542
31	Dumfries, - - - - -	1895	39	8	0	10	208	40	2200
32	Kirkcudbright, - - - - -	1154	13	5	1	0	95	15	1268
33	Wigtown, - - - - -	1049	7	4	0	8	94	11	1173

BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1874.

1874.

	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Area in Square Miles.*
	1861.	1871.	Male.	Fem.	Total.	Mal.	Fem.	Total.	Male.	Fem.	Total.			
SCOTLAND.	3,062,294	3,380,018	63602	60109	123711	5642	5349	10991	40678	40042	80720	26390	42991	30532.0
GROUPS OF DISTRICTS.														
1 PRINCIPAL TOWNS	884,955	1,068,556	21859	20772	42631	1964	1856	3820	16945	15879	32124	10574	10507	
2 LARGE TOWNS†	272,540	332,180	7766	7423	15189	518	468	984	5079	4947	10026	3051	5163	
3 SMALL TOWNS	700,474	772,229	16966	14291	29557	1278	1173	2451	8862	8708	17660	5695	11997	
4 MAINLAND-RURAL	1,067,580	1,055,048	16896	15979	32877	1771	1747	3518	9419	9397	18816	6443	14061	
5 INSULAR-RURAL	136,765	132,004	1813	1644	3457	113	105	218	1063	1111	2194	627	1263	
DIVISIONS.														
1 NORTHERN	130,422	137,191	1667	1503	3170	140	116	256	847	985	1942	621	1828	3730.1
2 NORTH-WESTERN	167,942	166,351	2257	2060	4317	158	136	294	1419	1518	2937	793	1380	7406.1
3 NORTH-EASTERN	366,870	393,199	6563	6273	12835	975	975	1950	3516	3660	7176	2531	5679	3694.3
4 EAST-MIDLAND	523,822	559,676	9777	9238	19015	897	876	1773	6451	6552	13003	4258	6012	4101.0
5 WEST-MIDLAND	242,487	261,088	4410	4240	8650	314	323	637	2955	2824	5779	1607	2871	4216.2
6 SOUTH-WESTERN	1,008,373	1,183,218	27312	25569	52881	2026	1819	3845	18221	17263	35489	11473	17293	2291.5
7 SOUTH-EASTERN	413,116	475,273	8503	8238	16741	689	675	1364	5301	5277	10578	3870	6163	1854.2
8 SOUTHERN	210,062	208,772	3193	2988	6181	443	429	872	1968	1948	3916	1237	2265	3238.6
COUNTIES.														
I. NORTHERN.														
1 Shetland	31,670	31,608	383	350	733	20	15	35	222	300	522	153	211	985.5
2 Orkney	32,395	31,274	439	408	847	25	19	44	189	217	406	180	435	
3 Caithness	42,200	41,011	561	528	1089	75	63	138	265	301	566	198	543	701.4
4 Sutherland	24,157	23,296	265	222	487	20	19	39	171	177	348	90	139	2093.2
II. NORTH-WESTERN.														
5 Ross and Cromarty	82,427	82,093	1033	977	2060	51	45	96	698	782	1480	359	580	3150.6
6 Inverness	84,816	84,258	1174	1063	2237	107	91	198	721	736	1457	434	800	4255.5
III. NORTH-EASTERN.														
7 Nairn	8,247	8,372	110	114	224	10	11	21	79	73	152	38	72	199.9
8 Elgin (or Moray)	44,305	44,549	653	654	1287	104	116	220	367	435	802	244	485	488.0
9 Banff	56,020	56,853	949	925	1874	151	159	310	485	471	956	361	938	646.5
10 Aberdeen	223,417	286,296	4322	4091	8414	623	616	1239	2312	2386	4698	1633	3716	1972.0
11 Kincardine	34,781	35,097	567	469	1066	87	68	150	293	295	588	255	468	387.9
IV. EAST-MIDLAND.														
12 Forfar	203,750	240,049	4586	4303	8889	464	479	936	3167	3322	6489	2095	2400	890.4
13 Perth	133,198	128,550	1766	1687	3453	173	181	354	1288	1320	2608	773	845	2569.8
14 Fife	155,021	160,274	2979	2729	5708	304	175	379	1690	1619	3309	1203	2399	512.2
15 Kinross	8,731	7,918	116	96	213	9	11	20	81	56	137	47	76	77.8
16 Clackmannan	20,122	22,235	431	421	852	47	37	84	225	235	460	140	392	49.8
V. WEST-MIDLAND.														
17 Stirling	88,138	93,345	1966	1890	3856	147	137	284	1168	1067	2255	742	1571	466.5
18 Dumbarton	54,179	61,116	1191	1206	2396	65	85	150	845	819	1664	458	732	269.8
19 Argyll	83,559	79,661	1033	993	2026	85	83	168	742	705	1447	309	579	3254.9
20 Bute	16,311	16,966	220	182	402	17	18	35	200	213	413	98	11	225.0
VI. SOUTH-WESTERN.														
21 Renfrew	168,746	185,305	4155	3842	8007	265	214	479	2579	2518	5097	1724	2910	253.8
22 Ayr	199,089	206,908	4318	3968	8286	387	315	652	2524	2474	4998	1829	3264	1148.8
23 Lanark	640,444	787,005	18736	17758	36493	1424	1290	2714	13118	12376	25494	7920	11099	888.9
VII. SOUTH-EASTERN.														
24 Liffhgow	39,045	41,379	879	831	1710	72	71	143	390	356	746	300	964	126.7
25 Edinburgh	273,792	328,138	6659	6773	13432	466	461	927	3959	3992	7951	2949	3691	367.1
26 Haddington	37,626	37,755	518	531	1144	59	43	96	377	372	749	224	395	279.9
27 Berwick	36,488	36,392	547	510	1057	55	49	104	287	279	566	182	491	464.3
28 Peebles	11,264	12,218	190	202	392	13	15	28	86	96	182	71	210	356.0
29 Selkirk	14,901	19,651	405	391	796	30	36	66	202	182	384	144	412	260.2
VIII. SOUTHERN.														
30 Roxburgh	49,568	48,241	791	743	1534	86	84	170	390	370	760	300	774	669.5
31 Dumfries	75,904	74,842	1165	1041	2196	164	165	329	812	774	1586	461	610	1103.0
32 Kirkcudbright	42,580	42,067	646	635	1281	96	98	193	390	406	796	243	483	953.7
33 Wigtown	41,910	38,602	601	569	1170	97	87	184	276	296	772	233	398	512.4

* The acreage of all Scotland, so far as can be ascertained from the present state of the Ordnance Survey, is 19,540,416 acres.

† The Distribution of the Population in the Five Groups of Districts does not tally with that given in Table II., but is unavoidably affected here by changes in the Districts, made by authority, since the publication of Census 1871.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
	I. NORTHERN.												
	1. SHETLAND.												
1	Bressay, etc.—(1) Bressay,	915	902	11	10	21	—	1	1	4	15	19	2
	(2) Burra and Quarff	890	952	9	13	22	—	—	—	4	2	6	5
2	Delting, ...	1975	1862	30	16	46	3	—	3	11	15	26	5
3	Dunrosness, etc.—												
	(1) Dunrosness, ...	2118	1970	20	24	44	—	—	—	12	16	28	6
	(2) Sandwick and Cun-	2387	2826	34	26	60	—	—	—	24	23	47	10
	ningburgh, ...	880	226	2	8	10	—	2	2	8	8	6	3
4	(8) Fair Isle, ...												
	Fetlar, etc.—												
	(1) Fetlar, ...	548	517	7	4	11	—	1	1	7	7	14	2
	(2) North Yell, ...	932	893	11	9	20	1	1	2	2	9	11	3
5	LERWICK, ...	3631	4180	42	45	87	5	—	5	48	50	93	48
6	Mid and South Yell, ...	1784	1843	23	21	44	2	1	3	17	16	33	4
7	Nestling, etc.—												
	(1) Nestling, ...	855	868	7	9	16	—	—	—	6	6	12	5
	(2) Lunnasting, ...	880	822	17	12	29	—	2	2	6	7	13	1
	(3) Whalsay & Skerries, ...	848	989	17	10	27	—	—	—	4	6	10	5
8	Northmavine, ...	2585	2602	24	29	53	8	2	5	22	27	49	16
9	Sandsting and Aithsting, ...	2670	2806	42	35	77	—	2	2	12	17	29	14
10	Tingwall, etc.—												
	(1) Tingwall, ...	1554	1442	17	11	28	1	1	2	11	16	27	5
	(2) Whiteness & Weisdale	1143	1049	13	10	23	2	—	2	4	8	12	6
11	Unst, ...	3060	2780	27	34	61	3	1	4	17	33	50	16
12	Walls, etc.—(1) Walls, ...	1365	1325	13	5	18	—	—	—	5	9	14	7
	(2) Sandness, ...	606	646	7	11	18	—	1	1	6	9	15	5
	(3) Papa-Strour, ...	366	351	6	5	11	—	—	—	2	4	6	2
	(4) Foula, ...	233	257	4	3	7	—	—	—	—	2	2	2
	Total,	31670	31608	383	350	733	20	15	35	222	300	522	156
	2. ORKNEY.												
+18	Birsay (part of Harry & Birsay)	1774	1597	22	13	35	1	—	1	12	16	28	7
*14	Deerness, ...	813	863	14	14	28	1	1	2	4	8	7	2
*15	Eday and Pharay, ...	979	905	14	9	23	—	2	2	4	4	8	2
16	Evie and Rendall, ...	1408	1340	14	14	28	2	1	3	6	12	18	5
17	Firth and Stennes, ...	1493	1434	21	19	40	2	—	2	9	14	23	8
18	Harray (part of Harry & Birsay)	819	727	4	12	16	—	1	1	4	2	6	2
+19	Holm and Paplay, ...	384	935	14	14	28	1	—	1	6	6	12	3
20	Hoy and Gramsay, ...	556	581	6	10	16	—	—	—	2	1	3	1
21	KIRKWALL and St Ola, ...	4422	4261	69	67	126	3	2	5	31	46	77	24
*22	North Ronaldshay, ...	532	539	7	5	12	—	—	—	5	2	7	2
23	Orphir, ...	1133	1040	13	9	22	—	—	—	6	4	10	3
24	Rousay and Egilshay, ...	1152	1101	15	10	25	—	—	—	3	6	9	2
+25	St Andrews, ...	868	870	5	15	20	—	—	—	3	4	7	2
*26	Sanday, ...	2145	2053	27	26	53	3	—	3	11	8	19	7
27	Sandwick, ...	1225	1153	18	19	37	1	1	2	8	5	13	4
28	Shapinshay, ...	973	949	15	9	24	1	2	3	5	2	7	2
29	South Ronaldshay and												
	Burray, ...	3282	3228	48	60	108	5	6	11	15	21	36	12
30	Stromness, ...	2540	2403	30	25	55	2	1	3	23	33	56	18
+31	Stronsay, ...	1223	1305	18	16	34	1	2	3	7	6	13	4
32	Walls, etc.—(1) Walls, ...	1254	1107	19	13	32	—	—	—	2	7	9	3
	(2) Flotta, ...	420	423	9	5	14	—	—	—	1	2	3	1
33	Westray, etc.—(1) Westray	2153	2090	26	23	49	1	—	1	21	10	31	10
	(2) Papa-Westray, ...	892	870	5	6	11	1	—	1	1	3	4	2
	Total,	32395	31274	438	408	841	25	19	44	189	217	406	124

Districts containing Parliamentary and Royal Burghs are printed in capitals, thus:—EDINBURGH.* Districts containing Towns of 1000 Inhabitants and upwards are printed in small capitals, thus:—CARLUKE.

A—An asterisk “*” is prefixed to those Districts which comprise one or more Parishes or parts of Parishes, and the complete parts of these Districts will be found at page 247.

Upper “+” is prefixed to those Districts which consist of only a part of the Parish of the same name.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
3. CAITHNESS.													
34	Bower, ...	1746	1700	22	16	38	5	5	10	7	14	21	9
35	Canisbay, ...	2780	2729	40	41	81	8	6	14	16	11	27	13
36	Dunnet, ...	1861	1661	28	18	46	3	1	4	14	13	27	8
37	Halkirk, ...	2864	2664	41	38	79	5	4	9	18	16	29	21
38	Latheron, ...	8571	7400	97	96	195	18	9	22	41	51	92	30
39	Olrig, ...	2059	2028	28	29	57	3	3	6	12	19	31	14
40	Reay, ...	2476	2331	22	19	41	—	2	2	14	10	24	11
41	Thurso, ...	5561	5754	104	77	181	8	8	16	44	46	90	28
42	Watten, ...	1491	1453	20	15	35	7	3	10	10	6	16	8
43	WICK, ...	12841	13291	179	177	356	23	22	45	94	116	209	61
Total,		42200	41011	581	528	1109	75	63	138	265	301	566	198
4. SUTHERLAND.													
44	Amoynt—(1) Kirkton, ...	553	487	6	7	13	—	1	1	3	4	7	1
	(2) Stoer, ...	2625	2519	19	20	39	2	1	3	22	19	41	6
45	Clyne, ...	1886	1738	21	12	33	2	3	5	17	24	41	12
46	Creich—(1) Bonar, ...	1982	1854	24	22	46	5	2	7	10	14	24	5
	(2) Rosehall, ...	539	670	7	9	16	—	3	3	4	8	12	2
47	DORNOCH, ...	2885	2764	28	23	51	5	1	6	16	20	36	13
48	Durness, ...	1109	1049	10	9	19	1	—	1	4	6	10	2
49	Eddrachillis—(1) Scourie, ...	727	648	4	4	8	1	—	1	3	3	6	2
	(2) Kinlochbervie, ...	914	882	10	12	22	1	1	2	5	6	11	7
50	Farr—(1) Kirkton, ...	1251	1190	18	6	24	—	1	1	6	6	12	3
	(2) Strathay, ...	852	829	7	4	11	—	—	—	1	4	5	4
51	Golspie, ...	1615	1804	27	14	41	—	—	—	12	10	22	6
52	Kildonan, ...	2182	1916	29	21	50	1	1	2	17	13	30	11
53	Lairg, ...	961	978	19	11	30	1	3	4	9	10	19	3
54	Loth, ...	610	583	10	10	20	1	—	1	7	1	8	1
55	Rogart, ...	1439	1341	11	18	29	—	2	2	14	8	22	4
56	Tongue, ...	2077	2051	15	15	30	—	—	—	21	16	37	3
Total,		24157	23298	265	222	487	20	19	39	171	177	348	90
II. NORTH-WESTERN.													
5. ROSS AND CROMARTY.													
Mainland.													
57	Alness, ...	1178	1053	16	11	27	1	3	4	6	13	19	7
58	Applecross—												
	(1) Applecross, ...	1064	1129	10	11	21	1	—	1	9	9	18	2
	(2) Shieldaig, ...	1480	1341	15	11	26	3	2	5	11	17	28	5
59	Avoch, ...	1788	1823	32	19	51	1	1	2	12	18	30	13
60	Carnoch, ...	3325	325	3	1	4	—	1	1	3	3	6	—
61	Contin, ...	2697	729	6	6	12	—	—	—	3	4	7	2
62	CROMARTY, ...	2300	2180	29	22	51	2	2	4	23	24	47	7
63	DINGWALL, ...	2412	2443	23	17	40	4	1	5	20	22	42	13
64	Edderton, ...	886	860	11	4	15	1	—	1	4	5	9	4
65	Fearn, ...	2083	2135	29	21	50	1	—	1	9	15	24	5
66	Fodderty, ...	2060	1943	17	23	40	1	1	2	13	21	34	6
67	Gairloch—(1) Northern, ...	1927	1669	27	18	45	—	—	—	12	4	16	10
	(2) Southern, ...	3522	3379	37	26	63	2	3	5	19	26	45	11
68	Glenahiel, ...	485	463	5	2	7	—	—	—	4	2	6	1
69	Killcaran, ...	1494	1272	9	15	24	—	1	1	4	5	9	7
70	Kilmuir-Easter, ...	1295	1281	16	13	29	1	—	1	7	10	17	5
71	Kiltearn, ...	1634	1496	13	26	39	2	2	4	9	8	17	4
72	Kincairdine—												
	(1) Kincairdine, ...	1746	1273	6	10	16	—	—	—	9	8	17	1
	(2) Strathoykel, ...	412	412	6	4	10	1	—	1	1	7	8	—
73	Kinlochluichart, ...	704	704	7	8	15	—	—	—	4	4	8	1

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
72	Kintail, ...	890	758	9	5	14	1	-	1	9	8	17	3
78	Knockbain, ...	2485	2155	19	20	39	1	8	4	18	18	31	12
74	Lochalsh, ...	2418	2819	20	25	45	-	-	-	26	26	52	9
75	Lochbroom—												
	(1) Lochbroom, ...	8577	8167	40	81	71	8	-	8	28	26	54	12
	(2) Coigach, ...	1285	1289	22	18	85	2	-	2	12	12	24	2
76	Lochcarron, ...	1592	1629	14	12	26	-	-	-	9	22	81	8
77	Logie-Easter, ...	982	912	11	12	23	-	1	1	4	8	12	4
78	Nigg, ...	1258	1201	14	13	27	1	2	8	15	9	24	8
79	Resolis, ...	1568	1527	18	19	87	2	-	2	14	17	81	7
80	ROSEMARKIE, ...	1545	1441	21	17	88	2	8	5	16	18	34	8
81	Roskeen, ...	8766	8808	46	86	82	1	8	4	27	81	58	18
82	TAIN, ...	8294	8221	38	84	67	2	8	5	45	41	86	18
83	Tarbat, ...	2269	2182	28	26	54	1	-	1	33	21	54	7
84	Urquhart & Logie-Wester	8147	2863	26	30	56	1	2	8	14	81	45	8
+85	Urray, ...	c. 2825	2278	38	29	62	8	8	6	10	22	82	14
	<i>Insular.</i>												
86a	Barvas, ...	4609	4950	90	78	168	1	1	2	55	87	92	30
*86b	Carloway, ...	2204	2702	61	42	108	-	2	2	30	29	59	-
*87	Locha, ...	3668	4162	81	71	152	8	1	4	38	44	77	30
88	STORNOWAY, ...	8668	9510	148	160	308	6	2	8	109	125	284	48
+89.	Uig, ...	2007	2159	82	81	68	-	2	2	14	12	26	16
	Total,	82427	82093	1088	977	2060	51	45	96	698	782	1480	350
	6. INVERNESS.												
	<i>Mainland.</i>												
90a	Abernethy & Kincardine, ...	1928	1752	14	22	36	2	10	12	18	8	21	5
90b	Alvie, ...	888	882	10	9	19	1	2	8	5	5	10	7
91	Ardersier, ...	1239	1284	41	84	75	-	1	1	24	16	40	15
92	Boleskine, etc.—												
	(1) Boleskine, ...	818	681	8	7	15	-	1	1	5	6	11	1
	(2) Fort-Augustus or Abertarff, ...	980	897	6	7	18	1	1	2	7	7	14	4
98	Cromdale and Inverallan. (Now 128b <i>infra</i> .)												
94	Croy and Dalcross, ...	1878	1841	21	19	40	6	1	7	10	12	22	11
95	Daviot and Dunlichity, ...	1741	1598	18	18	81	2	-	2	12	16	28	6
96a	Dores, ...	1506	1401	11	16	27	-	-	-	9	5	14	2
96b	Duthil, etc.—(1) Duthil, ...	1609	1580	18	16	84	2	2	4	9	7	16	11
	(2) Rothiemurchus, ...	819	842	8	-	8	-	-	-	5	1	6	1
97	Glenelg—(1) Glenelg, ...	800	714	7	4	11	1	1	2	4	5	9	1
	(2) Knoydart, ...	574	499	8	2	5	-	-	-	4	5	9	1
	(3) North Morar, ...	469	440	6	18	19	-	1	1	2	2	4	1
98	INVERNESS, ...	16162	18552	804	254	558	36	17	53	170	195	365	12
99	Kilmonivaig—												
	(1) Glengarry, ...	625	550	5	14	19	-	-	-	4	4	8	4
	(2) Lochaber, ...	1651	1417	15	17	32	-	-	-	9	8	17	1
100	Kilmorack, ...	2852	2728	40	28	68	8	8	6	22	39	61	11
101	Kiltarlity, ...	2889	2587	81	80	61	4	5	9	12	15	27	11
102	Kingussie and Insh, ...	2088	2101	22	30	52	2	6	8	12	18	25	11
108	Kirkhill, ...	1757	1582	14	22	36	1	2	8	8	14	22	11
104	Laggan, ...	986	950	8	11	19	1	8	4	5	6	11	11
105	Moy and Dalarossie, ...	1026	1005	8	10	18	-	1	1	6	7	13	11
106	Petty, ...	1671	1549	10	25	35	1	8	4	6	18	19	11
107	Urquhart, etc.—												
	(1) Urquhart, ...	2294	2215	27	15	42	4	1	5	27	21	48	11
	(2) Glenmoriston, ...	617	565	8	8	11	8	-	8	4	6	10	11
	<i>Insular.</i>												
108	Barra, ...	1858	1997	82	27	59	-	-	-	29	20	49	11
109	Bracadale, ...	1885	1118	8	7	15	1	-	1	8	10	18	11

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	F.	Total.	
110	Duirinish, ...	4775	4422	61	52	113	4	2	6	42	43	85	23
111	Harris—(1) Harris, ...	8769	8668	73	54	127	3	10	13	84	22	56	20
	(2) Bernera, ...	336	381	12	8	15	2	—	2	8	4	7	1
	(3) St Kilda, ...	78	71	8	—	8	—	—	—	8	1	4	1
112	Kilmuir—(1) Kilmuir, ...	1561	1362	18	18	36	3	—	3	18	23	41	5
	(2) Stenschohl, ...	1811	1223	20	28	48	—	—	—	9	6	15	7
113	North Uist, ...	8959	4107	67	64	131	4	6	10	36	27	63	20
114	Portree—(1) Portree, ...	2579	2328	26	34	60	5	2	7	17	30	47	13
	(2) Raasay, ...	530	600	17	2	19	—	—	—	6	1	7	4
115	Sleat, ...	2330	2233	29	28	57	2	3	5	16	9	25	11
116	Small Isles, ...	567	522	7	6	13	—	—	—	3	8	6	8
117	Snizort—(1) North, ...	961	803	12	8	20	2	1	3	11	9	20	—
	(2) South, ...	1652	1500	14	24	38	2	1	3	21	21	42	16
118	South Uist—												
	(1) Benbecula, ...	1544	1651	26	19	45	2	—	2	18	14	27	8
	(2) Howmore, ...	1768	1818	26	29	55	2	2	4	22	19	41	18
	(3) Boisdale, ...	2051	2230	29	30	59	1	2	3	15	19	34	6
119	Strath, ...	2664	2562	41	29	70	4	1	5	21	19	40	17
	— Total, ...	84815	84258	1174	1083	2257	107	91	198	721	736	1457	434
III. NORTH-EASTERN.													
7. NAIRN.													
120	Ardclach, ...	1330	1197	14	13	27	1	1	2	9	5	14	5
121	Auldearn, ...	1328	1279	14	9	23	—	—	—	11	8	19	4
122	Cawdor, ...	1203	1027	11	21	32	—	2	2	6	8	14	8
123	NAIRN, ...	4436	4369	71	71	142	9	8	17	53	52	105	26
	Total, ...	3347	3372	110	114	224	10	11	21	79	73	152	38
8. ELGIN (OR MORAY).													
124	Abernethy and Kincardine. (Now 90a <i>supra</i>).												
125	Alves, ...	1010	1018	19	25	44	—	3	3	4	5	9	4
126	Bellie, ...	1967	2018	22	27	49	5	4	9	11	23	34	8
127	Birnie, ...	411	375	7	7	14	—	1	1	8	2	5	—
128	Boharra, ...	1412	1337	14	16	30	2	4	6	5	8	13	7
129	Cromdale, etc.—												
	(1) Cromdale & Advie, ...	1308	1295	14	14	28	—	5	5	7	12	19	4
	(2) Inverallan, ...	2635	2522	35	49	84	9	10	19	17	25	42	12
130	Dallas, ...	1102	1060	18	13	31	5	7	12	12	8	20	5
131	Duffus, ...	3023	3293	59	60	119	5	7	12	26	21	47	29
132	Duthill, etc.—(Now 96b <i>supra</i>).	3308	3716	53	46	99	5	6	11	51	43	94	14
133	Dyke, ...	1247	1233	18	16	34	2	4	6	8	10	18	7
134	Edinkillie, ...	1303	1236	12	24	36	2	3	5	7	9	16	10
135	ELGIN, ...	9866	9703	127	143	270	32	25	57	82	114	196	54
136	New Spynie, ...	518	573	6	7	13	2	4	6	10	10	20	3
137	FORRES, ...	4112	4562	55	65	120	8	12	20	43	59	102	21
138	Kinloss, ...	1315	1112	17	17	34	4	1	5	11	12	23	12
139	Knockando, ...	1736	1909	27	30	57	4	3	7	14	15	29	8
140	Rafford, ...	1055	1101	20	13	33	3	1	4	4	8	12	3
141	Rothas, ...	2407	2148	36	31	67	8	6	14	10	19	29	14
142	St Andrews-Lhanbryde, ...	1344	1236	25	15	40	—	3	3	10	17	27	6
143	Speymouth, ...	639	634	7	10	17	1	1	2	7	3	10	7
144	Urquhart, ...	2532	2368	42	21	63	7	6	13	25	12	37	16
	Total, ...	44305	44549	633	654	1287	104	116	220	367	435	802	244
9. BANFF.													
145	Aberlour, ...	1520	1632	23	25	48	4	3	7	16	15	31	6
146	Alvah, ...	1467	1436	23	30	53	4	6	10	8	6	14	5

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
*147	BANFF, ...	7740	8425	148	126	274	20	16	36	94	86	180	57
148	Botriphnie, ...	867	785	8	8	16	2	1	3	7	3	10	8
149	Boyndie, ...	1711	1854	87	29	66	5	7	12	17	14	31	12
+150	OULLEN, ...	1821	2056	87	85	72	2	4	6	11	18	24	6
151	Deskford, ...	1081	972	18	15	28	4	3	7	8	8	11	15
*152	Enzie, ...	2072	2251	28	45	78	8	5	8	10	21	31	19
153	FORDYCE—												
	(1) FORDYCE, ...	4145	c.2050	80	80	60	4	4	8	10	10	20	13
	(2) Portsoy, ...	40	c.2100	40	44	84	6	7	18	15	19	34	14
154	Forglen, ...	783	845	10	13	23	1	2	3	4	3	7	1
+155a	Gamrie, ...	8019	8151	58	58	116	7	10	17	21	21	42	19
*155b	Glenrines, ...	489	466	7	4	11	1	—	1	2	7	9	3
156	Grange, ...	1909	1876	33	22	55	7	7	14	8	7	15	14
157	Inveravon—(1) Inveravon, ...	868	890	18	10	28	1	1	2	16	4	20	2
	(2) Glenlivet, ...	1771	1718	20	24	44	5	4	9	11	20	31	8
158	Inverkeithny, ...	880	1000	11	15	26	—	3	3	5	6	11	4
159	KEITH, ...	5948	5891	100	91	191	23	26	49	43	38	81	27
160	Kirkmichael, etc.—												
	(1) Kirkmichael, ...	551	477	6	3	9	4	1	5	2	4	6	1
	(2) Tomintoul, ...	960	799	11	8	19	4	5	9	8	5	18	2
161	Marnoch, ...	8289	8204	40	55	95	7	19	26	23	26	49	14
+162	Mortlach, ...	2801	2787	46	39	85	13	10	23	31	17	48	25
163	Ordiquhill, ...	764	761	10	10	20	—	2	2	3	2	5	5
164	RATHVEN, ...	4922	6659	124	118	242	12	18	25	61	81	142	87
165	Rothiemay, ...	1414	1370	18	23	41	3	7	10	12	12	24	11
166	St Fergus, ...	1608	1633	26	21	47	7	3	10	18	7	20	8
*167	SEAFIELD, ...	1725	1755	29	24	53	2	—	2	11	16	27	11
	Total, ...	56020	58883	949	925	1874	151	169	320	465	471	936	361
	10. ABERDEEN, ...												
168	ABERDEEN—												
	(1) St Nicholas, ...	41962	47077	901	903	1804	126	136	262	578	608	1181	288
	(2) Old Machar, ...	31988	41104	781	687	1418	51	69	180	410	475	886	222
	(3) Do. (Landward), ...	1298	1878	16	19	35	—	1	1	12	10	22	22
+169	Aberdeur, ...	1837	1945	31	26	57	4	3	7	15	20	35	22
170	Aboyns, ...	1160	1351	30	17	47	5	3	8	10	12	22	22
171	Alford, ...	1264	1396	27	21	48	5	3	8	9	9	18	18
172	Auchindoir, ...	1593	1545	20	21	41	6	3	9	11	17	28	28
+173	Auchterless, ...	1782	1971	42	36	78	11	4	16	18	18	31	17
174	Belhelvie, ...	1807	1833	28	24	52	—	2	2	15	8	23	17
175	Birse, ...	1284	1198	20	24	44	4	6	10	10	8	18	18
176	Bourtie, ...	547	499	8	6	14	4	—	4	2	4	6	6
177	Calbrach, ...	794	775	5	10	15	1	1	2	7	6	13	13
178	Cairney, ...	1490	1525	35	14	49	11	3	14	7	8	15	15
179	Chapel of Geriogh, ...	2023	1928	29	21	50	4	3	7	7	18	25	25
180	Clatt, ...	511	483	5	5	10	—	1	1	2	2	4	4
181	Cluny, ...	1254	1366	23	19	42	4	4	8	18	10	28	28
182	Coull, ...	792	824	12	10	22	3	4	7	10	7	17	17
183	Crathie and Braemar, ...	1574	1566	18	14	32	3	1	4	8	9	17	17
184	Crimond, ...	892	867	22	16	38	2	1	3	6	6	12	12
185	Cruden, ...	2743	3124	46	48	94	10	7	17	20	24	44	44
186	Culsamond, ...	1166	896	9	16	25	2	3	6	10	6	16	16
187	Daviot, ...	614	597	8	7	15	—	2	2	2	2	4	4
188	Drumblade, ...	926	931	7	6	13	1	—	1	10	8	18	18
189	Drumcalk, ...	996	1032	14	10	24	2	1	3	10	3	13	13
190	Dyce, ...	585	945	24	16	40	4	2	6	7	8	15	15
191	Echt, ...	1287	1259	26	25	51	7	6	13	16	7	23	23
+192	Ellon, ...	3239	3036	50	49	99	9	7	16	34	22	56	56

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
198	Fintray, ...	1008	1108	16	20	36	8	8	6	8	5	8	2
194	Forgue, ...	1897	1832	81	21	52	7	2	9	8	4	12	4
195	Foveran, ...	1891	1869	84	26	60	8	5	8	11	21	32	16
196	FRASERBURGH, ...	4511	5301	128	123	251	14	15	29	62	52	114	26
197	Fyvie, ...	8264	8806	40	48	88	4	9	18	21	20	41	17
198	Gardly, ...	1029	972	12	12	24	8	4	7	10	5	15	5
199	Glass, ...	1049	1061	12	16	28	1	6	7	6	5	11	1
200	Glenbucket, ...	552	570	9	8	17	—	—	—	4	8	7	3
201	Glenmuick, Tullich, and Glengairn, ...	1668	2160	30	31	61	4	6	10	21	19	40	10
202	HUNTLY, ...	4829	4874	75	70	145	18	14	32	58	46	99	21
203	Insch, ...	1565	1596	21	26	47	6	7	18	18	18	36	4
204	INVERURIE, ...	2668	2970	64	51	115	16	6	22	81	32	63	21
205	Keig, ...	811	886	9	16	25	1	—	1	10	7	17	8
206	Keithhall, ...	983	874	7	9	16	—	1	1	6	8	9	5
207	Kemnay, ...	832	1300	20	19	39	1	4	5	9	4	18	5
208	Kildrummy, ...	590	660	8	11	19	—	3	8	6	8	14	3
209	Kincairdine O'Neil, ...	2186	2000	27	21	48	2	1	3	18	12	25	14
210	King-Edward— (1) King-Edward, (2) New Byth, ...	1050 1793	1058 2063	12 44	15 31	27 75	— 15	1 9	1 24	7 18	6 20	13 38	7 18
211	KINNELAR, ...	691	601	11	9	20	8	2	5	2	10	12	5
212	Kinnethmont, ...	1187	1062	17	12	29	4	4	8	8	13	21	5
213	KINTORE, ...	1895	2158	34	46	80	8	7	15	16	31	47	17
214	Leochal-Cushnie, ...	1173	1232	15	16	31	2	2	4	8	4	12	5
215	Lealie, ...	577	532	7	5	12	—	—	—	8	2	5	2
216	Logie-Buchan, ...	762	808	15	20	35	8	8	6	8	4	12	4
217	Logie Coldstone, ...	932	900	13	12	25	8	8	6	8	10	18	6
218	Longside, ...	8008	8321	63	58	121	8	8	16	27	31	58	18
219	Lonmay, ...	2142	2245	26	29	55	8	8	6	22	20	42	12
220	Lumphanan, ...	1251	1239	15	18	33	8	3	6	6	6	12	7
221	Methlic, ...	2157	2084	28	27	55	5	7	12	8	15	23	17
222	Midmar, ...	1091	1127	16	17	33	1	4	5	6	9	15	3
223	Millbrex, ...	1857	1484	84	22	56	8	5	13	9	10	19	14
224	Monquhitter, ...	2303	2670	41	45	86	16	18	29	8	18	26	14
225	Monymusk, ...	988	996	10	20	30	1	1	2	—	6	6	6
226	New Deer, ...	3736	4147	79	52	131	16	13	29	29	38	67	27
227	Newhills, ...	3463	4210	75	77	152	8	11	19	35	33	68	37
228	New Machar, ...	1556	1520	26	16	42	4	2	6	9	6	15	10
229	New Pitaligo, ...	2609	3090	62	67	129	14	10	24	30	35	65	20
230	Old Deer, ...	4392	4434	89	64	153	8	15	23	46	34	80	24
231	Old Meldrum, ...	2343	2330	39	42	81	2	12	14	23	19	41	18
232	Oyne, ...	1127	1050	18	20	38	4	8	7	9	9	18	6
233	Peterculter, ...	1433	1668	34	24	58	8	8	6	15	7	22	18
234	PETERHEAD, ...	9796	11506	281	241	522	30	32	62	172	164	336	95
235	Pitaligo, ...	1890	2218	45	41	86	6	8	9	17	20	37	10
236	Premnay, ...	916	997	19	14	33	5	2	7	3	3	6	10
237	Rathen, ...	2554	2850	44	47	91	5	4	9	28	28	51	27
238	Rayne, ...	1514	1409	18	20	38	8	—	8	9	8	17	12
239	Rhynie, ...	1061	1195	22	17	39	4	1	5	10	7	17	6
240	Savoch, ...	2061	1961	28	44	72	3	9	12	17	16	33	9
241	Skene, ...	1831	1842	22	24	46	3	6	11	13	18	24	6
242	Slains, ...	1266	1355	17	18	35	2	5	7	11	6	17	7
243	Strathdon, ...	1735	1761	17	24	41	1	5	6	13	17	30	8
244	Strichen, ...	2409	2254	41	38	79	5	7	12	24	20	44	18
245	Tarland, ...	970	983	10	8	18	4	2	6	7	7	14	6
246	Tarves, ...	2377	2238	28	38	66	7	5	12	16	15	31	10
247	Tough, ...	874	760	8	9	17	1	2	3	6	5	11	4
248	Towie, ...	839	798	6	7	13	1	3	4	2	8	10	6
249	Tullyneale and Forbes, ...	957	970	15	17	32	3	1	4	5	8	13	14

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
247	TURRIFF, ...	8698	4848	75	72	147	11	14	25	84	82	66	24
+248	Tyrie, ...	888	869	28	12	85	6	2	8	6	4	10	10
+249a	Udny, ...	1628	1626	24	25	49	5	5	10	12	14	26	11
+249b	Ythan Wells, ...	1517	1494	27	18	45	4	5	9	9	6	15	7
Total,		228417	246298	4828	4091	8414	628	616	1289	2812	2886	4698	1633
11. KINCARDINE.													
250	Arbuthnott, ...	932	924	12	6	18	8	-	8	2	5	7	9
251	Banchory-Devenick—												
	(1) Banchory-Devenick,	1159	1268	17	28	40	4	-	4	14	15	29	11
	(2) Portlethen, ...	1687	1789	24	19	43	4	8	7	16	11	27	12
252	Banchory-Ternan, ...	2947	2875	48	42	85	8	8	6	21	26	47	11
253	BENHOLM, ...	1574	1569	29	25	54	6	8	9	10	20	30	10
254	BERVIE, ...	1561	1848	41	32	78	-	1	1	11	15	26	17
255	DUNNOTTAR, ...	1828	2102	39	24	68	6	9	15	21	10	31	18
256	Durris, ...	1109	1021	26	12	38	4	5	9	4	4	8	10
257	Fettercairn, ...	1700	1539	22	30	52	2	2	4	13	8	21	13
258	FETTERESSO—												
	(1) FETTERESSO, ...	8575	8585	49	45	94	11	7	18	56	44	100	19
	(2) Cookney, ...	1952	2080	85	37	72	4	8	12	19	11	30	17
259	Fordoun, ...	2297	2118	33	24	57	6	2	8	14	20	34	17
260	Garvock, ...	458	476	5	7	12	-	1	1	2	2	4	1
261	Glenbervie, ...	1219	1073	15	14	29	5	1	6	10	5	15	7
262	Kinneff and Catterline, ...	1054	1062	12	6	18	1	-	1	8	7	10	13
263	Laurencekirk, ...	2110	2174	34	32	66	7	4	11	27	30	57	9
264	Maryculter, ...	1055	1110	16	18	29	5	-	5	7	8	15	7
265	Marykirk, ...	2068	1771	28	25	58	4	6	10	9	18	27	14
266	Nigg, ...	2074	2248	60	52	112	9	6	15	24	19	43	23
267	St Cyrus, ...	1552	1585	19	15	34	2	1	8	6	13	19	13
268	Strachan, ...	870	795	8	6	14	1	1	2	4	4	8	4
Total,		84781	85097	567	489	1056	87	68	150	298	295	588	255
IV. EAST-MIDLAND.													
12. FORFAR.													
269	Aberlemno, ...	1054	1007	17	11	28	-	1	1	7	8	10	7
270	Airlie, ...	845	778	18	7	20	5	1	6	7	8	10	8
271	Arbirlot, ...	960	919	14	5	19	1	-	1	4	4	8	8
*272	ARBROATH, ...	17881	20169	376	349	725	29	29	58	207	271	478	171
273	Auchterhouse, ...	706	721	16	8	24	-	-	-	12	15	27	2
274	BARRY, ...	2465	3008	41	49	90	1	1	2	27	42	69	19
275	BRECHIN, ...	8810	9514	172	119	291	30	20	50	81	79	160	59
276	Carmylie, ...	1286	1809	16	19	35	3	2	5	8	8	16	12
277	Careston, ...	225	209	6	4	10	1	1	2	1	2	8	1
278	Cortachy and Clova, ...	653	554	4	6	10	-	1	1	9	5	14	4
+279	COUPAR-ANGUS, ...	2642	2797	36	41	77	5	7	12	32	14	46	22
280	ORAI, ...	2177	2402	46	43	89	8	3	6	28	23	51	14
+281	Dun, ...	552	565	7	10	17	1	1	2	3	6	9	4
*282	DUNDEE, ...												
	(1) St Peter, ...	91664	22,894	464	474	938	31	49	80	355	372	727	214
	(2) St Mary, ...		23,582	499	508	1002	64	78	142	486	488	974	249
	(3) St Clement, ...		25,090	549	516	1065	78	84	162	429	416	845	304
	(4) St Andrew, ...		38,082	839	820	1659	79	80	159	604	670	1274	374
	(5) Lochee, ...		11,076	227	211	438	19	26	45	185	165	350	109
283	Dunnichen, ...	1932	1536	27	19	46	4	1	5	14	16	30	12
284	Eassie and Nevay, ...	748	586	8	8	16	-	-	-	1	5	6	6
285	Edzell, ...	1025	976	9	12	21	-	2	2	10	3	13	8

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
286	Farnell, ...	708	580	4	10	14	—	2	2	7	2	9	5
287	Fearn, ...	489	848	8	8	6	—	—	—	—	2	2	1
288	FORFAR, ...	10,888	12,585	280	210	440	26	22	48	180	182	262	104
289	Glamis, ...	1980	1818	24	23	47	8	2	5	12	16	28	10
290	Glenisla, ...	1008	925	9	11	20	—	—	—	5	7	12	5
291	Guthrie, ...	476	404	4	6	10	2	—	2	4	1	5	6
292	Inverarity, ...	961	888	17	16	33	—	1	1	2	3	5	5
293	Inverkeillor, ...	1792	1521	28	22	50	4	2	6	14	9	23	18
294	Kettins, ...	962	855	14	14	28	—	2	2	5	8	8	6
295	Kingoldrum, ...	478	409	2	4	6	—	1	1	2	1	3	2
296	Kinnell, ...	816	768	14	7	21	—	1	1	8	5	8	5
297	Kinnettles, ...	447	405	5	7	12	—	—	—	2	3	5	2
298	Kirkcubbin, ...	1862	1628	31	28	59	8	2	5	14	13	27	8
299	KIRKERMUIR, ...	7859	6420	92	77	169	18	11	24	58	74	127	45
300	Lethnott and Navar, ...	446	818	5	5	10	2	—	2	2	1	3	2
301	Liff, Benvie, and Inver- gowrie, ...	1480	1357	24	12	36	2	2	4	17	19	36	6
302	Lintrathen, ...	898	756	14	8	22	8	1	4	3	2	5	8
303	Lochlee, ...	495	424	4	4	8	—	1	1	4	5	9	—
304	Logie-Pert, ...	1483	1251	21	16	37	1	2	3	4	11	15	8
305	Lunan, ...	259	248	2	4	6	1	—	1	—	4	4	1
306	Lundie, ...	442	400	3	5	8	—	1	1	5	2	7	4
307	Mains, etc.—(1) Mains, (2) Strathmartine, ...	1892	1927	30	39	69	8	2	5	26	26	52	16
308	Marytown, ...	789	822	22	8	30	8	2	5	9	18	22	3
309	Menmuir, ...	417	396	7	2	9	1	—	1	6	1	7	4
310	Menmuir, ...	796	761	10	11	21	—	—	—	3	8	6	1
311	MONIFIETH, ...	5052	7252	161	133	294	7	4	11	70	60	130	48
312	Monikie, ...	1460	1397	23	18	41	1	1	2	9	9	18	8
313	MONTROSE, ...	15,668	15,788	280	215	445	22	14	36	165	208	368	99
314	Murroes, ...	763	751	18	13	31	1	1	2	6	8	14	2
315	Newtyle, ...	1139	981	16	14	29	—	—	—	15	13	28	9
316	Oathlaw, ...	899	452	4	8	12	1	—	1	2	4	6	2
317	PANBRIDGE, ...	1299	1331	20	16	36	1	—	1	18	13	31	12
318	Rescobie, ...	747	748	9	7	16	—	1	1	7	2	9	1
319	Ruthven, ...	265	247	2	7	9	—	1	1	2	5	7	—
320	St Vigens, ...	2553	2513	52	42	94	4	4	8	12	17	29	20
321	Stracathro, ...	546	503	9	11	20	1	—	1	2	5	7	2
322	Tannadice, ...	1438	1286	22	16	38	4	—	4	10	9	19	12
323	Tealing, ...	883	879	16	17	33	1	2	3	7	6	13	8
Total, ...		206750	240049	4586	4308	8889	464	472	936	3167	3322	6489	2095
13. PERTH.													
324	Aberdalgie, ...	295	342	8	4	12	—	—	—	2	2	4	8
325	Aberfeldy, ...	2402	2286	38	20	58	5	3	8	28	18	44	10
326	Aberfoyle, ...	565	482	4	8	7	—	—	—	5	4	9	1
327	Abernethy, ...	1960	1744	19	25	44	8	4	7	7	17	24	14
328	Abernyte, ...	810	253	2	3	5	—	—	—	2	4	6	—
329	ALYTH, ...	3198	3151	51	44	95	8	14	22	33	33	66	12
330	Ardoch, ...	1418	1316	15	21	36	1	1	2	13	16	29	8
331	AUCHTERARDE, ...	4208	3795	53	42	95	10	5	15	43	53	96	26
332	Auchtergaven, ...	2562	2141	28	22	50	6	3	9	19	34	53	14
333	Balquhider, ...	746	743	7	9	16	2	8	5	8	5	13	5
334	Bendochy, ...	549	474	6	10	16	—	1	1	8	3	6	3
335	Blackford, ...	2041	1836	26	24	50	4	2	6	19	19	38	10
336	Blair-Athol, ...	1553	1718	22	16	38	1	1	2	17	15	32	5
337	BLAIRGOWRIE, ...	4423	4832	55	69	124	4	6	10	40	59	99	26
338	Callander, ...	1676	1870	23	20	43	4	2	6	19	19	38	4

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
+337	Caputh, ...	1728	1571	15	16	31	1	1	2	9	10	19	10
338	Cargill, ...	1647	1411	20	19	39	4	3	7	13	10	23	10
339	Clunie, ...	699	603	8	12	20	2	-	2	2	5	7	6
340	Collace, ...	534	456	4	7	11	-	1	1	3	1	4	5
+341	Comrie, ...	2226	1911	20	14	34	2	-	2	20	17	37	5
342	CRIEFF, ...	4490	4598	68	53	121	8	8	16	59	52	111	24
343	CULROSS, ...	1423	1354	25	17	42	2	1	3	17	10	27	7
*344	Dowally, ...	486	461	7	5	12	1	1	2	3	4	7	4
345	Dron, ...	376	343	6	8	14	-	-	-	1	4	5	2
+346	Dull, ...	753	677	4	7	11	-	-	-	3	5	8	5
347	Dunbarney, ...	1035	913	14	7	21	-	1	1	9	5	14	6
*348	Dunblane, ...	2528	2765	38	41	79	5	6	11	43	30	73	15
*349	Dunkeld, ...	1086	881	14	4	18	2	-	2	10	6	16	2
350	Dunning, ...	2084	1832	26	18	44	3	2	5	16	18	34	9
351	Errol, ...	2759	2504	31	32	63	3	4	7	16	17	33	8
352	Findo-Gask, ...	399	369	5	6	11	-	-	-	3	3	6	2
353	Forgandenny, ...	739	632	5	6	11	1	1	2	4	3	7	3
354	Forteviot, ...	595	567	9	6	15	2	-	2	10	5	15	5
*355a	Fortingall, ...	1244	1014	15	7	22	2	2	4	7	3	10	6
*355b	Foss, ...	381	270	3	4	7	1	1	2	1	3	4	-
356	Fowlia-Easter, ...	317	291	6	6	12	-	-	-	-	5	5	2
+357	Fowlia-West, ...	1276	1028	18	7	25	-	-	-	4	13	17	4
358	Glendevon, ...	138	105	2	-	2	-	-	-	-	3	3	-
359	Inchture, ...	659	659	15	9	24	-	2	2	2	6	8	8
*360	Kenmore, ...	1515	1215	20	12	32	2	2	4	12	12	24	11
*361	Killin, ...	1681	1977	16	18	34	3	2	5	24	9	33	5
362	Kilmadock, ...	3312	3170	35	37	72	3	2	5	32	36	68	18
363	Kilspindie, ...	665	679	14	18	32	1	2	3	6	8	14	6
364	Kincardine, ...	1778	1484	15	20	35	2	4	6	13	7	20	13
365	Kinclaven, ...	758	607	9	9	18	-	2	2	5	5	10	4
366	Kinfauns, ...	657	578	7	8	15	-	2	2	6	5	11	1
*367	Kinloch-Rannoch, ...	1147	921	14	9	23	1	-	1	9	4	13	4
368	Kinnaird, ...	318	299	5	6	11	-	1	1	-	2	2	1
+369	Kinnoul, ...	796	723	6	14	20	2	1	3	3	6	9	-
+370	Kirkmichael— (1) Kirkmichael, ...	812	657	9	14	23	-	3	3	6	4	10	1
	(2) Glenshee, ...	334	241	1	1	2	-	-	-	2	3	5	1
371	LECROFT, ...	538	535	13	9	22	-	1	1	4	7	11	-
+372	Lethendy, etc.— (1) Lethendy, ...	235	179	1	1	2	-	-	-	-	2	2	2
	(2) Kinloch, ...	295	251	2	3	5	-	-	-	1	-	1	2
+373	Little Dunkeld, ...	2089	2352	21	26	47	3	5	8	24	26	50	13
374	LOGIE, ...	3483	4553	58	47	105	2	4	6	45	51	96	21
*375	Logiealmond, ...	815	646	9	2	11	1	-	1	5	3	8	1
+376	Logierait, ...	1902	1739	12	17	29	1	1	2	16	15	31	6
377	Longforgan, ...	1823	1753	34	25	59	1	1	2	11	6	17	7
378	Madderty, ...	536	523	4	4	8	-	-	-	2	5	7	4
*379	Meikle, ...	1122	1003	15	13	28	2	-	2	6	3	9	8
+380	Methven, ...	2290	2073	24	26	50	2	5	7	23	30	53	11
381	Moneydie, ...	252	244	1	2	3	-	-	-	3	1	4	1
+382	Monzie, ...	461	413	4	5	9	-	-	-	1	4	5	2
383	Monzievaird, ...	782	744	12	7	19	1	-	1	6	6	12	2
+384	Moulin, ...	1605	1561	20	20	40	1	2	3	12	10	22	10
385	MUCKHART, ...	615	612	2	8	10	-	1	1	1	3	4	4
*386a	Muthill, ...	2001	1916	27	14	41	5	3	8	18	16	34	11
*386b	Persie, ...	839	820	12	9	21	-	2	2	2	10	12	2
*387	PERTH, ...	26094	26382	424	443	867	41	40	81	364	336	700	232
388	Port of Menteith, ...	1875	1248	4	14	18	1	-	1	7	13	20	7
+389	RATTHAY, ...	2234	2586	87	47	84	6	5	11	86	85	71	18
+390	Redgorton, ...	1596	1401	17	16	33	-	2	2	13	10	23	10

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
391	Rhynd, ...	297	327	8	6	9	-	-	-	2	1	3	-
392	St Madoes, ...	280	290	4	2	6	1	-	1	2	8	5	-
393	St Martins, ...	904	735	14	7	21	1	8	4	4	8	7	5
394a	Seone, ...	2153	2185	29	87	66	-	2	2	13	82	45	17
394b	Strathfillan, ...	411	342	8	4	7	-	-	-	8	2	5	1
394c	Tenandry, ...	595	530	6	11	17	-	1	1	4	2	6	1
395	Tibbermore, ...	1182	1128	20	13	33	1	-	1	11	10	21	6
396	Trinity-Gask, ...	488	415	10	1	11	1	-	1	1	3	4	2
397	Tulliallan, ...	2410	2184	88	34	72	1	8	4	18	32	50	14
398	Weem, ...	215	186	-	5	5	-	-	-	1	-	1	-
Total,		138198	128550	1766	1687	3453	178	181	354	1268	1820	2608	773
14. FIFE.													
399	Abbotshall, ...	808	674	16	8	24	2	-	2	1	7	8	1
400	Ardris, ...	1257	1057	20	12	32	3	1	4	15	9	24	6
401	Aberdour, ...	1874	1697	36	24	60	8	4	7	14	22	86	18
402	ANSTRUTHER- EASTER, ...	1165	1239	24	18	42	2	-	2	12	8	20	10
403	ANSTRUTHER- WESTER, ...	421	545	10	18	28	4	2	6	8	11	14	2
404	Arngask, ...	705	565	8	10	18	-	1	1	4	6	10	7
406	AUCHTERDEREAN, ...	3457	4017	123	99	222	7	9	16	58	41	99	24
406	AUCHTERMUCHTY, ...	3235	2958	84	26	60	2	4	6	28	26	54	12
407	Auchtertool, ...	609	529	10	12	22	2	1	3	8	6	9	4
408	BALLINGRY, ...	736	982	34	47	81	1	4	5	22	11	33	9
409	Balmerino, ...	815	717	7	9	16	1	-	1	4	7	11	3
410	Beath, ...	2390	3534	107	115	222	5	4	9	72	47	119	34
411	BURNTISLAND, ...	3670	3872	73	59	132	4	3	7	40	42	82	28
412	Cameron, ...	1362	1168	17	13	30	1	1	2	3	7	10	3
413	Carnbee, ...	1167	1088	8	15	23	-	1	1	5	3	8	1
414	Carnock, ...	2925	1764	24	33	57	3	8	6	18	18	31	13
415	Ceres, ...	2723	2381	30	27	57	4	2	6	16	25	41	9
416	Collieston, ...	1530	1703	36	31	67	2	1	3	14	15	29	10
417	ORAIL, ...	1981	1864	23	36	59	1	6	7	23	18	36	17
418	Creich, ...	377	337	10	5	15	2	-	2	2	2	4	5
419	Culps, ...	800	767	10	14	24	-	2	2	6	7	13	5
420	CUPAR, ...	6760	7102	104	87	191	10	11	21	64	68	132	60
421	Dairsie, ...	638	637	12	10	22	3	2	5	6	11	17	3
422	Dalgetty, ...	1569	1310	36	31	67	1	-	1	9	16	25	14
423	Dunbog, ...	414	395	6	5	11	1	-	1	6	4	10	6
424	DUNFERMLINE— (1) Burgh, ...	13,506	14,963	302	309	611	19	22	41	176	184	360	170
	(2) Landward, ...	7609	8293	158	154	312	6	9	15	81	80	161	49
425	Dunino, ...	370	325	8	4	7	-	-	-	-	-	-	8
426	DYSART, ...	8842	9682	201	185	386	11	6	17	119	107	226	80
427	ELIE, ...	826	775	6	6	12	-	-	-	5	11	16	6
428	FALKLAND, ...	2937	3069	40	37	77	6	2	8	37	26	63	18
429	FERRY-FORT-ON-CRAIG, ...	2013	2674	42	50	92	5	5	10	34	39	73	22
430	Flisk, ...	280	212	3	4	7	-	-	-	-	2	2	1
431	Forgan, ...	1326	2243	39	32	71	-	1	1	28	10	38	16
432	INVERKEITHING, ...	3196	3131	51	55	106	4	1	5	48	28	76	25
433	Kemback, ...	896	1066	13	8	21	1	1	2	10	4	14	14
434	Kennoway, ...	2012	1703	26	15	41	2	3	5	19	18	37	14
435	Kettle, ...	2474	2323	32	26	58	2	1	3	15	12	27	15
436	KILCONQUHAR, ...	2431	2018	32	17	49	4	1	5	17	15	32	12
437	Kilmany, ...	656	651	10	6	16	-	-	-	5	3	8	3
438	KILRENNY, ...	2584	2945	51	57	108	4	4	8	21	26	47	12
439	KINGHORN, ...	2349	2602	46	43	89	7	3	10	42	36	78	23
440	KINGGLASSIE, ...	1266	1082	35	28	58	3	1	4	22	13	35	7

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
441	Kingsbarns, . . .	987	922	12	8	20	8	—	8	4	4	8	16
*442	KIRKCALDY, . . .	11117	12885	245	237	482	14	6	20	183	182	265	114
448	Largo, . . .	2628	2818	82	88	70	—	1	1	24	26	50	21
444	LESLIE, . . .	4882	4294	65	65	180	7	5	12	33	44	77	27
445	Leuchars, . . .	1908	1727	28	27	50	8	1	4	16	11	27	9
446	Logie, . . .	410	402	5	5	10	1	—	1	4	8	7	8
447	Markinch, . . .	5875	5413	91	88	179	8	5	8	62	65	127	44
448	Monimail, . . .	1054	918	18	7	25	1	1	2	6	7	18	8
449	Moonzie, . . .	179	154	2	2	4	—	—	—	—	1	1	1
450	NEWBURGH, . . .	2698	2529	85	44	79	5	4	9	14	15	29	15
451	Newburn, . . .	874	862	5	6	11	2	—	2	8	8	6	2
452	PITTENWEEM, . . .	1710	1808	86	29	65	8	1	4	18	19	37	11
453	ST ANDREWS and St Leonards, . . .	7605	8592	98	100	198	6	14	20	55	65	120	41
454	St Monance (or Abercrombie), . . .	1498	1761	32	87	69	8	1	4	21	16	37	18
455	Saline, . . .	1610	1259	19	20	39	2	2	4	15	16	31	12
456	SCOONIE, . . .	3257	3178	68	45	108	4	2	6	34	28	62	17
457	Strathmiglo, . . .	2261	2267	24	82	56	8	5	8	19	22	41	15
458	Torryburn, . . .	1229	1061	21	14	35	1	1	2	6	9	15	12
459	WEMYSS—(1) WEMYSS, (2) Buckhaven, . . .	6008	{ c.2492 c.3908	45 100	65 70	110 170	1 4	1 8	2 7	37 59	37 55	74 114	20 28
Total,		155021	160924	2879	2729	5608	204	175	379	1690	1619	3309	1208
15. KINROSS.													
460	Cleish, . . .	649	589	6	11	17	1	1	2	4	1	5	2
461	Fossoway and Tulliebole, . . .	1584	1461	27	15	42	1	1	2	17	12	29	5
462	KINROSS, . . .	2649	2477	81	88	64	4	8	7	28	20	48	16
463	Orwell, . . .	2399	2248	32	22	54	2	8	5	21	17	38	22
464	Portmoak, . . .	1460	1193	19	17	36	1	8	4	11	6	17	2
Total,		8781	7918	115	98	218	9	11	20	81	56	137	47
16. CLACKMANNAN.													
465	ALLOA, . . .	8867	9940	209	218	427	20	22	42	109	115	224	70
466	CLACKMANNAN, . . .	4425	4658	105	102	207	11	7	18	45	44	89	34
467	DOLLAR, . . .	1776	2524	28	29	57	3	2	5	19	19	38	10
468	TILlicOULTRY, . . .	5054	5118	89	72	161	18	6	19	52	57	109	26
Total,		20122	22235	431	421	852	47	37	84	225	235	460	140
V. WEST-MIDLAND.													
17. STIRLING.													
469	Airth, . . .	1194	1896	44	81	75	5	1	6	21	24	45	11
470	ALVA, . . .	3283	4296	94	97	191	11	7	18	50	41	91	20
471	Baldernock, . . .	718	616	10	18	28	—	—	—	5	5	10	4
472	Balfon, . . .	1517	1502	17	21	38	3	4	7	14	16	30	5
†473	Bothkennar, . . .	c.1210	1726	89	40	79	2	8	5	24	14	38	16
474	Buchanan, . . .	705	591	5	6	11	1	1	2	4	2	6	5
475	CAMPSIE, . . .	6483	6739	114	115	229	8	6	14	73	89	162	45
476	DENNY, . . .	4968	4993	111	106	217	9	10	19	47	39	86	58
477	Drymen, . . .	1619	1405	21	21	42	—	1	1	12	7	19	6
478	DUNIPACE, . . .	1731	1733	40	27	67	3	8	6	14	18	32	10
†479	FALKIRK—(1) Burgh, (2) Landward, . . .	9080 c.6820	9547 6726	218 161	196 140	409 801	19 9	18 10	18 19	157 89	147 84	304 173	70 66

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
480	Fintry, ...	685	499	7	6	18	2	2	4	6	8	9	1
481a	Gargunock, ...	728	675	6	16	22	—	2	2	8	7	15	6
481b	GRANGEMOUTH, ...	c.2249	2569	55	60	115	2	—	2	36	22	58	9
482	Killlearn, ...	1171	1111	10	14	24	8	—	8	7	10	17	6
483	KILSYTH, ...	6112	6818	158	154	812	11	12	23	49	60	109	62
484	Kippen, ...	1722	1568	22	28	45	2	2	4	11	14	25	5
485	Larbert, ...	4999	5280	114	100	214	12	10	22	105	78	183	35
486	Muiravonside, ...	2660	2653	60	57	117	2	2	4	33	34	67	18
487	Polmont, ...	c.4050	3848	86	77	163	10	10	20	30	46	76	29
488	ST NINIAN'S— (1) ST NINIAN'S, ...	4698	5289	106	77	183	3	2	5	74	67	141	27
	(2) BANNOCKBURN, ...	3796	4358	94	85	179	6	8	9	46	46	92	39
489	Slamannan, ...	2916	4164	128	137	265	5	10	15	53	39	92	42
490	STIRLING, ...	12171	12518	228	222	450	16	21	37	193	166	359	137
491	Strathblane, ...	1888	1235	23	19	42	3	2	5	7	9	16	10
	Total, ...	88188	93845	1966	1860	3826	147	137	284	1168	1087	2255	742
	18. DUMBARTON.												
492	Arrochar, ...	629	525	6	4	10	—	—	—	9	3	12	2
493	BONHILL, ...	9059	9593	159	159	318	6	14	20	127	114	241	104
494	CARDROSS, ...	4168	4405	79	74	153	4	4	8	51	63	114	35
495	Cumbernauld, ...	8518	3602	76	76	152	6	7	13	36	33	69	27
496	DUMBARTON, ...	8268	11423	281	286	567	10	15	25	232	228	460	80
497	Kilmaronock, ...	1085	978	11	7	18	—	2	2	8	9	17	7
498	KIRKINTILLOCH, ...	8179	8257	174	193	367	21	17	38	150	133	283	60
499	Luss, ...	881	730	6	3	9	—	—	—	9	5	14	1
500	NEW OF EAST KILPATRICK, ...												
501	Old or West Kilpatrick, ...	4910	6038	122	156	278	7	9	16	74	53	127	35
502	Roseneath, ...	5577	5346	135	128	263	4	7	11	70	81	151	48
503	Row, ...	1626	1780	24	20	44	1	1	2	14	9	23	8
	Total, ...	6334	8439	118	99	217	6	9	15	65	88	153	51
	19. ARGYLL. Mainland.	54179	61116	1191	1205	2396	65	85	150	345	319	1664	458
504	Ardschattan, ...												
505	Ardschattan— (1) Aharacle, ...	1881	1172	9	14	23	1	—	1	10	12	22	—
	(2) Arisaig, ...	1544	1414	25	14	39	2	2	4	18	9	22	7
	(3) Sunart (or Strontian), ...	1843	1131	15	12	27	2	2	4	7	12	19	4
	(4) Western Ardschattan, ...	759	760	12	9	21	—	—	—	2	2	4	3
	chan, ...	1054	954	19	16	35	4	1	5	9	4	13	2
506	Ballachulish and Corran of Ardgour, ...	919	849	7	10	17	1	—	1	8	7	15	2
507	CAMPBELTOWN, ...	8149	8580	165	137	302	14	13	27	83	89	172	47
508	Craignish, ...	618	481	6	7	13	1	—	1	1	3	4	1
509	Cumlodden and Minard, ...	c.1840	c.1133	16	18	29	—	1	1	9	12	21	2
510	DUNOON and KILMUN, ...	5461	6871	95	98	193	7	7	14	69	68	137	29
511	Glassary, ...	c.1462	c.1228	19	13	32	2	—	2	12	6	18	7
512	Glenorchy, ...	869	752	6	7	13	—	1	1	5	6	11	6
513	INVERARAY, ...	1650	1508	18	20	38	3	1	4	12	18	30	5
514	Inverchaulain, ...	424	443	8	2	10	1	—	1	2	3	5	1
515	Kilbrandon & Kilchattan, ...	2058	2107	27	23	50	—	1	1	24	17	41	13
516	Kilcalmonell, etc.— (1) Kilcalmonell, ...	742	684	9	4	13	—	—	—	4	5	9	8
	(2) Kilberry, ...	583	485	1	4	5	—	—	—	4	4	8	1
517	Kilchrenan, etc.— (1) Kilchrenan, ...	587	396	7	8	10	—	—	—	2	2	4	1
	(2) Dalavich, ...	230	217	1	4	5	—	—	—	1	2	3	—

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
518	Kilfinan, ...	1891	2228	84	21	55	—	—	—	16	14	30	11
519	Killean and Kilchenzie, .	1890	1614	19	18	37	1	—	1	11	9	20	7
+520	Kilmalie, ...	3333	3217	41	48	89	8	8	6	34	34	68	10
521	Kilmartin, ...	949	869	7	14	21	—	1	1	13	14	27	1
522	Kilmodan, ...	433	368	2	1	3	—	—	—	4	1	5	1
523	KILMORE AND KILBRIDE, ...	2962	3402	46	55	101	5	5	10	43	47	90	21
524	Kilninver, etc.— (1) Kilninver, ...	314	253	5	2	7	—	—	—	2	2	4	1
	(2) Kilmelford, ...	486	506	4	1	5	1	—	1	2	2	4	1
525	Lismore, etc.— (1) Lismore, ...	1023	908	9	8	17	—	—	—	8	7	15	4
	(2) Appin, ...	825	728	7	10	17	1	—	1	4	5	9	3
	(3) Glencoe & Ballachulish, ...	1824	1529	19	17	36	—	3	3	15	10	25	2
	(4) Duror, ...	423	370	3	2	5	—	—	—	—	2	2	—
*526	Lochgillhead, ...	3312	3630	44	40	84	3	5	8	37	26	63	14
527	Lochgillhead, etc.— (1) Lochgillhead, ...	418	436	7	5	12	—	—	—	3	4	7	3
	(2) Kilmorich, ...	284	330	7	7	14	1	1	2	2	4	6	—
528	Morvern, ...	1226	973	6	16	22	—	1	1	7	15	22	2
*529	Muckairn, ...	965	790	10	6	16	2	—	2	10	2	12	11
530	North Knapdale, ...	1327	1069	12	12	24	2	—	2	12	7	19	3
531	Saddell, etc.— (1) Saddell, ...	739	645	8	8	16	—	—	—	4	4	8	3
	(2) Skipness, ...	533	500	2	3	5	—	—	—	5	3	8	2
532	Southend, ...	1214	1044	8	13	21	—	2	2	7	8	15	4
+533	South Knapdale, ...	654	548	3	5	8	—	2	2	4	3	7	2
534	Stralachlan, etc.— (1) Stralachlan, ...	309	340	3	7	10	—	—	—	—	4	4	1
	(2) Strachur, ...	563	527	6	9	15	1	—	1	5	3	8	2
*535	Tarbert, ...	1661	1366	31	29	60	1	1	2	15	16	31	6
<i>Insular.</i>													
*536	Bowmore (or Kilarrow), ...	2701	2088	16	21	37	3	2	5	16	14	30	11
537	Gigha, ...	467	390	5	8	13	—	—	—	8	2	5	—
538	Iona (merged in 542), ...												
+539	Jura, etc.—(1) Jura, ...	858	775	9	8	17	1	—	1	10	11	21	2
	(2) Colonsay, ...	598	456	3	9	12	—	3	3	2	5	7	2
+540	Kilchoman, ...	2377	1832	20	15	35	1	1	2	18	20	38	2
+541	Kildalton, ...	2137	1916	35	27	62	9	5	14	30	21	51	9
*542	Kilfinichen & Kilvickeon, ...	2535	2461	21	25	46	1	1	2	16	15	31	1
*543	Kilmeny, ...	1268	924	18	9	27	1	2	3	7	2	9	2
+544	Kilninian and Kilmore, ...	1641	1189	5	14	19	—	3	3	13	14	27	3
*545	Kinlochspelve, ...	423	333	6	5	11	1	—	1	4	4	8	1
*546	Oa, ...	769	367	3	2	5	—	—	—	1	6	7	1
*547	Portnahaven, ...	1059	979	11	10	21	2	2	4	7	7	14	3
*548	Salen, ...	604	605	5	6	11	—	—	—	3	3	6	2
*549	Tobermory, ...	1566	1344	17	12	29	2	2	4	24	20	44	3
+550	Torosa, ...	557	454	3	6	9	—	—	—	3	6	9	1
551	Tyree, etc.—(1) Tyree, ...	3217	2337	37	43	80	3	7	10	40	24	64	12
	(2) Coll, ...	731	723	11	6	17	2	2	4	5	4	9	5
Total,		33859	29661	1033	933	2026	35	33	68	742	705	1447	309
20. BUTE.													
552	Cumbræ, ...	1236	1613	25	20	45	3	1	4	10	23	33	16
+553	Kilbride—(1) Brodick, ...	902	928	7	8	15	1	1	2	6	10	16	3
	(2) Kilbride, ...	1351	1276	9	15	24	2	—	2	13	11	24	5
554	Kilmory, ...	2515	2278	18	12	30	2	5	7	23	21	44	7

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
555	Kingarth, ...	906	901	11	18	24	1	—	1	11	9	20	8
*566	Lochranza, ...	824	777	11	4	15	—	—	—	6	5	11	8
*567	North Bute, ...	1351	1393	12	16	28	—	—	—	11	11	22	5
+558	ROTHESAY, ...	7227	7800	127	94	221	8	11	19	116	123	238	46
	Total,	16311	16966	220	182	402	17	18	35	200	218	418	98
	VI. SOUTH-WESTERN.												
	21. RENFREW.												
*559	ABBEY—												
	(1) Part of PAISLEY, ...	15889	16348	332	277	609	32	17	49	224	216	440	146
	(2) LANDWARD, ...	5670	5679	189	109	248	8	6	14	74	68	187	27
	(3) JOHNSTONE, ...	8142	8590	185	165	350	17	12	29	117	106	223	77
560	CATHCART, ...	3782	7231	195	152	347	8	5	13	66	81	147	88
561	Eaglesham, ...	2828	1714	26	18	44	—	1	1	18	10	28	20
562	EASTWOOD, ...	11814	18098	258	250	508	20	28	48	146	182	278	101
563	Erskine, ...	1457	1565	27	17	44	1	—	1	6	12	18	7
564	GREENOCK—												
	(1) New, or Middle, ...	9446	9592	203	190	393	19	19	38	131	129	260	26
	(2) East, ...	12135	17061	451	418	864	19	14	33	201	168	369	164
	(3) Old, or West, ...	22813	33141	813	786	1549	35	33	68	561	500	1061	410
565	Houstoun and Killelan, ...	2490	2167	39	39	78	8	1	4	30	31	61	21
566	Inchinnan, ...	619	584	12	11	23	—	1	1	7	1	8	2
567	INVERKIP—												
	(1) Inverkip, ...	1188	1393	19	14	33	1	1	2	11	8	19	5
	(2) GOVROCK, ...	2307	8109	42	48	90	4	3	7	37	48	80	11
568	KILBARCHAN, ...	6348	6093	117	116	233	6	4	10	66	72	138	52
569	Kilmacolm, ...	1455	1716	18	35	53	3	3	6	22	14	36	12
570	Lochwinnoch, ...	3821	3816	68	43	111	5	7	12	46	46	92	31
571	MEARNS, ...	8547	3543	57	43	100	8	5	8	36	38	74	21
572	NEILSTON—												
	(1) Neilston, ...	4577	4633	66	78	144	8	6	14	49	52	101	30
	(2) BARRHEAD, ...	6436	6503	120	100	220	8	8	16	79	78	157	40
*573	PAISLEY, ...	31538	31909	601	569	1170	49	29	78	452	496	948	299
574	PORT-GLASGOW, ...	7294	9912	254	267	521	11	9	20	120	145	265	109
+575	RENFREW, ...	4650	5908	123	152	275	5	7	12	85	77	162	30
	Total,	168746	195305	4165	3842	8007	265	214	479	2579	2518	5097	1724
	22 AYR.												
576	ARDEROSSAN—												
	(1) OLD ARDEROSSAN, ...	3530	3336	75	55	130	9	3	12	37	40	77	48
	(2) NEW ARDEROSSAN, ...	3246	3929	92	68	160	2	2	4	47	43	90	32
577	AUCHINLECK, ...	4213	6174	156	137	293	5	9	14	86	62	148	40
*578	AYR, ...	19659	19172	346	345	691	43	32	75	244	278	522	172
579	Ballantrae, ...	1483	1277	24	18	42	3	3	6	16	16	32	7
580	Barr, ...	910	672	10	3	13	—	—	—	6	6	12	6
581	BRITH, ...	5775	6233	126	102	228	8	6	14	59	65	124	47
582	Colmoneil, ...	2588	2293	33	43	76	6	6	12	13	18	31	20
583	Coylton, ...	1604	1440	28	30	58	2	3	5	9	13	22	13
584	Craigie, ...	780	618	8	11	19	3	1	4	7	5	12	6
585	Dailly, ...	2050	1932	41	31	72	2	3	5	24	21	45	14
586	Dalmellington, ...	4194	6165	205	186	391	7	9	16	67	62	129	55
587	DALEY, ...	11156	10885	250	222	472	12	14	26	127	146	273	97
588	Dalrymple, ...	1325	1412	37	24	61	3	1	4	16	16	32	14
589	Dreghorn, ...	3283	3241	84	91	175	6	7	13	38	44	82	35
+590	DUNDONALD—												
	(1) Dundonald, ...	2095	1507	34	28	62	2	6	8	16	18	34	11
	(2) TROON, ...	2599	2870	61	34	95	5	3	8	23	25	48	25

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
591	Dunlop, ...	1088	1160	20	20	40	2	—	2	17	9	26	8
592	Fenwick, ...	1582	1818	12	15	27	—	—	—	10	13	23	11
598	GALSTON, ...	5254	6831	162	152	314	9	7	16	81	83	164	53
594	GIRVAN, ...	7058	5685	101	94	195	14	17	31	54	58	112	51
*596	IRVINE, ...	8607	8462	210	181	391	15	19	34	150	151	301	100
596	KILBIRNIE, ...	5285	4953	90	95	185	8	9	17	64	58	122	50
597	KILMARNOCK, ...	28556	24072	528	475	1003	82	29	61	401	358	759	230
598	Kilmaurs, ...	8526	8449	76	70	146	6	8	14	43	37	80	29
599	KILWINNING, ...	7717	7375	179	178	357	9	15	24	89	83	172	68
600	Kirkmichael, ...	2828	2254	46	80	70	6	4	10	28	21	44	17
601	Kirkoswald, ...	2060	1846	80	34	64	3	5	8	17	9	26	11
602	LARGE, ...	3620	4087	64	57	121	2	4	6	44	47	91	30
608	LOUDOUN, ...	4840	5525	124	105	229	6	4	10	52	61	118	58
604	Mauchline, ...	2808	2485	87	43	80	1	2	3	87	35	72	25
605	MAYBOLE, ...	6713	5900	111	100	211	21	12	33	83	64	147	59
606	Monkton and Prestwick, ...	1987	1744	17	28	45	—	1	1	18	21	84	15
607	MURKIRK, ...	3270	3258	80	74	154	4	—	4	52	35	87	34
608	New Cumnock, ...	2891	3434	112	83	195	10	4	14	41	51	92	39
609	Ochiltree, ...	1676	1656	22	22	44	2	5	7	9	10	19	17
610	OLD CUMNOCK, ...	3721	4041	88	101	184	10	12	22	52	51	103	37
611	ROCCARTON, ...	5629	5845	158	153	311	10	5	15	96	91	187	60
*612	St Quivox and Newton-upon-Ayr, ...	1870	1863	27	16	43	4	1	5	14	18	27	16
613	SORN, ...	4042	4032	86	64	150	9	1	10	53	50	103	29
614	Stair, ...	743	784	18	11	29	5	4	9	6	7	13	6
615	STEVENSTON, ...	5452	5019	106	131	237	5	9	14	65	53	118	43
616	STEWARTON, ...	4449	4478	89	78	167	8	8	16	49	68	117	34
617	Straiton, ...	1544	1443	24	18	42	8	2	10	6	8	14	11
618	Symington, ...	855	792	10	10	20	—	2	2	6	6	12	6
619	Tarbolton, ...	2669	3219	66	80	146	7	14	21	34	30	64	26
620	West Kilbride, ...	1988	1847	25	23	48	8	4	7	18	15	33	14
Total,		199083	200908	4813	3969	8282	337	315	652	2524	2474	4998	1829
28 LANARK.													
621	AVONDALE, ...	6125	5460	97	89	186	7	7	14	48	56	104	50
+622	BARONY, —	6784	10235	343	319	662	8	14	22	211	187	398	82
	(1) MARYHILL, ...	8911	18994	393	369	762	28	33	61	377	329	706	102
	(2) SPRINGBURN, ...	6914	7517	168	163	331	9	6	15	114	118	227	50
	(3) SHETTLSTONE, ...	1999	2018	39	32	71	4	7	11	18	24	42	14
623	Biggar, ...	8092	8472	104	108	212	7	5	12	82	65	147	41
624	Blantyre, ...												
625	BOTHWELL—												
	(1) BOTHWELL, ...	7059	9193	230	205	435	12	9	21	146	141	287	67
	(2) HOLYTOWN, ...	10844	10099	279	284	513	18	12	30	151	143	294	92
626a	Cadder—(1) Western, ...	3023	3261	74	69	143	2	4	6	32	36	68	26
	(2) Eastern, ...	2925	3208	64	62	126	2	5	7	50	44	94	17
*626b	Calderhead, ...	4084	4271	106	130	236	7	9	16	58	49	107	34
627	CAMBUSLANG, ...	8647	8740	108	106	214	2	2	4	50	51	101	25
+628	CAMBUSNETHAN, ...	18118	18709	556	506	1062	29	30	59	334	232	566	195
629	CARLUKE, ...	6176	7066	174	149	323	17	7	24	83	77	160	77
630	Carmichael, ...	836	708	8	8	16	—	—	—	7	6	13	2
631	Carmunnock, ...	784	702	6	11	17	—	—	—	9	7	16	5
632	Carnwath, ...	3684	5709	159	146	305	7	12	19	48	62	110	53
633	Carstairs, ...	1345	1718	21	36	57	1	—	1	15	18	33	15
634	Covington and Thankerton, ...	582	454	4	8	12	—	2	2	6	7	18	5
635	Crawford,—(1) Crawford, ...	694	727	8	16	19	—	5	5	8	—	8	4
	(2) Leadhills, ...	896	1102	24	20	44	2	2	4	9	10	19	11

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
636	Crawfordjohn, ...	980	858	9	10	19	1	1	2	5	10	15	7
637	Culter, ...	665	598	9	8	12	2	1	3	5	8	8	1
638	DALSERY—												
	(1) LARNHALL, ...	8629	5832	158	158	311	7	14	21	72	71	143	55
	(2) Dalsarf, ...	1247	2009	68	79	142	1	4	5	29	22	51	10
639	DALZIEL, ...	5488	9175	279	265	544	15	11	26	171	151	322	84
640	Dolphinton, ...	260	281	8	2	5	—	—	—	1	1	2	8
641	Douglas, ...	2490	2624	58	38	86	9	8	12	26	24	50	29
642	Dunsyre, ...	812	802	8	5	8	1	1	2	2	2	4	—
643	EAST KILBRIDE, ...	4084	3861	59	77	186	2	6	8	89	41	80	26
644	GLASGOW—												
	(1) Central, ...	49678	57279	1284	1185	2369	228	200	428	1202	1148	2345	538
	(2) High, ...	48119	58466	1268	1204	2472	105	118	223	1351	1116	2467	761
	(3) Bridgeton, ...	45485	60628	1648	1589	3182	133	101	234	1274	1224	2498	685
	(4) Calton, ...	86625	88177	726	692	1418	60	72	132	558	588	1141	255
	(5) Clyde, ...	29975	26044	361	359	720	43	61	104	392	343	735	180
	(6) Blythwood, ...	28697	33443	425	470	895	35	38	73	319	367	686	512
	(7) Milton, ...	83360	46398	1166	1086	2252	74	62	136	709	714	1423	488
	(8) Anderston, ...	40945	52504	1091	964	2045	72	57	129	708	697	1400	513
	(9) Tradeston, ...	88600	49176	973	979	1952	88	54	137	674	660	1334	649
	(10) Hutchesontown, . .	44019	55622	1455	1279	2734	104	90	194	986	880	1816	417
645	Glasford, ...	1988	1480	25	24	49	1	2	3	14	23	37	18
646	GOVAN—												
	(1) GOVAN CHURCH, . .	11297	27116	1197	1197	2394	62	52	114	731	697	1428	394
	(2) PARK, ...	2428	5720	190	177	367	9	5	14	93	91	184	94
	(3) PARTICK, ...	14859	28918	598	680	1223	21	24	45	322	322	644	250
647	HAMILTON, ...	14047	16808	398	366	759	27	29	56	236	233	469	146
648	LANARK, ...	7891	7841	109	120	229	26	15	41	112	91	203	59
649	Lesmahagow, ...	9266	8709	216	204	420	25	11	36	75	80	155	75
650	Libberton, ...	886	691	9	11	20	2	8	5	3	6	9	1
651	NEW MONKLAND—												
	(1) AIRDRIE, ...	12922	18488	381	307	688	18	19	37	183	178	361	157
	(2) Landward, ...	7682	9264	302	292	594	16	11	27	172	116	288	88
652	OLD MONKLAND—												
	(1) WESTERN, ...	6982	7873	217	190	407	11	6	17	97	98	195	62
	(2) MIDDLE, ...	15303	18410	514	455	969	27	17	44	338	250	588	155
	(3) EASTERN, ...	7808	7790	192	190	382	7	8	15	125	96	221	56
653	Pettinain, ...	407	366	7	5	12	1	—	1	4	4	8	1
654	RUTHERGLEN, ...	9385	10766	288	236	474	11	8	19	150	111	261	114
655	Shotts, ...	4792	5699	174	155	329	15	8	23	98	110	208	40
656	STONEHOUSE, ...	3267	3177	70	71	141	4	4	8	37	48	85	32
657	Symington, ...	528	442	6	2	8	8	1	4	4	4	8	8
658	Walston, ...	480	425	6	4	10	1	2	3	1	4	5	3
659	Wandell and Lamington, .	380	332	4	5	9	—	—	—	1	1	2	4
660	Wiston and Robertson, .	786	680	4	7	11	—	—	—	8	4	12	8
	Total, ...	640444	787005	18735	17768	36493	1424	1290	2714	13118	12776	25894	7920
	VII. SOUTH-EASTERN.												
	24. LINLITHGOW.												
61	Abercorn, ...	965	938	12	16	28	—	5	5	7	6	13	7
62	BATHGATE—												
	(1) BATHGATE, ...	6572	6942	137	134	271	9	11	20	70	62	132	45
	(2) ARMADALE, ...	3562	3187	79	106	185	5	6	11	43	22	65	33
63	BORROWSTOUNNESS, . . .	5698	4986	126	106	232	9	8	17	60	51	111	32
64	CARRIDEN, ...	1821	1799	39	29	68	4	4	8	17	11	28	15
65	Dalmeny, ...	804	916	24	16	40	—	2	2	3	6	9	2

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
666	Ecclesmachan, . . .	809	829	1	8	4	-	-	-	2	-	2	-
†667	Kirkliston, . . .	1907	2172	47	44	91	6	8	9	18	24	42	12
668	LINLITHGOW, . . .	5784	5554	97	105	202	11	13	24	58	49	107	40
669	Livingstone, . . .	1866	1727	86	86	72	4	2	6	10	17	27	16
*670	QUEENSFERRY, . . .	1891	1521	29	26	55	8	8	6	16	17	33	8
671	Torphichen, . . .	1848	1630	32	30	62	8	-	8	13	11	24	14
672	Uphall, . . .	1507	2772	64	42	106	5	8	8	16	15	30	14
678	WHITBURN, . . .	5511	6911	156	138	294	13	11	24	58	65	123	63
	Total,	89045	41879	879	881	1710	72	71	143	390	356	746	300
	25. EDINBURGH.												
†674	Borthwick, . . .	1569	1494	30	29	59	3	4	7	14	14	28	6
675	Carrington, . . .	681	712	12	16	28	2	1	3	5	9	14	2
†676	Cockpen, . . .	2113	2481	54	49	103	1	6	7	28	29	52	24
677	Colinton, . . .	2656	3644	72	71	143	16	18	34	97	108	206	24
678	Corstorphine, . . .	1579	1788	28	27	55	2	1	3	25	17	42	2
†679	Cramond, . . .	2695	3020	23	20	43	-	1	1	29	28	55	14
680	Cranston, . . .	1085	1086	19	21	40	-	4	4	7	6	13	1
681	Crichton, . . .	1304	1223	13	23	36	-	4	4	8	11	19	1
682	Currie, . . .	2248	2360	37	45	82	1	2	3	22	17	39	12
683	DALKEITH, . . .	7114	7667	132	142	274	5	14	19	81	92	173	24
*684	DUDDINGSTON—												
	(1) PORTOBELLO, . . .	4866	5481	91	92	183	2	8	10	69	62	131	5
	(2) Landward, . . .	857	970	19	17	36	1	3	4	11	11	22	1
*685	EDINBURGH												
	(1) St George . . .	42068	55049	986	923	1909	64	54	118	632	656	1288	14
	(2) St Andrew . . .	38781	39781	574	577	1151	48	37	85	366	422	788	14
	(3) Canongate, . . .	30169	33133	584	613	1197	70	76	146	658	484	1142	14
	(4) St Giles, . . .	29679	31960	593	554	1147	87	79	166	415	402	817	14
	(5) Newington, . . .	29797	41079	715	719	1434	37	43	80	444	532	976	14
686	Fala and Soutra, . . .	382	364	4	7	11	2	1	3	1	4	5	1
687	Glencorse, . . .	1217	1153	15	20	35	1	1	2	7	7	14	1
688	Horiot, . . .	407	414	7	6	13	2	1	3	-	6	6	1
689	INVERESK, . . .	9518	10068	158	158	311	18	11	29	117	116	233	14
*690	Kirknewton and East-Calder, . . .	1549	2213	42	56	98	5	1	6	17	22	39	1
691	LAWSWADE, . . .	5688	7098	125	132	257	5	9	14	57	72	129	1
*692	LEITH—												
	(1) North Leith, . . .	11562	16582	367	302	669	19	7	26	185	192	377	14
	(2) South Leith, . . .	24467	29852	664	645	1309	49	38	82	452	425	877	14
†693	Liberton, . . .	3510	3791	61	57	118	-	7	7	32	46	78	1
694	Mid-Calder, . . .	1389	3634	28	23	51	2	-	2	10	8	18	1
†695	Newbattle, . . .	2138	2424	46	62	108	5	5	10	15	23	38	1
696	Newton, . . .	1553	1181	22	23	45	1	1	2	13	14	27	1
697	PENICUIK, . . .	3249	3765	57	55	112	4	8	12	33	39	72	1
698a	Ratho, . . .	1659	1744	29	26	55	2	3	5	17	11	28	1
*698b	Stobhill, . . .	2364	2447	55	58	113	4	1	5	27	27	54	1
†699	Stow, . . .	1870	1957	29	33	62	8	3	6	10	11	21	1
†700	Temple, . . .	682	658	9	10	19	-	-	-	4	2	6	1
701	WEST-CALDER, . . .	1927	7865	169	167	336	5	14	19	56	69	125	1
	Total,	273792	328138	5869	5773	11642	466	461	927	3959	3992	7951	14
	26. HADDINGTON.												
702	Aberlady, . . .	1019	1022	10	15	25	1	1	2	2	9	11	1
703	Athelstaneford, . . .	902	844	9	8	17	1	1	2	6	8	14	1
704	Bolton, . . .	332	364	2	7	9	-	-	-	3	8	8	1

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
705	Dirleton, ...	1540	1419	18	11	29	-	-	-	12	5	17	9
706	DUNBAR, ...	4944	4982	86	58	189	7	4	11	77	68	145	81
707	Garvald, ...	891	882	7	8	15	-	-	-	5	8	9	5
708	Gladsmair, ...	1945	1868	80	18	48	3	1	4	16	11	27	8
709	HADDINGTON, ...	5548	5735	94	76	170	4	4	8	52	60	112	41
710	Hambie, ...	997	967	17	9	26	4	1	5	4	8	7	4
711	Innerwick, ...	987	892	8	17	25	1	3	4	10	6	16	4
712	Morham, ...	281	204	4	1	5	-	-	-	1	1	2	2
713	NORTH BERWICK, ...	2071	2378	89	80	69	3	2	5	19	80	49	11
714	Oldhamstocks, ...	615	592	5	6	11	-	-	-	8	4	12	2
715	Oranston, ...	915	911	21	17	88	2	1	3	8	8	16	8
716	Pencailtland, ...	1187	1320	20	26	46	1	4	5	13	17	30	10
717	Prestonkirk, ...	1960	1931	28	31	59	4	8	7	12	24	36	15
718	Prestonpans, ...	2080	2069	40	29	69	4	2	6	38	20	58	11
719	Salton, ...	712	647	11	4	15	2	1	3	7	4	11	8
720	Spott, ...	555	560	5	9	14	-	-	-	4	8	7	2
721	Stenton, ...	692	612	10	8	18	-	2	2	2	5	7	2
722	TRAVENT, ...	4647	4852	111	121	232	10	9	19	68	58	126	80
723	Whitekirk and Tynning- hame, ...	1118	1078	19	10	29	3	2	5	5	9	14	3
724	Whittinghame	710	657	7	7	14	-	1	1	3	4	7	-
725	Yester, ...	1083	1084	12	10	22	3	1	4	5	9	14	8
Total,		37628	37755	618	581	1144	53	43	96	377	372	749	224
27. BERWICK.													
726	Abbey St Bathans, ...	179	195	5	3	8	-	-	-	-	-	-	1
727	AYTON, ...	2014	1988	35	30	65	2	1	3	17	16	33	17
728	Bankle and Preston, ...	766	764	9	8	17	1	-	1	4	7	11	1
729	Channelkirk, ...	671	705	7	16	23	1	2	3	4	4	8	2
730	Chirnside, ...	1502	1413	26	15	41	2	1	3	12	13	25	6
731	Cockburnspath, ...	1194	1133	18	20	38	1	3	4	7	7	14	3
732	Coldingham, ...	8241	8093	61	43	104	5	4	9	15	27	42	10
733	Coldstream, ...	2823	2619	28	37	65	3	6	9	21	30	51	17
734	Cramshaws, ...	134	142	-	1	1	-	-	-	1	2	3	-
735	DUNSE, ...	8595	8602	47	42	89	6	5	11	27	21	48	14
736	Earlston, ...	1825	1977	35	30	65	5	2	7	27	13	40	16
737	Ecclas, ...	1861	1780	15	23	38	1	5	6	17	9	26	6
738	Edrom, ...	1592	1513	27	17	44	3	-	3	16	24	40	6
739	EYEMOUTH, ...	1804	2372	43	51	94	5	2	7	25	18	43	20
740	Fogo, ...	559	502	4	9	13	-	3	3	1	3	4	3
741	Foulden, ...	431	425	5	5	10	2	1	3	4	4	8	2
742	Gordon, ...	931	876	13	11	24	1	1	2	6	2	8	6
743	Greenlaw, ...	1870	1881	25	17	42	3	-	3	8	14	22	5
744	Hame, ...	420	460	7	8	15	1	-	1	3	6	9	1
745	Hutton, ...	1067	1077	10	10	20	1	1	2	10	10	20	6
746	Ladykirk, ...	564	518	11	5	16	1	2	3	3	3	6	2
747	Langton, ...	502	548	2	13	15	1	-	1	5	5	10	4
748	LAUDER, ...	2198	2120	42	29	71	3	2	5	17	18	35	8
749	Legerwood, ...	599	525	9	11	20	1	2	3	4	3	7	3
750	Longformacus, ...	448	452	8	7	15	-	-	-	3	2	5	5
751	Merton, ...	729	734	11	18	24	-	-	-	6	2	8	4
752	Mordington, ...	377	402	4	6	10	1	2	3	2	2	4	1
753	Nenthorn, ...	461	434	9	7	16	3	-	3	1	1	2	1
754	Polwarth, ...	251	249	3	-	3	-	-	-	2	3	5	-
755	Swinton, ...	964	996	14	9	23	2	2	4	15	4	19	3
756	Westrathier, ...	786	784	11	8	19	-	2	2	-	4	4	7
757	Whitsoame, ...	640	608	3	6	9	-	-	-	4	2	6	2
Total,		36438	36332	547	510	1057	55	49	104	287	279	566	132

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
28. PEEBLES.													
758	Broughton (merged in 768), ...												
759	Drumalzier, ...	209	221	7	2	9	1	1	2	4	1	5	—
760	Eddlestone, ...	753	700	4	12	16	—	1	1	4	—	4	5
761	Glenholm (merged in 768), ...												
+762	Innerleithen, ...	1787	2776	48	56	99	5	3	8	22	23	45	17
763	Kilbucho, Broughton, and Glenholm, ...	723	729	11	12	23	—	1	1	2	3	5	6
764	Kirkurd, ...	362	294	2	5	7	—	—	—	1	1	2	1
765	Lyne, etc.—(1) Lyne, ...	81	104	2	1	3	—	—	—	—	—	—	1
	(2) Megget, ...	53	70	—	1	1	—	—	—	—	—	—	—
766	Manor, ...	247	271	4	2	6	—	—	—	3	1	4	—
767	Newlands, ...	987	851	11	10	21	—	—	—	4	8	12	4
768	PEEBLES, ...	2850	3172	54	52	106	5	6	11	30	35	65	22
769	Skirling, ...	317	325	4	5	9	—	—	—	1	3	4	1
770	Stobo, ...	478	459	12	11	23	—	—	—	3	6	9	1
771	Traquair, ...	687	669	10	9	19	—	1	1	4	1	5	4
772	Tweedmuir, ...	196	190	3	4	7	1	—	1	1	1	2	1
773	West Linton, ...	1534	1387	23	20	43	1	2	3	7	13	20	8
Totals,		11264	12218	190	202	392	13	15	28	86	96	182	71
29. SELKIRK.													
+774a	Caddonfoot, ...	610	699	15	18	33	—	1	1	4	8	12	4
774b	Ettrick, ...	454	434	4	6	10	—	—	—	3	1	4	3
+775	GALASHIELS, ...	3268	5921	117	118	230	8	11	19	68	58	126	57
776a	Kirkhope, ...	555	565	8	11	19	1	1	2	—	4	4	1
+776b	LADHOPE, ...	4154	5317	126	115	241	8	13	21	53	47	100	38
777	Roberton, ...	640	593	5	7	12	2	—	2	1	3	4	2
+778	SELKIRK, ...	4646	5555	119	112	231	10	9	19	66	58	124	37
+779	Yarrow, ...	574	567	11	9	20	1	1	2	7	3	10	2
Total,		14901	19651	405	391	796	30	36	66	202	182	384	144
VIII. SOUTHERN.													
30. ROXBURGH.													
780	Anerum, ...	1511	1391	28	25	53	4	3	7	10	8	18	7
781	Ashkirk, ...	578	550	6	4	10	—	—	—	2	4	6	2
782	Bedrule, ...	222	292	3	4	7	—	—	—	1	1	2	3
783	Bowden, ...	864	842	7	11	18	—	—	—	8	8	16	5
784	Castleton, ...	3688	2202	40	41	81	2	4	6	17	20	37	8
785	Cavers, ...	1824	1443	17	26	43	1	2	3	10	12	22	9
786	Crailing, ...	673	657	6	10	16	2	3	5	5	2	7	4
787a	Eckford, ...	957	931	13	11	24	3	1	4	8	4	7	5
+787b	Edgerston, ...	359	365	6	9	15	—	2	2	4	1	5	1
788	Ednam, ...	599	613	11	9	20	1	—	1	2	2	4	3
789	HAWICK, ...	8726	8733	173	160	333	18	13	31	35	33	168	74
790	Hobkirk, ...	771	718	10	7	17	—	—	—	4	3	7	1
791	Hownam, ...	289	238	4	7	11	1	1	2	4	1	5	3
+792	JEDBURGH, ...	5011	4971	75	78	153	8	12	20	39	45	84	37
793	KELSO, ...	5192	5124	71	67	138	8	9	17	41	54	95	39
794	Kirkton, ...	421	320	2	5	7	—	1	1	2	1	3	3
795	Lilliesleaf, ...	772	788	13	18	31	3	2	5	2	3	5	3
796	Linton, ...	608	570	7	5	12	2	1	3	3	—	3	4

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861	1871	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
797	Makerston, ...	880	861	5	5	10	1	1	2	8	—	8	6
798	Maxton, ...	497	481	6	8	14	—	1	1	1	3	4	4
799	Malrose, ...	8500	4115	57	49	106	2	2	4	88	41	79	22
800	Minto, ...	480	481	5	1	6	1	—	1	4	1	5	8
801	Morebattle, ...	1081	986	21	11	82	4	2	6	10	4	14	8
802	Ornam, ...	592	552	12	11	28	3	1	4	8	3	6	2
803	Roxburgh, ...	1178	1058	28	18	86	5	2	7	4	8	12	7
804	St Boswells, ...	922	978	22	18	40	2	3	5	9	7	16	2
805	Smailholm, ...	554	534	5	9	14	1	1	2	4	3	7	3
806	Southdean, ...	687	674	11	8	14	—	—	—	6	4	10	3
807	Sprouston, ...	1805	1294	16	15	81	3	1	4	6	3	9	11
808	Stitchel, ...	425	388	4	6	10	—	4	4	4	4	8	4
809	Teviothead, ...	488	515	7	8	15	—	2	2	6	2	8	2
810	WILTON, ...	3357	3986	85	77	162	8	8	16	86	37	78	26
811	Yetholm, ...	1207	1100	20	12	82	3	2	5	14	3	17	5
	Total,	49568	48241	791	748	1584	86	84	170	390	370	760	300
	81. DUMFRIES.												
812	ANNAN, ...	5118	4681	89	68	152	18	7	20	49	48	97	16
813	Applegarth, ...	985	902	10	8	18	—	1	1	9	10	19	7
814	BYDEKIRK, ...	779	781	8	14	22	2	8	10	11	8	19	4
815	Canonbie, ...	8219	8055	60	51	111	7	11	18	46	29	75	18
816	Carlaverock, ...	1248	1151	20	9	29	6	4	10	2	12	14	7
817	Closeburn, ...	1651	1612	32	24	56	2	7	9	10	8	18	10
818	Cummerstrees, ...	1184	1072	14	14	28	4	4	8	10	12	22	8
819	Dalton, ...	679	577	11	6	17	1	—	1	4	4	8	1
820	Dornock, ...	856	826	10	11	21	—	2	2	7	10	17	6
821	Dryfesdale, ...	2509	2825	34	51	85	5	10	15	27	27	54	18
822	DUMFRIES, ...	18523	14841	228	212	440	25	26	51	217	217	434	98
823	Dunscore, ...	1554	1504	28	12	40	2	2	4	16	10	26	12
824	Durrisdeer, ...	1320	1189	18	18	31	1	1	2	6	11	17	8
825	Eakdalemuir, ...	590	551	8	8	11	1	1	2	4	4	8	1
826	Ewes, ...	356	388	2	5	7	—	2	2	—	—	—	3
827	Glencairn, ...	1867	1749	20	22	42	—	4	4	13	14	27	15
828	Graitney (or Gretna), ...	1620	1895	14	21	35	3	4	7	7	14	21	10
829	Halfmorton, ...	718	611	9	9	18	2	2	4	6	2	8	6
830	Hoddum, ...	1568	1520	16	19	35	—	—	—	25	12	37	8
831	Holywood, ...	1115	1069	18	12	25	—	4	4	7	11	18	11
832	Hutton, ...	876	842	20	12	32	6	3	9	10	8	18	8
833	Johnstone, ...	1149	1089	21	7	28	3	1	4	5	2	7	9
834	Keir, ...	849	828	10	9	19	—	—	—	5	12	17	3
835	Kirkconnel, ...	996	952	12	17	29	1	—	1	13	6	19	6
836	Kirkmahoe, ...	1462	1332	19	22	41	3	5	8	5	8	18	9
837	Kirkmichael, ...	1026	908	14	16	30	4	5	9	5	7	12	4
838	Kirkpatrick-Fleming— (1) Northern District, (2) Southern District,	498 1482	398 1186	3 18	6 13	9 31	1 8	1 3	2 11	5 20	6 14	11 34	2 8
839	Kirkpatrick-Juxta, ...	1025	1091	10	21	31	—	2	2	6	12	18	5
840	LANGHOLM, ...	2979	3785	78	71	149	18	7	20	44	45	89	18
841	LOCHMABEN, ...	3087	3085	40	29	69	7	7	14	29	37	66	17
842	Middlebie, ...	2004	2000	31	31	62	5	6	11	27	12	39	11
843	Moffat, ...	2232	2543	39	35	74	7	7	14	28	23	51	24
844	Morton, ...	2253	2099	22	33	55	3	5	8	29	22	51	9
845	Mouswald, ...	683	647	6	9	15	3	—	3	5	4	9	—
846	Penpont, ...	1326	1323	19	8	27	5	—	5	15	13	28	8
847	Ruthwell, ...	1046	974	14	9	23	3	—	3	4	6	10	5
848	St Mungo, ...	686	658	9	8	17	1	2	3	3	5	8	8
849	SANQUHAR, ...	2758	2201	47	39	86	7	2	9	30	22	52	15

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
849	Tinwald, ...	1079	998	20	18	38	1	2	3	10	11	21	6
850	Torthorwald, ...	1254	1098	21	16	37	6	8	9	18	8	21	7
851	Tundergarth, ...	507	510	8	8	16	1	1	2	8	2	5	3
852	Tynron, ...	446	881	7	6	13	—	—	—	7	8	15	3
853a	Wamphray, ...	559	505	4	2	6	—	—	—	6	5	11	1
853b	Wanlockhead, ...	811	837	9	16	25	1	1	2	8	8	16	3
854	Westerkirk, ...	587	540	10	6	16	1	2	3	1	5	6	4
	Total,	75904	74842	1165	1041	2196	164	165	329	312	774	1586	461
	82. KIRKCUDBRIGHT.												
855	Anwoth, ...	899	827	16	4	20	2	—	2	11	5	16	1
856	Balmacellellan, ...	890	861	8	11	19	1	2	3	11	5	16	2
857a	Balmaghie, ...	1225	1085	15	19	34	2	5	7	8	8	16	2
857b	Bargrennan, ...	471	428	2	8	5	—	—	—	4	2	6	7
858	Borgue, ...	1182	1087	24	11	35	3	2	5	7	12	19	8
859	Buittle, ...	1165	1026	14	21	35	2	—	2	4	18	17	8
860	Carsphairn, ...	558	545	6	7	13	—	—	—	2	5	7	2
861	Colvend, ...	1866	1818	23	25	48	4	1	5	6	12	18	8
862	Corsock-Bridge, ...	544	563	12	9	21	1	2	3	4	6	10	4
863	CROSSMICHAEL, ...	1586	1492	17	20	37	4	1	5	12	16	28	5
864	DALBEATTIE, ...	2054	3168	53	69	122	3	5	8	42	42	84	24
865	Dalry, ...	1149	1074	13	16	29	5	7	12	7	4	11	7
866	Girthon, ...	1702	1586	24	28	52	5	6	11	14	16	30	14
867	Irongray, ...	918	815	8	19	27	1	2	3	4	6	10	6
868	KELLS, ...	1170	1007	13	14	27	1	—	1	5	11	16	4
869	KELTON, ...	3436	3222	56	45	101	11	5	16	33	40	73	26
870	Kirkbean, ...	942	825	11	15	26	1	1	2	8	8	11	2
871	KIRKCUDBRIGHT, ...	8407	8346	49	41	90	9	10	19	40	39	79	19
872	Kirkgunzeon, ...	793	661	12	13	25	2	—	2	4	3	7	1
873	Kirkmabreck, ...	1851	1568	34	18	52	3	—	3	12	20	32	6
874	Kirkpatrick-Durham, ...	1323	1218	17	11	28	1	4	5	5	7	12	7
875	Lochrutton, ...	677	656	8	9	17	—	1	1	5	6	11	6
876	MINNIGAFF, ...	1518	1329	23	27	50	4	9	13	7	8	15	7
877	New Abbey, ...	1068	981	13	15	28	7	6	13	9	10	19	4
878	Parton, ...	572	526	11	7	18	2	—	2	3	2	5	3
879	Rerrick, ...	1783	1911	24	26	50	6	2	8	17	12	29	12
880	TERREGLES, ...	580	547	7	3	10	1	2	3	3	3	6	3
881	Tongland, ...	892	908	14	11	25	3	1	4	6	10	16	3
882	TROQUEER, ...	4743	5402	88	89	177	9	15	24	90	63	153	26
883	Twynholm, ...	815	717	9	6	15	—	1	1	1	6	7	2
884	Urr, ...	1531	1443	17	23	40	3	3	6	6	13	19	6
	Total,	42680	42087	646	635	1281	96	98	194	390	408	798	248
	83. WIGTOWN.												
885	Glasserton, ...	1472	1196	19	15	34	8	2	10	12	8	20	8
886	Inch, ...	2460	2189	34	26	60	6	2	8	17	17	34	16
887	Kirkcolum, ...	1860	1948	26	27	53	4	8	12	17	17	34	14
888	Kirkcowan, ...	1434	1352	22	22	44	2	8	10	12	20	32	8
889	Kirkcinner, ...	1716	1548	17	18	35	1	2	3	12	19	31	8
890	Kirkmaiden, ...	2383	2507	48	45	93	8	9	17	16	23	39	19
891	Leasalt, ...	1417	1249	17	15	32	3	4	7	12	7	19	7
892	Mochrum, ...	2694	2450	42	39	81	8	5	13	27	25	52	15
893	New Luce, ...	781	661	13	16	29	—	6	6	8	7	15	3
894	Old Luce (or Glenluce), ...	2800	2449	43	36	79	9	7	16	29	21	50	8

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
895	PENNINGHAME, . . .	3876	3712	57	53	110	6	3	9	86	27	63	34
896	Portpatrick, . . .	2189	1492	17	30	47	3	4	7	12	17	29	3
897	Sorbie, . . .	1814	1667	25	19	44	6	2	8	16	23	39	11
898	Stoneykirk, . . .	3228	2993	52	40	92	9	10	19	23	21	44	19
899	STRANRAER, . . .	6315	5977	97	86	183	16	9	25	80	84	164	41
900	WHITHORN, . . .	2934	2906	35	47	82	4	4	8	25	34	59	15
901	WIGTOWN, . . .	2637	2306	37	35	72	4	2	6	22	26	48	15
	Total,	41910	38602	601	569	1170	97	87	184	376	396	772	233

Abstract of Marriages, 1874.

MARRIAGES registered in SCOTLAND in 1874, according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.	TOTAL MARRIAGES.	Regular Marriages according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed the Register by Marks.	
		Established Church.	Free Church.	United Presby- terian Church.	Episcopeliana.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	Women.
SCOTLAND.	26390	11820	5922	3588	643	2267	1923	13	216	22291	840	2330	855	74	2401	4747
GROUPS OF DISTRICTS.																
PRINCIPAL TOWNS	10574	3680	2278	1522	404	1332	1150	8	205	8707	447	962	453	5	1098	2285
LARGE TOWNS	3051	1359	578	466	72	367	202	2	5	2529	97	303	120	2	323	633
SMALL TOWNS	5695	2733	1114	933	92	399	362	6	6	4846	170	491	176	12	531	1028
MAINLAND-RURAL	6443	3722	1699	622	75	142	181	2	-	5677	116	508	98	44	320	614
INSULAR-RURAL	627	276	253	43	-	27	23	-	-	532	10	66	8	11	129	211
DIVISIONS.																
I. NORTHERN	621	225	298	53	-	-	43	-	2	547	9	55	7	3	26	56
II. NORTH-WESTERN . . .	798	185	536	8	6	48	10	-	-	689	8	80	9	7	207	336
III. NORTH-EASTERN . . .	2581	1485	619	141	95	45	139	4	3	2202	52	210	64	3	47	171
IV. EAST MIDLAND	4258	2074	799	693	139	231	256	-	66	3671	108	362	108	9	211	453
V. WEST MIDLAND	1607	797	335	209	23	154	87	1	1	1354	44	153	43	13	165	273
VI. SOUTH-WESTERN	11473	4635	2140	1660	239	1526	1135	6	82	9506	451	1014	435	17	1520	2936
VII. SOUTH-EASTERN . . .	3870	1653	954	655	127	223	196	1	61	3249	139	352	122	8	177	333
VIII. SOUTHERN	1237	716	241	167	14	40	57	1	1	1073	29	104	17	14	48	71
COUNTIES.																
1 Shetland	153	97	30	12	-	-	14	-	-	132	1	17	-	3	5	36
2 Orkney	180	77	45	41	-	-	15	-	2	157	4	16	3	-	9	19
3 Caithness	198	40	144	-	-	-	14	-	-	176	4	15	3	-	9	19
4 Sutherland	90	11	79	-	-	-	-	-	-	82	-	7	1	-	9	20
5 Ross and Cromarty . . .	359	43	299	5	3	1	8	-	-	317	2	33	6	1	107	167
6 Inverness	434	142	237	3	3	47	2	-	-	372	6	47	3	6	100	153
7 Nairn	38	11	19	6	-	-	2	-	-	28	4	5	1	-	1	16
8 Elgin	244	108	95	25	3	4	6	3	-	213	1	27	3	-	7	21
9 Banff	361	215	85	21	4	21	15	-	-	303	5	34	13	1	13	53
10 Aberdeen	1633	963	375	85	74	19	114	1	2	1427	37	125	42	2	22	73
11 Kincardine	255	138	45	4	14	1	2	-	1	226	5	19	5	-	4	11
12 Forfar	2095	846	381	342	115	136	163	-	62	1792	59	178	63	3	136	404
13 Perth	773	405	209	93	12	21	31	-	2	669	20	65	14	5	18	43
14 Fife	1203	720	189	215	8	17	52	-	2	1048	24	104	27	-	39	73
15 Kinross	47	27	6	14	-	-	-	-	-	40	1	5	1	-	1	1
16 Clackmannan	140	76	14	29	4	7	10	-	-	122	4	10	3	1	17	31
17 Stirling	742	361	139	104	6	77	53	1	1	623	21	67	21	10	72	121
18 Dumbarton	458	215	82	77	12	61	11	-	-	393	13	40	12	-	48	94
19 Argyll	309	133	77	17	4	9	19	-	-	260	7	33	6	3	37	51
20 Bute	98	38	37	11	1	7	4	-	-	78	3	13	4	-	8	11
21 Renfrew	1724	631	378	235	63	239	171	-	7	1428	58	151	83	4	215	468
22 Ayr	1829	1000	373	224	15	105	110	2	-	1546	51	147	83	2	183	363
23 Lanark	7920	3064	1339	1201	161	1182	854	4	75	6532	342	716	319	11	1117	2101
24 Linlithgow	300	133	45	33	4	25	9	-	1	269	9	12	4	6	39	6
25 Edinburgh	2949	1152	805	474	113	176	168	1	60	2427	124	289	108	1	126	22
26 Haddington	224	133	42	26	6	12	5	-	-	190	3	23	8	-	17	3
27 Berwick	182	82	33	62	-	-	5	-	-	166	2	13	1	-	3	3
28 Peebles	71	40	12	15	1	-	3	-	-	66	-	5	-	-	3	1
29 Selkirk	144	63	17	45	3	10	6	-	-	131	1	10	1	1	2	2
30 Roxburgh	300	160	55	60	6	4	15	-	-	267	8	23	1	1	6	1
31 Dumfries	461	264	83	69	7	13	18	1	1	397	11	49	2	2	7	1
32 Kirkcudbright	243	160	44	21	1	11	6	-	-	212	5	17	9	-	10	1
33 Wigtown	233	132	54	17	-	12	18	-	-	197	5	15	5	11	25	5

CONDITION and AGE of PERSONS married in SCOTLAND in 1874.

CONDITION.	Total Marriages	AGES AT MARRIAGE.																Age not stated.				
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65		70	75	80	85
BACHELORS with SPINSTERS.	22291 22291	- 1	- 8	8 96	25 430	154 1178	728 1882	1243 22260	9025 9227	6896 5092	2611 1411	944 479	861 154	161 49	78 16	38 1	10 -	3 -	3 -	1 -	- -	12 13
BACHELORS with WIDOWS.	840 840	- -	- -	- -	- -	1 -	8 -	7 -	129 66	216 225	208 229	123 157	75 108	39 30	19 16	12 4	3 2	2 -	- -	- -	- -	1 -
WIDOWERS with SPINSTERS.	2380 2380	- -	- 1	- 3	- 4	- 23	- 32	- 63	78 840	308 549	458 508	457 428	364 224	238 108	202 29	108 12	79 2	27 1	15 1	4 -	1 -	4 2
WIDOWERS with WIDOWS.	855 855	- -	- -	- -	- -	- -	- -	- 2	4 12	42 84	98 136	126 166	149 208	156 137	127 69	69 24	56 14	18 1	8 -	2 1	- 1	- -
{ MEN. WOMEN. Condition not stated.	74 74	- -	- -	- 1	- -	1 5	4 5	5 4	18 30	21 14	12 9	6 4	3 1	- 1	2 -	- -	2 -	- -	- -	- -	- -	- -
	TOTAL MEN.....	26390	-	8	25	156	786	1257	9249	7478	8387	1656	952	594	428	217	150	50	28	7	1	17
TOTAL WOMEN...	26390	1	9	90	434	1201	1922	2384	9675	5964	2293	1234	690	325	180	41	18	2	1	1	1	15

AGES of MALES married in Scotland in 1874.

AGES OF MALES MARRIED IN SCOTLAND IN 1874.																							
Total Males.	Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.	
		16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.	
Scotland.	-	-	3	25	156	735	1257	9249	7478	8387	1656	952	594	428	217	150	50	28	7	1	-	17	
GROUPS OF DISTRICTS.																							
Principal Towns .	10574	-	-	1	14	67	313	528	3699	2928	1365	661	408	249	176	84	59	18	8	1	-	-	
Large Towns .	8051	-	-	1	3	20	109	148	1138	836	327	182	107	82	53	29	17	4	4	1	-	-	
Small Towns .	5895	-	-	1	3	45	168	299	2146	1589	654	330	182	106	82	43	30	10	4	1	-	2	
Mainland-Rural .	6443	-	-	-	5	23	135	276	2170	1910	893	421	223	143	104	56	39	14	9	4	-	13	
Insular-Rural .	627	-	-	-	-	1	10	11	101	215	143	62	32	14	13	5	4	3	-	1	-	2	
DIVISIONS.																							
1. Northern .	621	-	-	-	-	3	10	15	164	194	107	54	31	16	10	4	5	2	3	1	1	1	
2. North-Western .	793	-	-	-	-	-	8	9	100	254	213	102	37	25	25	10	6	7	-	-	-	2	
3. North-Eastern .	2531	-	-	-	4	7	40	96	874	725	353	158	108	56	54	22	20	5	4	2	-	3	
4. East Midland .	4258	-	-	-	7	31	110	213	1615	1189	481	255	141	77	57	42	22	8	5	1	-	4	
5. West Midland .	1607	-	-	-	-	8	31	64	505	488	244	109	60	40	29	14	11	1	3	-	-	4	
6. South-Western .	11473	-	-	3	12	88	430	642	4253	3121	1293	647	370	254	177	83	60	17	7	2	-	8	
7. South-Eastern .	3370	-	-	-	1	16	85	152	1296	1146	534	292	167	86	59	33	22	5	5	-	-	8	
8. Southern .	1237	-	-	-	1	3	26	66	433	361	162	69	33	41	17	9	4	5	1	1	-	-	
COUNTIES.																							
Shetland .	153	-	-	-	-	-	2	2	39	58	26	15	3	3	1	-	1	1	-	1	-	-	
Orkney .	180	-	-	-	1	5	7	51	51	29	10	13	3	2	1	3	1	2	-	-	-	1	
Caithness .	198	-	-	-	2	2	6	52	57	37	17	12	5	5	1	1	-	-	1	-	-	-	
Sutherland .	90	-	-	-	-	1	-	22	28	15	12	3	5	2	2	-	-	-	-	-	-	-	
Ross and Cromarty .	369	-	-	-	-	-	5	42	113	93	43	17	15	8	4	3	4	-	-	-	-	2	
Inverness .	434	-	-	-	-	-	3	53	136	120	54	20	10	17	6	3	3	-	-	-	-	-	

Nairn	.	.	. 88
Elgin	.	.	. 244
Bang	.	.	. 361
Aberdeen	.	.	. 1688
Kincaidne	.	.	. 256
Forfar	.	.	. 2095
Perth	.	.	. 778
Fife .	.	.	. 1208
Kinross	.	.	. 47
Clackmannan	.	.	. 140
Stirling	.	.	. 742
Dumbarton	.	.	. 458
Argyll	.	.	. 309
Bute.	.	.	. 98
Renfrew	.	.	. 1724
Ayr	.	.	. 1829
Lanak	.	.	. 7920
Linlithgow	.	.	. 300
Edinburgh	.	.	. 2949
Haddington	.	.	. 224
Berwick	.	.	. 182
Peebles	.	.	. 71
Selkirk	.	.	. 144
Roxburgh	.	.	. 300
Dumfries	.	.	. 461
Kirkcudbright	.	.	. 248
Wigtown	.	.	. 283

Abstract of Marriages, 1874.

AGES of FEMALES married in Scotland in 1874.

AGES OF FEMALES MARRIED IN SCOTLAND IN 1874.																							
Total Females	Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.	
		1	9	99	434	1201	1922	2334	9675	5964	2293	1234	690	325	130	41	18	2	1	1	1	1	15
SCOTLAND.																							
GROUPS OF DISTRICTS.																							
		-	-	35	178	527	814	981	3785	2288	910	530	297	137	63	21	7	1	-	-	-	-	
PRINCIPAL TOWNS .	10574	-	-	2	14	43	165	223	281	1123	663	255	125	86	44	18	4	-	-	-	-	1	
LARGE TOWNS .	3051	-	-	5	24	126	274	473	535	2109	1193	461	239	143	74	25	8	-	-	-	-	2	
SMALL TOWNS .	5696	-	-	2	24	83	229	392	503	2436	1615	588	311	147	66	22	7	3	1	1	1	10	
MAINLAND-RURAL .	6443	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
INSULAR-RURAL .	627	-	-	2	4	6	20	34	222	205	79	29	17	4	2	1	-	-	-	-	-	2	
DIVISIONS.																							
1. NORTHERN .	621	-	-	2	6	14	24	49	185	205	67	40	19	6	2	1	-	-	-	-	-	1	
2. NORTH-WESTERN .	793	-	1	1	2	19	21	27	274	259	101	46	28	9	2	-	1	-	-	-	-	2	
3. NORTH-EASTERN .	2631	-	2	6	32	108	166	208	904	639	237	115	64	30	10	6	2	-	1	-	-	1	
4. EAST MIDLAND .	4258	-	-	12	42	140	265	367	1688	977	384	189	108	53	24	8	3	-	-	-	-	3	
5. WEST MIDLAND .	1607	-	-	2	23	62	120	131	575	378	170	77	44	12	9	2	1	-	-	-	-	1	
6. SOUTH-WESTERN .	11473	-	4	58	248	675	1013	1149	4180	2254	832	511	309	148	62	17	8	2	-	1	1	1	
7. SOUTH-EASTERN .	3870	1	1	9	65	144	244	301	1403	948	374	206	96	46	18	6	3	-	-	-	-	5	
8. SOUTHERN .	1237	-	1	9	16	39	69	102	466	304	123	50	27	21	3	1	-	-	-	-	-	1	
COUNTIES.																							
Shetland .	153	-	-	-	1	1	2	10	47	58	16	12	6	1	-	-	-	-	-	-	-	-	
Orkney .	180	-	-	2	1	4	8	18	55	58	19	6	7	-	1	1	-	-	-	-	-	1	
Caithness .	198	-	-	-	2	8	12	15	60	58	20	15	4	3	1	-	-	-	-	-	-	-	
Sutherland .	90	-	-	-	2	1	2	6	23	31	12	8	3	2	-	-	-	-	-	-	-	-	
Ross and Cromarty .	359	-	-	1	-	8	8	12	131	117	48	24	8	2	2	-	1	-	-	-	-	2	
Inverness .	434	-	1	-	2	11	13	15	143	142	53	22	20	7	-	-	-	-	-	-	-	-	

Nairn	.	.	88	-	-	1	-	8	9	15	7	1	1	1	-	-	-	-	-
Elgin	.	.	244	-	-	-	8	18	92	54	30	11	6	1	2	1	-	-	-
Banff	.	.	361	-	2	6	17	28	140	78	29	22	11	3	1	-	-	-	-
Aberdeen	.	.	1638	-	-	5	28	77	556	430	150	78	42	19	7	4	-	-	-
Kincaidne	.	.	255	-	-	1	2	6	107	62	21	8	4	1	-	1	-	-	-
Forfar	.	.	2085	-	-	6	24	78	818	448	208	90	50	27	8	5	1	-	-
Perth	.	.	773	-	-	3	5	18	299	194	74	53	28	9	7	-	-	-	-
Fife	.	.	1208	-	-	2	9	43	515	276	89	40	25	16	9	2	1	-	-
Kinross	.	.	47	-	-	-	-	2	15	17	3	8	1	-	-	-	-	-	-
Clackmannan	.	.	140	-	-	1	4	4	46	42	10	8	1	1	-	1	1	-	-
Stirling	.	.	742	-	-	1	13	42	275	149	60	80	22	2	5	1	1	-	-
Dumbarton	.	.	458	-	-	1	7	16	165	103	53	23	11	3	1	1	-	-	-
Argyll	.	.	309	-	-	-	3	2	107	102	37	21	8	5	1	-	-	-	-
Bute	.	.	98	-	-	-	-	2	28	24	15	3	3	2	2	-	-	-	-
Renfrew	.	.	1724	-	-	6	22	37	653	336	127	80	51	27	4	2	3	1	-
Ayr	.	.	1829	-	-	3	54	95	704	326	122	77	51	29	15	4	2	-	-
Lanark	.	.	7920	-	4	49	172	493	2823	1592	533	354	207	92	43	11	3	1	-
Linlithgow	.	.	300	1	-	2	17	22	108	48	19	11	1	-	-	-	-	-	-
Edinburgh	.	.	2949	-	1	6	44	107	1051	741	303	164	82	43	16	6	3	-	-
Haddington	.	.	224	-	-	1	1	6	89	57	18	12	7	3	-	-	-	-	-
Berwick	.	.	182	-	-	-	-	1	64	50	22	12	2	-	1	-	-	-	-
Peebles	.	.	71	-	-	-	1	3	31	20	2	5	1	-	-	-	-	-	-
Selkirk	.	.	144	-	-	-	2	7	60	32	10	2	3	-	1	-	-	-	-
Roxburgh	.	.	300	-	-	1	3	12	134	57	34	11	8	3	1	1	-	-	-
Dumfries	.	.	461	-	-	3	5	11	162	127	48	17	11	9	1	-	-	-	-
Kirkcudbright	.	.	243	-	-	1	5	9	83	67	18	13	7	6	1	-	-	-	-
Wigtown	.	.	233	-	1	4	3	7	87	63	28	9	6	8	-	-	-	-	-

Deaths at Different Ages in Scotland in 1874.

DEATHS at Different Ages in SCOTLAND during the YEAR 1874.—BOTH SEXES.

	POPULATION.		BOTH SEXES.													
	1861.	1871.	ALL AGES.	MONTHS.			AGE UNDER									
				3	6	12	2	3	4	5	10	15	20	25	30	
SCOTLAND .	3062294	3360018	80720	7706	2928	4813	6402	3541	2533	1900	4911	2207	2564	2990	2731	
Principal Towns	884955	1068556	32124	2995	1252	2208	3138	1790	1222	920	2220	835	957	1149	1141	
Large Towns .	274381	334257	10028	991	402	664	911	479	356	278	684	278	344	382	345	
Small Towns .	704380	776087	17560	1795	653	1024	1314	689	529	377	1003	504	602	675	574	
Mainland-Rural	1061793	1049114	18316	1755	579	857	950	540	406	304	967	540	599	668	576	
Insular-Rural .	136785	132004	2194	170	42	60	89	49	29	21	37	50	62	86	95	
Sutherland .	31670	31608	522	32	8	10	11	2	4	2	8	9	12	17	21	
Orkney .	32395	31274	406	17	9	4	11	2	2	4	3	4	7	13	21	
Caithness .	42200	41011	566	43	23	19	13	9	8	6	16	20	15	24	22	
Sutherland .	24157	23298	348	19	4	16	11	2	5	4	13	7	5	10	11	
Ross & Cromarty	82427	82093	1480	90	40	59	76	41	35	27	69	23	30	45	48	
Inverness .	84315	84258	1457	132	32	48	75	34	12	18	45	28	37	57	61	
Nairn .	8347	8372	152	18	3	6	5	3	3	2	6	1	5	6	6	
Elgin .	44305	44549	302	59	23	46	47	24	15	13	42	10	24	36	15	
Banff .	56020	58883	936	88	26	45	50	23	23	23	37	25	32	38	31	
Aberdeen .	223417	246298	4698	530	159	237	267	169	115	95	265	136	170	161	152	
Kincardine .	34781	35097	588	59	28	12	26	17	16	7	32	11	18	18	18	
Forfar .	206750	240049	6489	687	258	372	542	349	278	202	523	158	213	199	187	
Perth .	133198	128550	2608	190	52	113	112	93	62	56	147	67	58	88	85	
Fife .	155021	160924	3309	307	127	205	228	107	95	61	192	99	94	98	88	
Kinross .	8731	7918	137	11	2	5	8	3	8	—	6	5	—	5	2	
Clackmannan .	20122	22235	460	54	19	31	25	10	18	8	16	12	18	17	9	
Stirling .	88188	98345	2255	254	72	117	162	96	58	46	145	62	63	83	74	
Dumbarton .	54179	61116	1664	147	60	91	111	76	51	40	128	50	72	64	54	
Argyll .	83859	79661	1447	97	33	51	57	28	22	14	48	46	42	66	48	
Bute .	16311	16966	413	25	9	11	15	8	7	3	8	26	23	19	19	
Renfrew .	168746	195305	5097	486	186	313	403	224	165	105	308	153	193	211	205	
Ayr .	199083	200908	4998	507	171	268	338	227	162	127	314	160	207	211	183	
Leith .	640444	787005	25394	2408	1066	1962	2851	1470	972	739	1826	735	820	963	877	
Linlithgow .	39045	41379	746	107	40	69	65	27	13	19	22	19	21	28	25	
Edinburgh .	273792	328138	7961	768	294	455	614	315	250	184	436	177	208	269	276	
Haddington .	37628	37755	749	73	18	45	51	31	30	22	57	29	29	19	18	
Berwick .	36483	36382	566	62	15	16	20	24	11	8	31	15	16	18	16	
Peebles .	11264	12218	182	29	8	9	6	3	2	2	7	4	9	9	8	
Selkirk .	14901	19651	384	41	22	22	28	19	11	9	20	7	22	18	13	
Roxburgh .	49568	48241	760	90	19	36	29	15	15	11	26	17	20	33	26	
Dumfries .	75964	74842	1586	146	58	60	76	40	41	22	67	33	44	51	52	
Kirkcudbright .	42680	42087	798	67	17	32	37	31	17	10	28	23	26	25	32	
Wigtown .	41910	38602	772	68	22	28	32	19	13	11	30	26	20	44	34	

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1874.—BOTH SEXES.

Glasgow .	395503	477732	15845	1362	662	1216	1837	986	628	484	1169	436	464	573	563	
Edinburgh .	170444	201052	5011	472	162	276	369	200	151	107	239	106	123	130	181	
Dundee .	91664	120724	4170	474	166	288	402	272	223	153	376	101	131	130	127	
Aberdeen .	73900	88181	2066	217	75	123	126	83	49	38	93	58	75	72	75	
Greenock .	43894	59794	1690	169	64	113	125	72	53	36	100	53	63	69	83	
Paisley .	47427	48257	1338	111	51	73	115	74	38	29	77	33	52	65	47	
Leith .	36029	46434	1254	136	58	78	127	67	50	46	15	31	30	39	48	
Perth .	28094	26382	700	54	16	36	37	36	25	27	106	15	14	21	17	

DEATHS at Different Ages in SCOTLAND during the YEAR 1874.—BOTH SEXES.

	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	1	
SCOTLAND . . .	2478	2489	2583	2583	2639	2635	3526	3451	4351	3363	2734	1418	477	126	19	61	
Principal Towns . .	1082	1118	1188	1152	1247	1196	1365	1134	1203	797	481	247	63	20	2	2	
Large Towns . . .	816	821	808	298	358	356	419	378	447	831	230	102	31	9	2	11	
Small Towns . . .	505	503	534	559	630	615	775	793	1035	792	648	306	105	22	2	6	
Mainland-Rural . .	507	493	497	529	621	690	876	1017	1480	1236	1166	644	229	55	11	24	
Insular-Rural . . .	68	54	61	45	74	78	91	129	186	207	209	119	49	20	2	18	
Shetland	17	10	15	11	12	19	24	31	57	66	69	40	10	5	-	-	
Orkney	14	7	7	17	8	23	21	25	49	57	45	26	9	1	-	-	
Caithness	11	13	11	16	24	11	20	33	54	48	46	8	1	2	2		
Sutherland	10	7	10	7	11	17	16	14	36	35	40	26	8	4	-	-	
Ross and Cromarty . .	37	40	52	36	67	40	67	60	129	124	125	55	35	10	4	16	
Inverness	47	43	38	42	52	45	68	86	116	109	125	70	21	12	1	3	
Nairn	3	5	3	6	6	10	7	9	13	8	13	8	2	-	-	-	
Elgin	30	14	26	29	23	36	22	47	55	70	46	32	8	3	-	-	
Banff	24	20	24	25	31	38	37	45	88	61	60	30	11	1	-	-	
Aberdeen	107	156	120	124	154	142	203	256	319	253	221	123	53	15	8	3	
Kincardine	11	13	14	17	22	26	27	29	45	41	41	24	15	2	-	-	
Forfar	163	183	228	194	222	219	282	256	308	211	139	82	28	3	-	3	
Perth	75	76	67	81	95	104	140	154	233	186	152	86	25	9	1	1	
Fife	84	88	79	92	100	142	152	170	220	196	181	79	25	3	1	1	
Kinross	2	5	3	4	6	3	6	8	16	14	13	6	1	-	-	-	
Clackmannan	19	22	10	11	16	18	28	21	87	19	13	7	1	1	-	-	
Stirling	85	70	62	59	84	92	108	103	137	101	75	30	10	4	-	3	
Dumbarton	61	48	54	41	54	57	65	74	108	66	59	24	6	1	-	2	
Argyll	40	37	45	30	55	63	66	81	122	123	129	56	28	7	3	5	
Bute	17	10	8	18	13	15	21	36	31	24	22	18	5	2	-	-	
Renfrew	191	160	181	198	208	209	224	193	253	150	110	49	13	6	-	-	
Ayr	154	170	142	156	163	173	200	225	234	204	181	84	27	7	-	4	
Leamark	819	836	897	856	986	965	976	759	768	466	322	144	41	10	2	8	
Linlithgow	15	17	26	21	36	26	26	31	26	29	22	13	3	-	-	-	
Edinburgh	295	290	287	319	325	321	395	372	455	344	169	98	27	7	-	1	
Haddington	16	17	21	20	15	16	32	44	55	37	42	15	4	2	-	-	
Berwick	7	15	20	11	20	22	37	45	53	35	28	16	2	1	1	1	
Peebles	5	6	5	3	4	4	7	10	15	18	10	3	1	-	-	-	
Selkirk	9	6	11	11	9	10	29	14	21	12	13	6	1	-	-	-	
Roxburgh	21	19	24	26	35	46	54	49	53	35	39	17	4	1	-	-	
Kirkcudbright	42	50	55	61	57	71	81	82	121	119	80	47	15	4	1	5	
Dumfries	18	16	20	16	32	22	47	49	72	58	53	26	16	1	-	2	
Wigtown	29	20	18	25	35	25	38	40	52	44	49	32	14	3	-	1	
DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1874.—BOTH SEXES.																	
Glasgow	523	549	592	565	615	563	619	470	452	243	171	78	14	5	1	2	
Edinburgh	196	204	205	213	223	214	272	243	264	219	99	68	13	5	-	-	
Dundee	94	125	153	127	137	131	157	126	132	73	41	20	5	1	-	-	
Aberdeen	63	79	61	61	73	73	102	113	124	106	71	33	13	4	1	-	
Greenock	85	71	67	76	66	73	61	56	58	29	29	13	4	2	-	-	
Paisley	45	34	54	44	72	64	72	54	82	54	32	13	3	-	-	-	
Leith	50	35	36	41	35	46	43	40	51	33	11	12	7	1	-	-	
Perth	21	21	20	25	26	32	39	32	40	40	27	12	4	2	-	-	

DEATHS at Different Ages in SCOTLAND during the YEAR 1874.—MALES.

	MALE POPULATION.		MALES.													
	1861.	1871.	ALL AGES.	MONTHS.			AGE UNDER									
				3	6	12	2	3	4	5	10	15	20	25	30	
SCOTLAND .	1449848	1608143	40678	4443	1617	2632	3388	1831	1297	982	2537	1097	1307	1483	1304	
Principal Towns	407839	502021	16245	1710	687	1232	1643	921	618	486	1193	496	465	555	549	
Large Towns .	129933	160176	5079	593	223	344	479	242	199	140	348	143	162	183	174	
Small Towns .	335356	371118	8852	1030	365	560	719	356	257	195	500	225	336	353	270	
Mainland-Rural	513554	508787	9419	1000	317	466	499	290	209	152	474	265	311	344	261	
Insular-Rural .	63166	61041	1083	110	25	30	48	22	14	9	22	28	33	48	50	
Shetland .	13053	13103	222	19	4	8	5	2	1	1	4	4	7	6	9	
Orkney .	14924	14355	189	10	4	-	4	-	2	1	3	1	4	8	13	
Caithness .	19846	19403	265	17	11	11	4	5	5	5	10	8	8	17	14	
Sutherland .	11058	10942	171	13	2	9	6	2	1	1	5	4	2	8	6	
Ross & Cromarty	38462	38558	698	46	21	29	47	16	13	16	35	9	12	29	20	
Inverness .	39500	39360	721	76	21	27	42	20	7	9	21	14	20	36	30	
Nairn .	3976	3925	79	8	2	2	2	3	3	-	1	1	3	3	4	
Elgin .	20716	20738	367	35	12	29	25	13	9	7	19	5	18	22	9	
Banff .	26401	27826	465	48	14	24	32	12	12	12	16	11	12	21	15	
Aberdeen .	105355	116768	2312	310	77	141	146	87	53	41	134	67	90	68	62	
Kincardine .	16906	17002	293	36	15	7	13	10	8	4	16	4	13	11	4	
Forfar .	93280	107416	3167	409	152	205	282	174	188	108	276	80	100	77	69	
Perth .	63169	60812	1288	115	35	75	50	53	33	30	74	30	32	42	33	
Fife .	72714	75206	1690	194	75	117	133	52	63	41	92	40	57	38	44	
Kinross .	4150	3748	81	7	2	3	6	1	2	-	3	3	-	4	-	
Clackmannan .	9742	10819	225	27	12	11	14	4	9	5	9	8	10	5	3	
Stirling .	49487	46193	1168	135	41	63	81	51	37	17	70	37	27	40	34	
Dumbarton .	26455	29957	845	75	36	47	64	39	24	23	73	21	37	40	26	
Argyll .	40814	38796	742	68	21	20	30	14	11	6	27	25	23	37	27	
Bute .	7201	7616	200	18	7	7	5	4	5	2	3	15	11	10	10	
Renfrew .	79380	93167	2579	273	94	173	206	116	84	45	155	69	105	98	96	
Ayr .	97042	98244	2524	273	95	150	179	124	87	66	154	79	102	104	79	
Lanark .	308263	383392	13118	1397	576	1050	1486	764	492	381	975	390	410	495	443	
Linlithgow .	20069	21049	390	65	21	38	35	15	11	10	12	9	9	11	10	
Edinburgh .	126276	153784	3959	422	170	259	337	163	114	97	214	90	110	134	143	
Haddington .	17866	18069	377	41	10	27	32	10	17	16	23	15	12	8	10	
Berwick .	17354	17361	287	41	9	8	9	5	2	16	6	7	14	9	1	
Peebles .	5538	5902	86	12	3	6	3	1	1	2	6	-	2	3	1	
Selkirk .	7275	9476	202	29	11	10	16	11	6	7	6	2	15	6	7	
Roxburgh .	24555	22049	390	56	10	22	13	9	8	8	15	10	10	15	12	
Dumfries .	35687	34831	812	91	32	26	42	22	23	13	33	13	17	30	26	
Kirkcudbright.	19885	19607	390	39	11	19	22	16	9	3	16	12	15	12	17	
Wigtown .	19299	17769	376	38	11	9	17	9	4	3	16	10	12	31	14	

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1874.—MALES.

Glasgow .	185556	230995	8113	777	362	663	963	522	314	268	635	235	215	290	278	
Edinburgh .	76013	91090	2515	268	92	162	203	100	78	57	116	56	68	87	98	
Dundee .	40895	52805	2059	274	94	162	202	135	117	80	209	49	57	48	49	
Aberdeen .	32554	39736	983	127	37	73	66	43	24	20	52	32	36	28	28	
Greenock .	21567	30298	893	94	29	62	63	39	27	14	55	25	39	44	45	
Paisley .	21913	22269	676	67	27	43	50	32	20	14	37	15	25	23	21	
Leith .	17894	22976	637	73	35	41	76	34	21	20	57	16	18	23	21	
Perth .	14971	12002	364	30	11	26	20	16	17	13	32	8	7	12	9	

DEATHS at Different Ages in SCOTLAND during the YEAR 1874.—MALES.

	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	1	
SCOTLAND . . .	1172	1181	1288	1330	1496	1535	1703	1691	1998	1469	1107	545	171	34	2	43	
Principal Towns . .	527	543	623	596	627	613	636	516	497	317	155	72	19	8	-	1	
Large Towns . . .	153	167	143	160	178	187	207	175	198	137	83	40	10	4	-	7	
Small Towns . . .	223	223	262	238	338	317	378	392	457	340	274	112	33	10	-	4	
Mainland-Rural . .	236	229	221	267	318	377	440	546	729	538	501	267	90	8	1	13	
Insular-Rural . . .	28	19	34	19	35	41	42	62	87	87	94	54	19	4	1	18	
Shetland	8	4	6	2	4	8	13	11	24	27	26	15	3	1	-	-	
Orkney	6	2	3	10	2	11	10	13	22	26	20	10	3	1	-	-	
Caithness	6	7	4	9	13	3	9	13	27	21	20	16	-	-	1	1	
Sutherland	6	2	4	2	4	10	9	6	17	16	19	11	5	1	-	-	
Ross and Cromarty .	16	23	26	13	30	19	27	26	53	56	54	23	14	3	1	16	
Inverness	24	22	23	19	23	22	32	43	46	46	46	35	9	1	-	2	
Nairn	1	2	2	3	4	9	5	5	4	5	5	1	1	-	-	-	
Elgin	13	3	10	10	8	11	13	18	19	34	14	7	4	-	-	-	
Banff	10	11	14	9	13	18	22	20	45	31	24	14	4	1	-	-	
Aberdeen	46	62	57	50	92	72	96	136	173	101	83	47	13	1	-	2	
Kincairdine	6	3	5	10	15	11	11	16	24	19	16	10	5	1	-	-	
Forfar	63	85	105	87	98	103	121	134	129	83	54	25	8	-	-	2	
Perth	36	30	31	30	43	52	65	78	117	86	64	30	12	1	-	1	
Fife	32	24	33	50	50	73	82	84	112	86	70	33	5	-	-	-	
Kinross	1	3	2	2	6	2	2	4	9	7	9	2	1	-	-	-	
Clackmannan	8	7	5	4	12	13	11	12	22	7	4	2	1	-	-	-	
Stirling	43	33	37	36	49	53	53	53	63	49	23	14	3	2	-	1	
Dumbarton	32	21	24	19	24	25	34	39	43	33	25	11	2	-	-	1	
Argyll	22	11	20	19	29	33	33	49	57	50	62	23	3	3	-	4	
Bute	3	2	5	9	7	10	8	16	14	6	9	6	1	2	-	-	
Renfrew	100	73	99	105	109	116	93	102	125	68	44	18	6	2	-	-	
Ayr	71	93	65	90	93	97	87	105	110	86	79	36	12	5	-	3	
Lanark	401	427	462	436	434	449	479	336	325	202	130	55	16	3	-	4	
Leithgow	7	6	15	10	21	10	14	16	16	16	8	4	1	-	-	-	
Edinburgh	133	146	147	167	155	176	194	181	180	131	53	26	8	3	-	1	
Haddington	8	9	10	8	7	9	12	24	23	15	17	3	1	-	-	-	
Berwick	1	3	11	5	8	13	13	22	21	22	17	5	1	-	-	-	
Peebles	2	1	4	2	2	2	4	5	7	9	6	1	1	-	-	-	
Selkirk	2	3	4	4	4	6	13	9	8	6	8	4	1	-	-	-	
Roxburgh	7	7	10	10	18	26	26	29	23	22	12	6	1	-	-	-	
Dumfries	20	19	20	31	30	43	45	46	57	65	34	17	3	1	-	3	
Kirkcudbright	7	7	9	7	13	11	24	19	31	23	23	11	3	-	-	1	
Wigtown	13	10	11	12	16	14	21	16	27	15	24	19	1	2	-	1	

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1874.—MALES.

Glasgow	260	275	313	307	310	230	239	199	170	102	57	26	5	2	-	1	
Edinburgh	95	103	106	112	107	118	133	115	106	83	26	17	1	3	-	-	
Dundee	40	59	75	53	64	57	67	64	53	27	12	4	3	-	-	-	
Aberdeen	27	26	29	24	44	39	44	54	59	33	22	8	2	1	-	-	
Greenock	49	33	40	44	37	43	27	31	29	10	7	5	1	1	-	-	
Paisley	23	21	29	22	33	30	27	23	43	25	16	4	1	-	-	-	
Leith	23	17	22	19	15	27	23	18	18	9	3	5	3	-	-	-	
Perth	10	9	9	10	12	19	26	12	19	13	12	3	3	1	-	-	

DEATHS at Different Ages in SCOTLAND during the YEAR 1874.—FEMALES.

	FEMALE POPULATION.		FEMALES.													
	1861.	1871.	ALL AGES.	MONTHS.			AGE UNDER									
				3	6	12	2	3	4	5	10	15	20	25	30	
SCOTLAND	1612446	1756875	40042	3263	1811	2181	3014	1710	1236	918	2374	1110	1257	1477	1427	
Principal Towns	477116	566535	15879	1285	565	976	1495	869	604	434	1027	399	492	594	592	
Large Towns	144448	174081	4947	398	179	320	432	237	157	138	336	135	182	199	171	
Small Towns	369024	404969	8708	765	288	464	595	333	263	182	503	279	266	322	304	
Mainland-Rural	548239	540327	9397	755	262	391	451	250	197	152	493	275	288	324	315	
Insular-Rural	73619	70963	1111	60	17	30	41	21	15	12	15	22	29	38	45	
Shetland	18617	18505	300	13	4	2	6	—	3	1	4	5	5	11	12	
Orkney	17471	16919	217	7	5	4	7	2	—	3	—	3	3	5	8	
Caithness	22354	21608	301	26	12	8	9	4	3	1	6	12	7	7	8	
Sutherland	13099	12356	177	6	2	7	5	—	4	3	8	3	3	2	5	
Ross & Cromarty	43965	43535	782	44	19	30	29	25	22	11	34	14	18	16	28	
Inverness	45315	44898	736	56	11	21	33	14	5	9	24	14	17	21	31	
Nairn	4371	4447	73	5	1	4	3	—	—	2	5	—	2	3	2	
Elgin	23589	23811	435	24	16	17	22	11	6	6	23	5	11	16	6	
Banff	29619	31057	471	40	12	21	18	11	11	11	21	14	20	17	16	
Aberdeen	118062	129530	2386	220	82	96	121	82	62	54	121	69	80	93	90	
Kincardine	17875	18095	295	23	13	5	13	7	7	3	16	7	5	7	14	
Forfar	113470	132633	3322	278	106	167	260	175	140	94	247	78	113	122	118	
Perth	70029	67738	1320	75	17	38	62	40	29	26	73	37	26	46	47	
Fife	82307	85718	1619	113	52	88	95	55	32	20	100	59	37	55	44	
Kinross	4581	4170	56	4	—	2	2	2	1	—	3	2	—	1	2	
Clackmannan	10880	11416	235	27	7	20	11	6	9	3	7	4	8	12	6	
Stirling	44651	47152	1087	119	31	54	81	45	21	29	75	25	36	43	40	
Dumbarton	27724	31159	819	72	24	44	47	37	27	17	55	29	35	24	28	
Argyll	42945	40865	705	29	12	31	27	14	11	8	21	21	19	29	21	
Bute	9110	9350	213	7	2	4	10	4	2	1	5	11	12	9	9	
Renfrew	89866	102138	2518	213	92	140	197	108	81	60	153	84	88	113	109	
Ayr	102041	102664	2474	234	76	118	159	103	75	61	160	81	105	107	103	
Lanark	332181	398613	12276	1011	490	912	1365	706	480	358	851	345	410	468	434	
Linlithgow	18976	20330	356	42	19	31	30	12	2	9	10	10	12	17	15	
Edinburgh	147516	174354	3992	346	124	196	277	152	136	87	222	87	98	135	133	
Haddington	19760	19686	372	32	8	18	19	21	13	6	29	14	8	11	8	
Berwick	19134	19021	279	21	6	8	11	15	6	6	15	9	9	4	7	
Peebles	5676	6316	96	17	5	3	3	2	1	—	1	4	7	6	2	
Selkirk	7626	10175	182	12	11	12	12	8	5	2	14	5	7	12	6	
Roxburgh	25013	25292	370	34	9	14	16	6	7	3	11	7	10	18	14	
Dumfries	40217	40011	774	55	26	34	34	18	18	9	34	20	27	21	26	
Kirkcudbright	22795	22480	408	28	6	13	15	15	8	7	12	16	11	13	15	
Wigtown	22611	20833	396	30	11	19	15	10	9	8	14	16	8	13	20	

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1874.—FEMALES.

Glasgow	209947	246737	7727	585	300	553	874	464	314	216	534	201	249	283	285	
Edinburgh	94431	109962	2496	204	70	114	166	100	73	50	123	52	60	93	83	
Dundee	51269	68119	2111	200	72	126	200	137	111	73	167	52	74	82	78	
Aberdeen	41346	48395	1083	90	38	55	60	40	25	18	41	26	39	44	47	
Greenock	22327	29496	797	75	35	51	62	33	26	22	45	28	24	25	38	
Paisley	25514	25988	712	44	24	30	65	42	18	15	40	18	27	42	26	
Leith	18135	23458	617	63	21	37	51	33	29	26	48	15	12	16	27	
Perth	14147	14380	336	24	5	10	17	20	8	14	29	7	7	9	8	

DEATHS at Different Ages in SCOTLAND during the YEAR 1874.—FEMALES.

	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
SCOTLAND	1306	1308	1300	1253	1434	1400	1823	1760	2353	1894	1627	873	306	92	17	18	
Principal Towns	555	575	565	556	620	583	729	618	706	480	326	175	44	12	2	1	
Large Towns	163	154	160	138	180	169	212	203	249	194	147	62	21	5	2	4	
Small Towns	277	280	272	271	292	298	397	401	548	452	374	194	72	12	2	2	
Mainland-Rural	271	264	276	262	303	313	436	471	751	648	665	377	139	47	10	11	
Insular-Rural	40	35	27	26	39	37	49	67	99	120	115	65	30	16	1	-	
Shetland	9	6	9	9	8	11	11	20	33	39	43	25	7	4	-	-	
Orkney	8	5	4	7	6	12	11	12	27	31	25	16	6	-	-	-	
Caithness	5	6	7	7	11	8	11	20	27	28	30	8	1	1	1	1	
Sutherland	4	5	6	5	7	7	7	8	19	19	21	15	3	3	-	-	
Ross and Cromarty	21	17	26	23	37	21	40	34	71	68	71	32	21	7	3	-	
Inverness	23	21	15	23	29	23	36	88	70	63	79	35	12	11	1	1	
Nairn	2	3	1	3	2	1	2	4	9	3	8	7	1	-	-	-	
Elgin	12	11	16	19	15	25	9	29	36	36	32	25	4	8	-	-	
Banff	14	9	10	16	18	20	15	25	43	30	36	16	7	-	-	-	
Aberdeen	61	94	63	74	62	70	107	120	146	152	138	76	35	14	3	1	
Kincairdine	5	10	9	7	7	15	16	13	21	22	25	14	10	1	-	-	
Forfar	100	98	123	107	124	116	161	122	179	128	85	57	20	3	-	1	
Perth	39	46	36	51	47	52	75	76	116	100	88	56	13	8	1	-	
Fife	52	54	46	42	50	69	70	86	108	110	111	46	20	3	1	1	
Kinross	1	2	1	2	-	1	4	4	7	7	4	4	-	-	-	-	
Clackmannan	11	15	5	7	4	5	17	9	15	12	9	5	1	-	-	-	
Stirling	39	32	25	23	35	39	50	50	69	52	47	16	7	2	-	2	
Dumbarton	29	27	30	22	30	32	29	35	60	33	34	13	4	1	-	1	
Argyll	18	26	25	11	26	30	33	32	65	73	67	28	20	4	3	1	
Bute	9	8	3	9	6	5	13	20	17	18	13	12	4	-	-	-	
Renfrew	91	87	82	93	99	93	126	91	128	82	66	31	7	4	-	-	
Ayr	83	77	77	66	70	76	113	120	124	118	102	48	15	2	-	1	
Lanark	418	409	435	370	452	416	497	423	443	264	192	89	25	7	2	4	
Linlithgow	8	11	11	11	15	16	12	15	10	13	14	9	2	-	-	-	
Edinburgh	157	144	140	152	170	145	201	191	275	213	116	72	19	4	-	-	
Haddington	8	8	11	12	8	7	20	20	27	22	25	12	3	2	-	-	
Berwick	6	7	9	6	12	9	19	23	32	13	11	11	1	1	1	1	
Peebles	3	5	1	1	2	2	3	5	8	9	4	2	-	-	-	-	
Selkirk	7	3	7	7	5	4	11	5	13	6	5	2	1	-	-	-	
Roxburgh	14	12	14	16	17	20	28	20	25	13	27	11	3	1	-	-	
Dumfries	22	31	35	30	27	23	36	36	64	54	46	30	7	3	1	2	
Kirkcudbright	11	9	11	9	14	11	23	30	41	35	30	15	8	1	-	1	
Wigtown	16	10	7	13	19	11	17	24	25	29	25	13	13	1	-	-	

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1874.—FEMALES.

Glasgow	268	274	279	258	305	283	330	271	282	141	114	50	9	3	1	1	
Edinburgh	101	101	99	101	116	96	139	128	158	131	73	51	12	2	-	-	
Dundee	54	66	78	69	73	74	90	62	79	46	29	16	2	1	-	-	
Aberdeen	36	53	32	37	29	34	58	59	65	68	49	25	11	3	1	-	
Greenock	36	38	27	32	29	30	34	25	29	19	22	8	3	1	-	-	
Paisley	22	13	25	22	34	34	45	31	39	29	16	9	2	-	-	-	
Leith	27	18	14	22	20	19	20	22	33	24	8	7	4	1	-	-	
Perth	11	12	11	15	14	13	13	20	21	22	15	9	1	1	-	-	

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1874.—BOTH SEXES.

	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
Inverness	865	30	18	12	23	9	4	9	18	5	9	15	13	
Arbroath	478	46	21	20	41	21	12	6	31	14	16	12	16	
Forfar	262	20	10	7	21	7	12	10	13	8	8	10	3	
Montrose	363	27	14	12	21	12	8	13	24	5	12	12	8	
Dunfermline	360	36	19	27	39	16	11	5	21	13	12	13	13	
Kirkcaldy	265	41	8	19	25	11	10	4	14	4	9	7	3	
Stirling	359	34	12	20	29	10	10	8	25	14	12	19	13	
Dumbarton	460	41	22	27	27	31	23	16	57	18	16	20	21	
Ayr	522	57	19	29	27	14	9	8	19	13	16	14	26	
Kilmarnock	759	62	23	41	59	42	37	36	57	33	49	33	23	
Barony	1331	92	35	95	130	72	51	40	114	38	43	59	45	
Govan	2256	268	115	190	253	139	97	71	163	43	69	76	78	
Hamilton	469	53	16	33	36	14	9	13	24	13	16	11	16	
Airdrie	361	37	17	31	40	14	13	10	17	10	13	17	13	
Coatbridge	533	70	24	52	87	26	22	14	33	21	22	34	19	
Hawick	241	29	10	16	11	8	8	5	8	1	7	15	12	
Dumfries	537	43	19	33	43	33	23	10	41	15	15	10	13	

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1874.—BOTH SEXES.

Shetland	93	6	1	3	5	-	2	-	3	1	4	2	5
Orkney	77	2	2	2	4	-	-	-	-	1	1	3	2
Caithness	299	23	18	15	7	4	6	3	12	8	5	13	17
Ross and Cromarty	276	10	12	18	23	6	11	9	16	3	11	11	8
Nairn	105	11	3	6	5	3	2	2	3	1	4	2	3
Elgin	345	26	13	17	23	12	5	5	21	3	8	13	9
Banff	427	42	15	23	32	11	9	14	19	18	13	17	12
Aberdeen	743	93	25	44	63	30	23	21	69	18	21	23	22
Kincairdine	181	9	11	2	7	4	3	-	6	3	5	4	2
Forfar	532	56	18	23	30	13	7	8	24	10	17	11	15
Perth	539	42	14	26	18	21	13	9	25	19	13	21	29
Fife	1149	104	50	73	75	35	32	29	61	39	26	34	31
Clockmannan	371	44	16	23	21	3	13	7	12	8	17	14	7
Stirling	933	134	29	49	71	37	19	16	51	26	25	39	32
Dumbarton	918	79	27	44	72	36	24	20	56	21	40	35	23
Argyll	399	31	14	15	23	4	3	4	10	10	11	14	11
Bute	233	16	6	7	12	3	3	3	6	16	12	10	13
Renfrew	1450	143	43	101	125	62	54	23	89	43	57	60	55
Ayr	2554	259	82	137	178	139	87	68	175	71	90	107	89
Leamark	2942	338	129	214	312	157	107	68	199	109	126	130	95
Linlithgow	533	82	26	60	46	19	9	14	17	11	16	22	16
Edinburgh	734	70	26	43	57	15	31	17	39	13	22	20	22
Haddington	333	34	10	23	30	22	19	12	30	20	12	12	10
Berwick	91	12	4	3	5	6	1	4	4	2	1	-	2
Peebles	65	11	4	3	2	2	1	-	3	2	1	2	1
Selkirk	350	35	22	20	27	17	11	3	19	4	22	17	12
Roxburgh	179	15	5	7	10	2	2	1	4	7	5	8	5
Dumfries	196	22	8	7	10	6	1	3	11	3	3	4	5
Kirkcudbright	236	24	10	5	14	3	5	3	8	9	6	6	11
Wigtown	227	22	5	6	8	7	6	1	11	10	8	16	10

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1874.—BOTH SEXES.

	BOTH SEXES																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	1	
Inverness . . .	18	20	7	17	17	7	20	22	32	17	16	8	1	1	1	2	
Arbroath . . .	17	18	9	16	20	23	25	22	26	17	18	10	5	-	-	1	
Forfar . . .	4	7	9	12	12	9	11	14	24	18	8	3	2	-	-	-	
Montrose . . .	10	8	15	17	16	15	25	18	30	25	17	12	1	1	-	-	
Dunfermline . . .	10	14	8	6	4	13	13	15	20	15	13	3	-	-	1	-	
Kirkcaldy . . .	9	9	11	4	9	8	7	12	15	12	12	2	-	-	-	-	
Stirling . . .	14	11	13	3	20	12	19	18	17	14	9	5	-	3	-	-	
Dumbarton . . .	16	12	9	6	11	13	14	17	19	7	10	4	-	-	-	-	
Ayr . . .	16	20	19	15	19	26	35	25	34	25	24	7	4	1	-	-	
Kilmarnock . . .	34	27	21	19	15	20	23	23	24	27	15	4	1	1	-	-	
Barony . . .	50	46	53	42	40	52	70	56	54	23	16	9	1	-	-	-	
Govan . . .	56	75	75	66	78	64	63	59	61	45	25	3	5	1	-	3	
Hamilton . . .	21	17	12	20	22	27	13	21	20	17	12	6	1	1	-	-	
Airdrie . . .	10	7	11	13	18	12	17	14	8	12	4	1	2	-	-	-	
Coatbridge . . .	13	13	7	14	21	18	13	15	18	13	7	5	2	-	-	-	
Hawick . . .	8	6	6	6	8	14	19	13	10	7	8	5	1	-	-	-	
Dumfries . . .	15	16	18	22	23	23	27	24	35	31	16	15	5	-	-	5	

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1874.—BOTH SEXES.

Shetland . . .	4	1	2	2	4	1	4	3	8	15	7	8	2	-	-	-	
Orkney . . .	1	1	3	4	3	1	7	2	9	12	8	7	1	1	-	-	
Caithness . . .	5	6	5	6	15	9	8	17	32	25	17	18	4	1	-	-	
Ross and Cromarty . . .	4	11	16	6	11	5	15	9	10	18	16	11	4	1	1	-	
Nairn . . .	3	4	2	4	3	6	5	7	11	5	8	1	1	-	-	-	
Elgin . . .	8	5	15	13	12	21	12	21	21	25	13	14	-	1	-	-	
Banff . . .	15	9	13	8	17	19	17	25	23	23	30	4	3	1	-	-	
Aberdeen . . .	13	17	13	23	18	19	23	21	30	36	24	18	5	1	-	-	
Kincardine . . .	4	2	2	6	8	9	5	7	9	5	9	6	2	1	-	-	
Forfar . . .	17	11	14	13	17	22	32	37	47	38	29	15	8	-	-	-	
Perth . . .	14	20	16	17	26	17	22	30	60	27	22	12	5	1	-	-	
Fife . . .	33	36	32	38	50	47	57	65	53	61	54	22	10	2	-	-	
Clackmannan . . .	15	19	10	9	15	14	21	15	29	15	12	6	-	1	-	-	
Stirling . . .	35	29	29	30	34	52	54	42	50	45	36	10	7	1	-	1	
Dumbarton . . .	31	24	35	27	37	37	39	45	63	46	33	13	4	1	-	1	
Argyll . . .	12	13	11	12	15	22	17	20	36	33	35	11	4	2	-	-	
Bute . . .	14	3	6	15	7	10	13	20	17	9	12	4	1	-	-	-	
Renfrew . . .	40	36	49	52	53	49	65	61	33	42	30	14	5	1	-	-	
Ayr . . .	72	84	70	90	87	81	93	130	119	106	86	38	13	2	-	1	
Lanark . . .	94	91	101	92	88	81	110	76	88	59	41	27	7	2	-	1	
Linlithgow . . .	8	15	20	13	21	20	19	22	21	20	11	3	2	-	-	-	
Edinburgh . . .	19	20	21	29	34	23	33	32	66	33	26	3	5	-	-	-	
Haddington . . .	3	11	10	9	9	11	10	17	21	16	19	5	3	-	-	-	
Berwick . . .	2	5	6	3	2	2	3	5	11	4	4	-	-	-	-	-	
Peebles . . .	4	1	1	3	-	1	4	4	4	6	4	-	1	-	-	-	
Selkirk . . .	8	6	10	9	8	9	27	12	8	11	11	6	1	-	-	-	
Roxburgh . . .	6	5	7	7	12	10	12	10	15	7	13	3	1	-	-	-	
Dumfries . . .	7	5	7	8	3	5	10	11	19	13	8	5	1	-	1	-	
Kirkcaldy . . .	6	6	4	3	10	6	15	15	17	23	15	4	2	-	-	1	
Wigtown . . .	8	7	4	3	11	6	13	12	15	9	10	3	3	-	-	1	

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1874.—MALES.

	ALL AGES	MALES											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	170	16	10	4	12	2	2	5	7	1	4	8	9
Arbroath	207	30	11	7	20	9	6	5	15	8	5	2	6
Forfar	180	18	7	4	14	4	6	7	4	6	6	7	1
Montrose	165	19	8	6	10	5	2	6	11	2	7	3	8
Dunfermline	176	23	11	15	22	6	6	1	8	3	4	7	9
Kirkcaldy	183	24	4	11	13	3	6	3	6	1	4	4	-
Stirling	193	16	7	11	16	6	7	5	15	10	5	13	5
Dumbarton	282	19	10	11	18	18	15	10	31	10	5	11	12
Ayr	244	33	10	14	14	6	6	5	7	5	5	9	11
Kilmarnock	401	37	12	21	33	25	21	21	33	17	27	14	13
Barony	702	61	20	46	61	38	26	13	59	22	21	29	26
Govan	1146	159	63	101	128	74	54	33	87	27	32	34	34
Hamilton	236	30	9	18	16	6	6	7	12	8	8	5	7
Aldrie	183	22	8	18	24	5	7	3	9	7	5	6	7
Coatbridge	383	48	18	29	46	8	13	9	18	10	16	21	15
Hawick	121	17	8	11	5	6	3	3	4	-	2	6	5
Dumfries	207	27	12	17	27	21	13	4	22	6	6	6	11

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1874.—MALES.

Shetland	43	4	-	3	3	-	-	-	1	-	4	-	1
Orkney	31	1	-	-	2	-	-	-	-	-	-	2	1
Caithness	138	8	7	8	2	2	3	3	8	1	3	9	12
Ross and Cromarty	129	3	5	11	12	1	3	5	7	1	6	8	2
Nairn	53	6	2	2	2	3	2	-	-	-	3	1	2
Elgin	151	14	8	9	12	7	2	1	11	1	7	12	5
Banff	209	21	9	12	19	6	5	5	7	7	5	9	5
Aberdeen	382	54	12	26	38	13	11	8	40	9	14	12	10
Kincardine	77	8	7	1	3	3	1	-	4	2	3	3	-
Forfar	263	29	11	16	19	7	1	3	10	4	7	6	5
Perth	256	23	9	14	8	14	6	8	12	5	9	8	10
Fife	574	69	25	46	45	20	24	23	28	13	17	15	16
Clackmannan	180	23	9	8	11	3	8	4	6	7	9	3	3
Stirling	500	74	15	23	37	19	13	6	21	15	11	16	14
Dumbarton	467	45	18	26	42	15	9	11	36	8	23	23	10
Argyll	195	22	9	7	11	1	6	3	3	4	6	10	7
Bute	115	10	5	4	4	2	3	2	3	9	5	6	7
Renfrew	716	76	28	52	74	33	24	11	43	16	27	25	21
Ayr	1282	137	52	80	96	76	40	33	86	30	45	51	36
Lanark	1576	194	69	118	163	75	56	32	102	57	77	81	55
Linlithgow	289	48	18	34	26	10	7	8	10	6	8	9	7
Edinburgh	356	37	16	24	26	11	9	11	17	3	12	11	11
Haddington	197	21	5	18	17	6	10	8	16	10	9	5	6
Berwick	52	9	3	1	3	4	1	1	3	1	1	-	1
Peebles	30	5	1	1	-	1	1	-	2	-	-	1	1
Selkirk	187	23	11	9	16	9	6	6	6	2	15	5	6
Roxburgh	80	8	2	4	4	1	1	1	2	4	2	4	3
Dumfries	93	17	4	2	6	4	-	2	5	2	-	3	2
Kirkcudbright	115	16	7	3	9	2	3	-	4	4	4	3	5
Wigtown	116	17	5	3	4	3	2	-	7	3	4	12	6

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1874.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	7	11	6	10	7	2	10	12	11	4	5	4	-	-	-	1
Arbroath	4	4	8	6	10	9	9	10	10	9	5	3	1	-	-	-
Forfar	1	4	3	7	3	4	3	9	7	4	5	-	1	-	-	-
Montrose	5	2	4	4	4	9	12	8	15	12	5	3	-	-	-	-
Dunfermline . . .	5	5	4	2	2	7	3	9	11	7	4	3	-	-	-	-
Kirkcaldy	6	4	7	3	5	5	4	3	7	3	6	1	-	-	-	-
Stirling	11	9	4	3	12	8	12	7	4	5	1	2	-	1	-	-
Dumbarton	12	4	6	1	5	4	8	9	7	3	1	2	-	-	-	-
Ayr	10	9	8	9	8	15	13	11	11	9	9	2	2	1	-	-
Kilmarnock	18	14	10	9	10	10	10	13	10	15	9	5	3	1	-	-
Barony	18	33	33	23	24	23	33	25	27	11	10	5	-	-	-	-
Govan	25	39	23	34	35	34	35	21	29	23	11	-	3	-	-	3
Hamilton	9	6	9	14	8	12	7	11	12	5	6	4	-	1	-	-
Airdrie	6	4	6	6	9	9	9	5	3	2	3	-	-	-	-	-
Coatbridge	5	10	2	11	12	11	7	9	9	8	1	2	-	-	-	-
Hawick	3	1	2	1	6	8	9	8	5	3	3	1	1	-	-	-
Dunfries	8	8	8	12	18	12	15	8	15	18	3	5	2	-	-	3

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1874.—MALES

Shetland	3	-	-	-	2	1	1	1	3	6	5	3	2	-	-	-
Orkney	-	-	2	2	-	-	6	-	2	5	4	3	-	1	-	-
Caithness	1	3	2	3	8	2	3	7	17	13	6	7	-	-	-	-
Ross and Cromarty	2	7	5	3	6	2	8	3	3	9	9	7	-	1	-	-
Nairn	1	1	1	2	1	6	4	4	4	3	2	-	-	-	-	-
Elgin	3	1	8	4	4	6	7	8	5	10	4	2	-	-	-	-
Banff	7	5	9	4	6	10	10	13	9	11	11	2	1	1	-	-
Aberdeen	5	9	10	10	12	7	16	9	28	14	6	8	1	-	-	-
Kineardine	2	1	1	4	7	4	2	5	6	4	2	3	-	1	-	-
Forfar	7	8	8	6	6	12	17	16	22	17	16	7	3	-	-	-
Perth	4	7	6	7	14	9	10	18	23	16	7	4	2	-	-	-
Fife	11	14	11	20	26	22	26	30	22	21	23	7	-	-	-	-
Clackmannan	6	6	5	4	11	9	8	8	19	5	4	1	-	-	-	-
Stirling	15	13	21	15	23	27	31	21	25	22	16	4	2	1	-	-
Dumbarton	14	9	13	13	16	18	20	22	31	22	15	6	1	-	-	1
Argyll	6	3	6	6	10	13	7	11	18	8	13	3	1	1	-	-
Bute	7	-	3	8	3	7	3	10	8	2	2	2	-	-	-	-
Renfrew	19	12	25	25	25	30	35	33	41	20	11	4	3	-	-	-
Ayr	27	48	33	54	46	46	35	64	53	43	47	15	6	2	-	1
Lanark	56	39	43	56	54	40	60	36	51	27	17	10	3	-	-	-
Linlithgow	2	5	11	4	14	9	12	11	13	18	5	3	1	-	-	-
Edinburgh	11	12	10	18	20	11	11	16	23	14	12	2	3	-	-	-
Haddington	1	6	6	4	4	6	2	12	11	4	9	-	1	-	-	-
Berwick	-	2	5	2	1	2	2	2	5	2	1	-	-	-	-	-
Peebles	2	-	-	2	-	-	2	2	2	2	4	-	1	-	-	-
Selkirk	3	3	3	2	4	5	17	8	7	6	7	4	-	-	-	-
Roxburgh	3	2	3	2	5	3	6	5	5	5	4	1	-	-	-	-
Dunfries	3	2	3	5	1	4	3	4	12	4	4	-	1	-	-	-
Kirkcubright	5	2	3	1	5	3	7	7	7	8	4	1	1	-	-	1
Wigtown	3	3	1	2	4	3	7	6	7	4	4	3	-	2	-	-

Female Deaths in the Large Towns in 1874.

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1874.—FEMALES.

		FEMALES.												
		AGE UNDER												
		ALL AGES.	MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
Inverness	196	14	8	8	10	7	2	4	11	4	5	7	9	
Arbroath	271	16	10	13	21	12	6	1	16	6	11	10	10	
Forfar	132	7	3	3	7	3	6	3	9	2	2	3	2	
Montrose	203	8	6	6	11	7	1	7	13	3	5	9	5	
Dunfermline	184	14	8	12	17	10	5	4	13	10	8	6	4	
Kirkcaldy	132	17	4	8	12	8	4	1	8	3	5	3	3	
Stirling	166	18	5	9	13	4	3	3	10	4	7	8	8	
Dumbarton	228	22	12	16	9	13	11	6	26	8	11	9	9	
Ayr	278	24	9	15	13	8	3	3	12	8	11	5	15	
Kilmarnock	358	25	16	20	26	17	16	15	24	16	23	24	10	
Barony	629	31	15	49	69	34	25	27	55	16	22	30	19	
Govan	1110	109	52	89	125	65	43	33	81	21	37	42	44	
Hamilton	233	23	7	15	20	8	3	6	12	10	8	6	9	
Airdrie	178	15	9	13	16	9	6	7	8	3	8	11	6	
Coatbridge	250	22	11	23	41	18	9	5	15	11	6	13	4	
Hawick	120	12	2	5	6	2	5	2	4	1	5	9	7	
Dumfries	280	21	7	16	16	12	9	6	19	9	9	4	7	

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1874.—FEMALES.

Shetland	50	2	1	—	2	—	2	—	2	1	—	2	4
Orkney	46	1	2	2	2	—	—	—	1	1	—	1	1
Caithness	161	15	11	7	5	2	3	—	4	7	2	4	5
Ross and Cromarty	147	7	7	7	11	5	8	4	9	2	5	3	6
Nairn	52	5	1	4	3	—	—	2	3	—	1	1	1
Elgin	194	12	5	8	10	5	3	4	10	2	1	6	4
Banff	218	21	6	11	13	5	4	9	12	6	8	8	7
Aberdeen	361	39	13	18	25	17	17	13	29	9	7	11	12
Kincardine	54	1	4	1	4	1	2	—	2	1	2	1	2
Forfar	269	27	7	7	11	6	6	5	14	6	10	5	10
Perth	233	16	5	12	10	7	7	1	13	14	4	13	19
Fife	575	35	25	27	30	15	8	6	33	26	9	19	15
Clackmannan	191	21	7	15	10	5	5	3	6	1	8	11	4
Stirling	433	60	14	26	34	18	6	10	30	11	14	23	13
Dumbarton	451	34	9	18	30	21	15	9	20	13	17	12	13
Argyll	204	9	5	8	12	3	3	1	7	6	5	4	4
Bute	123	6	1	3	8	1	—	1	3	7	7	4	6
Renfrew	734	67	22	49	51	24	30	17	46	27	30	35	34
Ayr	1272	122	30	57	82	63	47	35	89	41	45	56	53
Lanark	1366	144	60	101	144	82	51	36	97	52	49	49	40
Linlithgow	249	34	13	26	20	9	2	6	7	5	8	13	9
Edinburgh	378	33	10	19	31	4	22	6	22	10	10	9	11
Haddington	136	13	5	10	13	16	9	4	14	10	3	7	4
Berwick	39	3	1	2	2	2	—	3	1	1	—	—	1
Peebles	35	6	3	2	2	1	—	—	1	2	1	1	—
Selkirk	163	7	11	11	11	8	5	2	13	2	7	12	6
Roxburgh	99	7	3	3	6	1	1	—	2	3	3	4	2
Dumfries	93	5	4	5	4	2	1	1	6	1	3	1	3
Kirkcudbright	121	8	3	2	5	6	2	3	4	5	2	3	6
Wigtown	111	5	—	3	4	4	4	1	4	7	4	4	4

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1874.—FEMALES.

	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	1	
Inverness . . .	6	9	1	7	10	5	10	10	21	13	11	4	1	1	1	1	
Arbroath . . .	13	9	6	10	10	14	16	12	16	8	13	7	4	-	-	1	
Forfar . . .	3	3	6	5	9	5	8	5	17	14	3	3	1	-	-	-	
Montrose . . .	5	6	11	13	12	6	13	5	15	13	12	9	1	1	-	-	
Dunfermline . . .	5	9	4	4	2	6	10	6	9	8	9	-	-	-	-	1	
Kirkcaldy . . .	3	5	4	1	4	3	3	9	8	9	6	1	-	-	-	-	
Stirling . . .	3	2	9	-	8	4	7	6	13	9	8	3	-	-	-	-	
Dumbarton . . .	4	8	3	5	6	9	6	8	12	4	9	2	-	-	-	-	
Ayr . . .	6	11	11	6	11	11	22	14	23	15	15	5	2	-	-	-	
Kilmarnock . . .	16	13	11	10	5	10	10	13	9	18	10	1	1	-	-	-	
Barony . . .	32	13	20	14	16	24	32	31	27	17	6	4	1	-	-	-	
Govan . . .	31	36	47	32	43	30	33	33	32	22	14	3	2	1	-	-	
Hamilton . . .	12	11	3	6	14	15	6	10	8	12	6	2	1	-	-	-	
Airdrie . . .	4	3	5	7	9	3	8	9	5	10	1	1	2	-	-	-	
Coatbridge . . .	8	3	5	3	9	7	6	6	9	5	6	3	2	-	-	-	
Hawick . . .	5	5	4	5	2	6	10	5	5	4	5	4	-	-	-	-	
Dumfries . . .	7	8	10	10	10	11	12	16	20	13	13	10	3	-	-	-	2

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1874.—FEMALES.

Shetland . . .	1	1	2	2	-	3	2	5	9	2	5	-	-	-	-	-	
Orkney . . .	1	1	1	2	3	1	1	2	7	7	4	4	1	-	-	-	
Caithness . . .	4	3	3	3	7	7	5	10	15	12	11	11	4	1	-	-	
Ross and Cromarty . . .	2	4	11	3	5	3	7	6	7	9	7	4	4	-	1	-	
Nairn . . .	2	3	1	2	2	-	1	3	7	2	6	1	1	-	-	-	
Elgin . . .	5	4	7	9	8	15	5	13	16	15	14	12	-	1	-	-	
Banff . . .	8	4	4	4	11	9	7	12	14	12	19	2	2	-	-	-	
Aberdeen . . .	8	8	3	13	6	12	12	12	22	22	18	10	4	1	-	-	
Kincardine . . .	2	1	1	2	1	5	3	2	3	1	7	3	2	-	-	-	
Forfar . . .	10	3	6	7	11	10	15	21	25	21	13	8	5	-	-	-	
Perth . . .	10	13	10	10	12	8	12	12	37	11	15	8	3	1	-	-	
Fife . . .	22	22	21	18	24	25	31	35	31	40	31	15	10	2	-	-	
Clackmannan . . .	9	13	5	5	4	5	13	7	10	10	8	5	-	1	-	-	
Stirling . . .	20	16	8	15	11	25	23	21	25	23	20	6	5	-	-	1	
Dumbarton . . .	17	15	22	14	21	19	19	23	37	24	18	7	3	1	-	-	
Argyll . . .	6	10	5	6	5	9	10	9	18	25	22	8	3	1	-	-	
Bute . . .	7	3	3	7	4	3	10	10	9	7	10	2	1	-	-	-	
Renfrew . . .	21	24	24	27	23	19	30	28	47	22	19	10	2	1	-	-	
Ayr . . .	45	36	37	36	41	35	53	66	66	63	39	23	7	-	-	-	
Lanark . . .	33	52	53	36	34	41	50	40	37	32	24	17	4	2	-	1	
Linlithgow . . .	6	10	9	9	7	11	7	11	3	7	6	5	1	-	-	-	
Edinburgh . . .	8	8	11	11	14	12	27	16	38	24	14	6	2	-	-	-	
Haddington . . .	2	5	4	5	5	5	8	5	10	12	10	5	2	-	-	-	
Berwick . . .	2	3	1	1	1	-	1	3	6	2	3	-	-	-	-	-	
Peebles . . .	2	1	1	1	-	1	2	2	4	-	-	-	-	-	-	-	
Selkirk . . .	6	3	7	7	4	4	10	4	11	5	4	2	1	-	-	-	
Roxburgh . . .	3	3	4	5	7	7	6	5	10	2	9	2	1	-	-	-	
Dumfries . . .	4	3	4	3	2	1	7	7	7	9	4	5	-	-	1	-	
Kirkcudbright . . .	1	4	1	2	5	3	8	8	10	15	11	3	1	-	-	-	
Wigtown . . .	5	4	3	6	7	3	6	6	8	5	6	5	3	-	-	-	

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1874.—BOTH SEXES.

	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caitness	267	20	5	4	6	5	2	3	4	12	10	11	5
Sutherland	348	19	4	16	11	2	5	4	13	7	5	10	11
Ross and Cromarty	950	53	23	26	35	27	18	14	48	18	13	23	27
Inverness	465	32	8	14	14	8	2	2	15	10	7	18	17
Nairn	47	2	—	—	—	—	1	—	3	—	1	4	3
Elgin	457	33	15	29	25	12	10	8	21	7	16	20	6
Banff	509	46	11	22	18	12	14	9	18	12	19	21	19
Aberdeen	1889	220	59	65	78	56	38	36	93	60	74	66	55
Kincairdine	457	50	17	10	19	13	12	7	26	8	13	14	16
Forfar	679	64	29	22	27	24	16	12	55	20	29	24	18
Perth	1369	94	22	51	57	36	24	20	61	33	31	46	39
Fife	1535	126	50	86	89	45	42	23	96	43	47	39	41
Kinross	137	11	2	5	8	3	3	—	6	5	—	5	2
Clackmannan	89	10	3	3	4	2	5	1	4	4	1	3	2
Stirling	913	36	31	43	62	49	29	22	69	22	26	25	29
Dumbarton	286	27	11	20	12	9	1	4	15	11	16	9	10
Argyll	668	43	10	26	18	15	4	6	23	22	21	35	22
Renfrew	569	63	23	26	38	16	20	12	42	24	21	17	20
Ayr	1163	129	42	61	74	32	29	15	63	43	52	52	44
Lanark	1607	133	63	131	156	62	45	39	102	55	67	63	43
Linlithgow	208	25	14	9	19	8	4	5	5	8	5	6	9
Edinburgh	962	90	50	53	61	33	18	14	53	25	28	30	25
Haddington	366	39	8	17	21	9	11	10	27	9	8	7	8
Berwick	475	50	11	13	15	16	10	4	27	13	15	18	14
Peebles	117	18	4	6	4	1	1	2	4	2	8	7	2
Selkirk	34	6	—	2	1	2	—	1	1	3	—	1	1
Roxburgh	340	46	4	13	8	5	5	5	14	9	8	10	9
Dumfries	968	37	31	29	37	15	24	13	30	24	33	41	34
Kirkcudbright	409	32	7	13	9	9	6	8	5	15	13	15	16
Wigtown	545	46	17	22	24	12	7	10	19	16	12	23	24

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1874.—BOTH SEXES.

Shetland	429	26	7	7	6	2	2	2	5	3	3	15	16
Orkney	329	15	7	2	7	2	2	4	3	3	6	10	19
Ross and Cromarty	254	27	5	15	13	8	6	4	5	2	6	11	13
Inverness	627	70	11	22	39	17	6	7	12	13	21	24	26
Argyll	330	23	9	10	16	9	9	4	10	14	10	17	15
Bute	175	9	3	4	3	5	4	—	2	10	11	9	6

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1874.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	1
Caithness	6	7	6	10	9	2	12	16	22	23	31	28	4	-	2	2
Sutherland	10	7	10	7	11	17	16	14	36	35	40	26	8	4	-	-
Ross and Cromarty	22	24	27	25	44	29	47	47	103	92	95	84	27	7	2	-
Inverness	15	7	12	13	7	26	21	33	49	41	51	81	9	2	-	1
Nairn	-	1	1	2	8	4	2	2	2	8	5	7	1	-	-	-
Elgin	22	9	11	16	11	15	10	26	34	46	28	18	8	2	-	-
Banff	9	11	11	17	14	19	20	30	65	38	30	26	8	-	-	-
Aberdeen	31	60	46	40	63	50	73	122	145	111	126	72	35	19	2	3
Kincaidine	7	11	12	11	14	17	22	22	36	36	32	18	13	1	-	-
Forfar	21	19	28	9	20	19	32	44	49	40	26	22	7	1	-	2
Perth	40	35	31	39	43	55	79	92	133	119	103	62	16	6	1	1
Fife	32	29	28	44	37	74	75	78	132	108	102	52	15	1	-	1
Kirkcubbin	2	5	3	4	6	3	6	8	16	14	18	6	1	-	-	-
Clackmannan	4	3	-	2	1	4	7	6	8	4	1	1	1	-	-	-
Stirling	36	30	20	26	30	28	35	48	70	42	30	15	3	-	-	2
Dumbarton	14	12	10	8	6	7	12	12	21	13	16	7	2	-	-	1
Argyll	19	13	20	15	25	31	32	34	54	59	66	32	10	3	2	3
Renfrew	21	19	11	26	17	23	26	22	25	25	19	9	1	3	-	-
Ayr	32	39	32	32	42	46	49	47	57	45	56	35	9	3	-	3
Lanark	47	38	46	44	54	48	66	43	67	49	46	17	9	1	1	2
Leithgow	7	2	6	8	15	6	7	9	5	9	11	5	1	-	-	-
Edinburgh	30	31	25	36	33	38	42	57	74	64	33	10	2	1	-	1
Haddington	13	6	11	11	6	5	22	27	34	21	23	10	1	2	-	-
Berwick	5	10	14	8	18	20	34	40	42	31	24	16	2	1	1	1
Peebles	1	5	4	-	4	3	3	6	11	12	6	3	-	-	-	-
Selkirk	1	-	1	2	1	1	2	2	3	1	2	-	-	-	-	-
Roxburgh	7	8	11	13	15	22	23	26	28	21	18	9	2	1	-	-
Dumfries	22	30	36	35	35	45	50	55	74	79	59	32	12	4	-	-
Kirkcudbright	10	9	10	9	13	14	26	26	48	31	35	17	11	1	-	1
Wigtown	21	13	14	17	24	19	25	23	37	35	39	24	11	1	-	-

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1874.—BOTH SEXES.

Shetland	13	9	13	9	8	18	20	28	49	51	62	32	8	5	-	-
Orkney	13	6	4	13	5	22	14	23	40	45	37	19	8	-	-	-
Ross and Cromarty	11	5	9	5	12	6	5	4	16	14	14	10	4	2	1	16
Inverness	19	16	19	12	28	12	27	31	35	51	58	31	11	2	-	-
Argyll	9	11	14	3	15	15	17	27	32	31	28	13	14	2	1	2
Bute	3	7	2	3	6	5	3	16	14	15	10	14	4	2	-	-

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1874.—MALES.

	MALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
Caithness	127	9	4	3	2	3	2	2	2	7	5	8	2	
Sutherland	171	13	2	9	6	2	1	1	5	4	2	8	6	
Ross and Cromarty	487	26	14	12	23	18	8	8	26	7	4	15	13	
Inverness	224	18	4	8	8	7	2	2	7	7	4	12	8	
Nairn	26	2	—	—	—	—	1	—	1	—	—	2	2	
Elgin	216	21	4	20	13	6	7	6	8	4	6	10	4	
Banff	256	27	5	12	13	6	7	7	9	4	7	12	10	
Aberdeen	947	129	23	42	42	31	18	18	42	26	40	28	24	
Kincairdine	216	28	8	6	10	7	7	4	12	2	10	8	4	
Forfar	343	44	21	10	17	14	6	7	27	11	13	11	5	
Perth	668	59	15	35	22	23	10	9	30	17	16	22	19	
Fife	807	79	35	45	53	23	27	14	50	23	32	12	19	
Kinross	81	7	2	3	6	1	2	—	3	3	—	4	—	
Clackmannan	45	4	3	3	3	1	1	1	3	1	1	2	—	
Stirling	475	45	19	29	28	26	17	6	34	12	11	13	15	
Dumbarton	146	11	8	10	4	6	—	2	6	3	9	6	4	
Argyll	345	27	6	12	10	8	1	1	17	11	11	17	11	
Renfrew	294	36	12	16	19	7	13	6	20	13	14	6	9	
Ayr	597	66	21	35	36	17	20	7	28	27	25	30	19	
Lanark	824	106	32	62	80	36	16	16	53	24	36	29	21	
Linlithgow	101	17	8	4	9	5	4	2	2	3	1	2	3	
Edinburgh	451	44	27	32	32	18	6	9	24	15	12	13	13	
Haddington	180	20	5	9	15	4	7	8	12	5	3	3	4	
Berwick	235	32	6	7	6	5	4	1	13	5	6	14	8	
Peebles	56	7	2	5	3	—	—	2	4	—	2	2	—	
Selkirk	15	1	—	1	—	2	—	1	—	—	—	1	1	
Roxburgh	189	31	—	7	4	2	4	4	9	6	6	5	4	
Dumfries	502	54	16	13	13	8	14	9	16	11	15	23	13	
Kirkcudbright	185	16	4	10	4	3	2	1	2	7	7	7	7	
Wigtown	260	21	6	6	13	6	2	3	9	7	8	19	3	

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1874.—MALES.

Shetland	179	15	4	5	2	2	1	1	3	4	3	6	8
Orkney	158	9	4	—	2	—	2	1	3	1	4	6	12
Ross and Cromarty	132	17	2	6	12	2	2	3	2	1	2	6	5
Inverness	327	42	7	15	22	11	3	2	7	6	12	16	13
Argyll	302	19	6	1	9	5	4	2	7	10	6	10	9
Bute	85	8	2	3	1	2	2	—	—	6	6	4	3

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1874.—MALES.

	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Caithness . . .	5	4	2	6	5	1	6	6	10	8	14	9	—	—	1	1	
Sutherland . . .	6	2	4	2	4	10	9	6	17	16	19	11	5	1	—	—	
Ross and Cromarty . .	10	14	14	9	17	15	18	22	44	44	37	12	10	2	—	—	
Inverness . . .	9	4	6	4	4	12	10	20	20	17	15	12	8	—	—	1	
Nairn . . .	—	1	1	1	3	3	1	1	—	2	3	1	1	—	—	—	
Elgin . . .	15	2	2	6	4	5	6	10	14	24	10	5	4	—	—	—	
Banff . . .	3	6	5	5	7	8	12	7	36	20	13	12	3	—	—	—	
Aberdeen . . .	14	27	18	16	36	26	36	73	86	49	55	31	15	—	—	—	2
Kincardine . . .	4	2	4	6	8	7	9	11	18	15	14	7	5	—	—	—	
Forfar . . .	6	8	12	6	11	12	13	27	22	14	11	8	—	—	—	—	2
Perth . . .	22	14	16	13	22	24	29	48	75	52	45	23	7	—	—	—	1
Fife . . .	10	11	11	25	17	39	49	42	72	55	37	22	5	—	—	—	
Kinross . . .	1	3	2	2	6	2	2	4	9	7	9	2	1	—	—	—	
Clackmannan . . .	2	1	—	—	1	4	3	4	3	2	—	1	1	—	—	—	
Stirling . . .	20	16	12	18	14	18	15	25	39	22	11	8	1	—	—	—	1
Dumbarton . . .	6	8	5	5	3	3	8	8	10	8	9	3	1	—	—	—	
Argyll . . .	12	6	7	11	11	15	18	22	25	29	33	17	3	2	—	—	2
Renfrew . . .	9	7	5	14	9	13	9	15	12	13	10	5	1	1	—	—	
Ayr . . .	16	22	14	18	29	26	26	20	31	23	18	16	4	1	—	—	2
Lanark . . .	22	21	23	30	32	35	34	30	24	24	25	8	5	—	—	—	
Linlithgow . . .	5	1	4	6	7	1	2	5	3	3	3	1	—	—	—	—	
Edinburgh . . .	9	14	9	18	13	20	27	32	28	20	12	2	1	—	—	—	1
Haddington . . .	7	3	4	4	3	3	10	12	17	11	8	3	—	—	—	—	
Berwick . . .	1	6	6	3	7	11	16	20	16	20	16	5	1	—	—	—	
Peebles . . .	—	1	4	—	2	2	2	3	5	7	2	1	—	—	—	—	
Selkirk . . .	—	—	1	2	—	1	1	1	1	—	1	—	—	—	—	—	
Roxburgh . . .	1	4	5	7	7	15	11	16	18	14	5	4	—	—	—	—	
Dumfries . . .	10	9	11	17	17	29	30	36	34	45	27	14	7	1	—	—	
Kirkcudbright . . .	1	5	4	3	7	6	14	10	20	13	19	8	5	—	—	—	
Wigtown . . .	10	7	10	10	12	11	14	10	20	11	20	16	1	—	—	—	

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1874.—MALES.

Shetland . . .	5	4	6	2	2	7	12	10	21	21	21	12	1	1	—	—	
Orkney . . .	6	2	1	8	2	11	4	13	20	21	16	7	3	—	—	—	
Ross and Cromarty . .	4	2	7	1	7	2	1	1	11	3	8	4	4	—	1	16	
Inverness . . .	8	7	11	5	12	8	12	16	15	25	26	19	6	1	—	—	
Argyll . . .	4	2	7	2	8	10	8	16	14	13	16	8	4	—	—	—	2
Bute . . .	1	2	2	1	4	3	5	6	6	4	7	4	1	2	—	—	

*Female Deaths in the Mainland-Rural Districts in 1874.*DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of
SCOTLAND, 1874.—FEMALES.

FEMALES.														
ALL AGES.	AGE UNDER													
	MONTHS.			2	3	4	5	10	15	20	25	30		
	3	6	12											
Caithness	140	11	1	1	4	2	—	1	2	5	5	3	3	
Sutherland	177	6	2	7	5	—	4	3	8	3	3	2	5	
Ross and Cromarty	513	27	9	14	12	14	10	6	22	11	9	8	14	
Inverness	241	14	4	6	6	1	—	—	8	3	3	6	9	
Nairn	21	—	—	—	—	—	—	—	2	—	1	2	1	
Elgin	241	12	11	9	12	6	3	2	13	3	10	10	2	
Banff	253	19	6	10	5	6	7	2	9	8	12	9	9	
Aberdeen	942	91	31	23	36	25	20	23	51	34	34	33	31	
Kincairdine	241	22	9	4	9	6	5	3	14	6	3	6	12	
Forfar	636	20	8	12	10	10	10	5	23	9	11	13	13	
Perth	701	35	7	16	35	13	14	11	31	16	15	24	20	
Fife	723	47	15	41	36	22	15	9	46	20	15	27	22	
Kinross	56	4	—	2	2	2	1	—	3	2	—	1	2	
Clackmannan	44	6	—	5	1	1	4	—	1	3	—	1	2	
Stirling	438	41	12	19	34	23	12	16	35	10	15	12	14	
Dumbarton	140	16	3	10	8	3	1	2	9	8	7	3	6	
Argyll	323	16	4	14	8	7	3	5	11	11	10	13	11	
Renfrew	275	27	11	10	19	9	7	6	22	11	7	11	11	
Ayr	566	63	21	26	38	15	9	8	35	16	27	22	25	
Leamark	783	82	36	69	76	26	29	23	49	31	31	34	27	
Linlithgow	107	8	6	5	10	3	—	3	3	5	4	4	3	
Edinburgh	501	46	23	26	29	15	12	5	29	10	16	17	12	
Haddington	186	19	3	8	6	5	4	2	15	4	5	4	4	
Berwick	240	18	5	6	9	13	6	3	14	8	9	4	6	
Peebles	61	11	2	1	1	1	1	—	—	2	6	5	2	
Selkirk	19	5	—	1	1	—	—	—	1	3	—	—	—	
Roxburgh	151	15	4	6	4	3	1	1	5	3	2	5	5	
Dumfries	464	33	15	16	19	7	10	4	14	13	13	18	16	
Kirkcudbright	224	16	3	8	5	6	4	2	3	8	6	8	9	
Wigtown	235	25	11	16	11	6	5	7	10	9	4	9	16	

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of
SCOTLAND, 1874.—FEMALES.

Shetland	250	11	3	2	4	—	1	1	2	4	5	9	8
Orkney	171	6	3	2	5	2	—	3	—	2	2	4	7
Ross and Cromarty	122	10	3	9	6	6	4	1	3	1	4	5	3
Inverness	300	28	4	7	17	6	3	5	5	7	9	3	13
Argyll	178	4	3	9	7	4	5	2	3	4	4	7	6
Bute	90	1	1	1	2	3	2	—	2	4	5	5	3

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1874.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness . . .	1	3	4	4	4	1	6	10	12	15	17	19	4	—	1	1
Sutherland . . .	4	5	6	5	7	7	7	8	19	19	21	15	3	3	—	—
Ross and Cromarty . .	12	10	13	16	27	14	29	25	59	48	58	22	17	5	2	—
Inverness . . .	6	3	6	9	3	14	11	13	29	24	36	19	6	2	—	—
Nairn . . .	—	—	—	1	—	1	1	1	2	1	2	6	—	—	—	—
Elgin . . .	7	7	9	10	7	10	4	16	20	21	18	13	4	2	—	—
Banff . . .	6	5	6	12	7	11	8	13	29	18	17	14	5	—	—	—
Aberdeen . . .	17	33	28	24	27	24	37	49	59	62	71	41	20	10	2	1
Kincardine . . .	8	9	8	5	6	10	13	11	18	21	18	11	8	1	—	—
Forfar . . .	15	11	16	3	9	7	19	17	27	26	15	14	7	1	—	—
Perth . . .	18	21	15	26	21	31	50	44	58	67	58	39	9	6	1	—
Fife . . .	22	18	17	19	20	35	26	36	60	53	65	30	10	1	—	1
Kinross . . .	1	2	1	2	—	1	4	4	7	7	4	4	—	—	—	—
Clackmannan . . .	2	2	—	2	—	—	4	2	5	2	1	—	—	—	—	—
Stirling . . .	16	14	8	8	16	10	20	23	31	20	19	7	2	—	—	1
Dunbarton . . .	8	4	5	8	3	4	4	4	11	5	7	4	1	—	—	1
Argyll . . .	7	7	13	4	14	16	14	12	29	30	33	15	7	1	2	1
Renfrew . . .	12	12	6	12	8	10	17	7	13	12	9	4	—	2	—	—
Ayr . . .	16	17	18	14	13	20	23	27	26	22	38	19	5	2	—	1
Leaark . . .	25	17	23	14	22	13	32	18	43	25	21	9	4	1	1	2
Linlithgow . . .	2	1	2	2	8	5	5	4	2	6	8	4	1	—	—	—
Edinburgh . . .	21	17	16	18	20	18	15	25	46	34	21	8	1	1	—	—
Haddington . . .	6	3	7	7	3	2	12	15	17	10	15	7	1	2	—	—
Berwick . . .	4	4	8	5	11	9	18	20	26	11	8	11	1	1	1	1
Peebles . . .	1	4	—	—	2	1	1	3	6	5	4	2	—	—	—	—
Selkirk . . .	1	—	—	—	1	—	1	1	2	1	1	—	—	—	—	—
Roxburgh . . .	6	4	6	6	8	7	12	10	10	7	13	5	2	1	—	—
Dumfries . . .	12	21	25	18	18	16	20	19	40	34	32	18	5	3	—	—
Kirkcudbright . . .	9	4	6	6	6	8	12	16	28	18	16	9	6	1	—	1
Wigtown . . .	11	6	4	7	12	8	11	13	17	24	19	8	10	1	—	—

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1874.—FEMALES.

Shetland . . .	8	5	7	7	6	11	8	18	28	30	41	20	7	4	—	—
Orkney . . .	7	4	3	5	3	11	10	10	20	24	21	12	5	—	—	—
Ross and Cromarty . . .	7	3	2	4	5	4	4	3	5	11	6	6	—	2	—	—
Inverness . . .	11	9	8	7	16	4	15	15	20	26	32	12	5	8	—	—
Argyll . . .	5	9	7	1	7	5	9	11	18	18	12	5	10	2	1	—
Bute . . .	2	5	—	2	2	2	3	10	8	11	3	10	3	—	—	—

CAUSES OF DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES . . .	80720	522	406	566	348	1480	1457	152	802	936	4698	588	6489	2608	8309	137
SPECIFIED CAUSES . . .	79181	460	383	552	325	1360	1316	150	781	923	4611	563	6455	2545	8221	134
I. Zymotic Class . . .	18855	33	18	75	39	305	181	21	149	191	1108	104	1900	518	724	25
II. Diseases of Uncer. Sent . . .	2899	10	22	28	24	58	49	4	42	66	215	28	232	88	122	8
III. Tubercular Class . . .	11308	45	37	79	41	128	166	22	107	128	556	53	809	333	367	11
IV. Brain and Nervous Sys . . .	7257	22	34	56	37	106	123	20	87	100	486	61	600	297	326	18
V. Organs of Circulation . . .	4411	18	27	35	9	37	63	2	61	53	306	41	357	218	194	10
VI. Respiratory Organs . . .	13851	33	44	90	32	151	180	16	94	125	682	71	1135	333	523	19
VII. Organs of Digestion . . .	5255	35	41	32	19	76	69	20	60	75	323	61	307	170	229	11
VIII. Urinary Organs . . .	1388	5	9	16	6	25	34	3	12	35	147	13	100	48	67	7
IX. Organs of Generation . . .	656	10	4	9	2	16	11	—	3	17	43	5	45	17	29	—
X. Organs of Locomotion . . .	523	12	5	4	1	17	26	2	9	8	31	5	26	15	14	1
XI. Skin, etc.	102	—	1	2	—	3	—	—	4	1	11	1	8	2	6	1
XII. Malformation	281	—	1	1	—	3	1	—	2	2	24	6	29	2	15	1
XIII. Premature Debility . . .	3674	18	5	22	4	19	42	7	26	31	189	24	362	95	131	1
XIV. Atrophy	476	1	1	—	1	8	5	—	5	5	8	3	34	19	10	—
XV. Age	5543	210	125	80	106	342	317	28	91	59	334	64	291	311	320	18
XVI. Sudden Deaths	104	—	—	1	—	2	1	—	1	—	3	—	6	4	13	—
XVII. Violent Deaths	8103	18	9	22	10	64	43	5	28	27	165	28	224	75	131	3
I. Small-pox	1246	—	—	—	—	6	2	1	—	2	39	2	7	1	3	—
Measles	1103	3	—	—	4	31	17	7	43	4	98	8	57	23	136	—
Scarlatina	6321	4	1	9	13	42	18	—	19	39	250	14	977	187	172	5
Diphtheria	1163	1	—	3	—	45	15	7	28	39	108	9	128	39	58	2
Whooping-cough	1690	1	—	—	11	32	17	—	13	15	91	14	67	36	36	8
Croup	1071	1	1	3	2	66	12	1	7	11	77	4	77	48	59	1
Thrush	24	—	—	—	—	—	—	—	—	—	6	—	3	1	2	1
Diarrhoea	2066	3	6	22	—	14	20	1	9	28	144	7	236	44	84	2
Dysentery	265	2	2	1	—	3	6	—	1	3	31	—	33	8	18	—
Cholera	86	—	—	—	—	—	—	—	—	1	1	—	1	1	2	—
Influenza	142	5	1	2	2	6	3	—	2	6	16	6	2	4	9	—
Purpura	64	—	—	1	—	—	1	—	—	—	4	—	6	2	2	—
Ague	9	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
Worms	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	726	6	1	4	2	12	13	—	1	5	43	6	92	31	94	—
Enteric Fever	1456	3	1	13	1	15	33	3	13	20	95	22	92	56	62	4
Relapsing Fever	27	—	—	—	—	—	—	—	1	—	2	—	1	—	2	—
Simple Cont. Fever	104	—	1	—	1	4	5	—	1	—	3	4	4	5	5	—
Infantile Remittent	80	1	—	2	—	—	—	—	—	2	7	—	5	2	4	—
Metria	878	2	2	5	1	11	5	—	3	5	26	1	32	10	16	—
Rheumatic Fever	144	—	—	2	2	5	4	—	3	—	12	3	13	4	3	1
Erysipelas	365	1	—	3	—	6	6	—	1	9	30	1	31	7	14	1
Pyæmia	102	—	1	1	—	3	4	—	—	1	12	3	5	3	5	—
Syphilis	193	—	—	4	—	3	—	—	3	1	12	—	30	5	5	—
Noma	13	—	1	—	—	—	—	—	1	—	—	—	2	—	3	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	6	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—
II. Hemorrhage	89	1	—	—	—	2	1	—	—	1	7	—	8	—	5	—
Dropsy	651	5	9	5	7	17	12	2	5	6	27	3	53	17	32	2
Abscess	236	—	—	1	—	2	2	—	3	4	21	2	13	2	8	—
Ulcer	93	—	1	2	—	4	1	—	2	1	12	—	3	2	2	—
Fistula	16	—	—	1	—	—	—	—	—	—	—	—	1	—	1	1
Mortification	149	1	2	2	2	3	1	—	1	2	3	3	17	7	6	—
Cancer	1646	3	10	17	15	29	32	2	31	51	188	20	126	58	67	5
Gout	19	—	—	—	—	1	—	—	—	1	2	—	1	2	1	—
III. Scrofula	691	2	3	8	2	7	5	1	3	15	46	—	41	25	29	—
Tuberc Mesenterica	962	2	1	1	6	10	7	2	3	7	34	2	48	17	31	2
Phthisis	7873	37	31	59	33	109	142	19	92	93	400	47	572	248	258	8
Hydrocephalus	1777	4	2	11	—	2	12	—	9	13	76	4	148	43	49	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—BOTH SEXES.

DISEASES.	Clack- mannan.	Stirling.	Dumbar- ton.	Argyll.	Bute.	Renfrew.	Ayr.	Levenk.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	460	2255	1664	1447	418	5097	4998	25394	746	7951	749	566	182	384	760	1586	798	772
SPECIFIED CAUSES .	446	2199	1626	1354	400	5089	4933	25127	717	7911	726	564	180	379	749	1519	772	756
Zymotic Class . . .	57	462	454	169	73	1065	1323	6888	145	1742	230	102	33	98	87	246	115	170
Uncertain Seat . . .	28	78	49	74	17	183	147	670	31	354	26	27	12	18	36	88	37	38
Tubercular Class . . .	77	299	245	203	75	863	774	3845	104	1160	60	59	24	64	120	222	122	106
Brain, etc.	42	227	126	136	47	479	417	1944	64	832	59	68	16	28	114	157	69	79
Heart, etc.	32	130	92	70	18	253	297	996	42	579	54	61	18	24	72	128	74	40
Respiratory Organs .	89	327	217	179	47	836	677	5209	113	1321	94	73	30	64	89	254	114	90
Digestive Organs . .	23	181	103	83	28	379	321	1619	75	481	42	34	19	22	60	125	75	57
Urinary Organs . . .	7	32	23	26	6	73	89	305	14	177	13	11	5	4	13	33	13	17
Generative Organs .	8	18	7	10	3	48	32	178	9	76	7	11	3	4	9	8	10	4
Locomotive Organs .	2	14	7	13	1	29	28	147	2	61	1	10	1	5	7	10	7	2
Skin	-	4	3	3	-	5	5	19	-	15	-	2	-	-	-	-	1	5
Malformation . . .	2	4	4	4	-	15	33	65	6	34	4	4	-	1	2	10	5	1
Premature Debility .	31	135	69	31	9	249	262	1246	38	360	35	31	11	21	57	72	19	27
Atrophy	3	20	12	3	1	60	30	168	1	47	12	2	-	2	5	6	2	2
Age	34	153	136	261	59	271	813	801	40	328	63	41	6	9	46	119	81	92
Sudden Deaths . .	-	4	2	1	-	6	8	47	-	4	1	-	-	-	-	-	-	-
Violent Deaths . .	11	111	77	88	16	225	172	980	33	340	25	28	2	15	32	41	28	27
Small-pox	-	5	120	4	26	107	203	628	10	8	13	-	-	-	-	16	9	34
Measles	1	23	8	2	-	15	14	419	6	130	13	3	-	29	6	3	-	-
Scarlatina	6	156	170	29	4	363	443	2600	24	526	125	29	4	10	6	47	24	6
Diphtheria	2	29	17	11	4	51	83	304	16	97	8	7	5	6	5	18	9	11
Whooping-cough . .	8	23	12	18	5	80	40	866	16	153	9	15	1	4	7	30	26	34
Croup	7	31	19	30	4	56	58	275	12	121	1	11	4	12	16	28	6	10
Thrush	-	2	-	-	-	2	-	2	-	4	-	-	-	-	1	-	-	-
Diarrhoea	8	54	31	21	2	134	138	650	28	254	23	5	5	20	11	81	9	22
Dysentery	1	8	4	5	-	14	17	74	2	16	2	4	2	-	1	3	1	8
Cholera	-	3	2	1	-	13	12	17	-	22	2	1	1	1	3	1	2	-
Influenza	-	12	4	2	1	2	6	23	-	21	1	2	1	1	1	1	-	-
Purpura	-	1	4	1	1	3	7	20	-	6	1	-	1	-	-	2	-	1
Ague	-	-	-	-	-	-	-	4	-	3	-	-	-	-	-	-	-	-
Worms	-	1	-	-	-	-	4	3	-	-	-	-	-	-	-	1	1	2
Typhus	3	88	15	5	4	38	46	184	-	126	2	7	1	-	8	6	3	5
Enteric Fever	9	38	29	24	15	86	147	399	15	134	20	12	2	9	16	26	11	30
Relapsing Fever . . .	-	2	-	-	-	2	3	9	1	3	-	-	-	-	-	1	-	-
Simple Cont. Fever .	1	9	4	1	-	3	15	17	2	6	1	1	-	-	3	1	2	5
Infantile Remittent .	-	3	3	-	4	7	4	28	-	5	-	-	2	1	-	-	-	-
Metria	2	7	6	8	-	26	33	124	4	23	1	-	2	1	3	10	5	4
Rheumatic Fever . .	1	4	2	2	1	13	6	31	2	16	3	1	1	1	1	5	2	1
Erysipelas	8	6	1	4	-	29	34	118	5	29	3	-	-	1	2	11	3	1
Pyæmia	1	2	2	1	1	6	5	27	-	9	1	4	-	-	1	3	1	-
Syphilis	-	5	-	-	1	15	9	63	2	28	1	-	1	1	1	1	1	1
Noma	-	-	-	-	-	2	-	3	-	1	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dia. .	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Hæmorrhage	1	4	3	2	-	10	6	24	-	6	1	-	-	1	-	1	1	4
Dropsy	11	22	10	26	2	65	34	186	1	55	7	1	1	-	2	10	7	9
Abscess	3	9	4	2	-	24	16	69	1	33	3	-	1	1	1	2	1	3
Ulcer	-	3	-	5	-	5	2	28	1	11	1	2	-	-	-	4	1	-
Fistula	-	-	1	-	-	2	1	6	-	1	-	-	-	-	-	-	1	-
Mortification	1	4	2	7	-	11	6	25	3	25	2	1	-	-	1	5	-	1
Cancer	12	35	29	32	14	64	81	330	25	215	12	23	9	16	32	66	26	21
Gout	-	-	-	1	2	2	1	2	-	3	-	-	1	-	-	-	-	-
Scrofula	5	15	10	12	5	66	49	205	10	72	4	5	2	4	8	15	10	7
Tabs Mesenterica . .	5	22	15	3	6	62	75	421	7	109	5	4	1	5	18	18	10	3
Phthisis	49	205	179	161	61	585	517	2570	59	767	44	40	19	49	80	163	93	84
Hydrocephalus . . .	18	57	41	27	3	150	133	649	28	212	7	10	2	6	14	26	9	11

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—BOTH SEXES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . .	877	2	2	7	4	9	15	2	6	19	49	8	74	20	40	1
Apoplexy . . .	1792	8	7	15	5	20	26	7	25	27	96	9	168	80	90	8
Paralysis . . .	2038	8	15	18	14	42	41	5	28	24	133	24	154	120	96	5
Delirium Tremens . . .	72	-	-	-	1	-	-	-	-	-	6	-	6	4	2	-
Chorea . . .	12	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-
Epilepsy . . .	254	-	1	3	2	7	6	-	3	2	16	-	11	9	15	1
Tetanus . . .	66	-	-	1	-	6	3	-	-	-	3	-	3	4	1	-
Insanity . . .	67	2	-	-	1	-	8	-	-	-	5	1	2	1	3	-
Convulsions . . .	1001	-	1	5	8	15	14	1	18	7	73	6	106	17	33	1
Brain Disease . . .	1083	2	8	7	2	7	10	5	12	20	84	18	74	42	45	1
V. Pericarditis . . .	104	-	-	1	-	-	2	-	2	2	4	-	6	1	4	1
Aneurism . . .	113	2	-	-	-	2	2	-	1	2	18	-	4	3	2	1
Heart Disease . . .	4194	11	27	34	9	35	64	2	58	49	284	40	347	214	188	8
VI. Laryngitis . . .	208	-	1	-	-	3	-	-	3	2	23	9	22	4	3	1
Bronchitis . . .	8667	15	21	62	14	70	100	14	63	72	482	40	790	218	327	8
Pleurisy . . .	287	3	2	2	-	5	25	-	1	11	-	-	13	12	7	1
Pneumonia . . .	8440	7	16	22	11	29	27	1	19	44	189	18	282	84	161	9
Asthma . . .	474	7	2	4	7	40	23	1	6	5	21	3	11	7	18	-
Lung Disease . . .	275	1	2	-	-	4	5	-	8	1	6	1	17	8	7	-
VII. Teething . . .	782	4	2	1	2	8	7	7	14	11	69	1	39	11	35	-
Quinsey . . .	79	1	1	2	1	2	1	-	-	1	7	1	2	5	4	-
Gastritis . . .	227	4	4	2	-	3	3	1	3	2	8	1	10	5	12	-
Enteritis . . .	928	-	2	2	-	12	8	4	10	12	33	6	47	27	27	3
Peritonitis . . .	482	2	2	2	2	4	4	-	4	4	28	6	37	9	19	1
Ascites . . .	80	-	-	-	1	2	-	-	3	1	3	1	9	5	5	-
Ulceration of Intestines . . .	207	3	1	1	1	1	2	1	4	6	15	7	12	10	8	1
Hernia . . .	118	-	3	-	1	3	2	1	-	3	10	2	10	2	6	2
Ileus . . .	266	5	3	4	2	8	8	-	-	6	30	7	13	6	11	-
Intussusception . . .	60	-	2	1	-	1	2	-	1	3	4	2	3	1	3	-
Stricture of Intestines . . .	21	1	-	-	-	2	-	-	3	-	-	-	4	1	1	-
Stomach Disease . . .	763	9	9	4	4	15	12	2	9	7	43	11	45	31	36	-
Pancreas Disease . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis . . .	230	2	1	1	1	6	3	-	8	6	2	8	13	8	3	-
Jaundice . . .	234	2	2	4	3	5	6	1	1	4	20	4	14	7	16	1
Liver Disease . . .	759	2	9	8	1	6	8	8	11	9	45	10	51	37	34	-
Spleen Disease . . .	20	-	-	-	-	1	-	-	-	2	-	-	3	-	4	-
VIII. Nephritis . . .	167	-	-	-	-	3	4	-	1	4	8	3	20	4	11	1
Nephria . . .	414	1	1	6	1	3	5	-	2	6	39	2	29	8	25	3
Addison's Disease . . .	8	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Ischuria . . .	67	2	-	1	1	6	2	-	-	1	6	2	2	2	5	-
Diabetes . . .	111	-	-	-	-	4	8	-	1	4	8	1	10	5	6	-
Stone . . .	64	1	4	4	3	4	5	2	-	2	9	-	4	-	1	-
Cystitis . . .	104	-	1	3	-	-	2	-	1	5	7	2	9	7	4	2
Stricture of Urethra . . .	13	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Kidney Disease . . .	445	1	2	2	1	5	8	1	6	13	69	3	26	21	15	1
IX. Paramenia . . .	19	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-
Ovarian Dropsy . . .	92	2	1	4	2	3	4	-	-	8	6	-	2	3	3	-
Childbirth . . .	442	5	3	5	-	12	7	-	2	11	24	4	31	10	19	-
Organs of Generation . . .	103	8	-	-	-	1	-	-	1	3	12	1	11	3	6	-
X. Bone Disease . . .	75	-	-	1	-	1	-	-	2	-	7	1	3	-	2	-
Rheumatism . . .	225	12	2	1	-	11	21	2	3	3	7	3	11	8	5	-
Joint Disease . . .	223	-	3	2	1	5	5	-	4	5	17	1	12	7	7	1
XI. Carbuncle . . .	31	-	-	-	-	1	-	-	1	-	3	-	3	2	-	1
Phlegmon . . .	19	-	-	-	-	-	-	-	1	1	1	-	2	-	3	-
Skin Disease . . .	52	-	1	2	-	2	-	-	2	-	7	1	3	-	3	-
XVII. Intemperance . . .	234	1	-	2	-	1	-	1	2	-	11	1	21	2	10	1
Privation . . .	13	-	-	-	-	-	2	-	-	-	1	-	1	1	2	-
Want of Breast Milk . . .	134	-	-	-	-	-	2	-	1	1	12	2	8	4	9	-
Neglect . . .	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Cold . . .	71	4	1	-	1	5	8	-	2	-	3	2	3	3	1	-
Poison . . .	51	-	-	-	-	-	-	-	-	1	-	-	3	1	2	-
Poisoned Wounds . . .	6	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
Burns and Scalds . . .	292	1	2	1	1	2	3	-	3	1	14	1	31	8	16	-
Hanging, etc. . .	53	-	1	1	-	1	-	-	-	-	3	-	9	-	4	-
Suffocation . . .	312	-	1	3	-	2	1	-	2	7	24	7	31	6	11	-
Drowning . . .	643	4	2	9	3	42	20	2	8	3	52	6	43	19	24	-
Fracture and Contusion . . .	1031	5	1	5	4	6	6	2	9	10	37	6	62	24	37	2
Gunshot Wounds . . .	19	1	-	-	-	1	-	-	-	1	1	-	1	1	1	-
Cuts and Stabs . . .	39	-	1	-	-	1	-	-	-	2	1	-	3	1	1	-
Other Violent Causes . . .	199	2	-	1	-	2	1	-	1	3	4	2	7	5	13	-
Not specified . . .	1539	62	23	14	23	120	141	2	21	13	87	20	34	63	88	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—BOTH SEXES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dumbar- ton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	6	20	9	13	2	58	48	303	10	97	4	4	-	1	7	19	11	9
Apoplexy	10	47	51	28	20	150	116	433	9	187	7	24	7	6	31	36	18	21
Paralysis	13	79	30	54	10	122	108	412	16	255	26	21	6	10	46	54	19	25
Delirium Tremens .	-	4	4	-	-	5	6	18	-	13	1	-	-	-	1	1	-	-
Chorea	-	-	-	-	-	-	-	3	-	-	1	1	-	-	-	-	-	-
Epilepsy	2	6	5	8	1	15	17	65	1	38	1	4	-	-	5	7	2	1
Tetanus	-	2	1	-	-	6	7	13	2	5	-	-	-	2	2	1	-	4
Insanity	-	1	-	1	-	1	2	22	-	10	-	-	-	-	1	7	-	-
Convulsions	4	34	13	18	3	53	34	384	14	96	13	3	2	3	8	8	7	4
Brain Disease . . .	7	34	13	14	11	68	81	291	12	130	7	11	1	6	14	24	12	14
Pericarditis	-	2	1	1	1	5	5	45	4	10	3	-	-	-	-	1	1	-
Aneurism	-	-	-	2	-	5	3	33	-	25	-	1	-	1	2	2	2	-
Heart Disease . . .	32	128	91	67	17	243	289	918	38	544	51	60	18	23	70	125	71	39
Laryngitis	-	1	4	1	-	15	17	48	2	25	2	4	-	-	2	8	3	5
Bronchitis	56	201	135	117	31	529	420	3515	63	829	59	37	22	45	47	148	68	49
Pleurisy	1	4	6	3	1	16	14	79	4	46	3	4	1	3	3	11	5	1
Pneumonia	23	80	59	38	14	233	183	1810	37	356	26	24	5	12	33	80	33	25
Asthma	9	21	4	17	-	24	38	140	5	35	4	3	2	3	3	5	3	3
Lung Disease	-	20	9	3	1	19	5	117	2	30	-	1	-	1	1	2	2	7
Teething	8	27	19	6	2	85	51	289	8	45	5	1	-	5	3	7	4	6
Quinsey	-	3	2	-	-	4	6	19	-	5	-	-	-	1	3	2	4	2
Gastritis	-	4	3	5	1	12	11	109	1	11	4	1	-	1	2	1	3	-
Enteritis	-	31	13	10	9	87	68	358	30	47	11	4	4	5	15	17	13	11
Peritonitis	5	18	6	6	1	48	27	117	10	64	3	6	5	1	7	23	6	5
Ascites	-	3	1	4	2	5	16	16	-	8	-	-	-	-	-	7	-	2
Ulceration of Intestines	1	3	2	8	-	11	12	59	1	21	-	2	-	1	3	3	3	4
Hernia	1	4	-	-	1	7	6	32	1	11	1	2	-	-	-	4	3	-
Pleur	2	6	5	8	1	7	11	64	1	26	2	3	1	1	1	10	7	7
Intussusception . .	-	-	1	-	1	4	2	13	1	10	-	-	1	-	1	8	-	-
Stricture of Intestines	-	-	-	-	-	2	2	3	-	1	-	-	-	-	-	1	-	-
Stomach Disease . .	2	35	27	11	2	27	46	211	10	95	4	4	-	2	9	19	15	7
Pancreas Disease . .	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hepatitis	-	12	10	7	3	9	21	74	4	16	3	-	1	-	3	3	2	5
Jaundice	2	7	3	4	-	15	16	51	3	21	2	1	1	3	2	5	4	4
Liver Disease	1	28	11	14	4	58	37	202	5	99	7	9	5	2	11	19	9	4
Spleen Disease . . .	1	-	-	-	1	1	-	1	-	1	-	1	1	-	-	1	2	-
Nephritis	2	3	5	3	-	6	4	58	1	18	1	1	-	-	1	4	1	-
Nephria	2	7	1	8	2	18	26	112	9	62	3	5	1	2	6	11	4	4
Addison's Disease .	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	-	1	-	3	1	3	7	8	-	2	1	1	2	1	-	4	2	1
Diabetes	1	2	3	-	1	7	6	22	1	14	1	-	-	-	1	3	1	1
Stone	-	2	-	2	-	3	4	7	-	6	-	-	-	-	-	1	-	-
Cystitis	-	2	3	2	-	9	9	11	1	14	2	2	1	-	1	1	1	2
Stricture of Urethra .	-	-	-	-	-	2	-	6	-	2	-	-	-	-	-	1	-	-
Kidney Disease . . .	2	15	10	8	2	25	33	81	2	59	5	2	1	1	4	8	4	9
Paramenia	-	-	1	-	-	1	1	2	-	2	1	3	2	1	1	-	-	-
Ovarian Dropsy . . .	-	1	1	-	-	5	8	17	3	11	1	3	-	-	3	3	3	-
Childbirth	8	15	4	8	3	33	20	131	5	53	8	3	1	3	5	5	6	3
Organs of Generation	-	2	1	2	-	9	3	28	1	10	2	2	-	-	-	-	1	1
Bone Disease	-	-	1	2	1	1	2	26	-	13	1	1	-	3	2	3	1	1
Rheumatism	-	5	4	9	-	9	12	58	2	19	-	2	1	2	3	4	5	1
Joint Disease	2	9	2	2	-	19	14	63	-	29	-	7	-	-	2	3	1	-
Carbuncle	-	2	2	2	-	-	1	5	-	3	-	-	-	-	-	-	1	4
Phlegmon	-	2	-	-	-	3	-	4	-	1	-	1	-	-	-	-	-	-
Skin Disease	-	-	1	1	-	2	4	10	-	11	-	1	-	-	-	-	-	1
Intemperance	-	7	5	2	2	12	11	85	2	38	-	1	-	3	4	2	4	3
Privation	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	-
Want of Breast Milk .	-	1	5	-	-	3	1	46	1	24	3	3	2	2	2	2	-	-
Neglect	-	-	-	-	-	2	-	2	-	1	-	-	-	-	-	-	-	-
Cold	1	4	4	10	1	2	4	3	-	5	1	-	-	-	-	2	-	1
Poison	-	1	1	-	-	4	1	26	-	7	-	-	-	-	1	2	1	-
Poisoned Wounds . .	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-
Burns and Scalds . .	2	10	6	6	-	20	16	89	1	35	3	-	-	2	3	2	4	9
Hanging, etc.	-	-	-	-	-	6	-	19	-	7	-	1	-	-	-	1	-	-
Suffocation	1	3	8	5	1	16	22	103	2	38	4	7	-	1	2	2	-	2
Drowning	2	28	21	49	7	62	31	126	10	31	5	6	-	3	7	9	5	4
Fracture and Contusion	5	46	23	10	3	81	66	398	14	110	6	8	-	1	12	15	11	6
Gunshot Wounds . . .	-	1	-	1	1	2	-	3	-	2	-	-	-	-	-	-	-	2
Cuts and Stabs	-	1	-	2	-	2	3	10	-	10	-	1	-	-	-	-	-	-
Other Violent Causes .	-	9	4	3	1	13	16	66	3	30	2	1	-	3	1	4	2	-
Not specified	14	56	38	93	13	58	65	267	29	40	23	2	2	5	11	67	26	16

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—MALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES . . .	40678	222	189	265	171	698	721	79	367	465	2312	293	3167	1288	1690	81
SPECIFIED CAUSES . . .	39871	195	177	257	161	642	638	79	354	456	2265	282	3145	1258	1642	79
I. Zymotic Class . . .	9859	13	6	31	19	143	92	18	72	92	526	46	959	259	374	16
II. Diseases of Uncer. Seat	1158	3	9	12	7	24	19	3	11	21	87	13	74	32	47	4
III. Tubercular Class . . .	5485	20	16	42	22	65	83	11	65	75	266	23	363	160	182	6
IV. Brain and Nervous Sys.	3886	12	17	33	24	63	58	12	38	52	240	31	307	155	175	10
V. Organs of Circulation . . .	2237	6	18	20	4	19	37	-	26	27	157	24	153	114	98	4
VI. Respiratory Organs . . .	7059	18	19	38	17	60	98	10	38	72	347	42	570	161	288	11
VII. Organs of Digestion . . .	2674	18	22	17	10	40	36	11	28	32	169	29	146	89	116	9
VIII. Urinary Organs . . .	906	5	6	12	5	20	27	3	4	22	96	8	55	33	49	5
IX. Organs of Generation . . .	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
X. Organs of Locomotion . . .	249	4	3	2	1	8	12	-	7	5	17	2	12	5	6	-
XI. Skin, etc.	51	-	-	-	-	1	-	-	2	-	6	-	4	2	1	1
XII. Malformation	161	-	-	-	-	1	1	-	1	-	16	4	19	2	6	-
XIII. Premature Debility . . .	2070	8	4	9	2	5	18	4	12	18	108	15	220	60	78	-
XIV. Atrophy	212	1	-	-	1	4	2	-	1	3	3	1	16	9	3	-
XV. Age	2054	77	54	22	44	136	127	7	29	23	103	19	100	123	113	10
XVI. Sudden Deaths	60	-	-	1	-	1	-	-	1	-	2	-	1	2	8	-
XVII. Violent Deaths	2248	10	8	18	5	52	28	5	19	19	121	20	146	52	98	3
I. Small-pox	742	-	-	-	-	3	1	-	-	2	17	1	5	-	1	-
Measles	586	1	-	-	1	23	10	4	27	3	48	2	30	9	76	-
Scarlatina	8265	2	1	2	7	25	10	-	10	13	123	9	504	104	105	4
Diphtheria	560	1	-	1	-	14	5	5	12	22	51	3	68	17	28	2
Whooping-cough	745	1	-	-	4	12	9	-	6	6	44	6	31	18	20	6
Croup	597	-	-	1	2	30	7	-	1	6	47	2	49	30	36	-
Thrush	15	-	-	-	-	-	-	-	-	-	3	-	3	1	1	1
Diarrhoea	960	-	3	14	-	7	9	1	1	20	65	2	116	20	84	-
Dysentery	133	1	-	-	-	3	3	-	-	2	15	-	13	3	9	-
Cholera	48	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-
Influenza	64	2	-	-	-	3	1	-	1	3	7	3	2	2	7	-
Purpura	34	-	-	1	-	-	1	-	-	-	1	-	6	1	2	-
Ague	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Worms	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Typhus	375	4	-	-	-	5	9	-	1	2	19	4	43	15	9	-
Enteric Fever	704	-	-	8	1	8	18	3	6	7	51	11	43	26	26	2
Relapsing Fever	14	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-
Simple Cont. Fever	56	-	1	-	-	1	2	-	1	-	1	2	3	2	1	-
Infantile Remittent	34	-	-	-	-	-	-	-	-	2	3	-	2	1	2	-
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	77	-	-	-	2	1	3	-	1	-	5	-	8	4	1	1
Erysipelas	184	1	-	3	-	3	3	-	1	4	12	-	18	3	5	1
Pysmia	50	-	1	1	-	2	1	-	-	-	3	1	2	-	3	-
Syphilis	99	-	-	-	-	2	-	-	2	-	6	-	12	2	2	-
Noma	6	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Diseases	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	48	1	-	-	-	2	1	-	-	-	4	-	5	-	2	-
Dropsy	297	2	4	3	1	6	3	1	2	2	14	2	24	8	18	1
Ascites	131	-	-	-	-	2	-	-	1	-	14	2	8	-	6	-
Ulcer	39	-	1	-	-	2	-	-	-	1	3	-	-	2	1	-
Fistula	10	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Mortification	71	-	2	2	-	3	1	-	-	-	3	2	7	2	2	-
Cancer	552	-	2	7	6	8	14	2	8	17	48	7	29	19	18	2
Gout	10	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-
III. Scrofula	398	2	3	2	1	4	-	1	2	8	29	-	24	15	17	-
Tabes Mesenterica	511	-	-	-	4	3	5	2	3	3	18	1	23	7	16	1
Phthisis	3627	15	12	34	17	58	72	8	54	56	177	24	239	112	127	5
Hydrocephalus	949	3	1	6	-	-	6	-	6	8	42	3	72	26	22	-

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—MALES.

DISEASES.	Clack- mannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Inver- ar.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Salisbury.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	225	1168	845	742	200	2579	2524	18118	390	3959	377	287	86	202	390	812	390	376
SPECIFIED CAUSES . .	219	1146	829	686	194	2547	2489	12975	375	3940	363	287	85	200	385	776	378	372
Zymotic Class . . .	27	227	237	82	32	507	669	3485	75	844	122	46	16	53	49	114	59	74
Uncertain Seat . . .	9	37	19	30	10	82	66	275	11	146	9	8	9	6	11	30	15	19
Tubercular Class . . .	43	142	107	101	36	380	347	1895	49	585	32	32	12	30	61	119	63	47
Brain, etc.	19	104	69	78	26	277	201	1102	41	436	30	35	5	16	59	87	32	42
Heart, etc.	18	72	47	37	10	127	163	503	19	325	19	26	9	16	34	61	30	19
Respiratory Organs . .	40	197	109	92	16	455	383	2802	63	656	59	49	17	31	47	142	57	55
Digestive Organs . . .	15	105	55	42	19	191	155	810	36	251	18	16	9	14	31	68	34	33
Urinary Organs . . .	6	20	21	20	4	49	63	185	11	101	10	6	5	3	6	24	9	13
Generative Organs . .	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Locomotive Organs . .	1	6	2	6	1	13	14	70	1	27	-	4	-	2	5	8	4	1
Skin	-	1	2	1	-	2	2	14	-	6	-	1	-	-	-	-	1	4
Malformation	1	1	1	3	-	10	16	40	4	19	3	1	-	1	2	6	3	-
Premature Debility . .	13	67	37	18	6	139	136	729	25	185	22	19	2	12	36	38	11	19
Atrophy	2	9	8	1	-	28	14	76	-	22	4	-	-	1	1	1	-	1
Age	15	69	56	107	22	108	116	278	17	98	17	20	1	4	23	49	39	29
Sudden Deaths . . .	-	2	1	1	-	3	4	29	-	3	1	-	-	-	-	-	-	-
Violent Deaths . . .	10	87	58	67	12	176	140	701	23	236	17	24	-	11	21	29	16	16
Small-pox	-	4	72	4	12	67	124	381	5	5	6	-	-	-	-	9	7	16
Measles	-	12	4	2	-	9	9	210	2	73	9	2	-	13	4	3	-	9
Scarlatina	3	72	98	16	2	191	208	1354	19	251	66	9	3	7	3	27	14	3
Diphtheria	1	19	9	4	3	19	46	145	5	45	5	3	2	5	3	9	5	5
Whooping-cough . . .	1	11	6	10	1	35	22	366	9	69	2	6	1	3	3	13	11	14
Croup	5	16	9	16	2	23	36	155	7	64	1	4	4	9	9	18	4	4
Thrush	-	1	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-
Diarrhoea	4	21	14	11	1	64	65	308	13	117	12	2	2	8	6	9	3	8
Dysentery	1	3	1	1	-	4	8	46	1	11	2	2	-	-	1	1	-	2
Cholera	-	1	1	1	-	7	7	8	-	13	1	-	-	-	2	1	2	-
Influenza	-	8	2	2	1	1	3	6	-	7	1	1	-	-	-	1	-	-
Purpura	-	-	1	1	-	1	5	12	-	2	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-
Worms	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Typhus	2	20	9	2	2	30	23	100	-	67	2	4	-	-	3	2	3	3
Enteric Fever	6	19	13	7	7	30	66	216	8	58	10	9	1	4	10	11	6	14
Relapsing Fever . . .	-	1	-	-	-	1	1	4	-	3	-	-	-	-	-	1	-	-
Simple Cont. Fever . .	1	4	1	1	-	3	11	11	2	2	1	1	-	-	-	1	-	3
Infantile Remittent . .	-	-	-	-	1	4	3	11	-	3	-	-	1	1	-	-	-	-
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever . . .	-	3	1	2	-	7	2	16	1	9	2	-	1	1	1	2	2	1
Erysipelas	2	6	1	2	-	10	21	62	2	17	1	-	-	-	1	1	4	-
Pyæmia	1	1	-	-	-	4	3	14	-	6	1	3	-	-	1	1	1	-
Syphilis	-	4	-	-	-	6	4	34	1	18	-	-	1	1	1	1	1	1
Noma	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dia. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	-	2	2	-	-	4	5	14	-	-	-	-	-	1	-	-	-	3
Dropsy	2	13	5	11	1	31	15	85	1	27	3	1	1	-	1	5	2	2
Abscess	-	6	-	1	-	15	11	40	1	20	1	-	-	-	-	1	1	1
Ulcer	-	-	-	4	-	2	-	15	1	2	1	1	-	-	-	3	-	-
Fistula	-	-	1	-	-	-	-	5	-	1	-	-	-	-	-	-	1	-
Mortification	1	3	2	4	-	8	4	13	1	11	-	-	-	-	-	-	-	-
Cancer	6	13	9	10	9	21	30	102	7	80	4	6	8	5	10	21	11	13
Gout	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	-	-	-
Scrofula	5	7	5	7	2	37	25	124	6	38	3	3	1	2	5	10	6	4
Tabes Mesenterica . .	3	14	7	2	3	33	31	233	5	57	3	2	1	-	11	7	7	1
Phthisis	27	89	73	80	29	242	219	1169	27	375	23	23	8	24	39	87	45	38
Hydrocephalus	8	32	22	12	2	68	72	369	11	115	3	4	2	4	6	15	5	4

CAUSES OF DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—MALES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . .	524	1	1	6	2	7	7	1	5	10	27	6	44	12	27	-
Apoplexy . . .	903	7	4	9	3	9	11	4	12	15	53	3	78	38	49	6
Paralysis . . .	1029	4	9	9	8	25	17	4	10	13	61	12	68	61	55	3
Delirium Tremens . . .	58	-	-	-	1	-	-	-	-	-	5	-	6	4	1	-
Chorea . . .	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Epilepsy . . .	135	-	-	2	2	2	5	-	-	1	8	-	8	4	4	-
Tetanus . . .	49	-	-	1	-	5	3	-	-	-	1	-	2	3	1	-
Insanity . . .	18	-	-	-	-	-	3	-	-	-	2	1	-	-	-	-
Convulsions . . .	590	-	-	2	7	11	9	1	8	5	41	3	60	13	17	-
Brain Disease . . .	576	-	3	4	1	4	3	2	3	8	42	6	40	20	20	1
V. Pericarditis . . .	52	-	-	-	-	-	2	-	-	1	-	-	5	-	1	-
Aneurism . . .	89	1	-	-	-	2	2	-	-	2	12	-	2	3	1	1
Heart Disease . . .	2096	5	13	20	4	17	33	-	26	24	145	24	146	111	96	3
VI. Laryngitis . . .	111	-	-	-	-	-	-	-	2	1	10	3	12	2	3	1
Bronchitis . . .	4280	8	9	22	6	31	53	9	24	37	229	26	366	102	159	5
Pleurisy . . .	181	2	-	2	-	2	17	-	-	1	6	-	11	5	6	-
Pneumonia . . .	2068	5	10	12	7	12	18	-	10	30	84	12	165	46	107	5
Asthma . . .	266	2	-	2	4	12	6	1	1	3	14	1	6	2	10	-
Lung Disease . . .	153	1	-	-	-	3	4	-	1	-	-	-	10	4	3	-
VII. Teething . . .	437	4	2	1	-	5	4	1	8	3	37	1	22	8	21	-
Quinsey . . .	36	-	-	1	-	1	1	-	-	1	4	-	1	1	2	-
Gastritis . . .	113	3	3	-	-	1	1	-	1	2	5	-	7	2	6	-
Enteritis . . .	500	-	2	1	-	6	4	3	3	5	23	4	24	17	15	3
Peritonitis . . .	188	1	1	1	2	1	2	-	2	1	15	3	16	2	4	1
Ascites . . .	33	-	-	-	1	1	-	-	1	-	2	-	2	1	1	-
Ulceration of Intestines . . .	103	1	1	1	-	1	1	1	-	2	10	4	4	6	2	1
Hernia . . .	56	-	2	-	1	2	-	1	-	2	4	1	4	3	3	1
Ileus . . .	128	4	1	1	1	3	5	-	-	3	14	2	5	3	7	-
Intussusception . . .	39	-	2	1	-	1	2	-	1	1	2	1	3	1	3	-
Stricture of Intestines . . .	9	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-
Stomach Disease . . .	396	2	4	3	2	10	6	1	5	4	18	4	19	17	21	-
Pancreas Disease . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis . . .	100	2	-	-	-	4	1	-	-	2	2	1	4	5	3	2
Jaundice . . .	116	1	-	3	2	1	2	1	-	1	13	3	8	5	7	1
Liver Disease . . .	407	-	4	4	1	3	6	3	7	4	18	5	25	20	19	-
Spleen Disease . . .	12	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-
VIII. Nephritis . . .	110	-	-	-	-	3	2	-	-	3	7	3	15	3	4	1
Nephria . . .	207	1	-	2	1	2	4	-	1	5	20	-	7	1	16	2
Addison's Disease . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Ischuria . . .	56	2	-	1	1	6	2	-	-	5	1	2	1	5	-	-
Diabetes . . .	74	-	-	-	-	3	6	-	-	1	3	1	4	4	6	-
Stone . . .	56	1	3	4	2	3	4	2	-	2	9	-	4	-	1	-
Cystitis . . .	88	-	1	3	-	-	2	-	1	3	6	1	7	6	4	2
Stricture of Urethra . . .	13	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Kidney Disease . . .	300	1	1	2	1	3	7	1	2	8	45	2	16	17	13	-
IX. Paramenia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation . . .	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
X. Bone Disease . . .	43	-	-	-	-	1	-	-	2	-	3	-	3	-	1	-
Rheumatism . . .	90	4	1	-	-	4	11	-	1	1	3	1	4	2	1	-
Joint Disease . . .	116	-	2	2	1	3	1	-	4	4	11	1	5	3	4	-
XI. Carbuncle . . .	21	-	-	-	-	-	-	-	1	-	2	-	3	2	-	1
Phlegmon . . .	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Skin Disease . . .	23	-	-	-	-	1	-	-	1	-	4	-	1	-	-	-
XVII. Intemperance . . .	153	1	-	2	-	-	-	1	1	-	9	1	12	2	9	1
Privation . . .	9	-	-	-	-	-	1	-	-	-	-	-	1	1	2	-
Want of Breast Milk . . .	77	-	-	-	-	-	1	-	1	1	6	1	6	2	5	-
Neglect . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold . . .	42	1	1	-	-	1	3	-	1	-	1	2	2	1	1	-
Poison . . .	30	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-
Poisoned Wounds . . .	4	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Burns and Scalds . . .	149	-	1	1	-	2	1	-	2	1	3	1	11	3	11	-
Hanging, etc. . .	37	-	1	1	-	-	-	-	-	-	3	-	6	-	2	-
Suffocation . . .	160	-	1	-	-	1	-	-	2	2	14	4	15	2	6	-
Drowning . . .	536	3	2	9	2	40	18	2	5	3	46	4	34	13	21	-
Fracture and Contusion . . .	849	3	1	5	3	3	4	2	7	8	31	5	48	20	28	2
Gunshot Wounds . . .	16	1	-	-	-	1	-	-	-	1	1	-	1	1	1	-
Cuts and Stabs . . .	28	-	1	-	-	1	-	-	-	-	2	-	2	1	1	-
Other Violent Causes . . .	156	1	-	-	-	2	-	-	-	2	3	2	7	5	9	-
Not specified . . .	807	27	12	8	10	56	83	-	13	9	47	11	22	30	43	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1874.—MALES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Leamark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	3	10	6	8	1	38	23	183	8	64	1	2	-	1	5	10	2	8
Apoplexy	3	19	27	15	8	81	46	229	7	95	3	10	3	3	15	19	9	10
Paralysis	7	31	17	30	6	78	50	220	9	117	13	13	1	4	23	28	6	17
Delirium Tremens	-	4	3	-	-	3	5	16	-	8	1	-	-	-	-	1	-	-
Chorea	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Epilepsy	2	5	1	4	1	4	9	38	1	22	1	3	-	-	2	3	2	1
Tetanus	-	2	1	-	-	5	4	10	1	4	-	-	-	2	1	-	-	8
Insanity	-	-	-	-	-	1	1	3	-	3	-	-	-	-	-	4	-	-
Convulsions	1	17	8	14	3	28	16	237	7	53	7	2	1	2	5	5	6	1
Brain Disease	8	16	6	7	7	39	47	165	8	70	4	4	-	4	8	17	7	7
Pericarditis	-	1	-	1	-	4	5	21	2	7	1	-	-	-	2	1	-	-
Aneurism	-	-	2	-	-	5	2	30	-	18	-	1	-	-	-	-	1	-
Heart Disease	18	71	47	34	10	118	166	452	17	300	18	25	9	15	32	59	29	19
Laryngitis	-	1	-	-	-	11	12	27	1	10	1	2	-	-	1	5	2	4
Bronchitis	30	115	64	54	11	262	228	1762	36	337	30	25	11	21	28	73	31	26
Pleurisy	-	3	3	2	-	11	10	49	2	24	3	3	1	2	8	8	4	1
Pneumonia	6	52	34	22	5	148	102	804	20	200	22	17	3	5	14	53	17	21
Asthma	4	15	2	11	-	15	28	92	4	19	3	1	2	2	1	2	1	-
Lung Disease	-	11	6	3	-	8	3	68	-	16	-	1	-	1	-	1	2	3
Teething	6	15	13	3	2	49	29	159	5	23	3	-	-	3	1	3	3	3
Quinsy	-	2	1	-	-	1	2	8	-	2	-	-	-	1	1	2	2	2
Gastritis	-	4	3	3	1	6	4	53	-	4	1	-	-	1	-	1	1	-
Enteritis	-	20	10	6	5	40	32	178	16	32	4	4	2	4	10	12	8	7
Peritonitis	2	6	4	3	-	20	10	37	5	25	3	3	1	1	4	7	2	3
Ascites	-	2	-	2	-	2	2	6	-	4	-	-	-	-	-	4	-	2
Ulceration of Intestines	1	1	-	5	-	5	3	34	1	11	-	-	-	-	1	-	2	4
Hernia	1	3	-	-	1	3	2	15	-	6	1	-	-	-	-	1	2	-
Ileus	2	1	3	5	1	4	6	29	-	11	1	1	-	1	1	6	3	4
Intussusception	-	-	-	-	-	3	2	6	-	6	-	-	1	-	-	3	-	-
Stricture of Intestines	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-
Stomach Disease	1	23	11	5	2	14	22	119	5	50	2	4	-	1	5	10	4	2
Pancreas Disease	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hepatitis	-	7	3	3	3	6	14	25	2	6	-	-	-	-	1	2	1	1
Jaundice	-	4	3	2	-	7	6	27	1	13	-	-	-	1	-	1	1	2
Liver Disease	1	17	4	5	3	29	20	110	1	56	3	3	4	1	7	16	5	3
Spleen Disease	1	-	-	-	1	1	-	1	-	1	-	1	1	-	-	-	-	-
Nephritis	2	2	4	2	-	4	3	36	1	8	1	1	-	-	1	4	-	-
Nephria	1	5	1	5	1	8	15	52	7	31	1	2	1	2	2	4	3	4
Addison's Disease	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	-	1	-	3	1	2	5	7	-	1	1	1	2	-	-	4	2	-
Diabetes	1	2	3	-	1	5	5	15	-	10	-	-	-	-	-	2	1	1
Stone	-	2	-	2	-	3	3	4	-	6	-	-	-	-	-	1	-	-
Cystitis	-	1	3	2	-	8	7	9	1	13	2	1	1	-	1	1	1	1
Stricture of Urethra	-	-	-	-	-	2	-	6	-	2	-	-	-	-	1	-	-	-
Kidney Disease	2	7	9	6	1	17	25	56	2	30	5	1	1	1	2	7	2	7
Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Bone Disease	-	-	-	1	1	1	2	12	-	8	-	1	-	2	2	3	-	-
Rheumatism	-	3	1	4	-	2	6	23	1	7	-	1	-	-	2	3	3	1
Joint Disease	1	3	1	1	-	10	6	35	-	12	-	2	-	-	1	2	1	-
Carbuncle	-	1	2	1	-	-	-	4	-	-	-	-	-	-	-	-	1	3
Phlegmon	-	-	-	-	-	1	-	3	-	1	-	1	-	-	-	-	-	-
Skin Disease	-	-	-	-	-	1	2	7	-	5	-	-	-	-	-	-	-	1
Intemperance	-	5	3	1	2	7	7	59	2	19	-	1	-	1	3	1	1	2
Privation	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	3	-	-	3	1	21	1	16	2	3	-	2	1	1	-	-
Neglect	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Cold	1	4	3	7	1	2	4	2	-	2	1	-	-	-	-	-	-	1
Poison	-	-	-	-	-	3	1	15	-	5	-	-	-	-	-	1	-	-
Poisoned Wounds	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Burns and Scalds	2	4	4	2	-	10	8	52	1	20	-	-	-	2	1	1	1	4
Hanging, etc.	-	1	4	-	-	4	-	14	-	5	-	-	-	-	-	-	-	-
Suffocation	-	1	4	3	1	6	13	51	2	22	3	5	-	-	1	1	-	-
Drowning	2	26	17	42	4	56	27	105	4	24	4	6	-	2	4	5	2	4
Fracture and Contusion	5	37	20	8	2	71	61	324	12	89	5	8	-	1	10	14	9	3
Gunshot Wounds	-	1	-	-	1	2	-	2	-	1	-	-	-	-	-	-	-	2
Cuts and Stabs	-	1	-	1	-	1	3	5	-	8	-	1	-	-	-	-	-	-
Other Violent Causes	-	8	4	3	1	10	14	48	1	24	2	-	-	3	1	4	2	-
Not specified	6	22	16	56	6	32	35	143	15	19	14	-	1	2	5	36	17	4

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during
the YEAR 1874.—BOTH SEXES

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barny.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dunfries.
ALL CAUSES . . .	10026	365	478	262	368	360	265	359	460	522	759	1331	2256	469	361	533	241	587
SPECIFIED CAUSES . .	9897	361	478	261	368	352	265	357	447	516	759	1303	2232	455	351	532	240	570
I. Zymotic Class . . .	2649	61	114	53	79	71	65	94	168	88	316	362	621	120	77	196	24	140
II. Diseases of Uncer. Seat	324	16	19	14	15	6	5	15	17	19	19	43	60	17	12	15	5	27
III. Tubercular Class . .	1526	50	68	31	44	58	38	36	74	81	112	225	413	63	41	80	51	61
IV. Brain and Nervous Sys.	949	61	41	36	49	29	24	46	34	53	53	112	196	36	32	45	34	68
V. Organs of Circulation .	454	35	38	27	36	19	6	22	7	26	32	56	61	23	9	15	12	30
VI. Respiratory Organs . .	1627	43	74	35	54	81	45	39	63	95	88	225	391	86	84	79	39	106
VII. Organs of Digestion .	619	17	35	20	23	27	23	32	15	35	34	66	120	29	33	51	20	39
VIII. Urinary Organs . .	164	12	4	4	16	7	5	7	8	9	13	24	23	6	4	2	4	11
IX. Organs of Generation .	70	2	5	2	1	3	3	6	2	6	2	5	19	5	—	2	4	3
X. Organs of Locomotion .	55	3	2	2	2	2	—	1	2	1	3	5	22	1	3	—	1	5
XI. Skin, etc.	8	—	1	—	—	1	—	1	—	—	—	1	2	—	—	—	—	—
XII. Malformation . . .	34	—	4	2	—	3	2	—	3	1	2	4	9	—	—	1	1	2
XIII. Premature Debility .	516	24	25	11	18	15	21	23	12	31	28	51	139	18	18	35	19	28
XIV. Atrophy	53	—	2	—	—	—	2	3	2	3	2	6	17	—	3	3	5	5
XV. Age	535	31	27	16	23	21	20	14	27	53	27	83	69	30	21	22	12	23
XVI. Sudden Deaths . .	14	1	1	—	—	—	—	1	—	3	1	2	4	—	1	—	—	—
XVII. Violent Deaths . .	300	6	18	8	3	9	6	17	13	7	27	33	61	21	11	36	9	16
I. Small-pox	314	—	—	1	—	—	—	1	59	2	100	21	21	27	3	60	—	19
Measles	166	6	15	—	2	20	20	10	4	1	3	17	19	9	21	15	3	1
Scarlatina	891	11	28	24	6	4	3	30	74	19	123	170	266	30	8	45	2	43
Diphtheria	168	3	14	5	31	9	4	2	5	11	4	16	41	3	3	3	1	13
Whooping-cough	203	6	6	5	—	15	1	10	1	2	3	27	78	1	11	20	—	17
Croup	127	3	7	8	8	4	7	1	—	6	14	13	31	6	—	5	8	6
Thrush	3	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	275	12	12	1	14	7	11	10	11	15	21	35	65	14	10	23	—	14
Dysentery	48	2	2	2	3	2	4	—	—	1	4	2	9	4	6	5	1	1
Cholera	5	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—
Influenza	14	—	—	—	—	2	3	2	2	—	—	2	2	1	—	—	—	—
Purpura	11	1	—	1	2	—	—	—	2	—	1	1	1	—	—	2	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	78	2	6	2	4	3	—	12	5	7	9	12	11	2	1	—	1	1
Enteric Fever	161	13	12	1	4	4	8	11	2	10	15	15	31	14	4	7	4	6
Relapsing Fever	8	—	1	—	—	—	—	2	—	—	1	1	1	—	—	—	—	—
Simple Cont. Fever . . .	8	—	—	—	—	—	—	—	—	—	1	1	4	—	—	—	—	—
Infantile Remittent . . .	8	—	—	—	—	—	—	—	—	—	1	2	4	—	—	—	—	—
Metria	64	2	4	—	1	—	1	3	5	6	7	18	8	4	4	—	—	3
Rheumatic Fever	16	—	2	1	—	—	—	1	—	—	2	1	2	—	—	—	—	—
Erysipelas	55	—	3	1	2	1	2	1	—	7	5	10	12	2	1	2	—	7
Pyæmia	11	—	—	—	—	—	—	—	—	1	—	3	2	1	1	1	—	—
Syphilis	22	—	1	2	1	—	1	—	—	1	2	6	5	—	1	—	1	1
Noma	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	16	1	—	1	1	1	—	2	2	1	—	3	1	1	1	—	—	—
Dropey	78	3	7	1	2	2	2	6	4	7	3	9	12	3	5	7	—	5
Abscess	32	1	1	—	1	—	—	2	2	3	2	6	8	3	2	—	—	1
Ulcer	6	—	—	—	—	—	—	—	—	—	—	2	4	—	—	—	—	—
Fistula	2	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
Mortification	12	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	2
Cancer	173	11	11	11	11	2	3	5	8	7	14	20	31	9	4	8	5	18
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	72	3	—	1	2	3	2	—	2	8	4	14	18	1	3	3	1	7
Tabes Mesenterica . . .	134	—	3	1	—	4	2	1	10	13	6	14	42	6	1	9	14	8
Phthisis	1027	40	45	26	31	44	27	29	49	50	85	172	246	33	31	54	28	37
Hydrocephalus	233	7	20	3	11	7	7	6	13	10	17	25	107	23	6	14	8	9

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1874.—BOTH SEXES. (Continued.)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dunbarton.	Ayr.	Kilmarnock.	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis	108	4	2	8	4	7	4	4	2	3	3	20	26	2	3	13	2	6
Apoplexy	242	19	18	15	21	2	3	6	20	3	14	36	29	13	6	14	4	14
Paralysis	257	19	9	7	10	10	6	17	4	26	12	28	51	9	10	8	17	19
Delirium Tremens	9	—	—	1	—	1	—	1	1	2	—	—	1	—	—	1	—	1
Chorea	3	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
Epilepsy	42	4	2	1	4	1	2	1	1	3	3	4	7	—	2	—	2	5
Tetanus	7	—	—	—	—	—	—	—	—	1	2	1	1	—	1	—	1	1
Insanity	17	6	—	—	2	1	—	—	—	3	3	1	1	—	—	—	—	4
Convulsions	117	1	1	5	2	5	1	5	5	3	3	14	41	6	6	6	7	7
Brain Disease	147	8	8	4	5	2	8	12	1	5	16	13	38	6	5	3	2	11
V. Pericarditis	21	2	1	—	1	1	—	—	—	—	4	1	3	2	—	1	—	—
Aneurism	13	2	—	1	2	—	—	—	—	2	1	5	7	—	—	—	1	1
Heart Disease	420	31	37	26	33	18	6	22	7	24	30	48	54	21	9	14	11	29
VI. Laryngitis	17	—	3	—	—	—	—	—	—	—	—	—	1	3	1	1	2	—
Bronchitis	1047	27	49	21	41	52	33	22	33	70	62	134	230	62	56	49	25	76
Pleurisy	21	—	—	3	—	—	1	—	2	—	—	3	8	4	3	—	1	1
Pneumonia	460	14	17	11	13	27	11	11	14	21	11	72	145	16	14	26	12	25
Asthma	50	2	2	—	—	2	—	3	—	3	8	12	6	2	6	2	1	1
Lung Disease	32	—	3	—	—	—	3	9	1	3	3	4	1	1	4	—	—	1
VII. Teething	33	2	5	2	—	6	3	7	3	7	5	12	16	4	3	6	1	1
Quinsey	10	1	—	—	—	—	—	—	—	—	—	1	4	—	1	—	1	2
Gastritis	26	—	—	—	2	1	—	—	—	—	—	3	6	1	4	5	2	2
Enteritis	98	3	9	1	2	2	1	2	1	3	14	13	20	3	—	18	4	2
Peritonitis	63	2	5	4	5	2	4	2	1	1	7	4	14	1	3	4	—	4
Ascites	14	—	1	—	1	1	1	—	1	4	—	—	2	—	1	—	—	2
Ulceration of Intestines	24	—	—	—	2	—	1	—	—	3	1	2	5	1	1	5	2	1
Hernia	14	—	—	1	3	1	1	1	—	—	2	2	—	—	2	1	—	—
Ileus	32	1	3	1	—	—	2	1	—	2	1	4	3	3	1	2	1	7
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	2	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Stomach Disease	116	4	5	8	3	5	6	10	5	4	1	10	23	6	16	—	3	12
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	27	—	—	—	1	—	—	2	3	1	—	8	3	1	6	2	—	—
Jaundice	27	—	1	1	3	5	1	1	1	—	—	4	8	—	—	1	—	1
Liver Disease	81	3	5	6	4	2	3	8	1	7	2	11	11	4	2	3	4	5
Spleen Disease	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	24	—	—	—	1	—	2	1	5	1	—	3	5	2	—	—	—	4
Nephria	52	3	2	1	3	3	1	2	—	2	4	16	7	3	2	—	1	2
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1
Diabetes	18	3	1	—	3	1	—	1	1	—	—	—	5	—	—	—	1	2
Stone	3	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
Cystitis	8	1	—	—	1	1	—	—	—	1	1	2	—	—	1	—	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Kidney Disease	56	4	1	3	8	1	2	3	2	4	8	2	11	1	2	1	2	1
IX. Paramania	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Ovarian Droopy	9	1	—	—	—	—	1	—	1	2	1	—	1	—	—	—	1	1
Childbirth	48	1	3	—	1	2	2	6	1	4	1	4	13	5	—	1	2	2
Organs of Generation	11	—	2	2	—	1	—	—	—	—	—	1	5	—	—	—	—	—
X. Bone Disease	3	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
Rheumatism	21	—	—	—	1	2	—	—	—	—	—	1	13	—	—	—	1	2
Joint Disease	31	3	1	2	1	—	—	1	1	1	3	4	9	—	3	—	—	2
XI. Carbuncle	2	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Phlegmon	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	5	—	1	—	—	—	—	—	—	—	—	1	1	—	2	—	—	—
XVII. Intemperance	28	—	2	—	1	4	—	1	1	1	2	6	1	4	—	—	3	2
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	11	—	—	—	—	—	—	—	2	—	—	—	3	4	—	1	—	1
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	8	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Poison	6	—	—	—	—	—	—	—	—	—	1	1	2	1	—	—	—	1
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Burns and Scalds	30	1	—	1	—	1	—	4	—	4	1	3	6	2	4	2	—	1
Hanging, etc.	8	—	—	2	—	—	2	—	—	—	—	—	—	2	1	1	—	—
Suffocation	34	—	7	—	1	2	1	3	1	3	2	7	1	1	4	1	—	—
Drowning	45	2	2	2	1	—	—	4	1	—	2	11	5	—	—	8	2	5
Fracture and Contusion	113	2	3	3	1	2	1	5	3	—	14	8	33	8	2	20	3	5
Gnashot Wounds	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	2	—	1	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—
Other Violent Causes	18	—	1	—	—	1	1	1	2	1	3	2	2	—	3	1	—	—
Not specified	129	4	—	1	—	8	—	2	13	6	—	28	24	14	10	1	1	17

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1874.—BOTH SEXES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clack- mannan.	Stirling.
ALL CAUSES . . .	17560	93	77	299	276	105	345	427	743	131	532	539	1149	371	363
SPECIFIED CAUSES . . .	17196	87	77	299	271	103	337	425	705	131	522	524	1106	365	351
I. Zymotic Class . . .	4198	4	6	46	96	15	68	92	236	30	96	117	256	41	173
II. Diseases of Uncer. Seat . . .	664	3	5	14	11	3	20	28	25	2	33	17	44	22	40
III. Tubercular Class . . .	2447	14	8	46	19	13	36	59	70	12	63	84	121	66	141
IV. Brain and Nervous Sys. . .	1588	8	7	34	17	16	48	45	65	14	72	61	120	35	100
V. Organs of Circulation . . .	1050	2	4	19	10	1	31	20	34	6	43	53	70	28	58
VI. Respiratory Organs . . .	2509	9	17	58	33	12	36	67	92	14	77	54	168	74	158
VII. Organs of Digestion . . .	1241	8	13	12	9	13	23	35	50	18	35	38	82	19	74
VIII. Urinary Organs . . .	288	2	-	6	7	3	5	21	17	2	13	14	20	6	12
IX. Organs of Generation . . .	145	-	-	5	6	-	1	9	8	1	6	3	10	4	6
X. Organs of Locomotion . . .	99	-	-	3	4	2	6	3	4	-	2	2	5	1	7
XI. Skin, etc.	30	-	1	1	2	-	2	1	3	1	1	2	2	-	1
XII. Malformation	77	-	-	-	-	-	1	-	6	-	5	-	3	2	3
XIII. Premature Debility . . .	873	4	-	17	4	6	11	14	23	8	22	19	44	28	69
XIV. Atrophy	113	-	-	-	1	-	3	3	2	-	3	2	5	3	10
XV. Age	1151	30	16	28	38	16	33	18	42	16	29	43	102	26	71
XVI. Sudden Deaths	21	-	-	1	1	-	-	-	1	-	-	2	3	-	2
XVII. Violent Deaths	702	3	-	9	13	3	13	10	27	7	22	13	51	10	27
I. Small-pox	445	-	-	-	-	1	-	2	3	-	-	-	3	-	3
Measles	218	2	-	-	6	6	14	-	7	7	4	6	27	1	10
Scarlatina	1224	-	-	3	2	-	5	30	99	2	21	25	84	3	49
Diphtheria	230	-	-	1	22	3	20	7	12	3	5	10	20	2	8
Hooping-cough	246	-	-	-	14	-	4	11	22	6	-	6	2	6	8
Croup	235	-	-	2	31	1	4	2	22	-	9	7	24	5	13
Thrush	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Diarrhoea	456	1	2	13	1	1	5	14	27	1	17	13	27	6	25
Dysentery	54	-	1	-	1	-	1	2	10	-	4	1	5	1	5
Cholera	29	-	-	-	-	-	-	1	-	-	-	1	-	-	1
Influenza	33	-	1	1	1	-	-	1	2	-	1	3	2	-	4
Purpura	15	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Ague	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Worms	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	144	-	-	2	4	-	1	5	8	1	-	9	11	-	17
Enteric Fever	445	-	-	10	3	2	9	8	10	7	22	27	23	7	13
Relapsing Fever	11	-	-	-	-	-	-	-	-	-	-	-	2	-	1
Simple Cont. Fever	35	-	-	-	1	-	-	-	1	1	1	1	3	-	2
Infantile Remittent	22	-	-	2	-	-	-	-	-	-	-	-	3	-	-
Metria	87	1	1	4	4	-	-	3	6	1	-	2	6	1	3
Rheumatic Fever	30	-	-	1	-	-	1	-	-	1	5	-	1	1	2
Erysipelas	82	-	-	2	2	-	1	4	4	-	4	1	5	7	3
Pyæmia	22	-	-	1	2	-	-	1	2	-	1	1	2	1	1
Syphilis	39	-	-	4	1	-	3	1	1	-	2	3	3	-	2
Noma	4	-	1	-	-	-	-	-	-	-	-	-	2	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Diseases	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	19	-	-	-	-	-	-	-	-	-	2	-	3	1	-
Dropsy	152	-	2	4	5	1	5	2	2	-	8	-	14	9	14
Abscess	43	-	-	1	1	-	2	3	3	-	2	-	2	3	3
Ulcer	24	-	-	1	1	-	-	1	2	-	-	-	1	-	2
Fistula	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	33	1	-	1	-	-	-	-	2	-	3	-	2	1	3
Cancer	384	2	3	7	4	2	13	22	16	2	13	1	21	8	17
Gout	7	-	-	-	-	-	-	-	-	-	-	1	1	-	1
III. Scrofula	149	1	1	3	1	1	-	4	12	-	3	7	6	5	7
Tabes Mesenterica	212	2	1	1	1	2	-	6	3	-	8	4	14	4	10
Phthisis	1680	8	5	34	17	10	31	40	43	11	40	61	87	44	97
Hydrocephalus	406	3	1	8	-	-	5	9	12	1	12	13	14	13	27

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1874.—BOTH SEXES.

DISEASES.	Dumbarton.	Argyll	Bute.	Renfrew.	Ayr.	Leamark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . . .	918	399	238	1450	2554	2942	538	734	383	91	65	350	179	186	236	227
SPECIFIED CAUSES . .	899	381	236	1438	2530	2880	520	731	372	91	64	346	178	176	231	220
Zymotic Class . . .	227	48	52	285	667	955	110	166	133	18	11	90	22	42	32	65
Uncertain Seat . . .	25	28	10	43	79	80	22	27	11	3	5	16	10	15	12	11
Tubercular Class . .	133	58	51	281	410	369	72	84	29	14	11	63	23	22	49	26
Brain, etc.	76	41	26	124	193	196	52	80	30	9	7	27	27	13	23	22
Heart, etc.	66	23	9	69	162	114	29	61	23	10	7	23	23	22	25	5
Respiratory Organs .	115	61	35	255	335	418	81	106	50	13	10	58	21	28	22	32
Digestive Organs . .	61	18	15	115	190	196	58	58	19	3	4	18	13	6	21	17
Urinary Organs . . .	13	6	4	22	42	29	8	15	5	1	3	3	2	2	2	3
Generative Organs . .	1	4	2	15	19	21	6	5	4	2	1	3	1	-	2	-
Locomotive Organs .	5	2	-	8	17	10	2	3	-	1	1	4	2	-	5	-
Skin	1	1	-	-	4	3	-	1	-	-	-	-	-	-	1	2
Malformation	-	2	-	5	22	12	3	4	1	1	-	1	-	3	3	-
Premature Debility . .	44	18	6	72	132	178	23	47	17	3	3	18	13	10	6	9
Atrophy	8	1	1	22	14	23	-	3	6	-	-	2	-	-	-	1
Age	76	48	16	66	152	114	24	42	27	4	1	8	12	10	21	22
Sudden Deaths . . .	2	-	-	-	4	4	-	-	1	-	-	-	-	-	-	-
Violent Deaths . . .	46	22	9	56	88	158	25	29	16	9	-	12	9	3	7	5
Small-pox	32	2	25	8	63	247	10	-	13	-	-	-	-	-	1	32
Measles	2	-	-	6	6	59	4	17	4	-	-	29	-	-	1	-
Scarlatina	91	5	2	117	251	275	19	39	71	4	3	10	-	10	2	2
Diphtheria	8	3	-	15	32	62	10	11	7	-	-	5	1	1	3	7
Hooping-cough . . .	10	2	4	29	34	28	14	10	2	8	-	5	3	8	10	-
Croup	18	9	-	11	27	45	6	9	-	-	1	8	2	2	1	5
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	16	13	1	32	68	67	21	23	14	-	3	19	6	9	4	7
Dysentery	2	3	-	2	4	8	1	1	1	1	-	-	-	-	-	-
Cholera	1	-	-	4	9	3	-	5	-	-	-	-	2	-	2	-
Influenza	2	-	1	1	2	5	-	4	-	1	-	1	-	-	-	-
Purpura	2	-	1	1	5	3	-	1	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Worms	-	-	-	-	4	1	-	-	-	-	-	-	-	-	1	-
Typhus	9	1	2	7	26	26	-	7	2	-	-	-	-	2	3	1
Enteric Fever	21	8	10	30	80	74	11	26	12	8	1	8	4	5	3	8
Relapsing Fever . . .	-	-	-	1	3	3	1	-	-	-	-	-	-	-	-	-
Simple Cont. Fever . .	4	-	-	-	11	4	2	-	1	1	-	-	1	-	-	1
Infantile Remittent .	2	-	4	2	1	7	-	-	-	-	-	1	-	-	-	-
Metria	2	1	-	4	15	19	3	3	1	-	-	1	2	2	1	1
Rheumatic Fever . . .	2	-	-	6	2	1	2	3	2	-	-	1	-	-	-	-
Erysipelas	-	-	-	7	17	13	4	3	-	-	-	1	1	2	1	1
Pyæmia	2	1	1	1	2	1	-	1	-	-	-	-	-	-	1	-
Syphilis	-	-	1	2	4	4	2	3	1	-	1	1	-	-	-	-
Noma	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	-	-	-	3	4	1	-	2	1	-	-	-	-	-	-	2
Dropsy	4	7	-	15	18	27	1	6	2	-	-	-	-	1	1	2
Abcess	1	1	-	4	4	3	1	3	1	-	1	1	1	-	1	1
Ulcer	-	-	-	3	2	4	1	3	1	-	-	-	-	1	1	-
Fistula	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Mortification	1	2	-	3	4	3	2	2	1	-	-	-	-	1	-	-
Cancer	19	18	9	14	45	42	17	11	5	3	3	15	9	12	8	6
Gout	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-
Scrofula	3	-	3	16	27	22	5	6	1	3	-	4	4	1	3	-
Tabes Mesenterica . .	4	-	6	21	32	49	7	14	2	2	1	5	3	3	7	-
Phthisis	106	49	40	190	264	231	39	57	21	6	9	48	15	18	36	23
Hydrocephalus	20	9	2	54	87	67	21	7	5	3	1	6	-	-	3	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1874.—BOTH SEXES. (Continued.)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clack- mannan.	Stirling.
IV. Cephalitis	194	1	2	4	2	2	2	8	12	—	6	8	12	6	8
Apoplexy	398	5	2	14	1	6	10	9	15	2	11	12	41	5	26
Paralysis	449	1	1	8	8	8	18	15	12	5	30	28	35	13	31
Delirium Tremens	18	—	—	—	—	—	—	—	2	—	1	2	1	—	2
Chorea	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	59	—	1	—	—	—	3	1	3	—	1	3	7	1	1
Tetanus	16	—	—	1	1	—	—	—	—	—	1	—	1	—	—
Insanity	6	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Convulsions	188	—	—	3	2	1	10	5	4	1	6	5	11	4	19
Brain Disease	256	1	1	4	3	4	5	6	17	6	16	3	9	6	14
V. Pericarditis	14	—	—	1	—	—	—	—	—	—	1	—	—	—	—
Aneurism	14	—	—	—	2	—	1	—	2	—	—	2	—	—	—
Heart Disease	1022	2	4	18	8	1	30	20	32	6	42	51	70	28	58
VI. Laryngitis	44	—	—	—	1	—	1	1	4	—	6	—	1	—	1
Bronchitis	1568	6	9	38	16	10	26	40	64	7	47	35	110	46	92
Pleurisy	52	—	—	2	2	—	—	1	1	—	—	1	3	—	1
Pneumonia	683	2	6	16	5	1	5	23	19	5	19	15	44	22	41
Asthma	105	1	2	2	6	1	2	2	3	1	2	—	5	6	7
Lung Disease	57	—	—	—	3	—	2	—	1	1	3	3	5	—	16
VII. Teething	197	1	1	—	—	7	8	7	15	—	4	—	14	6	10
Quinsey	20	—	1	1	—	—	—	1	1	—	1	—	3	—	1
Gastritis	44	1	1	—	—	1	2	1	1	1	1	2	5	—	2
Enteritis	249	—	—	1	4	3	8	9	5	2	3	8	15	—	10
Peritonitis	113	2	1	—	—	—	2	1	5	2	2	2	5	4	8
Ascites	15	—	—	—	—	—	1	1	—	—	2	1	—	—	2
Ulceration of Intestines	47	1	—	—	—	—	—	1	3	—	2	4	—	1	2
Hernia	17	—	—	—	—	—	—	1	2	—	1	—	1	1	2
Ileus	47	1	1	1	—	—	—	2	1	2	3	2	5	1	2
Intussusception	21	—	1	1	1	—	—	2	1	—	2	1	1	—	—
Stricture of Intestines	6	1	—	—	—	—	—	1	—	—	—	1	1	—	—
Stomach Disease	182	1	3	—	2	1	5	4	5	4	10	3	9	2	19
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	58	—	1	—	2	—	—	1	1	1	—	5	4	—	5
Jaundice	60	—	—	2	—	—	1	4	1	1	1	8	4	2	3
Liver Disease	160	—	3	6	—	1	6	3	6	5	3	11	14	1	8
Spleen Disease	5	—	—	—	—	—	—	—	—	—	—	—	1	1	—
VIII. Nephritis	32	—	—	—	—	—	1	4	—	1	—	2	1	2	—
Nephria	72	1	—	3	1	—	2	4	2	—	1	3	8	2	3
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Ischuria	21	—	—	1	2	—	—	1	1	1	—	—	2	—	1
Diabetes	23	—	—	—	1	—	—	2	2	—	1	1	2	—	—
Stone	11	—	—	1	1	2	—	1	—	—	2	—	1	—	—
Cystitis	26	—	—	1	—	—	—	3	2	—	4	1	1	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	101	1	—	—	2	1	2	6	10	—	5	6	5	2	8
IX. Paramenia	4	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Ovarian Dropsy	15	—	—	1	—	—	—	1	—	—	1	—	1	—	1
Childbirth	99	—	—	4	5	—	—	6	3	1	4	2	6	4	5
Organs of Generation	27	—	—	—	1	—	1	2	4	—	1	1	3	—	—
X. Bone Disease	10	—	—	1	1	—	—	—	1	—	—	—	1	—	—
Rheumatism	44	—	—	1	1	2	2	1	2	—	2	2	1	—	2
Joint Disease	45	—	—	1	2	—	4	2	1	—	—	—	3	1	5
XI. Carbuncle	9	—	—	—	1	—	—	—	1	—	—	2	—	—	—
Phlegmon	5	—	—	—	—	—	1	1	1	—	—	—	—	—	1
Skin Disease	16	—	1	1	1	—	1	—	1	1	1	—	2	—	—
XVII. Intemperance	49	—	—	—	—	—	1	—	2	1	4	1	4	—	1
Privation	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Want of Breast Milk	34	—	—	—	—	—	—	—	—	—	1	3	4	—	—
Neglect	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Cold	18	—	—	—	2	—	2	—	—	2	—	2	—	1	2
Poison	9	—	—	—	—	—	—	—	—	—	1	1	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	63	—	—	1	—	—	2	—	—	—	1	1	5	2	2
Hanging, etc.	9	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Suffocation	68	—	—	3	—	—	—	2	3	1	4	1	3	1	1
Drowning	179	—	—	2	9	2	4	1	17	1	3	2	14	1	13
Fracture and Contusion	224	2	—	3	1	1	3	4	4	1	5	1	13	5	5
Gunshot Wounds	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Cuts and Stabs	7	—	—	—	1	—	—	—	—	—	—	1	1	—	—
Other Violent Causes	35	1	—	—	—	—	1	3	—	1	—	—	1	—	3
Not specified	364	6	—	—	5	2	8	2	38	—	10	15	43	6	32

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1874.—BOTH SEXES. (Continued.)

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Sal Kirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	5	4	-	26	29	31	9	6	3	-	-	1	2	1	2	2
Apoplexy	25	14	15	31	55	42	5	13	2	-	-	5	9	5	10	4
Paralysis	22	9	5	27	37	35	14	32	13	3	3	10	11	5	6	9
Delirium Tremens . .	3	-	-	1	3	2	-	1	-	-	-	-	-	-	-	-
Chorea	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Epilepsy	3	4	-	2	9	3	1	13	-	1	-	-	1	1	-	-
Tetanus	1	-	-	3	2	3	-	-	-	-	-	2	-	-	-	1
Insanity	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	1
Convulsions	5	6	2	16	20	36	12	4	8	-	2	3	1	-	1	1
Brain Disease . . .	12	3	4	17	38	42	11	10	4	1	1	6	2	1	4	6
Pericarditis	-	-	1	2	2	3	3	-	-	-	-	-	-	-	1	-
Aneurism	-	1	-	-	-	3	-	1	-	-	-	1	-	-	-	-
Heart Disease . . .	66	22	8	67	160	108	26	60	23	10	7	22	22	22	24	5
Laryngitis	1	-	-	3	10	3	1	1	1	-	-	-	2	2	2	3
Bronchitis	74	48	24	156	200	270	46	76	31	8	7	41	9	5	14	13
Pleurisy	3	2	1	5	6	9	3	4	2	1	1	1	2	1	-	-
Pneumonia	34	10	10	74	99	110	28	22	16	3	1	12	6	19	5	11
Asthma	3	1	-	13	20	14	3	2	-	1	1	3	1	1	1	1
Lung Disease	-	-	-	4	-	12	-	1	-	-	-	1	1	-	-	4
Teething	14	1	1	19	32	34	6	10	2	-	-	4	-	2	2	2
Quinsey	2	-	-	-	4	1	-	1	-	-	-	1	1	-	2	-
Gastritis	2	2	1	4	8	4	-	1	2	-	-	1	-	-	1	-
Enteritis	3	1	5	28	42	56	26	8	5	-	2	4	2	1	6	2
Peritonitis	3	1	1	12	13	24	6	8	2	1	-	1	3	-	1	3
Ascites	-	-	-	1	-	6	-	-	-	-	-	-	-	-	-	1
Ulceration of Intestines	-	4	-	4	6	15	1	2	-	-	-	-	1	-	-	-
Hernia	-	-	1	3	1	1	1	-	-	-	-	-	-	1	1	-
Ileus	4	1	-	4	5	2	1	2	1	-	1	1	-	1	1	2
Intussusception . . .	-	-	1	1	1	4	-	4	-	-	-	-	-	-	-	-
Stricture of Intestines	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease . . .	17	2	1	11	33	20	6	10	3	-	-	1	2	1	5	2
Pancreas Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	6	2	3	1	10	6	4	1	3	-	-	-	-	-	-	2
Jaundice	1	3	-	6	11	6	3	-	-	-	-	3	2	-	-	3
Liver Disease	9	1	1	20	22	17	4	11	1	2	1	2	2	-	-	-
Spleen Disease	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Nephritis	-	1	-	3	3	9	1	3	-	-	-	-	1	-	-	-
Nephria	1	1	2	3	12	8	5	3	2	1	-	1	-	2	1	-
Addison's Disease . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	-	2	1	1	3	1	-	1	-	-	2	1	-	-	-	-
Diabetes	2	-	-	1	4	3	-	3	1	-	-	-	-	-	-	-
Stone	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Cystitis	3	1	-	4	4	-	1	-	-	-	-	-	-	-	-	1
Stricture of Urethra .	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	7	-	1	8	16	7	1	5	2	-	1	1	1	-	1	2
Paramenia	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Ovarian Dropsy	-	-	-	2	3	2	2	-	-	1	-	-	-	-	-	-
Childbirth	1	4	2	9	12	14	3	4	3	1	1	2	1	-	2	-
Organs of Generation .	-	-	-	3	3	5	1	1	1	-	-	-	-	-	-	-
Bone Disease	-	1	-	-	1	1	-	-	-	-	-	2	-	-	1	-
Rheumatism	4	-	-	3	8	2	2	3	-	-	1	2	-	-	3	-
Joint Disease	1	1	-	5	8	7	-	-	-	1	-	-	2	-	1	-
Carbuncle	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	1
Phlegmon	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Skin Disease	1	1	-	-	4	-	-	-	-	-	-	-	-	-	-	1
Intemperance	3	-	1	5	4	10	2	4	-	-	-	3	1	1	1	-
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk . .	3	-	-	-	1	13	-	2	3	2	-	2	-	-	-	-
Neglect	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Cold	-	2	-	1	1	1	-	1	1	-	-	-	-	-	-	-
Poison	1	-	-	1	-	4	-	1	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	6	1	-	3	8	20	1	3	2	-	-	2	1	-	1	1
Hanging, etc.	-	-	-	2	-	5	-	-	-	-	-	-	-	-	-	-
Suffocation	5	2	1	7	13	13	1	3	1	3	-	-	-	1	-	-
Drowning	12	14	3	16	20	19	5	6	3	3	-	3	3	-	1	2
Fracture and Contusion .	14	3	3	18	32	65	18	8	3	1	-	1	3	1	4	2
Gunshot Wounds	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Other Violent Causes . .	2	-	-	2	7	5	3	1	2	1	-	1	1	-	-	-
Not specified	19	18	2	12	24	62	18	3	11	-	1	4	1	10	5	7

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1874.—MALES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clack- mannan.	Stirling.
ALL CAUSES	8852	43	31	138	129	53	151	209	382	77	263	256	574	180	500
SPECIFIED CAUSES	8652	41	31	138	126	53	146	207	364	77	255	248	550	178	490
I. Zymotic Class	2091	1	2	22	39	10	30	41	117	15	54	53	136	21	83
II. Diseases of Uncer. Seat	256	—	2	7	4	2	5	11	9	1	16	6	18	6	16
III. Tubercular Class	1177	7	3	25	11	5	26	36	37	8	33	38	57	36	65
IV. Brain and Nervous Sys.	839	5	2	20	10	11	23	21	36	9	40	29	59	16	43
V. Organs of Circulation	523	—	4	13	4	—	12	8	15	5	16	22	30	16	35
VI. Respiratory Organs	1389	6	6	21	15	6	12	40	43	11	34	27	94	34	101
VII. Organs of Digestion	612	4	5	7	6	5	9	13	29	9	17	20	43	11	46
VIII. Urinary Organs	195	2	—	4	5	3	1	13	9	1	6	10	13	5	8
IX. Organs of Generation	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
X. Organs of Locomotion	48	—	—	1	1	—	5	3	1	—	1	2	2	—	1
XI. Skin, etc.	12	—	—	—	—	—	1	—	2	—	1	2	—	—	—
XII. Malformation	45	—	—	—	—	—	1	—	2	—	4	—	—	1	1
XIII. Premature Debility	487	2	—	6	1	3	5	5	18	7	9	14	29	11	35
XIV. Atrophy	51	—	—	—	1	—	—	2	1	—	—	1	2	2	3
XV. Age	399	12	7	5	16	5	8	7	12	5	13	15	32	10	33
XVI. Sudden Deaths	11	—	—	1	1	—	—	—	1	—	—	1	1	—	—
XVII. Violent Deaths	516	2	—	6	12	3	8	7	26	6	11	8	34	9	20
I. Small-pox	263	—	—	—	—	—	—	2	1	—	—	—	1	—	2
Measles	115	1	—	4	4	9	—	—	1	2	2	4	16	—	7
Scarlatina	635	—	—	1	1	—	2	12	62	2	12	13	54	3	17
Diphtheria	129	—	—	1	6	3	7	3	4	1	3	4	10	1	5
Whooping-cough	114	—	—	—	5	—	4	5	8	4	—	3	2	1	2
Croup	146	—	—	—	13	—	—	1	14	—	6	6	13	4	6
Thrush	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Diarrhoea	213	—	2	10	1	1	—	10	16	—	10	5	11	2	13
Dysentery	22	—	—	—	1	—	—	1	4	—	1	—	2	1	1
Cholera	18	—	—	—	—	—	—	—	—	—	—	1	—	—	1
Influenza	17	—	—	—	—	—	—	1	1	—	1	2	1	—	3
Purpura	10	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	76	—	—	—	2	—	1	2	5	1	—	4	4	—	10
Enteric Fever	204	—	—	7	1	2	4	2	8	5	9	9	12	6	5
Relapsing Fever	5	—	—	—	—	—	—	—	—	—	—	—	2	—	1
Simple Cont. Fever	19	—	—	—	—	—	—	—	—	—	1	—	—	—	2
Infantile Remittent	7	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	13	—	—	—	—	—	—	—	—	—	3	—	—	—	1
Erysipelas	47	—	—	2	1	—	1	2	2	—	3	—	1	2	3
Pyæmia	9	—	—	1	2	—	—	—	—	—	1	—	1	1	1
Syphilis	23	—	—	—	1	—	2	—	1	—	2	1	2	—	2
Noma	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	11	—	—	—	—	—	—	—	—	—	2	—	2	—	—
Dropey	69	—	1	2	2	—	2	1	—	—	5	1	9	2	7
Abscess	20	—	—	—	1	—	1	—	2	—	2	—	1	—	2
Ulcer	8	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	14	—	—	1	—	—	—	—	1	—	—	—	—	1	2
Cancer	131	—	1	4	1	2	2	9	5	1	7	5	6	3	5
Gout	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	84	1	1	—	1	1	—	1	8	—	1	5	3	5	4
Tabes Mesenterica	107	—	—	—	—	2	—	3	2	—	5	1	7	2	6
Phthisis	770	4	1	20	10	2	22	25	19	7	20	25	40	23	39
Hydrocephalus	216	2	1	5	—	—	4	7	8	1	7	7	7	6	16

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1874.—MALES.

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Leasick.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Sal Kirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . . .	467	195	115	716	1282	1576	289	356	197	52	30	187	80	93	115	116
SPECIFIED CAUSES . .	454	181	113	707	1269	1543	279	354	188	52	30	185	80	88	112	113
Zymotic Class . . .	116	20	22	135	319	518	59	70	70	10	5	49	8	21	17	28
Uncertain Seat . . .	10	7	6	16	85	29	8	10	2	2	3	5	2	5	7	6
Tubercular Class . . .	53	27	26	117	186	169	31	52	15	7	6	30	12	11	30	18
Brain, etc.	40	26	16	78	89	110	36	40	18	6	2	15	12	7	12	8
Heart, etc.	34	12	4	30	94	61	13	35	9	3	4	15	9	9	8	3
Respiratory Organs . .	62	31	13	137	197	258	48	52	32	10	5	29	12	16	11	21
Digestive Organs . . .	31	10	10	58	89	90	26	28	8	1	1	12	4	4	8	8
Urinary Organs . . .	12	5	3	17	31	18	8	7	3	1	3	2	1	2	1	1
Generative Organs . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotive Organs . .	2	-	-	4	9	7	1	1	-	1	-	1	1	-	4	-
Skin	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	2
Malformation	-	2	-	4	11	8	2	2	1	-	-	1	-	3	2	-
Premature Debility . .	21	9	3	38	72	108	17	23	12	2	-	12	8	7	3	9
Atrophy	6	1	-	10	7	11	-	2	1	-	-	1	-	-	-	-
Age	29	14	4	26	55	37	12	11	6	2	1	4	6	1	4	7
Sudden Deaths . . .	1	-	-	-	2	2	-	-	1	-	-	-	-	-	-	-
Violent Deaths . . .	37	17	6	37	71	118	18	21	10	7	-	9	5	2	4	2
Small-pox	18	2	12	4	35	158	5	-	6	-	-	-	-	-	1	16
Measles	-	-	-	4	5	28	2	9	3	-	-	13	-	1	-	-
Scarlatina	52	3	1	64	118	151	15	12	38	2	2	7	-	6	-	-
Diphtheria	4	1	-	7	14	30	4	7	4	-	-	4	-	1	2	3
Hooping-cough	6	1	1	12	19	9	9	6	-	4	-	3	1	5	4	-
Croup	8	5	-	6	20	23	4	4	1	-	1	6	1	2	-	2
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	8	6	-	19	33	30	8	8	5	-	1	8	2	1	1	2
Dysentery	1	1	-	1	-	6	-	1	1	-	-	-	-	-	-	-
Cholera	1	-	-	2	6	2	-	2	-	-	-	-	1	-	2	-
Influenza	1	-	1	-	2	1	-	2	-	1	-	-	-	-	-	-
Purpura	1	-	-	1	4	2	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Worms	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Typhus	5	-	1	3	12	16	-	4	2	-	-	-	-	-	3	1
Enteric Fever	9	1	5	6	31	44	6	9	6	2	-	4	2	3	3	3
Relapsing Fever	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Simple Cont. Fever . . .	1	-	-	-	7	3	2	-	1	1	-	-	-	-	-	1
Infantile Remittent . .	-	-	1	1	1	1	-	-	-	-	-	1	-	-	-	-
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	1	-	-	1	-	1	1	2	2	-	-	1	-	-	-	-
Erysipelas	-	-	-	3	12	8	2	1	-	-	-	1	1	2	-	-
Pyæmia	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
Syphilis	-	-	-	1	2	4	1	2	-	-	1	1	-	-	-	-
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	2
Droopy	2	2	-	5	9	12	1	3	1	-	-	-	-	-	1	1
Abscess	-	1	-	3	2	2	1	1	-	-	-	-	-	-	1	-
Ulcer	-	-	-	2	-	1	1	-	1	-	-	-	-	1	-	-
Fistula	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Mortification	1	1	-	3	2	-	1	1	-	-	-	-	-	-	-	-
Cancer	7	3	6	2	18	13	4	4	-	2	3	5	2	4	4	3
Gout	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Scrofula	1	-	2	8	16	10	3	3	-	2	-	2	2	1	3	-
Tabes Mesenterica . . .	2	-	3	10	14	24	5	8	1	2	1	-	3	1	5	-
Phthisis	41	24	20	76	109	100	15	35	12	2	4	24	7	9	20	15
Hydrocephalus	9	3	1	23	47	35	8	6	2	1	1	4	-	-	2	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1874.—MALES. (Continued.)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clack- mannan.	Stirling.
IV. Cephalitis . . .	111	-	1	4	2	1	1	3	8	-	6	8	7	8	3
Apoplexy . . .	197	4	1	8	1	4	6	5	8	1	4	8	21	2	8
Paralysis . . .	238	1	-	5	4	3	8	7	6	4	18	11	18	7	12
Delirium Tremens . . .	17	-	-	-	-	-	-	-	2	-	1	2	1	-	2
Chorea . . .	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Epilepsy . . .	24	-	-	-	-	-	-	-	2	-	-	-	-	1	1
Tetanus . . .	12	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Insanity . . .	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Convulsions . . .	105	-	-	-	1	1	7	3	3	-	8	4	6	1	10
Brain Disease . . .	138	-	-	2	2	2	1	3	7	4	9	1	4	2	7
V. Pericarditis . . .	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurism . . .	10	-	-	-	2	-	-	-	-	-	-	2	-	-	-
Heart Disease . . .	506	-	4	13	2	-	12	8	15	5	16	20	30	16	35
VI. Laryngitis . . .	25	-	-	-	-	-	1	1	2	-	2	-	1	-	1
Bronchitis . . .	819	3	8	11	8	5	8	20	32	7	20	20	55	26	55
Pleurisy . . .	35	-	-	2	2	-	-	1	-	-	-	-	2	-	1
Pneumonia . . .	413	2	3	8	2	2	17	13	3	9	5	32	5	29	26
Asthma . . .	63	1	-	-	1	1	-	1	-	1	1	-	2	3	6
Lung Disease . . .	34	-	-	-	2	-	1	-	1	-	2	2	2	-	9
VII. Teething . . .	109	1	1	-	-	1	2	2	10	-	4	-	9	4	5
Quinsy . . .	10	-	-	1	-	-	-	-	1	-	-	-	1	-	1
Gastritis . . .	24	1	-	-	-	-	1	1	1	-	1	1	3	-	2
Enteritis . . .	126	-	-	-	1	3	-	2	3	2	2	3	8	-	7
Peritonitis . . .	41	1	1	-	-	-	2	1	3	2	1	-	-	1	2
Ascites . . .	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Ulceration of Intestines . . .	21	-	-	-	-	-	-	1	1	-	-	3	-	1	1
Hernia . . .	6	-	-	-	-	-	-	1	1	-	-	-	-	1	1
Ileus . . .	21	1	-	1	-	-	-	1	-	-	-	1	4	1	-
Intussusception . . .	16	-	1	1	1	-	-	1	1	-	2	1	1	-	-
Stricture of Intestines . . .	3	-	-	-	-	-	-	-	-	-	2	1	1	-	-
Stomach Disease . . .	92	-	1	-	2	-	1	1	3	2	3	-	6	1	14
Pancreas Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis . . .	28	-	-	-	2	-	-	1	-	-	-	3	2	-	2
Jaundice . . .	29	-	-	2	-	-	-	-	3	-	1	3	1	-	2
Liver Disease . . .	79	-	1	2	-	1	3	1	2	3	3	4	7	1	7
Spleen Disease . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
VIII. Nephritis . . .	22	-	-	-	-	-	-	3	-	1	-	1	-	2	-
Nephria . . .	44	1	-	1	-	-	1	3	2	-	-	1	3	1	3
Addison's Disease . . .	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Ischuria . . .	16	-	-	1	2	-	-	-	1	-	-	-	2	-	1
Diabetes . . .	14	-	-	-	1	-	-	-	1	-	-	-	2	-	-
Stone . . .	9	-	-	1	-	2	-	1	-	-	2	-	1	-	-
Cystitis . . .	20	-	-	1	-	-	-	2	2	-	2	1	1	-	-
Stricture of Urethra . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease . . .	68	1	-	-	2	1	-	4	3	-	2	6	4	2	4
IX. Paramenia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation . . .	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
X. Bone Disease . . .	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Rheumatism . . .	18	-	-	-	-	-	1	1	-	-	-	1	2	1	-
Joint Disease . . .	26	-	-	1	-	-	4	2	1	-	-	-	1	-	1
XI. Carbuncle . . .	6	-	-	-	-	-	-	-	1	-	-	2	-	-	-
Phlegmon . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease . . .	6	-	-	-	-	-	1	-	1	-	1	-	-	-	-
XVII. Intemperance . . .	30	-	-	-	-	-	-	-	2	1	1	1	3	-	-
Privation . . .	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Want of Breast Milk . . .	22	-	-	-	-	-	-	-	-	-	1	2	2	-	-
Neglect . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold . . .	12	-	-	-	1	-	1	-	-	2	-	-	-	1	2
Poison . . .	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Poisoned Wounds . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds . . .	33	-	-	1	-	-	1	-	-	-	-	-	3	2	-
Hanging, etc. . .	6	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Suffocation . . .	35	-	-	-	-	-	-	1	2	1	2	-	1	-	1
Drowning . . .	150	-	-	2	9	2	4	1	17	1	3	2	12	1	11
Fracture and Contusion . . .	186	1	-	3	1	1	2	3	4	-	1	1	11	5	3
Gunshot Wounds . . .	3	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Cuts and Stabs . . .	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Other Violent Causes . . .	28	1	-	-	-	-	-	2	-	1	-	-	-	-	3
Not specified . . .	200	2	-	-	3	-	5	2	18	-	8	8	24	3	10

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1874.—MALES. (Continued.)

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Barwick.	Peebles.	Seikirt.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	3	2	7	18	14	18	7	4	1	—	—	1	1	—	—	1
Apoplexy	12	9	7	18	20	23	4	4	1	—	1	2	4	2	2	1
Paralysis	11	8	3	19	17	19	9	14	8	3	—	—	6	3	—	3
Delirium Tremens	3	—	—	1	3	2	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	1	—	2	3	3	1	8	—	—	—	—	—	1	—	—
Tetanus	1	—	—	2	2	1	—	—	—	—	—	2	—	—	—	1
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	3	5	2	7	9	21	7	3	5	—	1	2	—	—	1	—
Brain Disease	6	1	4	11	21	21	8	7	3	1	—	4	1	1	3	2
Pericarditis	—	—	—	2	2	2	1	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Heart Disease	34	11	4	28	92	56	12	35	9	3	4	14	8	9	8	3
Laryngitis	—	—	—	3	6	2	—	1	—	—	—	—	1	1	1	2
Bronchitis	37	22	9	78	110	162	27	33	15	6	3	20	6	4	6	8
Pleurisy	2	2	—	3	4	5	2	1	2	1	1	1	2	1	—	—
Pneumonia	22	6	4	44	61	69	16	14	15	2	—	5	3	10	8	9
Asthma	1	1	—	8	16	10	3	2	—	1	1	2	—	—	1	—
Lung Disease	—	—	—	1	—	10	—	1	—	—	—	1	—	—	—	2
Teething	10	1	1	10	18	16	3	3	1	—	—	2	—	1	2	2
Quinsey	1	—	—	—	2	1	—	—	—	—	—	1	—	—	—	—
Gastritis	2	1	1	3	2	1	—	1	1	—	—	1	—	—	—	—
Enteritis	3	—	3	16	17	26	14	5	1	—	—	3	1	1	4	1
Peritonitis	2	—	—	4	4	6	2	2	2	—	—	1	2	—	—	2
Ascites	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1
Ulceration of Intestines	—	2	—	1	2	7	1	1	—	—	—	—	—	—	—	—
Hernia	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Illeus	3	—	—	2	2	1	—	1	1	—	—	1	—	1	—	—
Intussusception	—	—	—	1	1	2	—	3	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	4	2	1	7	15	16	2	6	1	—	—	1	—	1	1	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	2	3	—	6	2	2	1	—	—	—	—	—	—	—	—
Jaundice	1	1	—	4	5	3	1	—	—	—	—	1	—	—	—	1
Liver Disease	3	1	—	7	14	8	1	5	1	1	1	1	1	—	—	—
Spleen Disease	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	2	3	7	1	1	—	—	—	—	1	—	—	—
Nephria	1	1	1	2	8	4	5	1	1	1	—	1	—	2	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	2	1	1	2	1	—	—	—	—	2	—	—	—	—	—
Diabetes	2	—	—	1	3	1	—	3	—	—	—	—	—	—	—	—
Stone	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	3	1	—	3	3	—	1	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	6	—	1	6	12	5	1	2	2	—	1	1	—	—	1	1
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—
Rheumatism	1	—	—	1	4	1	1	1	—	—	—	—	—	—	3	—
Joint Disease	1	—	—	3	4	5	—	—	—	1	—	—	1	—	1	—
Carbuncle	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	1
Intemperance	2	—	1	4	2	8	2	1	—	—	—	1	1	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	3	—	—	—	1	6	—	1	2	2	—	2	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	1	—	1	1	1	—	—	1	—	—	—	—	—	—	—
Poison	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	4	1	—	—	4	12	1	2	—	—	—	2	—	—	—	—
Hanging, etc.	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—
Suffocation	2	2	1	2	7	6	1	3	1	1	—	—	—	1	—	—
Drowning	11	10	1	14	17	15	2	5	2	3	—	2	1	—	—	2
Fracture and Contusion	13	8	2	15	30	53	11	7	2	1	—	1	2	1	4	—
Gunshot Wounds	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	2	—	—	1	7	5	1	1	2	—	—	1	1	—	—	—
Not specified	18	14	2	9	13	33	10	2	9	—	—	2	—	5	3	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1874.—FEMALES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clack- mannan.	Stirling.
ALL CAUSES . . .	8708	50	46	161	147	52	194	218	361	54	269	283	575	191	483
SPECIFIED CAUSES . .	8544	46	46	161	145	50	191	218	341	54	267	276	556	187	461
I. Zymotic Class . .	2107	3	4	24	57	5	38	51	119	15	42	64	120	20	89
II. Diseases of Uncer. Seat	408	3	3	7	7	1	15	17	16	1	17	11	26	16	24
III. Tubercular Class .	1270	7	5	21	8	8	10	23	33	4	30	46	64	30	76
IV. Brain and Nervous Sys.	749	3	5	14	7	5	25	24	29	5	32	32	61	19	57
V. Organs of Circulation	527	2	-	6	6	1	19	12	19	1	27	31	40	12	23
VI. Respiratory Organs .	1120	8	11	37	18	6	24	27	44	3	43	27	74	40	57
VII. Organs of Digestion .	629	4	8	5	3	8	14	22	21	9	18	18	39	8	28
VIII. Urinary Organs .	98	-	-	2	2	-	4	8	8	1	7	4	7	1	4
IX. Organs of Generation	144	-	-	5	6	-	1	9	7	1	6	3	10	4	6
X. Organs of Locomotion	51	-	-	2	3	2	1	-	3	-	1	-	3	1	6
XI. Skin, etc. . . .	18	-	1	1	2	-	1	1	1	1	-	-	2	-	1
XII. Malformation . .	32	-	-	-	-	-	-	-	4	-	1	-	3	1	2
XIII. Premature Debility .	386	2	-	11	3	3	6	9	5	1	13	5	15	17	34
XIV. Atrophy . . .	62	-	-	-	-	-	3	1	1	-	3	1	3	1	7
XV. Age	752	18	9	23	22	11	25	11	30	11	16	28	70	16	38
XVI. Sudden Deaths . .	10	-	-	-	-	-	-	-	-	-	-	1	2	-	2
XVII. Violent Deaths . .	186	1	-	3	1	-	5	3	1	1	11	5	17	1	7
I. Small-pox	182	-	-	-	-	1	-	-	2	-	-	-	2	-	1
Measles	103	1	-	-	2	2	5	-	6	5	2	2	11	1	3
Scarlatina	589	-	-	2	1	-	3	18	47	2	9	12	30	-	32
Diphtheria	151	-	-	-	16	-	13	4	8	2	2	6	10	1	3
Hooping-cough	132	-	-	-	9	-	6	14	2	-	3	-	5	6	6
Croup	119	-	-	2	18	1	4	1	8	-	3	1	11	1	7
Thrush	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea	243	1	-	3	-	-	5	4	11	1	7	8	16	4	12
Dysentery	32	-	1	-	-	-	1	1	6	-	3	1	3	-	4
Cholera	11	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Influenza	16	-	1	1	1	-	-	-	1	-	-	1	1	-	1
Purpura	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Worms	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	68	-	-	2	2	-	-	3	8	-	-	5	7	-	7
Enteric Fever	241	-	-	3	2	-	5	6	2	2	13	18	11	1	8
Relapsing Fever	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Cont. Fever . . .	16	-	-	-	1	-	-	-	1	1	-	1	3	-	-
Infantile Remittent . .	15	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Metria	87	1	1	4	4	-	-	3	6	1	-	2	6	1	3
Rheumatic Fever	17	-	-	1	-	-	1	-	-	1	2	-	1	1	1
Erysipelas	35	-	-	-	1	-	-	2	2	-	1	1	4	5	-
Pyæmia	13	-	-	-	-	-	-	1	2	-	-	1	1	-	-
Syphilis	16	-	-	4	-	-	1	1	-	-	-	2	1	-	-
Noma	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Diseases	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Dropsy	83	-	1	2	3	1	3	1	2	-	3	1	5	7	7
Abscess	23	-	-	1	-	-	1	3	1	-	-	-	1	3	1
Ulcer	16	-	-	1	1	-	-	-	1	-	-	-	1	-	2
Fistula	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	19	1	-	-	-	-	-	-	1	-	3	1	2	-	1
Cancer	253	2	2	3	3	-	11	13	11	1	11	8	15	5	12
Gout	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1
III. Scrofula	65	-	-	3	-	-	-	3	4	-	2	2	3	-	3
Tabes Mesenterica . . .	105	2	1	1	1	-	-	3	1	-	3	3	7	2	4
Phthisis	910	4	4	14	7	8	9	15	24	4	20	36	47	21	58
Hydrocephalus	190	1	-	3	-	-	1	2	4	-	5	5	7	7	11

CAUSES OF DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1874.—FEMALES.

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Leamk.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Salisbury.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . . .	451	204	123	784	1272	1366	249	378	186	89	35	163	99	93	121	111
SPECIFIED CAUSES . .	445	200	123	781	1261	1337	241	377	184	89	34	161	98	88	119	107
Zymotic Class . . .	111	28	30	150	348	437	51	96	63	8	6	41	14	21	15	37
Uncertain Seat . . .	15	21	4	27	44	51	14	17	9	1	2	11	8	10	5	5
Tubercular Class . .	80	31	25	164	224	200	41	32	14	7	5	33	11	11	19	8
Brain, etc.	36	15	10	46	104	86	16	40	12	3	5	12	15	6	11	14
Heart, etc.	32	11	5	39	68	53	16	26	14	7	3	8	14	13	17	2
Respiratory Organs .	53	30	22	118	133	160	33	54	18	3	5	29	9	12	11	11
Digestive Organs . .	30	8	5	57	101	106	32	30	11	2	3	6	9	2	13	9
Urinary Organs . . .	1	1	1	5	11	11	-	8	2	-	-	1	1	-	1	2
Generative Organs . .	1	4	2	15	19	21	6	5	4	2	1	3	1	-	2	-
Locomotive Organs .	3	2	-	4	8	3	1	2	-	-	1	3	1	-	1	-
Skin	1	1	-	-	2	2	-	1	-	-	-	-	-	-	-	-
Malformation . . .	-	-	-	1	11	4	1	2	-	1	-	-	-	-	1	-
Premature Debility .	23	9	3	34	60	72	11	24	5	1	3	6	5	3	3	-
Atrophy	2	-	1	12	7	12	-	1	5	-	-	1	-	-	-	1
Age	47	34	12	40	97	77	12	31	21	2	-	4	6	9	17	15
Sudden Deaths . . .	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths . . .	9	5	3	19	17	40	7	8	6	2	-	3	4	1	3	3
Small-pox	14	-	13	4	23	39	5	-	7	-	-	-	-	-	-	16
Measles	2	-	-	2	1	31	2	8	1	-	-	16	-	-	-	-
Scarlatina	39	2	1	53	138	124	4	27	33	2	1	3	-	4	2	2
Diphtheria	4	2	-	8	18	32	6	4	3	-	2	1	1	-	1	4
Hooping-cough . . .	4	1	3	17	15	19	5	4	2	4	-	2	2	3	6	-
Croup	10	4	-	5	7	22	2	5	-	-	-	2	1	-	1	3
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	8	7	1	13	35	37	18	15	9	-	2	11	4	8	3	5
Dysentery	1	2	-	1	4	2	1	-	-	1	-	-	-	-	-	-
Cholera	-	-	-	2	3	1	-	3	-	-	-	-	1	-	-	-
Influenza	1	-	-	1	1	4	-	2	-	-	-	1	-	-	-	-
Purpura	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Typhus	4	1	1	4	14	10	-	3	-	-	-	-	-	2	-	-
Enteric Fever	12	7	5	24	49	30	5	17	6	1	1	4	2	2	-	5
Relapsing Fever . . .	-	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-
Simple Cont. Fever . .	3	-	-	-	4	1	-	-	-	-	-	-	1	-	-	-
Infantile Remittent . .	2	-	3	1	-	6	-	-	-	-	-	-	-	-	-	-
Metria	2	1	-	4	15	19	3	8	1	-	-	1	2	2	1	1
Rheumatic Fever . . .	1	-	-	4	2	1	-	1	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	4	5	5	2	2	-	-	-	-	-	-	-	1
Pysunia	2	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-
Syphilis	-	-	1	1	2	1	1	1	1	-	-	-	-	-	-	-
Noma	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	-	-	-	3	1	-	-	1	1	-	-	-	-	-	-	1
Dropsy	2	5	-	10	9	15	-	3	1	-	-	-	-	1	-	1
Abscess	1	-	-	1	2	1	-	2	1	-	1	1	1	-	-	1
Ulcer	-	-	-	1	2	3	-	3	-	-	-	-	-	-	1	-
Fistula	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Mortification	-	1	-	-	2	3	1	1	1	-	-	-	-	1	-	-
Cancer	12	15	3	12	27	29	13	7	5	1	-	10	7	8	4	3
Gout	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Scrofula	2	-	1	8	11	12	2	3	1	1	-	2	2	-	-	-
Tuberc Meenterica . .	2	-	3	11	13	25	2	6	1	-	-	5	-	2	2	-
Phthisis	65	25	20	114	155	131	24	22	9	4	5	24	8	9	16	8
Hydrocephalus	11	6	1	31	40	32	13	1	3	2	-	2	1	-	1	-

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1874.—FEMALES. (Continued.)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Rose and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clack- mannan.	Stirling.
IV. Cephalitis	83	1	1	-	-	1	1	5	4	-	1	5	5	3	6
Apoplexy	201	1	1	6	-	2	4	4	7	1	7	4	20	2	17
Paralysis	216	-	1	3	4	-	10	8	6	1	12	17	17	6	19
Delirium Tremens	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Epilepsy	35	-	1	-	-	-	3	1	1	-	1	3	7	-	-
Tetanus	4	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Insanity	5	-	-	-	-	-	-	-	-	-	-	-	2	3	-
Convulsions	83	-	-	8	1	-	3	2	1	1	3	1	5	3	9
Brain Disease	118	1	1	2	1	2	4	3	10	2	7	2	5	4	7
V. Pericarditis	7	-	-	1	-	-	1	-	2	-	1	-	-	-	-
Aneurism	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart Disease	516	2	-	5	6	1	18	12	17	1	26	31	40	12	23
VI. Laryngitis	19	-	-	-	1	-	-	-	2	-	4	-	-	-	-
Bronchitis	749	3	6	27	8	5	18	20	32	-	27	15	1	20	37
Pleurisy	17	-	-	-	-	-	-	-	1	-	-	1	1	-	-
Pneumonia	270	-	3	8	3	1	3	6	6	2	10	10	12	17	12
Asthma	42	-	2	2	5	-	2	1	3	-	1	1	3	3	1
Lung Disease	23	-	-	-	1	-	1	-	-	1	1	1	3	-	7
VII. Teething	88	-	-	-	-	6	1	5	5	-	-	-	5	2	5
Quinsey	10	-	1	-	-	-	-	-	-	-	1	-	2	-	-
Gastritis	20	-	1	-	-	1	1	-	-	1	-	1	2	-	-
Enteritis	123	-	-	1	3	-	3	7	2	-	1	-	7	-	3
Peritonitis	72	1	-	-	-	-	-	-	2	-	1	2	5	3	6
Ascites	10	-	-	-	-	-	1	1	-	-	2	1	-	-	-
Ulceration of Intestines	26	1	-	-	-	-	-	-	2	-	2	1	-	-	1
Hernia	11	-	-	-	-	-	-	-	1	-	1	-	1	-	1
Ileus	26	-	1	-	-	-	-	1	1	2	3	1	1	-	2
Intussusception	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Stricture of Intestines	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Stomach Disease	90	1	2	-	-	1	4	3	2	2	7	8	3	1	5
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	30	-	1	-	-	-	-	-	1	1	-	2	2	-	3
Jaundice	31	-	-	-	-	-	1	1	1	1	-	-	3	2	1
Liver Disease	31	-	2	4	-	-	3	2	4	2	-	7	7	-	1
Spleen Disease	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
VIII. Nephritis	10	-	-	-	-	-	1	1	-	-	-	1	1	-	-
Nephria	28	-	-	2	1	-	1	1	-	-	1	2	5	1	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ichuria	5	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Diabetes	9	-	-	-	-	-	-	2	1	-	1	1	-	-	-
Stone	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cystitis	6	-	-	-	-	-	-	1	-	-	2	-	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	33	-	-	-	-	-	2	2	7	-	3	-	1	-	4
IX. Paramenia	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Ovarian Dropsy	15	-	-	1	-	-	-	1	-	-	1	-	1	-	1
Childbirth	99	-	-	4	5	-	-	6	3	1	4	2	6	4	5
Organs of Generation	26	-	-	-	1	-	1	2	3	-	1	1	3	-	-
X. Bone Disease	6	-	-	1	-	-	-	-	1	-	-	-	1	-	-
Rheumatism	26	-	-	1	1	2	1	-	2	-	1	-	-	-	2
Joint Disease	19	-	-	-	2	-	-	-	-	-	-	-	2	1	4
XI. Carbuncle	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmon	5	-	-	-	-	-	1	1	1	-	-	-	-	-	1
Skin Disease	10	-	1	1	1	-	-	-	-	1	-	-	2	-	-
XVII. Intemperance	19	-	-	-	-	-	1	-	-	-	3	-	1	-	1
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	12	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Neglect	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Cold	6	-	-	-	1	-	1	-	-	-	-	2	-	-	-
Poison	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	30	-	-	-	-	-	1	-	-	-	1	1	2	-	2
Hanging, etc.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation	33	-	-	3	-	-	-	1	1	-	2	1	2	1	2
Drowning	20	-	-	-	-	-	-	-	-	-	-	-	2	-	2
Fracture and Contusion	38	1	-	-	-	-	1	1	-	1	4	-	7	-	2
Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	7	-	-	-	-	-	1	1	-	-	-	-	1	-	-
Not specified	164	4	-	-	2	2	3	-	20	-	2	7	19	4	23

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1874.—FEMALES. (Continued.)

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Leamark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	2	2	-	8	15	13	2	2	2	-	-	-	1	1	2	1
Apoplexy	13	5	8	13	35	19	1	9	1	2	-	3	5	3	4	3
Paralysis	11	1	2	8	20	16	5	18	5	-	3	6	5	2	4	3
Delirium Tremens	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Chorea	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Epilepsy	2	3	-	-	6	-	-	5	-	1	-	-	1	-	-	-
Tetanus	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Insanity	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Convulsions	2	1	-	9	11	15	5	1	3	-	1	1	1	-	-	1
Brain Disease	6	2	-	6	17	21	3	3	1	-	1	2	1	-	1	3
Pericarditis	-	-	1	-	-	1	2	-	-	-	-	-	-	-	1	-
Aneurism	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Heart Disease	32	11	4	39	68	52	14	25	14	7	8	8	14	13	16	2
Laryngitis	1	-	-	-	4	1	1	-	1	-	-	-	1	1	1	1
Bronchitis	37	26	15	78	90	108	19	43	16	2	4	21	3	1	8	5
Pleurisy	1	-	1	2	2	4	1	3	-	-	-	-	-	-	-	-
Pneumonia	12	4	6	30	38	41	12	8	1	1	1	7	3	9	2	2
Asthma	2	-	-	5	4	4	-	-	-	-	-	1	1	1	-	1
Lung Disease	-	-	-	3	-	2	-	-	-	-	-	-	1	-	-	2
Teething	4	-	-	9	14	18	3	7	1	-	-	2	-	1	-	-
Quinsey	1	-	-	-	2	-	-	1	-	-	-	-	1	-	1	-
Gastritis	-	1	-	1	6	3	-	-	1	-	-	-	-	-	1	-
Enteritis	-	1	2	12	25	30	12	3	4	-	2	1	1	-	2	1
Peritonitis	1	1	1	8	9	18	4	6	-	1	-	-	1	-	1	1
Ascites	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-
Ulceration of Intestines	-	2	-	3	4	8	-	1	-	-	-	-	1	-	-	-
Hernia	-	-	-	2	1	1	1	1	-	-	-	-	-	1	1	-
Ileus	1	1	-	2	3	1	1	1	-	-	1	-	-	-	1	2
Intussusception	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-
Stricture of Intestines	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	13	-	-	4	18	4	4	4	2	-	-	-	2	-	4	1
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	4	-	-	1	4	4	2	-	3	-	-	-	-	-	-	2
Jaundice	-	2	-	2	6	3	2	-	-	-	-	2	2	-	-	2
Liver Disease	6	-	1	13	8	9	3	6	-	1	-	1	1	-	-	-
Spleen Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Nephritis	-	1	-	1	-	2	-	2	-	-	-	-	-	-	-	-
Nephria	-	-	1	1	4	4	-	2	1	-	-	-	-	-	1	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-
Diabetes	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-
Stone	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cystitis	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	1	-	-	2	4	2	-	3	-	-	-	-	1	-	-	1
Paramenia	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Ovarian Dropsy	-	-	-	2	3	2	2	-	-	1	-	-	-	-	-	-
Childbirth	1	4	2	9	12	14	3	4	3	1	1	2	1	-	2	-
Organs of Generation	-	-	-	3	3	5	1	1	-	-	-	-	-	-	-	-
Bone Disease	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Rheumatism	3	-	-	2	4	1	1	2	-	-	1	2	-	-	-	-
Joint Disease	-	1	-	2	4	2	-	-	-	-	-	-	1	-	-	-
Carbuncle	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Skin Disease	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Intemperance	1	-	-	1	2	2	-	3	-	-	-	2	-	1	1	-
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	7	-	1	1	-	-	-	-	-	-	-
Neglect	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Cold	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Poison	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	2	-	-	3	4	8	-	1	2	-	-	-	1	-	1	1
Hanging, etc.	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
Suffocation	3	-	-	5	6	7	-	-	-	1	-	-	-	-	-	-
Drowning	1	4	2	2	3	4	3	1	1	-	-	1	2	-	1	-
Fracture and Contusion	1	-	1	3	2	7	2	1	1	-	-	-	1	-	-	2
Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-
Not specified	6	4	-	3	11	29	8	1	2	-	1	2	1	5	2	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1874.—BOTH SEXES.

DISEASES.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Benf.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clack- mannan.
ALL CAUSES . . .	18816	267	348	950	465	47	457	509	1889	457	679	1369	1535	137	89
SPECIFIED CAUSES . . .	18182	253	325	884	427	47	444	498	1845	437	667	1331	1498	134	81
I. Zymotic Class . . .	3512	29	39	147	51	6	81	99	410	74	165	212	332	25	16
II. Diseases of Uncer. Seat	800	14	24	40	18	1	22	38	92	26	26	49	67	8	6
III. Tubercular Class . .	2230	33	41	91	47	9	71	69	199	41	72	153	150	11	11
IV. Brain and Nervous Sys.	1768	22	37	82	35	4	39	55	192	47	60	164	153	18	7
V. Organs of Circulation	1217	16	9	26	18	1	30	33	134	35	42	112	99	10	4
VI. Respiratory Organs .	2585	32	32	103	48	4	58	58	248	57	108	198	229	19	15
VII. Organs of Digestion .	1433	20	19	57	28	7	37	40	140	43	43	94	97	11	4
VIII. Urinary Organs . .	392	10	6	16	16	-	7	14	63	11	6	21	35	7	1
IX. Organs of Generation	179	4	2	8	2	-	2	8	20	4	8	10	13	-	4
X. Organs of Locomotion	136	1	1	10	10	-	3	5	11	5	5	11	7	1	1
XI. Skin, etc.	26	1	-	-	-	-	2	-	4	-	1	-	3	1	-
XII. Malformation . . .	88	1	-	3	-	-	1	2	9	6	1	2	7	1	-
XIII. Premature Debility .	740	5	4	12	6	1	15	17	79	16	33	40	51	1	8
XIV. Atrophy	97	-	1	6	3	-	2	2	3	3	3	8	3	-	-
XV. Age	2145	52	100	253	135	12	58	41	169	48	58	212	177	18	8
XVI. Sudden Deaths . .	17	-	-	1	-	-	1	-	1	-	-	2	10	-	-
XVII. Violent Deaths . .	762	13	10	29	10	2	15	17	71	21	36	43	65	3	1
I. Small-pox	128	-	-	6	-	-	-	-	5	2	1	1	-	-	-
Measles	235	-	4	19	6	1	29	4	23	1	3	16	69	-	-
Scarlatina	820	6	13	33	1	-	14	9	82	12	53	51	81	5	2
Diphtheria	396	2	-	17	12	4	8	32	82	6	28	22	25	2	-
Hooping-cough	267	-	11	12	4	-	9	4	30	8	3	15	18	8	2
Croup	274	1	2	12	2	-	8	9	23	4	11	26	24	1	2
Thrush	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Diarrhoea	371	9	-	11	5	-	4	14	44	6	17	19	39	2	2
Dysentery	76	1	-	1	1	-	-	1	16	-	8	5	7	-	-
Cholera	22	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Influenza	58	1	2	3	1	-	2	5	10	6	1	1	2	-	-
Purpura	18	1	-	-	-	-	-	-	2	-	2	1	1	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	110	2	2	4	3	-	-	-	6	5	6	12	10	-	3
Enteric Fever	395	3	1	12	5	1	4	12	49	15	15	20	27	4	2
Relapsing Fever	6	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Simple Cont. Fever	83	-	1	2	-	-	1	-	2	3	-	4	2	-	1
Infantile Remittent	24	-	-	-	-	-	2	1	-	-	3	2	1	-	-
Metria	91	1	1	-	2	-	3	2	8	-	7	6	10	1	1
Rheumatic Fever	39	1	2	4	2	-	2	-	5	2	1	2	2	1	-
Erysipelas	84	1	-	3	4	-	-	5	12	1	6	4	6	1	1
Pyæmia	29	-	-	1	3	-	-	-	5	3	-	2	3	-	-
Syphilis	22	-	-	2	-	-	-	-	4	-	2	1	1	-	-
Noma	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Hydrophobia	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Diseases . .	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-
II. Hæmorrhage	19	-	-	1	-	-	-	1	2	-	-	-	1	-	-
Dropsy	149	1	7	9	6	1	-	4	14	3	2	12	14	2	2
Abscess	46	-	-	1	-	-	1	1	5	2	-	2	6	-	-
Ulcer	24	1	-	3	1	-	2	-	3	-	-	1	1	-	-
Fistula	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Mortification	43	1	2	3	-	-	1	2	3	3	3	4	4	-	-
Cancer	510	10	15	22	11	-	18	29	64	18	20	29	41	5	4
Gout	6	-	-	1	-	-	-	1	1	-	-	1	-	-	-
III. Scrofula	183	5	2	5	2	-	3	11	24	-	8	13	18	-	-
Tabes Mesenterica	138	-	6	9	-	-	3	1	10	2	3	3	11	2	1
Phthisis	1696	25	33	75	42	9	61	53	143	36	54	122	100	8	5
Hydrocephalus	273	3	-	2	3	-	4	4	23	3	9	16	21	1	5

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1874.—BOTH SEXES.

DISEASES.	Stirling.	Dumbar- ton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Salkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	913	286	668	569	1163	1607	208	952	366	475	117	34	340	966	409	545
SPECIFIED CAUSES . .	891	280	623	547	1128	1558	197	930	354	473	116	33	331	922	392	536
Zymotic Class . . .	196	59	71	98	257	425	35	181	97	84	22	8	41	111	36	105
Uncertain Seat . . .	23	7	35	23	30	40	9	35	15	24	7	2	21	52	19	27
Tubercular Class . .	122	38	110	80	171	192	82	120	31	45	13	1	46	153	59	79
Brain, etc.	81	16	64	46	118	92	12	94	29	59	9	1	53	90	32	57
Heart, etc.	50	19	25	38	77	69	13	66	31	51	11	1	37	84	41	35
Respiratory Organs .	130	39	66	95	159	276	32	150	44	60	20	6	29	144	68	58
Digestive Organs . .	75	27	41	53	62	168	17	76	23	31	15	4	27	92	42	40
Urinary Organs . . .	13	2	12	13	25	11	6	24	8	10	2	1	7	22	9	14
Generative Organs . .	6	4	4	7	5	16	3	13	3	9	2	1	4	5	8	4
Locomotive Organs .	6	-	8	3	7	11	-	6	1	9	-	1	4	5	2	2
Skin	2	2	2	-	1	-	-	2	-	2	-	-	-	-	-	3
Malformation . . .	1	1	2	2	3	11	3	7	3	3	-	-	1	6	1	1
Premature Debility .	43	13	8	29	71	86	10	50	18	28	8	3	25	39	8	18
Atrophy	7	2	2	7	11	14	1	7	6	2	-	-	-	2	1	1
Age	68	33	133	40	76	72	16	55	36	37	5	1	22	38	52	70
Sudden Deaths . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths . . .	67	18	39	13	50	75	3	44	9	19	2	3	14	29	14	22
Small-pox	1	29	2	1	38	35	-	-	-	-	-	-	-	2	3	2
Measles	3	2	1	2	4	17	2	13	9	3	-	-	3	1	-	-
Scarlatina	77	5	11	41	50	133	5	29	54	25	1	-	4	7	4	4
Diphtheria	19	4	8	6	36	41	6	12	1	7	3	1	3	10	-	3
Hooping-cough . . .	5	1	5	14	1	23	2	12	7	7	1	1	4	13	8	34
Croup	17	1	10	4	11	31	6	20	-	11	3	4	6	22	3	5
Thrush	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	19	4	7	6	34	35	7	37	9	5	2	1	5	11	2	15
Dysentery	3	2	1	-	8	5	1	4	1	3	2	-	-	2	1	3
Cholera	2	1	1	3	1	-	-	7	2	1	1	-	1	-	-	-
Influenza	6	-	2	-	4	2	-	5	1	1	1	-	1	1	-	-
Purpura	1	-	1	-	1	2	-	1	1	1	1	-	-	2	-	1
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Typhus	9	1	3	2	4	19	-	2	-	7	1	-	2	3	-	4
Enteric Fever	14	6	10	7	42	43	4	27	8	9	1	1	3	17	6	22
Relapsing Fever . . .	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
Simple Cont. Fever . .	5	-	-	-	3	1	-	-	-	-	-	-	1	1	2	4
Infantile Remittent .	3	1	-	1	2	5	-	1	-	-	2	-	-	-	-	-
Metria	3	1	4	-	7	16	1	1	-	-	2	-	1	8	3	3
Rheumatic Fever . . .	1	-	1	1	1	1	-	1	1	1	1	-	1	2	2	1
Erysipelas	2	1	4	3	5	10	1	5	3	-	-	-	1	4	1	-
Pyæmia	1	-	-	1	2	1	-	1	-	4	-	-	-	2	-	-
Syphilis	3	-	-	4	2	-	-	1	-	-	-	-	-	-	1	1
Noma	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Disa. .	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Hæmorrhage	2	1	2	3	1	1	-	-	-	-	-	1	-	-	1	2
Dropsy	2	2	14	7	6	11	-	4	5	1	1	-	2	5	5	7
Abscess	4	1	1	2	7	3	-	5	2	-	-	-	-	1	-	2
Ulcer	1	-	4	-	-	1	-	1	-	2	-	-	-	3	-	-
Fistula	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	1	-	5	1	1	1	1	1	1	1	-	-	1	2	-	1
Cancer	13	2	9	10	15	23	3	23	7	20	6	1	13	41	13	15
Gout	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Scrofula	8	5	8	2	10	21	5	3	3	2	2	-	3	8	6	7
Tabes Mesenterica . .	11	1	2	6	24	17	-	9	3	3	-	-	1	3	2	3
Phthisis	79	24	33	61	118	122	20	93	23	34	10	1	37	118	47	61
Hydrocephalus	24	8	17	11	19	32	7	15	2	7	1	-	5	19	4	8

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1874.—MALES. (Continued.)

DISEASES.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clack- mannan.
IV. Cephalitis	107	2	2	5	1	-	4	7	14	6	4	8	13	-	-
Apoplexy	224	1	3	8	3	-	6	10	23	2	5	20	25	6	1
Paralysis	290	4	8	19	5	1	2	6	32	8	6	31	26	8	-
Delirium Tremens	10	-	1	-	-	-	-	-	8	-	1	1	-	-	-
Chorea	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	33	2	2	2	1	-	-	1	2	-	2	3	2	-	1
Tetanus	15	-	-	1	-	-	-	-	-	-	2	3	-	-	-
Insanity	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Convulsions	92	2	7	10	7	-	1	2	9	3	5	8	6	-	-
Brain Disease	127	2	1	2	1	-	2	5	17	2	5	15	12	1	1
V. Pericarditis	9	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Aneurism	14	-	-	-	-	-	-	2	4	-	-	-	1	1	-
Heart Disease	583	7	4	15	7	-	14	16	66	19	22	63	55	3	2
VI. Laryngitis	32	-	-	-	-	-	1	-	4	3	3	1	2	1	-
Bronchitis	771	11	6	18	13	4	16	17	75	19	32	55	62	5	4
Pleurisy	49	-	-	-	2	-	-	-	5	-	3	4	3	-	-
Pneumonia	430	4	7	9	9	-	8	13	35	9	19	32	52	5	1
Asthma	78	2	4	10	4	-	1	2	1	-	1	2	8	-	1
Lung Disease	21	-	-	1	1	-	-	-	3	-	1	2	1	-	-
VII. Teething	79	1	-	5	1	-	6	1	5	1	2	5	7	-	2
Quinsey	9	-	-	-	-	-	-	1	2	-	-	-	1	-	-
Gastritis	18	-	-	1	-	-	-	1	2	-	2	1	-	-	-
Enteritis	154	1	-	3	2	-	3	3	17	2	1	9	6	3	-
Peritonitis	52	1	2	1	-	-	-	7	1	3	2	-	1	1	1
Ascites	7	-	-	-	-	-	1	-	1	-	-	-	1	-	-
Ulceration of Intestines	39	1	-	1	-	1	-	1	5	4	3	1	2	1	-
Hernia	22	-	1	2	-	1	-	1	2	1	2	-	2	1	-
Ilcus	45	-	1	2	2	-	-	2	8	2	1	2	2	-	1
Intussusception	16	-	-	-	2	-	1	-	1	1	-	-	2	-	-
Stricture of Intestines	3	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Stomach Disease	109	3	2	7	2	1	4	3	11	2	2	15	8	-	-
Pancreas Disease	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	34	-	-	2	-	-	-	1	2	1	1	2	-	2	-
Jaundice	40	1	2	1	2	1	-	1	5	3	2	2	3	1	-
Liver Disease	120	2	1	3	3	2	4	3	11	2	2	11	10	-	-
Spleen Disease	6	-	-	-	-	-	-	-	1	-	1	-	-	-	-
VIII. Nephritis	21	-	-	3	1	-	-	-	4	2	1	1	3	1	-
Nephria	58	1	1	2	-	-	-	2	9	-	-	-	11	2	-
Addison's Disease	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	22	-	1	4	1	-	-	-	3	1	-	-	2	-	-
Diabetes	21	-	-	-	2	-	-	1	1	1	-	2	3	-	1
Stone	24	3	2	3	4	-	-	1	6	-	-	-	-	-	-
Cystitis	29	2	-	-	1	-	1	1	3	1	2	-	2	2	-
Stricture of Urethra	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Kidney Disease	89	2	1	1	4	-	2	4	18	2	-	10	6	-	-
IX. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. Bone Disease	13	-	-	-	-	-	2	-	2	-	1	-	1	-	-
Rheumatism	28	-	-	3	4	-	-	-	1	1	2	-	-	-	-
Joint Disease	23	1	1	3	1	-	-	2	1	1	1	3	3	-	1
XI. Carbuncle	8	-	-	-	-	-	1	-	1	-	-	-	-	1	-
Phlegmon	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Skin Disease	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
XVII. Intemperance	29	2	-	-	-	1	1	-	4	-	-	1	2	1	-
Privation	6	-	-	-	1	-	-	-	1	-	-	1	2	-	-
Want of Breast Milk	14	-	-	-	1	-	1	1	-	1	-	-	3	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	19	-	-	-	2	-	-	-	-	-	1	1	1	-	-
Poison	6	-	-	-	-	-	-	1	-	-	-	-	2	-	-
Poisoned Wounds	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	34	-	-	1	-	-	1	1	2	1	3	1	7	-	-
Hanging, etc.	10	1	-	-	-	-	-	-	2	-	1	-	1	-	-
Suffocation	39	-	-	1	-	-	2	1	5	3	1	2	4	-	-
Drowning	138	7	2	10	1	-	1	2	17	3	11	5	9	-	1
Fracture and Contusion	227	2	8	2	-	1	5	5	17	5	9	14	15	2	-
Gunshot Wounds	6	-	-	1	-	-	-	1	1	-	-	-	1	-	-
Cuts and Stabs	7	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Other Violent Causes	39	-	-	2	-	-	-	-	1	1	2	5	9	-	-
Not specified	323	8	10	35	20	-	8	7	26	11	6	18	23	2	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1874.—MALES (Continued.)

DISEASES.	Stirling.	Dumbar-ton.	Argyll.	Renfrew.	Ayr.	Leasark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud-bright.	Wigtown.
Cephalitis . . .	4	1	5	3	5	8	1	4	-	2	-	-	3	6	2	2
Apoplexy . . .	7	4	5	8	15	13	3	11	2	8	2	1	11	10	2	9
Paralysis . . .	14	3	15	10	17	6	-	11	5	10	1	-	11	20	2	14
Delirium Tremens	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
Chorea . . .	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Epilepsy . . .	3	-	2	-	1	2	-	2	1	3	-	-	-	-	-	-
Tetanus . . .	2	-	-	1	-	1	1	1	-	-	-	-	1	-	-	2
Insanity . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Convulsions . . .	4	2	3	2	4	6	-	1	2	2	-	-	-	3	2	1
Brain Disease . .	1	-	3	3	16	4	-	8	1	3	-	-	6	9	2	5
Pericarditis . . .	1	-	-	-	2	1	1	-	1	-	-	-	-	1	-	-
Aneurism . . .	-	-	-	2	-	1	-	1	-	1	-	-	-	1	-	-
Heart Disease . .	24	7	13	10	34	31	5	36	9	22	5	1	19	40	18	16
Laryngitis . . .	-	-	-	3	2	2	1	1	1	2	-	-	-	2	-	2
Bronchitis . . .	44	5	21	31	47	100	9	57	15	19	8	1	7	39	13	18
Pleurisy . . .	2	-	-	4	6	4	-	1	1	2	-	1	-	6	4	1
Pneumonia . . .	17	5	12	19	23	35	4	21	7	15	3	-	6	33	10	12
Asthma . . .	8	1	6	1	5	11	1	3	3	-	1	-	-	2	-	-
Lung Disease . .	-	-	-	-	1	7	-	-	-	1	-	-	-	-	2	1
Teething . . .	5	1	2	6	2	8	2	10	2	-	-	1	-	2	1	1
Quinsey . . .	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2
Gastritis . . .	2	1	-	-	2	6	-	-	-	-	-	-	-	-	-	-
Enteritis . . .	11	6	3	5	6	30	2	5	3	4	2	1	6	10	4	6
Peritonitis . . .	3	1	2	1	2	4	3	-	1	3	1	-	2	7	2	1
Ascites . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1
Ulceration of Intestines	-	-	3	2	1	6	-	1	-	-	-	-	-	2	2	4
Hernia . . .	1	-	-	-	2	1	-	1	1	-	-	-	-	1	2	-
Illeus . . .	1	-	4	1	1	2	-	2	-	1	-	-	-	5	1	4
Intussusception . .	-	-	-	2	1	1	-	1	-	-	1	-	-	3	-	-
Stricture of Intestines	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease . .	8	3	2	2	4	11	3	6	1	4	-	-	4	3	2	1
Pancreas Disease . .	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hepatitis . . .	5	1	1	2	5	1	-	3	-	-	-	-	1	2	1	1
Jaundice . . .	2	1	-	-	1	8	-	1	-	-	-	-	-	1	1	1
Liver Disease . . .	6	-	3	5	3	12	-	6	2	2	3	-	3	13	5	3
Spleen Disease . .	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Nephritis . . .	1	-	1	-	-	-	-	1	1	1	-	-	-	1	-	-
Nephria . . .	1	-	4	2	5	-	2	3	-	1	1	1	2	1	3	4
Addison's Disease .	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria . . .	-	-	-	-	3	-	-	-	-	-	-	-	-	3	2	-
Diabetes . . .	1	-	-	2	2	2	-	1	-	-	-	-	-	1	-	1
Stone . . .	2	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-
Cystitis . . .	1	-	1	-	2	2	-	-	2	1	1	-	1	1	1	1
Stricture of Urethra .	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Kidney Disease . .	2	1	4	2	5	2	1	4	3	1	-	-	1	6	1	6
Paramenia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bone Disease . . .	-	-	-	-	1	-	-	-	-	1	-	1	2	2	-	-
Rheumatism . . .	3	-	3	-	2	2	-	2	-	1	-	-	1	2	-	1
Joint Disease . . .	1	-	1	1	1	4	-	-	-	1	-	-	-	1	-	-
Carbuncle . . .	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Phlegmon . . .	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Skin Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemperance . . .	4	-	1	-	3	2	-	3	-	1	-	-	-	1	-	2
Privation . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	2	1	1	-	1	-	-	1	1	-	-
Neglect . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold . . .	2	3	3	-	3	1	-	1	-	-	-	-	-	-	-	1
Poison . . .	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-
Poisoned Wounds . .	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds . .	3	-	-	1	1	2	-	3	-	-	-	-	1	1	1	4
Hanging, etc. . .	-	-	-	1	-	2	-	1	-	-	-	-	-	1	-	-
Suffocation . . .	-	-	1	-	4	7	1	1	2	4	-	-	-	-	-	-
Drowning . . .	11	6	17	3	9	2	2	6	2	3	-	-	2	2	2	2
Fracture and Contusion	29	5	4	7	19	38	1	12	3	7	-	-	6	9	4	3
Gunshot Wounds . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Cuts and Stabs . . .	1	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-
Other Violent Causes	4	-	1	-	4	-	-	2	-	-	-	2	-	4	2	-
Not specified . . .	12	1	24	9	18	20	5	10	5	-	1	-	5	24	10	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1874.—FEMALES.

DISEASES.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Black- mannon.
ALL CAUSES . . .	9897	140	177	518	241	21	241	258	942	241	336	701	728	56	44
SPECIFIED CAUSES . .	9086	134	164	482	228	21	236	249	924	232	330	681	714	55	40
I. Zymotic Class . .	1778	20	20	74	21	8	89	48	205	43	79	110	160	9	10
II. Diseases of Uncer. Seat	487	9	17	25	12	-	16	28	52	14	16	31	41	4	3
III. Tubercular Class .	1165	16	19	46	22	8	32	30	110	21	44	79	72	5	4
IV. Brain and Nervous Sys.	866	9	13	35	17	8	24	24	92	25	30	80	69	8	4
V. Organs of Circulation	611	9	5	11	11	1	16	14	64	16	19	49	48	6	2
VI. Respiratory Organs .	1204	15	15	65	19	-	32	26	125	26	49	102	101	8	9
VII. Organs of Digestion .	680	10	9	29	18	1	18	21	60	23	21	44	52	2	-
VIII. Urinary Organs . .	125	2	1	3	8	-	4	5	18	4	8	8	8	2	-
IX. Organs of Generation	179	4	2	8	2	-	2	8	20	4	8	10	13	-	4
X. Organs of Locomotion	67	-	-	4	5	-	1	3	7	8	1	8	3	1	-
XI. Skin, etc.	15	1	-	-	-	-	1	-	2	-	1	-	2	-	-
XII. Malformation . .	44	1	-	2	-	-	1	2	8	2	-	-	3	1	-
XIII. Premature Debility .	327	2	2	9	5	-	8	9	35	8	10	12	19	1	1
XIV. Atrophy	54	-	-	3	2	-	1	1	2	2	2	5	3	-	-
XV. Age	1291	35	56	156	86	10	37	25	109	34	39	129	113	8	3
XVI. Sudden Deaths .	6	-	-	1	-	-	-	-	1	-	-	1	3	-	-
XVII. Violent Deaths .	187	1	5	11	5	-	4	5	19	7	8	18	9	-	-
I. Small-pox	57	-	-	3	-	-	-	-	3	1	-	1	-	-	-
Measles	97	-	3	4	2	1	11	1	9	1	1	1	27	-	-
Scarlatina	394	5	6	16	-	-	6	8	35	5	22	25	34	1	2
Diphtheria	208	2	-	10	7	2	3	13	46	4	13	12	14	-	-
Whooping-cough . . .	155	-	7	9	2	-	7	3	14	6	2	6	10	3	2
Croup	122	-	-	9	1	-	2	4	6	2	5	12	9	1	1
Thrush	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diarrhoea	196	5	-	6	1	-	3	4	20	4	10	9	23	2	-
Dysentery	36	1	-	-	1	-	-	-	7	-	8	3	8	-	-
Cholera	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	34	1	2	1	1	-	1	3	7	8	-	1	-	-	-
Purpura	11	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	54	2	-	3	-	-	-	-	5	2	4	5	5	-	1
Enteric Fever	201	2	-	5	1	-	2	7	26	9	8	9	17	2	2
Relapsing Fever . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Cont. Fever . .	16	-	1	1	-	-	-	-	1	1	-	2	1	-	-
Infantile Remittent . .	12	-	-	-	-	-	-	-	1	-	1	1	1	-	-
Metria	91	1	1	-	2	-	3	2	8	-	7	6	10	-	1
Rheumatic Fever . . .	15	1	-	3	-	-	1	-	3	2	1	-	1	-	-
Erysipelas	42	-	-	2	1	-	-	3	7	1	2	2	3	-	1
Pyæmia	16	-	-	1	2	-	-	-	3	2	-	3	1	-	-
Syphilis	7	-	-	1	-	-	-	-	2	-	-	1	-	-	-
Noma	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Diseases	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-
II. Hæmorrhage . . .	9	-	-	-	-	-	-	1	1	-	-	-	1	-	-
Dropsy	90	-	6	7	4	-	-	3	7	1	1	7	7	1	2
Abscess	16	-	-	-	-	-	1	1	1	-	-	2	1	-	-
Ulcer	18	1	-	1	1	-	2	-	2	-	-	-	-	-	-
Fistula	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	24	-	2	-	-	-	1	2	1	1	2	3	2	-	-
Cancer	332	7	9	17	7	-	12	21	39	12	12	19	30	3	1
Gout	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
III. Scrofula	82	3	1	2	2	-	1	4	11	-	4	5	7	-	-
Tubæ Mesenterica . . .	70	-	2	6	-	-	-	1	5	1	-	1	6	1	-
Phthisis	873	11	16	36	19	3	29	22	81	19	33	66	43	3	1
Hydrocephalus	140	2	-	2	1	-	2	3	13	1	7	7	11	1	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1874.—FEMALES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Borwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . .	438	140	323	275	566	783	107	501	186	240	61	19	151	464	224	285
SPECIFIED CAUSES . .	428	135	302	262	549	754	101	489	179	238	61	18	147	444	217	277
Zymotic Class . .	102	29	35	50	123	224	19	93	45	48	11	4	16	60	19	59
Uncertain Seat . .	10	4	20	14	17	23	6	23	8	18	1	1	13	34	13	14
Tubercular Class . .	64	15	55	45	90	98	14	65	14	20	7	1	21	73	35	50
Brain, etc. . .	45	6	31	19	60	52	7	54	17	30	6	-	21	40	22	23
Heart, etc. . .	25	12	12	26	41	36	7	29	21	28	6	-	18	42	23	19
Respiratory Organs . .	59	23	27	37	70	117	17	67	17	21	8	4	16	62	38	24
Digestive Organs . .	35	18	21	26	32	77	7	40	18	16	7	2	10	42	21	15
Urinary Organs . .	5	-	2	7	6	5	3	15	1	5	-	-	3	8	2	2
Generative Organs . .	6	4	4	7	5	16	3	13	3	9	2	1	4	5	8	4
Locomotive Organs . .	2	-	4	2	3	5	-	4	1	6	-	-	1	-	2	1
Skin . . .	2	-	1	-	1	-	-	2	-	1	-	-	-	-	-	1
Malformation . .	1	1	1	1	4	7	1	5	1	2	-	-	-	3	1	1
Premature Debility . .	20	4	3	10	39	33	2	27	8	11	6	3	9	18	5	8
Atrophy . . .	2	1	2	2	7	6	1	4	3	2	-	-	-	2	1	-
Age . . .	37	14	73	15	45	44	11	35	25	19	5	1	11	46	22	48
Sudden Deaths . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths . .	13	4	11	1	6	16	3	13	2	2	2	1	4	9	5	8
Small-pox . . .	-	14	-	-	12	21	-	-	-	-	-	-	-	-	-	2
Measles . . .	2	1	-	2	2	8	2	4	3	18	-	-	-	1	-	1
Scarlatina . . .	37	2	7	18	28	67	1	17	26	1	-	-	2	3	2	1
Diphtheria . . .	5	2	5	3	14	25	5	6	-	4	1	-	1	4	-	2
Hooping-cough . .	3	1	-	9	1	17	2	4	5	5	-	1	2	9	5	20
Croup . . .	7	-	6	3	4	13	3	13	-	7	-	1	2	8	-	3
Thrush . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea . . .	15	2	3	3	21	17	2	22	2	3	1	1	1	7	-	9
Dysentery . . .	1	2	1	-	4	3	-	1	-	1	2	-	-	1	1	1
Cholera . . .	2	1	-	-	1	-	-	2	1	1	1	-	-	-	-	-
Influenza . . .	2	-	-	-	3	2	-	4	-	1	1	-	1	-	-	-
Purpura . . .	1	-	-	-	1	1	-	1	1	-	1	-	-	2	-	1
Ague . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2
Typhus . . .	7	-	1	-	2	10	-	-	-	3	1	-	-	1	-	2
Enteric Fever . . .	7	2	6	4	20	19	2	14	4	2	-	1	3	11	5	11
Relapsing Fever . .	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Simple Cont. Fever . .	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2
Infantile Remittent . .	3	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-
Metria . . .	3	1	4	-	7	16	1	1	-	-	2	-	1	8	3	3
Rheumatic Fever . .	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
Erysipelas . . .	-	-	2	3	1	4	1	2	2	-	-	-	1	3	1	-
Pyæmia . . .	1	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-
Syphilis . . .	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Noma . . .	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Hæmorrhage . . .	1	-	2	1	-	-	-	-	-	-	-	-	-	-	1	1
Dropsy . . .	-	1	9	5	3	5	-	4	3	-	-	-	1	3	4	6
Abscess . . .	2	1	1	-	2	-	-	2	1	-	-	-	-	-	-	1
Ulcer . . .	1	-	1	-	-	1	-	1	-	1	-	-	-	1	-	-
Fistula . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification . . .	-	-	2	1	-	-	1	-	1	1	-	-	1	2	-	1
Cancer . . .	6	2	5	7	12	17	5	16	3	16	1	1	11	28	8	6
Gout . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula . . .	5	2	3	1	6	11	2	-	-	1	1	-	1	2	4	3
Tabes Mesenterica . .	4	-	1	2	17	6	-	6	1	2	-	-	-	5	1	2
Phthisis . . .	42	10	43	37	63	61	8	50	12	13	6	1	17	57	28	38
Hydrocephalus . . .	13	3	3	5	4	15	4	9	1	4	-	-	3	9	2	7

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1874.—FEMALES. (Continued.)

DISEASES.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Benf.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kincross.	Clack- mann.
IV. Cephalitis	89	1	2	2	2	-	-	4	11	2	5	8	4	1	-
Apoplexy	238	-	2	11	2	1	8	8	22	5	9	29	19	2	4
Paralysis	280	6	6	12	9	1	8	3	27	11	11	32	19	2	-
Delirium Tremens	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Epilepsy	80	1	-	5	-	-	-	-	4	-	-	1	8	1	-
Tetanus	8	-	-	-	-	-	-	-	2	-	-	1	-	-	-
Insanity	5	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Convulsions	78	-	1	3	3	-	-	-	10	2	1	3	10	1	-
Brain Disease	132	1	1	2	1	1	5	9	15	5	4	10	14	1	-
V. Pericarditis	18	-	-	-	-	-	2	1	3	1	-	1	3	1	-
Aneurism	5	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Heart Disease	588	9	5	11	11	1	14	13	60	15	19	48	39	5	2
VI. Laryngitis	38	-	-	2	-	-	1	1	7	6	3	1	-	-	-
Bronchitis	775	18	8	27	11	-	21	15	90	14	32	74	70	3	6
Pleurisy	30	-	-	3	-	-	-	-	3	-	-	5	-	1	1
Pneumonia	277	2	4	12	2	-	6	8	23	4	11	17	27	4	-
Asthma	63	-	3	21	6	-	3	1	1	2	-	2	3	-	2
Lung Disease	21	-	-	-	-	-	1	1	1	-	3	3	1	-	-
VII. Teething	65	-	2	2	-	-	5	3	5	-	2	2	5	-	-
Quinsey	16	1	1	1	-	-	-	-	2	1	-	3	-	-	-
Gastritis	26	2	-	2	1	-	1	-	2	-	2	1	4	-	-
Enteritis	110	-	-	2	2	1	4	-	6	2	2	7	3	-	-
Peritonitis	90	1	-	3	-	-	2	3	7	3	2	4	8	-	-
Ascites	13	-	-	1	-	-	1	-	1	1	-	2	2	-	-
Ulceration of Intestines	42	-	1	-	-	-	4	4	1	3	2	2	6	-	-
Hernia	15	-	-	1	-	-	-	1	2	1	-	2	1	1	-
Ileus	44	3	1	5	2	-	-	2	5	3	2	1	2	-	-
Intussusception	7	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Stricture of Intestines	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Stomach Disease	90	1	2	4	5	-	-	-	13	5	2	7	8	-	-
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	29	1	1	2	-	-	-	1	2	-	1	3	3	1	-
Jaundice	34	1	1	3	1	-	-	2	1	-	-	2	3	-	-
Liver Disease	93	-	-	3	1	-	1	3	12	3	6	8	5	-	-
Spleen Disease	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-
VIII. Nephritis	9	-	-	-	1	-	-	-	-	-	-	-	5	-	-
Nephria	53	2	-	-	-	-	-	-	9	2	1	3	2	1	-
Addison's Disease	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Ischuria	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes	11	-	-	1	2	-	1	1	3	-	-	-	-	-	-
Stone	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	7	-	-	-	-	-	-	1	1	1	-	1	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	38	-	-	2	-	-	2	3	5	1	2	4	1	1	-
IX. Paramenia	10	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Ovarian Dropsy	33	3	2	3	1	-	-	2	3	-	-	2	1	-	-
Childbirth	103	1	-	5	1	-	2	5	11	3	6	6	9	-	4
Organs of Generation	33	-	-	-	-	-	-	1	6	1	1	2	2	-	-
X. Bone Disease	9	-	-	-	-	-	-	-	3	1	-	-	-	-	-
Rheumatism	36	-	-	4	4	-	1	2	1	2	1	5	2	-	-
Joint Disease	22	-	-	1	-	-	-	1	3	-	-	3	1	1	-
XI. Carbuncle	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Phlegmon	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Skin Disease	7	1	-	-	-	-	1	-	1	-	1	-	1	-	-
XVII. Intemperance	9	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Privation	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	13	-	-	-	1	-	-	-	1	1	1	1	2	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	9	-	1	3	1	-	-	-	1	-	-	-	-	-	-
Poison	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Poisoned Wounds	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	31	-	1	-	-	-	-	-	6	-	1	2	3	-	-
Hanging, etc.	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Suffocation	29	-	-	1	1	-	-	4	3	3	-	3	1	-	-
Drowning	36	-	1	2	-	-	3	-	4	2	2	5	1	-	-
Fracture and Contusion	39	-	1	3	1	-	1	1	4	-	2	2	1	-	-
Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Causes	6	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Not specified	311	6	13	31	18	-	5	4	18	9	6	20	14	1	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1874.—FEMALES. (Continued.)

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Leamark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	4	1	3	4	6	6	-	7	1	2	-	-	-	7	6	5
Apoplexy	9	2	7	7	24	8	1	10	3	12	4	-	7	8	5	8
Paralysis	17	1	17	3	16	12	2	17	8	8	2	-	7	14	7	2
Delirium Tremens	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1
Chorea	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Epilepsy	1	1	1	-	1	2	-	4	-	-	-	-	2	3	-	-
Tetanus	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	1
Insanity	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Convulsions	6	1	2	-	4	14	2	5	3	1	-	-	-	1	1	2
Brain Disease	7	-	1	4	6	8	1	10	2	7	-	-	4	6	3	4
Pericarditis	1	1	-	-	-	1	-	-	2	-	-	-	-	-	-	1
Aneurism	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-
Heart Disease	24	11	12	26	41	35	7	23	19	28	6	-	18	41	22	18
Laryngitis	-	3	-	2	1	5	-	2	-	2	-	-	-	2	-	-
Bronchitis	43	18	19	21	41	67	8	43	13	10	7	3	6	46	23	18
Pleurisy	1	1	-	1	2	5	1	-	-	1	-	-	-	3	1	-
Pneumonia	11	6	6	13	24	34	5	16	3	6	1	-	9	9	12	2
Asthma	3	-	2	-	2	1	1	1	2	-	-	-	1	1	2	2
Lung Disease	1	-	-	-	-	5	2	-	-	-	-	-	-	1	-	2
Teething	5	1	2	3	5	10	-	3	1	1	-	-	2	3	-	3
Quinsey	1	-	-	1	2	2	-	-	-	-	-	-	-	-	1	-
Gastritis	-	-	-	-	1	3	1	2	2	1	-	-	-	-	1	-
Enteritis	8	3	3	9	3	32	2	5	3	-	-	-	3	4	3	3
Peritonitis	5	1	1	6	4	7	1	8	-	2	4	-	2	12	3	1
Ascites	1	-	-	-	1	-	-	-	-	-	-	-	-	3	-	-
Ulceration of Intestines	-	2	1	1	1	5	-	3	-	2	-	1	-	3	-	-
Hernia	-	-	-	-	1	1	-	-	-	2	-	-	-	2	-	-
Ileus	2	1	2	-	2	3	-	2	1	2	-	-	-	1	1	1
Intussusception	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-
Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Stomach Disease	3	2	3	1	4	4	1	9	-	-	-	1	-	6	5	4
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	2	1	1	-	2	1	-	2	-	-	1	-	-	1	1	2
Jaundice	2	-	-	1	3	2	-	2	2	1	1	-	-	3	3	-
Liver Disease	6	1	3	3	3	7	1	4	4	5	1	-	2	2	3	1
Spleen Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Nephritis	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Nephria	1	-	1	2	3	2	2	9	1	3	-	-	3	6	-	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Diabetes	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-
Stone	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Cystitis	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	2	-	1	4	-	2	-	3	-	1	-	-	-	1	2	1
Paramenia	-	1	-	-	-	1	-	-	1	3	2	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	2	3	1	-	1	2	-	-	2	2	3	-
Childbirth	4	2	2	4	3	11	2	7	-	2	-	1	2	3	4	3
Organs of Generation	2	1	2	3	-	1	-	6	1	2	-	-	-	-	1	1
Bone Disease	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	1
Rheumatism	-	-	4	1	2	1	-	2	-	1	-	-	1	-	2	-
Joint Disease	2	-	-	1	1	1	-	2	-	5	-	-	-	-	-	-
Carbuncle	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1
Phlegmon	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Skin Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemperance	1	1	1	-	1	1	-	1	-	-	-	-	-	-	1	1
Privation	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Want of Breast Milk	1	-	-	-	-	1	-	1	-	-	2	-	1	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-
Poison	1	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	1	-	3	-	2	4	-	-	1	-	-	-	1	1	1	4
Hanging, etc.	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Suffocation	1	-	2	-	1	1	-	1	1	1	-	1	1	1	-	2
Drowning	-	2	1	1	-	1	3	4	-	-	-	-	-	3	1	-
Fracture and Contusion	7	1	2	-	1	6	-	3	-	-	-	-	-	1	2	1
Gunshot Wounds	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
Not specified	10	5	21	13	17	29	6	12	7	2	-	1	4	20	7	8

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND
during the YEAR 1874.

DISEASES.	BOTH SEXES.						MALES.						FEMALES.								
	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
ALL CAUSES . . .	2194	429	329	254	627	380	175	1088	179	158	182	327	202	85	1111	250	171	122	300	178	90
SPECIFIED CAUSES . .	1926	373	306	205	528	350	164	946	154	146	114	267	184	81	980	219	160	91	261	166	83
Zymotic Class . . .	243	29	12	62	69	50	21	119	12	4	31	36	26	10	124	17	8	31	33	24	11
Uncertain Seat . . .	64	7	17	7	15	11	7	82	3	7	5	5	8	4	32	4	10	2	10	3	3
Tubercular Class . .	206	31	29	18	69	35	24	99	13	13	9	35	19	10	107	18	16	9	34	16	14
Brain, etc.	127	14	27	7	27	31	21	73	7	15	6	16	19	10	54	7	12	1	11	12	11
Heart, etc.	81	11	23	1	15	22	9	44	6	9	-	11	12	6	37	5	14	1	4	10	3
Respiratory Organs .	219	24	27	15	89	52	12	107	12	13	7	50	22	3	112	12	14	8	39	30	9
Digestive Organs . .	126	27	23	10	24	24	13	68	14	17	6	10	12	9	58	13	11	4	14	12	4
Urinary Organs . . .	30	3	9	2	6	8	2	21	3	6	2	4	5	1	9	-	3	-	2	3	1
Generative Organs . .	26	10	4	2	7	2	1	-	-	-	-	-	-	-	26	10	4	2	7	2	1
Locomotive Organs .	37	12	5	3	13	3	1	18	4	3	1	7	2	1	19	8	2	2	6	1	-
Skin	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Malformation . . .	2	-	1	-	1	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-
Premature Debility .	37	9	5	3	12	5	3	22	6	4	1	4	4	3	15	3	1	2	8	1	-
Atrophy	5	1	1	1	2	-	-	2	1	-	-	1	-	-	3	-	1	1	1	-	-
Age	614	180	109	51	151	80	43	254	65	47	23	68	33	18	360	115	62	23	83	47	26
Sudden Deaths . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths . . .	108	15	9	22	28	27	7	85	8	8	22	19	22	6	23	7	1	-	9	5	1
Small-pox	3	-	-	-	2	-	1	1	-	-	-	1	-	-	2	-	-	-	1	-	1
Measles	13	1	-	6	5	1	-	10	-	-	4	5	1	-	3	1	-	2	-	-	-
Scarlatina	28	4	1	2	6	13	2	20	2	1	2	5	9	1	8	2	-	-	1	4	1
Diphtheria	11	1	-	6	-	-	-	4	5	1	1	-	-	-	3	6	-	-	5	-	-
Whooping-cough . .	26	1	-	6	7	11	1	11	1	-	4	2	4	-	15	-	-	2	5	7	1
Croup	47	1	1	23	7	11	4	26	-	-	14	3	7	2	21	1	1	9	4	4	2
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	13	2	4	2	3	1	1	5	1	1	1	1	1	1	8	2	3	1	2	-	-
Dysentery	8	2	1	1	3	1	-	4	1	-	1	2	-	-	4	1	1	-	1	1	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	9	5	-	2	2	-	-	4	2	-	1	1	-	-	5	3	-	1	1	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	22	6	1	4	8	1	2	12	4	-	2	5	-	1	10	2	1	2	3	1	1
Enteric Fever	30	3	1	-	15	6	5	12	-	-	-	8	2	2	18	3	1	-	7	4	3
Relapsing Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Cont. Fever . .	8	-	1	1	5	1	-	4	-	1	-	2	1	-	4	-	-	1	3	-	-
Intermittent	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Metria	13	1	1	7	1	3	-	-	-	-	-	-	-	-	13	1	1	7	1	3	-
Rheumatic Fever . . .	5	-	-	1	2	1	1	2	-	-	-	1	1	-	3	-	-	1	1	-	1
Erysipelas	4	1	-	1	2	-	-	2	1	-	1	-	-	-	2	-	-	-	2	-	-
Pyæmia	2	-	1	-	1	-	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-
Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	2	1	-	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Dropsy	25	5	7	3	3	5	2	13	2	3	2	1	4	1	12	3	4	1	2	1	1
Abcess	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Ulcer	2	-	1	-	-	1	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	3	-	2	-	1	-	-	3	-	2	-	1	-	-	-	-	-	-	-	-	-
Cancer	31	1	7	3	10	5	5	12	-	1	2	3	3	3	19	1	6	1	7	2	2
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula	10	1	2	1	-	4	2	5	1	2	-	-	2	-	5	-	-	1	-	2	2
Tuberc Mesenterica . .	8	-	-	-	7	1	-	6	-	-	-	5	1	-	2	-	-	-	2	-	-
Phthisis	182	29	26	17	60	29	21	85	11	11	9	29	16	9	97	18	15	8	31	13	12
Hydrocephalus	6	1	1	-	2	1	1	3	1	-	-	1	-	-	1	3	-	-	-	-	-

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND
during the YEAR 1874. (Continued.)

DISEASES.	BOTH SEXES.						MALES.						FEMALES.					
	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.
Cephalitis	12	1	-	-	8	1	8	1	-	-	5	1	4	-	-	-	3	1
Apoplexy	17	3	5	-	2	2	8	3	3	-	-	1	9	-	2	-	2	1
Paralysis	50	7	14	3	8	13	28	3	9	2	4	7	22	4	5	1	4	6
Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	2	-	-	-	1	1	3	-	-	-	1	1	-	-	-	-	-	-
Tetanus	7	-	-	4	3	-	7	-	-	4	3	-	-	-	-	-	-	-
Insanity	4	2	-	-	2	-	1	-	-	-	1	-	3	2	-	-	1	-
Convulsions	12	-	1	-	3	7	9	-	-	-	2	6	3	-	1	-	1	-
Brain Disease	22	1	7	-	-	7	9	-	3	-	-	3	13	1	4	-	-	4
Pericarditis	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Aneurism	3	2	-	-	-	1	2	1	-	-	-	1	1	1	-	-	-	-
Heart Disease	77	9	23	1	15	20	41	5	9	-	11	10	36	4	14	1	4	10
Laryngitis	2	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-
Bronchitis	115	9	12	9	49	29	57	5	6	5	28	11	58	4	6	4	21	18
Pleurisy	29	3	2	-	23	1	17	2	3	-	15	-	12	1	2	-	8	1
Pneumonia	34	5	10	3	2	10	4	3	7	1	2	4	16	2	3	2	-	6
Asthma	28	6	-	3	11	8	8	1	-	1	2	4	20	5	-	2	9	4
Lung Disease	11	1	2	-	4	3	1	1	-	-	3	3	4	-	2	-	1	-
Toothache	11	3	1	1	4	1	6	3	1	-	1	-	5	-	-	1	3	1
Quinsy	2	1	-	1	-	-	1	-	-	1	-	-	1	1	-	-	-	-
Gastritis	11	3	3	-	2	3	8	2	3	-	1	2	3	1	-	-	1	1
Enteritis	13	-	2	3	1	3	4	-	2	2	-	3	4	-	-	1	1	-
Peritonitis	5	-	1	-	2	2	3	-	-	2	1	-	2	-	1	-	-	-
Ascites	7	-	-	1	-	4	2	-	-	1	2	-	4	-	-	-	-	2
Ulcer of Intestines	5	2	1	-	2	-	3	1	1	-	1	-	2	1	-	-	1	-
Hernia	5	-	3	-	2	-	2	-	2	-	-	-	3	-	1	-	2	-
Ileus	12	4	2	1	3	1	9	3	1	1	2	1	3	1	1	-	1	-
Intussusception	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Strict. of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	22	8	6	2	1	4	9	2	3	1	1	1	13	6	3	1	-	3
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	8	2	-	-	3	3	3	2	-	-	1	-	5	-	-	-	2	3
Jaundice	9	2	2	1	3	1	2	1	-	-	1	-	7	1	2	1	3	-
Liver Disease	14	2	6	-	1	2	3	3	-	-	1	1	6	2	3	-	-	1
Spleen Disease	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
Nephritis	3	-	-	-	2	1	3	-	-	-	1	1	1	-	-	-	1	-
Nephria	5	-	1	-	2	2	1	-	-	-	1	-	4	-	1	-	1	2
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	4	2	-	-	1	1	4	2	-	-	1	1	-	-	-	-	-	-
Diabetes	4	-	-	2	1	-	4	-	-	2	1	-	1	-	-	-	-	-
Stone	6	1	4	-	-	1	5	1	3	-	-	1	1	1	-	-	-	-
Cystitis	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Stricture of Urethra	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Kidney Disease	6	-	2	-	-	3	1	3	-	1	-	2	3	-	1	-	-	1
Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	5	2	1	-	2	-	-	-	-	-	-	-	5	2	1	-	2	-
Childbirth	18	5	3	2	5	2	1	-	-	-	-	-	18	5	3	2	5	2
Organs of Generation	3	3	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-
Bone Disease	2	-	-	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-
Rheumatism	32	12	2	3	13	2	14	4	1	1	7	1	18	8	1	2	6	1
Joint Disease	3	-	3	-	-	-	2	-	2	-	-	-	1	-	1	-	-	-
Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Intemperance	2	1	-	-	-	1	2	1	-	-	-	1	-	-	-	-	-	-
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	15	4	1	-	5	4	7	1	1	-	1	3	8	3	-	-	4	1
Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	8	1	2	1	2	2	3	-	1	1	-	1	5	1	1	-	2	1
Hanging, etc.	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Suffocation	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Drowning	65	4	2	21	17	17	4	60	3	2	21	16	5	1	-	-	1	2
Fracture & Contusion	8	3	1	-	3	1	6	2	1	-	2	1	2	1	-	-	1	-
Gunshot Wounds	1	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
Cuts and Stabs	2	-	1	-	-	1	1	-	1	-	-	-	1	-	-	-	-	1
Other Violent Causes	5	1	-	-	1	2	1	3	-	-	-	2	2	1	-	-	1	-
Not specified	268	56	23	49	99	30	11	137	25	12	18	60	131	31	11	31	39	12

CAUSES OF DEATH in SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.												
		AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
ALL CAUSES	80720	7706	2928	4818	6402	3541	2533	1900	4911	2207	2564	2960	2731	
SPECIFIED CAUSES	79181	7097	2795	4689	6305	3491	2502	1878	4843	2180	2545	2923	2696	
I. Zymotic Class	18855	904	776	1480	2738	1983	1627	1262	2892	903	625	581	489	
II. Diseases of Uncertain Seat	2899	57	11	28	31	26	23	27	59	37	33	45	58	
III. Tubercular Class	11303	207	333	657	914	473	288	186	721	549	1082	1316	1097	
IV. Brain and Nervous System	7257	497	235	342	359	182	129	84	300	191	146	142	145	
V. Organs of Circulation	4411	25	6	7	6	3	7	8	60	80	79	108	119	
VI. Respiratory Organs	13351	1000	797	1396	1443	561	264	197	384	144	168	207	224	
VII. Organs of Digestion	5255	586	280	526	561	106	57	29	127	74	114	138	122	
VIII. Urinary Organs	1888	6	2	4	19	26	17	19	69	33	42	67	48	
IX. Organs of Generation	656	2	-	1	-	1	-	-	-	-	29	82	144	
X. Organs of Locomotion	523	2	1	3	8	8	7	4	46	56	48	28	19	
XI. Skin, etc.	102	11	10	15	9	3	3	-	1	2	2	3	2	
XII. Malformation	281	224	29	10	8	3	1	-	3	1	1	1	-	
XIII. Premature Debility	3674	3280	225	169	-	-	-	-	-	-	-	-	-	
XIV. Atrophy	476	-	-	-	136	41	24	16	31	18	6	8	7	
XV. Age	5543	-	-	-	-	-	-	-	-	-	-	-	-	
XVI. Sudden Deaths	104	12	5	2	5	-	-	1	3	2	-	2	3	
XVII. Violent Deaths	3103	284	85	49	83	73	55	45	147	95	170	200	218	
I. Small-pox	1246	101	76	29	25	19	15	26	93	133	158	167	133	
Measles	1103	12	24	180	424	177	101	55	96	11	7	3	4	
Scarlatina	6321	38	57	294	837	980	932	761	1815	372	98	49	34	
Diphtheria	1163	26	13	60	182	150	160	137	280	71	23	11	6	
Whooping-cough	1690	111	154	875	523	254	121	69	80	1	-	-	-	
Croup	1071	36	34	97	273	205	163	115	137	8	-	-	-	
Thrush	24	16	4	2	2	-	-	-	-	-	-	-	-	
Diarrhoea	2066	369	301	336	328	74	37	21	39	16	9	14	9	
Dysentery	265	9	19	14	15	6	3	2	6	2	-	3	6	
Cholera	86	6	10	13	6	4	5	2	11	2	1	3	2	
Influenza	142	8	2	11	2	4	2	-	10	3	6	1	-	
Purpura	64	1	1	1	2	1	2	3	9	4	7	3	3	
Ague	9	-	-	-	-	-	-	-	1	-	-	-	1	
Worms	12	1	1	-	1	2	4	1	2	-	-	-	-	
Typhus	726	2	3	9	12	11	12	11	51	56	71	68	59	
Enteric Fever	1455	1	5	18	46	66	45	48	202	175	183	141	81	
Relapsing Fever	27	1	-	-	-	-	-	-	2	9	4	1	4	
Simple Continued Fever	104	3	-	4	6	3	9	2	18	12	5	5	2	
Infantile Remittent	80	7	7	4	16	18	11	6	11	-	-	-	-	
Metria	378	-	-	-	-	-	-	-	-	-	20	83	106	
Rheumatic Fever	144	-	-	-	-	2	1	1	17	16	17	7	13	
Erysipelas	365	81	9	12	12	2	3	1	6	4	5	13	10	
Pyæmia	102	4	-	4	3	1	-	-	6	7	11	7	11	
Syphilis	193	69	55	17	10	4	-	-	-	-	-	2	4	
Noma	13	1	1	-	6	-	1	1	-	1	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Diseases	6	1	-	-	2	-	-	-	-	-	-	-	1	
II. Hemorrhage	89	17	1	3	-	2	-	1	2	1	2	4	7	
Dropey	651	6	-	5	9	17	18	18	41	20	13	12	14	
Abscess	236	20	4	13	10	1	-	5	12	8	14	18	12	
Ulcer	93	5	3	4	3	2	-	-	-	1	-	1	1	
Fistula	16	-	-	-	-	-	-	-	-	-	-	1	-	
Mortification	149	5	3	-	5	1	-	1	1	1	1	2	-	
Cancer	1646	4	-	3	4	3	5	2	3	6	3	7	24	
Gout	19	-	-	-	-	-	-	-	-	-	-	-	-	
III. Scrofala	691	29	19	41	73	34	26	12	77	89	65	55	43	
Tabes Mesenterica	962	65	69	126	235	113	61	32	118	45	23	21	12	
Phthisis	7873	20	71	86	175	99	69	59	296	413	989	1239	1042	
Hydrocephalus	1777	93	174	404	431	227	132	83	230	2	-	1	-	

CAUSES OF DEATH in SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	1	
ALL CAUSES . . .	2478	2489	2583	2583	2930	2935	3526	3451	4351	3363	2734	1418	477	126	19	61	
SPECIFIED CAUSES . .	2443	2449	2540	2542	2880	2864	3525	3450	4350	3362	2734	1418	477	126	19	54	
Zymotic Class . . .	371	337	269	216	228	174	220	190	223	163	119	66	16	2	1	5	
Uncertain Seat . . .	86	110	197	227	259	275	332	275	321	195	114	50	18	3	1	1	
Tubercular Class . .	814	660	574	448	354	260	165	98	61	22	14	2	1	-	-	7	
Brain, etc.	143	194	209	272	350	428	547	588	739	542	327	127	30	3	1	5	
Heart, etc.	197	212	269	278	350	381	514	511	565	359	197	50	14	3	-	3	
Respiratory Organs .	257	337	441	490	667	714	826	814	833	613	396	138	29	6	1	4	
Digestive Organs . .	151	193	209	246	285	271	290	269	312	172	99	33	9	2	-	2	
Urinary Organs . . .	76	88	64	84	86	77	107	112	151	101	59	27	4	-	-	-	
Generative Organs .	108	100	69	85	25	14	16	14	8	4	3	1	-	-	-	-	
Locomotive Organs .	16	29	23	17	27	24	32	29	42	28	20	4	-	2	-	-	
Skin	2	3	4	2	3	5	5	4	6	6	-	1	-	-	-	-	
Malformation . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Premature Debility .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atrophy	9	9	10	24	47	95	-	-	-	-	-	-	-	-	-	-	
Age	-	-	-	-	-	-	319	432	987	1095	1341	397	350	105	15	2	
Sudden Deaths . .	7	3	7	6	7	10	8	8	7	2	2	2	-	-	-	-	
Violent Deaths . .	206	174	195	197	192	136	144	106	95	60	43	20	6	-	-	25	
Small-pox	84	77	37	26	18	13	7	6	2	-	-	-	-	-	-	1	
Measles	4	-	1	1	1	-	1	-	-	-	1	-	-	-	-	-	
Scarlatina	16	18	5	6	2	4	2	2	1	1	-	-	-	-	-	-	
Diphtheria	5	8	5	7	5	5	1	3	3	-	1	-	-	-	-	1	
Whooping-cough . .	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
Croup	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea	10	17	21	21	25	36	68	56	76	72	64	37	9	-	1	-	
Dysentery	4	4	11	11	10	16	18	20	35	23	13	8	1	1	-	-	
Cholera	2	3	1	1	3	1	3	3	2	1	-	1	-	-	-	-	
Influenza	2	3	1	1	3	5	12	9	21	15	11	6	4	-	-	-	
Purpura	1	4	5	4	5	1	2	2	2	1	-	-	-	-	-	-	
Ague	1	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-	
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	46	45	48	49	61	33	32	16	13	10	5	2	-	-	-	1	
Enteric Fever . . .	68	60	55	57	53	33	37	26	29	15	8	3	-	-	-	-	
Relapsing Fever . .	1	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	
Simple Cont. Fever .	1	1	3	1	4	4	5	5	4	4	2	1	-	-	-	-	
Infantile Remittent .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Metria	80	60	26	-	2	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever . .	12	12	9	7	6	1	7	7	6	2	-	1	-	-	-	-	
Erysipelas	16	10	24	19	17	19	16	30	22	14	10	7	1	1	-	1	
Pysmia	14	5	6	5	7	1	3	2	3	-	1	1	-	-	-	-	
Syphilis	4	6	7	2	4	2	2	3	2	-	-	-	-	-	-	-	
Noma	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dia. .	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
Hæmorrhage	5	8	5	8	7	1	6	-	6	2	1	-	-	-	-	-	
Dropey	19	21	31	29	33	36	68	49	85	52	29	13	7	1	-	-	
Abscess	12	11	21	12	13	5	8	8	13	9	5	2	-	-	-	-	
Ulcer	1	1	5	3	6	7	6	9	12	10	10	1	1	-	1	-	
Fistula	2	2	3	3	-	1	2	-	-	-	1	1	-	-	-	1	
Mortification	1	2	5	6	6	9	15	23	26	16	10	5	5	-	-	-	
Cancer	46	65	126	166	193	214	225	181	174	104	58	23	5	2	-	-	
Gout	-	-	-	-	1	2	2	5	5	2	1	-	-	-	-	-	
Scrofula	29	13	22	18	9	14	6	7	3	4	3	-	-	-	-	-	
Tabes Mesenterica .	8	9	5	2	4	1	2	-	4	-	2	-	-	-	-	-	
Phthisis	777	638	547	428	341	245	157	91	64	18	9	2	1	-	-	7	
Hydrocephalus . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES. (Contd.)

DISEASES.	BOTH SEXES.														
	ALL AGES.	AGE UNDER													
		MONTHS.													
		3	6	12	2	3	4	5	10	15	20	25	30		
IV. Cephalitis	877	35	51	109	118	59	55	27	109	98	50	37	26		
Apoplexy	1792	37	19	40	44	23	17	14	47	21	21	32	31		
Paralysis	2033	2	1	2	6	—	2	2	15	7	9	15	20		
Delirium Tremens	72	—	—	—	—	—	—	—	—	—	1	4	7		
Chorea	12	—	—	—	—	—	1	—	1	6	—	—	—		
Epilepsy	254	3	3	4	2	1	—	1	8	16	26	20	18		
Tetanus	66	28	3	1	—	2	1	1	2	6	5	4	2		
Insanity	67	—	—	—	—	—	—	—	—	—	2	4	6		
Convulsions	1001	376	135	152	149	72	40	20	57	—	—	—	—		
Brain Disease	1083	16	23	34	45	25	13	19	61	87	32	26	35		
V. Pericarditis	104	1	—	—	—	—	—	—	13	8	9	6	7		
Aneurism	113	—	—	—	—	—	—	—	—	4	1	1	2		
Heart Disease	4194	24	6	7	6	3	6	6	47	68	69	101	110		
VI. Laryngitis	208	10	11	20	21	23	18	6	17	3	8	7	4		
Bronchitis	8667	752	633	1073	1107	403	165	116	211	59	46	50	72		
Pleurisy	237	13	2	2	8	4	3	8	12	12	22	22	10		
Pneumonia	3440	203	144	294	296	122	72	62	132	61	85	116	124		
Asthma	474	2	—	1	2	1	—	2	2	—	1	1	7		
Lung Disease	275	20	7	6	9	8	6	3	10	9	6	11	7		
VII. Teething	782	7	50	308	369	44	3	1	—	—	—	—	—		
Quinsey	79	12	4	11	12	9	3	1	5	4	—	2	—		
Gastritis	227	36	21	10	20	2	5	2	5	2	5	6	7		
Enteritis	926	232	106	112	81	27	19	15	40	23	25	22	15		
Peritonitis	482	16	20	11	14	4	10	3	22	15	36	44	81		
Ascites	80	3	—	—	—	—	1	2	9	2	2	2	2		
Ulceration of Intestines	207	6	—	5	7	3	—	—	2	2	7	12	10		
Hernia	118	7	2	—	1	—	1	—	1	1	—	1	3		
Ileus	266	33	12	8	5	—	2	3	5	5	6	3	9		
Intussusception	60	3	6	7	1	2	—	—	4	2	3	1	3		
Stricture of Intestines	21	1	—	—	—	—	—	—	—	—	—	—	—		
Stomach Disease	763	120	41	44	30	8	7	2	22	9	12	15	15		
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—		
Hepatitis	290	9	8	3	1	3	2	—	3	3	2	11	6		
Jaundice	234	70	3	1	4	5	1	—	1	1	1	1	1		
Spleen Disease	759	26	6	6	5	1	2	—	7	5	13	18	18		
VIII. Nephritis	167	1	1	3	13	9	8	9	26	8	6	6	7		
Nephria	414	—	1	—	2	7	4	6	19	8	16	27	27		
Addison's Disease	3	—	—	—	—	—	—	—	—	—	—	—	—		
Ischuria	67	3	—	—	—	—	1	—	—	1	—	2	1		
Diabetes	111	—	—	—	—	—	—	—	2	4	5	16	4		
Stone	64	1	—	—	—	—	1	—	—	1	—	1	—		
Cystitis	104	—	—	—	1	2	—	1	1	1	1	1	1		
Stricture of Urethra	13	—	—	—	—	—	—	—	—	—	—	—	—		
Kidney Disease	445	1	—	1	3	8	3	3	21	10	14	15	8		
IX. Paramenia	19	—	—	—	—	—	—	—	—	—	2	5	4		
Ovarian Dropsy	92	—	—	—	—	—	—	—	—	—	1	5	6		
Childbirth	442	—	—	—	—	—	—	—	—	—	23	66	123		
Organs of Generation	103	2	—	1	—	1	—	—	—	—	3	6	11		
X. Bone Disease	75	1	—	—	2	1	—	1	10	13	10	4	5		
Rheumatism	225	—	—	—	—	1	—	—	5	9	5	4	5		
Joint Disease	223	1	1	3	6	6	7	3	31	34	33	20	9		
XI. Carbuncle	31	—	2	2	1	—	—	—	—	—	—	—	—		
Phlegmon	19	2	—	—	1	—	1	—	—	—	1	3	2		
Skin Disease	52	9	8	13	7	3	2	—	1	2	1	—	—		
XVII. Intemperance	234	—	—	—	—	—	—	—	—	—	3	4	17		
Privation	13	3	1	2	—	—	1	—	1	—	—	—	—		
Want of Breast Milk	134	93	26	13	2	—	—	—	—	—	—	—	—		
Neglect	6	2	2	1	—	1	—	—	—	—	—	—	—		
Cold	71	4	3	1	2	1	—	—	—	2	2	2	3		
Poison	51	3	—	1	1	3	—	1	4	2	1	2	5		
Poisoned Wounds	6	—	—	—	—	—	1	1	1	—	—	—	—		
Burns and Scalds	292	2	2	13	42	37	30	19	32	8	9	3	8		
Hanging, etc.	53	—	—	—	—	—	—	—	—	—	—	2	3		
Suffocation	312	155	50	16	4	—	1	1	4	2	8	5	4		
Drowning	643	4	—	1	20	19	5	5	40	25	58	78	67		
Fracture and Contusion	1031	3	1	1	12	3	15	16	58	40	71	88	85		
Gunshot Wounds	19	—	—	—	—	—	—	—	—	3	4	2	1		
Cuts and Stabs	39	—	—	—	—	1	—	—	—	—	1	3	7		
Other Violent Causes	199	15	—	—	—	3	2	2	7	13	13	11	18		
Not specified	1539	609	133	124	97	50	31	22	68	27	19	32	36		

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES. (Contd.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	†
Cephalitis	23	11	12	11	10	10	15	5	9	1	1	—	—	—	—	—
Apoplexy	27	60	62	93	137	165	186	198	228	154	89	29	15	1	1	1
Paralysis	29	43	50	74	115	148	231	272	365	320	203	84	14	2	—	2
Delirium Tremens	8	14	7	11	8	5	5	2	2	—	—	—	—	—	—	—
Chorea	1	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—
Epilepsy	21	15	18	18	15	16	10	15	18	2	3	1	—	—	—	—
Tetanus	1	1	1	2	—	2	2	1	1	—	—	—	—	—	—	—
Insanity	3	6	5	6	2	7	8	6	4	5	—	2	—	—	—	1
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	35	44	53	56	63	75	89	89	112	57	31	11	1	—	—	1
Pericarditis	10	2	10	5	6	6	6	4	2	—	—	—	—	—	—	—
Aneurism	8	21	12	16	14	7	9	8	7	1	2	—	—	—	—	—
Heart Disease	179	189	247	257	330	368	499	497	554	366	195	50	14	3	—	3
Laryngitis	7	7	7	8	6	1	6	5	4	5	3	1	—	—	—	—
Bronchitis	90	135	211	256	366	422	523	544	550	421	314	111	25	4	—	3
Pneumonia	13	10	18	18	15	17	22	14	21	13	7	1	—	—	—	—
Pneumonia	124	153	165	153	203	205	189	171	171	125	47	16	4	2	1	—
Asthma	12	19	31	36	54	45	64	57	71	41	17	7	—	—	—	1
Lung Disease	11	13	9	19	23	24	17	23	16	8	2	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quincy	5	—	1	1	—	1	2	1	3	1	—	—	—	—	—	—
Gastritis	5	13	9	8	16	10	13	8	18	3	2	—	1	—	—	—
Enteritis	18	17	13	27	29	15	19	20	21	15	8	3	4	—	—	—
Peritonitis	41	39	20	32	22	24	22	14	22	10	5	4	—	1	—	—
Ascites	3	1	3	6	8	7	5	7	5	8	2	1	—	—	—	1
Ulceration of Intestines	13	17	12	22	16	16	15	18	18	7	2	2	—	—	—	—
Hernia	3	1	7	9	10	11	8	14	15	11	10	1	—	1	—	—
Pneus	5	12	14	15	18	21	13	24	24	18	7	2	2	—	—	—
Intussusception	—	4	2	3	8	1	5	6	2	2	—	—	—	—	—	—
Stricture of Intestines	—	1	3	1	2	3	1	3	4	1	1	—	—	—	—	—
Stomach Disease	12	19	35	35	50	42	51	53	55	48	21	10	1	—	—	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Hepatitis	11	15	15	13	29	21	21	16	20	11	7	—	—	—	—	—
Jaundice	3	6	8	14	7	16	16	17	24	11	17	5	1	—	—	—
Liver Disease	32	46	66	58	78	83	99	64	80	26	15	5	—	—	—	—
Spleen Disease	—	2	1	2	2	—	—	4	1	—	—	—	—	—	—	—
Nephritis	10	5	9	9	8	5	7	6	5	2	3	2	—	—	—	—
Nephria	32	41	30	38	35	23	36	27	23	6	5	1	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—
Ischuria	1	4	1	2	8	1	3	7	11	12	13	1	—	—	—	—
Diabetes	13	13	8	9	7	6	6	6	9	—	3	—	—	—	—	—
Stone	2	1	1	1	—	6	6	10	14	11	4	4	—	—	—	—
Cystitis	2	2	—	2	5	1	10	14	23	19	8	8	1	—	—	—
Stricture of Urethra	—	1	1	2	1	5	—	—	3	—	—	—	—	—	—	—
Kidney Disease	16	21	14	21	27	30	39	41	61	51	23	11	3	—	—	—
Paramania	1	1	2	3	1	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	8	5	8	12	12	7	11	9	3	2	2	1	—	—	—	—
Childbirth	90	84	45	9	2	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	9	10	14	11	10	7	5	5	5	2	1	—	—	—	—	—
Bone Disease	2	6	2	3	1	4	2	3	—	2	2	1	—	—	—	—
Rheumatism	7	11	14	11	16	16	25	21	33	22	16	2	—	2	—	—
Joint Disease	7	12	7	3	10	4	5	9	4	—	2	1	—	—	—	—
Carbuncle	2	1	—	1	2	3	2	4	5	5	—	1	—	—	—	—
Phlegmon	—	1	3	1	1	2	1	—	—	—	—	—	—	—	—	—
Skin Disease	—	1	1	—	—	—	2	—	1	1	—	—	—	—	—	—
Intemperance	22	26	35	29	33	19	23	14	5	4	—	—	—	—	—	—
Privation	—	—	1	—	1	—	—	1	1	—	—	1	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	3	5	5	4	4	7	3	5	5	4	5	1	—	—	—	—
Poison	3	3	1	3	2	5	3	5	2	1	—	—	—	—	—	—
Poisoned Wounds	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—
Burns and Scalds	9	3	8	7	7	7	7	9	9	9	9	8	—	—	—	—
Hanging, etc.	6	5	8	7	5	4	5	2	3	3	—	—	—	—	—	—
Suffocation	8	5	7	9	13	5	6	3	2	2	1	1	—	—	—	—
Drowning	41	53	43	37	43	21	25	12	16	5	2	—	—	—	—	23
Fracture and Contusion	92	58	70	84	67	60	58	42	42	23	22	10	4	—	—	1
Gunshot Wounds	3	1	2	1	1	—	1	—	—	—	—	—	—	—	—	—
Cuts and Stabs	5	3	6	2	3	1	1	2	2	1	—	1	—	—	—	—
Other Violent Causes	14	12	9	13	12	7	12	10	8	8	4	3	2	—	—	1
Not specified	35	40	43	41	50	71	1	1	1	1	—	—	—	—	—	7

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES.	ALL AGES.	MALES.												
		AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30	
ALL CAUSES	40678	4443	1617	2632	3338	1831	1297	982	2537	1097	1307	1433	1304	
SPECIFIED CAUSES	39871	4079	1547	2571	3339	1808	1283	969	2504	1063	1300	1467	1287	
I. Zymotic Class	9359	500	407	769	1402	1009	818	641	1436	417	328	289	215	
II. Diseases of Uncertain Seat	1158	80	8	12	22	16	14	14	37	20	16	21	29	
III. Tubercular Class	5485	136	183	368	497	239	142	94	362	241	458	623	497	
IV. Brain and Nervous System	3886	298	183	225	198	102	74	44	178	109	86	68	82	
V. Organs of Circulation	2237	17	2	1	3	2	5	5	36	39	38	49	53	
VI. Respiratory Organs	7059	583	482	761	771	293	136	111	197	80	96	127	135	
VII. Organs of Digestion	2674	340	166	302	308	59	35	15	65	40	59	55	50	
VIII. Urinary Organs	906	5	1	3	11	16	10	13	48	20	27	31	18	
IX. Organs of Generation	2	1	-	-	-	-	-	-	-	-	-	-	-	
X. Organs of Locomotion	249	-	-	1	4	2	5	1	24	30	28	18	12	
XI. Skin, etc.	51	3	4	9	5	1	2	-	2	1	2	-	-	
XII. Malformation	161	129	16	6	5	1	1	-	1	-	1	1	-	
XIII. Premature Debility	2070	1870	109	91	-	-	-	-	-	-	-	-	-	
XIV. Atrophy	212	-	-	-	69	22	13	8	17	7	3	4	3	
XV. Age	2054	-	-	-	-	-	-	-	-	-	-	-	-	
XVI. Sudden Deaths	60	7	2	1	2	-	-	1	3	-	-	2	1	
XVII. Violent Deaths	2248	160	34	22	42	46	33	22	100	78	159	177	133	
I. Small-pox	742	50	33	15	13	11	6	14	53	60	106	120	90	
Measles	596	7	14	100	241	90	50	25	43	4	2	2	2	
Scarlatina	3265	25	32	161	441	517	472	391	987	193	37	17	17	
Diphtheria	590	13	10	37	102	74	77	58	116	32	14	5	2	
Whooping-cough	745	60	63	173	234	98	54	27	31	-	-	-	-	
Croup	597	21	25	68	133	117	90	74	70	1	-	-	-	
Thrush	15	10	2	2	1	-	-	-	-	-	-	-	-	
Diarrhoea	960	204	162	156	160	84	22	12	17	5	3	5	3	
Dysentery	133	6	10	12	13	3	2	1	5	1	-	1	6	
Cholera	48	3	5	8	4	1	3	1	6	1	-	1	-	
Influenza	64	5	2	4	1	2	1	-	2	2	2	-	-	
Purpura	34	1	-	1	2	1	-	3	7	1	2	1	1	
Ague	6	-	-	-	-	-	-	-	-	-	-	-	1	
Worms	4	1	-	-	-	1	2	-	-	-	-	-	-	
Typhus	375	2	2	5	8	6	3	6	27	21	34	33	33	
Enteric Fever	704	1	4	12	25	36	19	24	98	74	102	82	32	
Relapsing Fever	14	1	-	-	-	-	-	-	2	4	2	-	3	
Simple Continued Fever	56	1	-	3	3	3	5	2	7	6	5	2	1	
Infantile Remittent	34	4	4	2	6	10	5	-	3	-	-	-	-	
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever	77	-	-	-	-	1	-	1	11	5	8	4	9	
Erysipelas	184	43	6	5	5	2	2	1	4	2	2	7	6	
Pyæmia	50	4	-	2	1	-	-	-	2	4	9	3	5	
Syphilis	99	33	32	8	2	2	-	-	-	-	1	4	-	
Noma	6	-	1	-	2	-	-	1	-	1	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Diseases	1	-	-	-	-	-	-	-	-	-	-	-	-	
II. Hemorrhage	48	7	1	1	-	1	-	1	2	-	2	2	4	
Droopy	297	5	-	1	6	10	11	9	25	11	7	4	7	
Abscess	131	9	8	8	9	1	-	2	7	5	6	7	8	
Ulcer	39	3	1	1	2	1	-	-	-	-	-	1	-	
Fistula	10	-	-	-	-	-	-	-	-	-	-	1	-	
Mortification	71	4	3	-	2	1	-	1	1	1	-	2	-	
Cancer	552	2	-	1	3	2	3	1	2	3	1	4	10	
Gout	10	-	-	-	-	-	-	-	-	-	-	-	-	
III. Scrofula	398	22	11	18	40	17	13	7	47	51	40	37	26	
Tabes Mesenterica	511	41	41	73	123	64	26	19	61	23	13	11	2	
Phthisis	3627	10	40	54	93	53	36	29	184	167	405	575	470	
Hydrocephalus	949	63	91	223	241	105	67	39	120	-	-	-	-	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	1172	1181	1283	1330	1496	1535	1703	1691	1998	1469	1107	545	171	84	2	43	
SPECIFIED CAUSES . .	1162	1165	1262	1312	1475	1500	1703	1690	1997	1469	1107	545	171	84	2	40	
Zymotic Class . . .	152	135	123	111	117	81	103	82	80	68	44	30	5	-	-	2	
Uncertain Seat . . .	34	43	60	81	90	109	123	113	131	71	43	13	3	-	-	-	
Tubercular Class . .	369	283	250	204	185	149	95	55	36	8	6	-	-	-	-	5	
Brain, etc.	80	112	125	142	171	225	278	300	380	262	141	57	14	-	-	2	
Heart, etc.	92	108	149	153	185	191	270	266	287	165	94	18	7	1	-	2	
Respiratory Organs .	143	201	245	272	365	395	393	405	361	274	164	51	13	2	-	3	
Digestive Organs . .	56	82	100	119	138	137	127	133	142	71	52	16	6	-	-	1	
Urinary Organs . . .	42	49	36	45	53	50	71	84	117	84	48	21	3	-	-	-	
Generative Organs . .	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Locomotive Organs . .	8	12	15	12	9	12	5	12	16	11	10	1	-	1	-	-	
Skin	-	1	2	1	1	3	3	3	3	4	-	1	-	-	-	-	
Malformation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Premature Debility . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atrophy	3	-	5	7	14	37	-	-	-	-	-	-	-	-	-	-	
Age	-	-	-	-	-	-	120	165	380	417	492	329	119	30	2	-	
Sudden Deaths . . .	6	-	4	5	4	6	6	4	3	-	2	1	-	-	-	-	
Violent Deaths . . .	177	189	148	159	143	105	104	68	61	34	11	7	1	-	-	25	
Small-pox	58	43	28	17	9	8	4	3	-	-	-	-	-	-	-	1	
Measles	2	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	
Scarlatina	7	7	1	3	1	3	1	1	1	-	-	-	-	-	-	-	
Diphtheria	-	3	2	5	1	2	1	3	2	-	1	-	-	-	-	-	
Whooping-cough . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Croup	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea	3	4	5	7	9	11	27	22	27	24	22	14	2	-	-	-	
Dysentery	3	1	6	7	5	9	5	8	11	12	3	3	-	-	-	-	
Cholera	2	1	1	1	2	-	3	1	2	1	-	1	-	-	-	-	
Influenza	2	1	-	1	2	2	6	3	8	6	8	2	2	-	-	-	
Purpura	-	2	1	4	2	1	1	1	1	1	-	-	-	-	-	-	
Ague	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	26	23	29	19	36	17	19	5	5	6	2	2	-	-	-	1	
Enteric Fever	30	31	27	27	31	10	15	10	7	8	2	2	-	-	-	-	
Relapsing Fever . . .	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Simple Cont. Fever . .	-	-	1	-	1	3	2	4	2	4	-	1	-	-	-	-	
Infantile Remittent . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever . . .	10	5	4	4	2	-	6	3	2	1	-	-	1	-	-	-	
Erysipelas	7	5	10	11	8	14	7	15	8	5	4	5	-	-	-	-	
Pyæmia	1	2	3	2	5	1	1	2	3	-	-	-	-	-	-	-	
Syphilis	-	4	3	1	1	-	1	1	1	-	-	-	-	-	-	-	
Noma	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. . .	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage	2	2	1	7	6	1	4	-	3	1	-	-	-	-	-	-	
Dropsy	6	10	11	14	11	15	23	20	42	22	12	7	3	-	-	-	
Abscess	7	9	10	7	7	4	4	6	5	3	4	-	-	-	-	-	
Ulcer	1	-	2	1	3	3	4	3	3	4	6	-	-	-	-	-	
Fistula	-	-	3	3	-	1	2	-	-	-	-	-	-	-	-	-	
Mortification	1	2	5	3	3	3	6	12	9	6	5	1	-	-	-	-	
Cancer	17	20	28	46	59	80	79	70	65	35	16	5	-	-	-	-	
Gout	-	-	-	-	1	2	1	2	4	-	-	-	-	-	-	-	
Scrofula	16	8	11	12	4	7	3	3	3	1	2	-	-	-	-	-	
Tuberc Mesenterica . .	2	5	1	1	-	1	1	-	3	-	-	-	-	-	-	-	
Phthisis	351	270	238	191	181	141	91	52	30	7	4	-	-	-	-	5	
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.													
		AGE UNDER													
		MONTHS.			2	3	4	5	10	15	20	25	30		
		3	6	12											
IV. Cephalitis	524	20	30	72	67	31	35	12	67	56	31	18	15		
Apoplexy	903	22	11	27	23	15	7	5	24	12	12	17	15		
Paralysis	1029	2	-	1	2	-	1	1	7	2	6	9	15		
Delirium Tremens	58	-	-	-	-	-	-	-	-	-	1	4	6		
Chorea	4	-	-	-	-	-	-	-	1	-	-	-	-		
Epilepsy	185	-	2	2	1	-	-	-	7	10	14	6	10		
Tetanus	49	23	2	1	-	2	1	-	2	6	4	2	1		
Insanity	18	-	-	-	-	-	-	-	-	-	-	2	2		
Convulsions	590	223	76	102	81	40	25	12	31	-	-	-	-		
Brain Disease	576	8	12	20	24	14	5	14	39	23	18	10	18		
V. Pericarditis	52	-	-	-	-	-	1	1	8	7	5	3	2		
Aneurism	89	-	-	-	-	-	-	-	-	3	1	-	2		
Heart Disease	2096	17	2	1	3	2	4	4	23	29	32	46	43		
VI. Laryngitis	111	6	8	15	9	13	10	-	5	2	4	5	3		
Bronchitis	4230	437	382	574	597	202	85	67	106	29	21	17	34		
Pleurisy	181	7	2	1	5	2	1	5	6	8	15	18	6		
Pneumonia	2068	120	86	169	156	68	37	36	71	35	52	33	84		
Asthma	266	1	-	-	1	1	-	2	2	-	1	-	-		
Lung Disease	163	12	4	2	3	7	3	1	7	6	3	4	4		
VII. Teething	437	3	29	169	210	24	2	-	-	-	-	-	-		
Quincy	36	7	-	6	6	5	2	-	3	-	-	-	-		
Gastritis	113	20	13	5	10	1	1	-	2	2	1	3	3		
Enteritis	500	127	65	69	43	14	11	7	16	12	15	11	8		
Peritonitis	183	7	13	8	6	2	8	2	13	10	18	7	6		
Ascites	33	2	-	-	-	-	-	2	6	1	-	2	-		
Ulceration of Intestines	103	4	-	3	2	1	-	-	1	2	6	6	6		
Hernia	56	5	2	-	1	-	1	-	1	1	-	1	3		
Ileus	123	22	5	4	3	-	1	2	3	3	4	3	4		
Intussusception	39	2	5	6	1	2	-	-	2	-	3	1	2		
Stricture of Intestines	9	1	-	-	-	-	-	-	-	-	-	-	-		
Stomach Disease	396	77	22	27	20	6	6	2	13	5	3	4	6		
Pancreas Disease	1	-	-	-	-	-	-	-	-	-	-	-	-		
Hepatitis	100	4	5	2	-	1	1	-	2	1	2	6	3		
Jaundice	116	44	1	1	4	2	-	-	1	-	-	-	-		
Liver Disease	407	15	5	2	2	1	1	-	2	3	6	11	9		
Spleen Disease	12	-	1	-	-	-	1	-	-	-	1	-	-		
VIII. Nephritis	110	1	-	2	9	6	5	7	19	6	4	3	3		
Nephria	207	-	1	-	-	4	3	5	12	2	9	10	10		
Addison's Disease	2	-	-	-	-	-	-	-	-	-	-	-	-		
Ischuria	56	3	-	-	-	-	1	-	-	-	-	2	-		
Diabetes	74	-	-	-	-	-	-	-	2	2	4	9	2		
Stone	56	-	-	-	-	-	-	-	-	1	-	1	-		
Cystitis	88	-	-	-	-	-	-	-	1	1	1	1	-		
Stricture of Urethra	13	-	-	-	-	-	-	-	-	-	-	-	-		
Kidney Disease	300	1	-	1	2	6	1	1	14	8	9	5	3		
IX. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-		
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-		
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organs of Generation	2	1	-	-	-	-	-	-	-	-	-	-	-		
X. Bone Disease	43	-	-	-	2	-	-	-	8	8	5	4	5		
Rheumatism	90	-	-	-	-	1	-	-	3	5	3	2	1		
Joint Disease	116	-	-	1	2	1	5	1	13	17	20	12	6		
XI. Carbuncle	21	-	2	1	1	-	-	-	-	-	-	-	-		
Phlegmon	7	-	-	-	-	1	-	-	-	-	1	2	-		
Skin Disease	23	3	2	8	4	1	1	-	-	2	-	-	-		
XVII. Intemperance	153	-	-	-	-	-	-	-	-	-	3	4	15		
Privation	9	3	-	2	-	-	-	-	-	-	-	-	-		
Want of Breast Milk	77	54	15	6	2	-	-	-	-	-	-	-	-		
Neglect	2	-	1	1	-	-	-	-	-	-	-	-	-		
Cold	42	2	-	-	1	-	-	-	-	2	2	2	2		
Poison	30	2	-	1	-	1	-	1	2	1	1	1	3		
Poisoned Wounds	4	-	-	-	-	1	-	1	1	-	-	-	-		
Burns and Scalds	149	2	2	6	22	25	15	8	16	3	8	3	5		
Hanging, etc.	37	-	-	-	-	-	-	-	-	-	-	1	2		
Suffocation	160	82	16	6	3	-	1	1	3	1	6	5	2		
Drowning	536	3	-	-	10	12	4	2	23	23	55	65	61		
Fracture and Contusion	849	1	-	-	4	5	10	8	46	35	67	84	31		
Gunshot Wounds	16	-	-	-	-	-	-	-	-	3	4	1	1		
Cuts and Stabs	23	-	-	-	-	1	-	-	-	-	1	2	6		
Other Violent Causes	156	11	-	-	-	2	2	2	4	11	12	9	15		
Not specified	807	364	70	61	49	23	14	13	33	14	7	16	17		

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	17	7	9	8	4	7	9	2	5	1	1	-	-	-	-	-
Apoplexy	13	23	32	46	61	85	88	112	121	71	41	8	6	-	-	1
Paralysis	19	29	29	49	60	79	112	126	189	155	87	41	7	-	-	1
Delirium Tremens	2	12	6	6	6	5	5	2	1	2	-	-	-	-	-	-
Chorea	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
Epilepsy	11	9	11	7	9	5	7	9	11	2	1	1	-	-	-	-
Tetanus	1	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-
Insanity	1	2	-	2	2	-	1	2	-	2	-	2	-	-	-	-
Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Disease	16	24	36	23	29	44	53	47	53	29	11	5	1	-	-	-
Pericarditis	5	1	8	5	1	1	2	1	1	-	-	-	-	-	-	-
Aneurism	6	19	9	15	12	4	7	5	6	-	-	-	-	-	-	-
Heart Disease	81	88	132	133	172	186	261	260	280	165	94	18	7	1	-	2
Laryngitis	2	3	6	5	4	-	2	4	1	3	-	1	-	-	-	-
Bronchitis	42	67	100	113	173	207	232	239	217	168	120	39	9	-	-	3
Pleurisy	7	6	12	15	8	12	15	10	10	5	4	1	-	-	-	-
Pneumonia	77	106	103	108	130	138	100	107	89	70	30	8	4	2	-	-
Asthma	9	11	19	23	34	28	35	30	33	23	7	2	-	-	-	-
Lung Disease	6	9	5	8	16	10	9	15	11	5	3	-	-	-	-	-
Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quinsey	1	-	-	1	-	1	2	-	1	-	1	-	-	-	-	-
Gastritis	2	3	5	7	7	8	4	5	8	1	1	-	1	-	-	-
Enteritis	9	7	8	11	15	8	10	11	10	6	3	1	3	-	-	-
Peritonitis	9	10	7	10	8	11	11	6	8	5	2	1	-	-	-	-
Ascites	2	-	2	3	1	3	1	2	3	2	-	-	-	-	-	1
Ulceration of Intestines	4	8	7	7	9	8	8	7	11	2	1	-	-	-	-	-
Hernia	1	-	1	3	6	5	2	5	9	6	2	1	-	-	-	-
Illeus	3	8	5	5	9	7	5	8	12	7	3	1	1	-	-	-
Intussusception	-	2	1	3	-	1	2	4	1	1	-	-	-	-	-	-
Stricture of Intestines	-	1	1	1	-	1	-	2	2	-	-	-	-	-	-	-
Stomach Disease	6	3	19	20	22	18	19	30	28	22	13	5	-	-	-	-
Pancreas Disease	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Hepatitis	3	5	4	8	10	11	11	5	6	5	5	-	-	-	-	-
Jaundice	2	2	1	6	5	6	5	7	10	4	9	5	1	-	-	-
Liver Disease	14	31	38	32	45	49	47	39	52	10	11	2	-	-	-	-
Spleen Disease	-	2	1	2	1	-	-	2	1	-	-	-	-	-	-	-
Nephritis	5	4	4	6	6	4	2	5	4	2	2	1	-	-	-	-
Nephria	14	22	18	17	22	11	21	9	13	3	1	-	-	-	-	-
Addison's Disease	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Ischuria	1	1	1	1	2	1	2	6	11	11	12	1	-	-	-	-
Diabetes	10	10	4	5	4	4	6	5	6	-	1	-	-	-	-	-
Stone	2	1	1	-	-	4	6	9	13	11	3	4	-	-	-	-
Cystitis	-	1	-	2	4	-	8	14	21	18	8	7	1	-	-	-
Stricture of Urethra	-	1	1	2	1	5	-	-	3	-	-	-	-	-	-	-
Kidney Disease	10	9	7	12	14	21	26	36	44	39	21	8	2	-	-	-
Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Bone Disease	1	2	-	3	-	3	-	-	-	-	1	1	-	-	-	-
Rheumatism	4	3	10	6	6	5	4	9	12	8	7	-	-	1	-	-
Joint Disease	3	7	5	3	3	4	1	3	4	3	2	-	-	-	-	-
Carbuncle	-	1	-	1	1	2	1	3	3	4	-	1	-	-	-	-
Phlegmon	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
Skin Disease	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Intemperance	14	17	19	19	19	15	14	9	8	2	-	-	-	-	-	-
Privation	-	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	2	3	3	3	2	6	2	2	3	2	2	1	-	-	-	-
Poison	2	2	-	1	2	4	2	2	1	1	-	-	-	-	-	-
Poisoned Wounds	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Burns and Scalds	8	3	3	2	6	4	3	-	3	1	1	-	-	-	-	-
Hanging, etc.	5	3	5	4	3	3	3	2	3	3	-	-	-	-	-	-
Suffocation	4	4	3	6	7	2	5	2	1	-	-	-	-	-	-	-
Drowning	38	44	39	33	35	13	23	7	12	5	2	-	-	-	-	23
Fracture and Contusion	87	51	62	75	56	b2	42	84	23	13	5	2	-	-	-	1
Gunshot Wounds	2	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-
Cuts and Stabs	3	2	4	2	1	1	1	1	2	-	-	1	-	-	-	-
Other Violent Causes	12	9	7	12	11	5	8	7	5	7	1	2	1	-	-	1
Not specified	10	16	21	18	21	35	-	1	1	-	-	-	-	-	-	8

Female Deaths in Scotland in 1874.

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES.													
	ALL AGES.	MONTHS.			AGE UNDER									
		3	6	12	2	3	4	5	10	15	20	25	30	
ALL CAUSES	40042	3263	1311	2181	3014	1710	1236	918	2374	1110	1257	1477	1427	
SPECIFIED CAUSES	39310	3018	1248	2118	2966	1683	1219	909	2339	1097	1245	1461	1408	
I. Zymotic Class	9496	404	369	711	1331	974	814	621	1456	486	297	292	274	
II. Diseases of Uncer. Seat	1741	27	3	16	9	10	9	13	22	17	17	24	29	
III. Tubercular Class	5818	71	150	289	417	234	146	92	359	308	624	693	600	
IV. Brain and Nervous Sys.	3371	199	102	117	161	80	55	40	122	82	60	74	63	
V. Organs of Circulation	2174	8	4	6	3	1	2	3	24	41	41	50	67	
VI. Respiratory Organs	6392	417	315	635	672	263	128	86	187	64	72	80	89	
VII. Organs of Digestion	2581	246	114	224	243	49	22	14	62	34	55	83	73	
VIII. Urinary Organs	482	1	1	1	8	10	7	6	21	13	15	36	30	
IX. Organs of Generation	654	1	-	1	-	1	-	-	-	-	29	82	144	
X. Organs of Locomotion	274	2	1	2	4	6	2	3	22	26	20	10	7	
XI. Skin, etc.	51	8	6	6	4	2	1	-	1	-	1	1	2	
XII. Malformation	120	95	18	4	3	2	-	-	2	1	-	-	-	
XIII. Premature Debility	1604	1410	116	78	-	-	-	-	-	-	-	-	-	
XIV. Atrophy	264	-	-	-	67	19	11	8	14	6	3	4	4	
XV. Age	3489	-	-	-	-	-	-	-	-	-	-	-	-	
XVI. Sudden Deaths	44	5	3	1	3	-	-	-	-	2	-	-	2	
XVII. Violent Deaths	855	124	51	27	41	27	22	23	47	17	11	23	25	
I. Small-pox	504	51	43	14	12	8	9	12	40	78	52	47	43	
Measles	517	5	10	80	183	87	51	30	53	7	5	1	2	
Scarlatina	3056	13	25	133	396	463	460	370	878	179	61	82	17	
Diphtheria	603	13	3	23	80	76	83	79	164	39	9	6	4	
Whooping-cough	945	51	91	197	289	156	67	42	49	1	-	-	-	
Croup	474	15	9	39	135	88	73	41	67	7	-	-	-	
Thrush	9	6	2	-	1	-	-	-	-	-	-	-	-	
Diarrhoea	1106	165	189	180	163	40	15	9	22	11	6	9	6	
Dysentery	182	3	9	2	2	3	1	1	1	1	-	2	-	
Cholera	38	3	5	5	2	3	2	1	5	1	1	2	2	
Influenza	78	3	-	7	1	2	1	-	8	1	4	1	-	
Purpura	30	-	1	-	-	-	2	-	2	3	5	2	2	
Ague	3	-	-	-	-	-	-	-	1	-	-	-	-	
Worms	8	-	1	-	1	1	2	1	2	-	-	-	-	
Typhus	351	-	1	4	4	5	9	5	24	35	37	30	26	
Enteric Fever	751	-	1	6	21	30	26	24	109	101	81	59	49	
Relapsing Fever	13	-	-	-	-	-	-	-	5	2	1	1	1	
Simple Cont. Fever	48	2	-	1	3	-	4	-	11	6	-	3	1	
Infantile Remittent	46	3	3	2	10	8	6	6	8	-	-	-	-	
Metria	378	-	-	-	-	-	-	-	-	-	20	83	106	
Rheumatic Fever	67	-	-	-	-	1	1	-	6	11	9	3	4	
Erysipelas	181	38	3	7	7	-	1	-	2	2	3	6	4	
Pyæmia	52	-	-	2	2	1	-	-	4	3	2	4	6	
Syphilis	94	31	23	9	8	2	-	-	-	-	-	1	-	
Noma	7	1	-	-	4	-	1	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Diseases	5	1	-	-	2	-	-	-	-	-	-	-	1	
II. Hæmorrhage	41	10	-	2	-	1	-	-	-	1	-	2	3	
Dropsy	354	1	-	4	3	7	7	9	16	9	6	8	7	
Abscess	105	11	1	5	1	-	-	3	5	3	8	11	4	
Ulcer	54	2	2	3	1	1	-	-	-	1	-	-	1	
Fistula	6	-	-	-	-	-	-	-	-	-	-	-	-	
" "														

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874. - FEMALE.

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	1806	1808	1800	1253	1434	1400	1823	1760	2353	1894	1627	873	306	92	17	18	
SPECIFIED CAUSES . .	1281	1284	1278	1230	1405	1364	1822	1760	2353	1893	1627	873	306	92	17	14	
Zymotic Class . . .	219	202	146	105	111	98	117	108	143	95	75	36	11	2	1	3	
Uncertain Seat . . .	52	67	137	146	169	166	204	162	190	124	71	37	15	3	1	1	
Tubercular Class . .	445	377	324	244	169	111	70	43	25	14	8	2	1	-	-	2	
Brain, etc.	63	82	84	130	179	203	269	288	359	230	136	70	16	3	1	3	
Heart, etc.	105	104	120	125	165	190	244	245	278	194	103	32	7	2	-	1	
Respiratory Organs .	114	136	196	218	302	319	433	409	472	339	232	87	16	4	1	1	
Digestive Organs . .	95	111	109	127	147	134	163	136	170	101	47	17	3	2	-	1	
Urinary Organs . . .	34	39	23	39	33	27	36	28	34	17	11	6	1	-	-	-	
Generative Organs . .	108	100	69	34	25	14	16	14	8	4	3	1	-	-	-	-	
Locomotive Organs .	8	17	8	5	18	12	27	17	26	17	10	3	-	1	-	-	
Skin	2	2	2	1	2	2	2	1	3	2	-	-	-	-	-	-	
Malformation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Premature Debility . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atrophy	6	9	5	17	33	58	-	-	-	-	-	-	-	-	-	-	
Age	-	-	-	-	-	-	199	267	607	678	349	563	231	75	13	2	
Sudden Deaths . . .	1	3	3	1	3	4	2	4	4	2	-	1	-	-	-	-	
Violent Deaths . . .	29	35	47	33	49	31	40	33	34	26	32	13	5	-	-	-	
Small-pox	26	34	9	9	9	5	3	3	2	-	-	-	-	-	-	-	
Measles	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	9	11	4	-	1	1	1	1	-	1	-	-	-	-	-	-	
Diphtheria	5	5	3	2	4	3	-	-	1	-	-	-	-	-	-	1	
Whooping-cough . . .	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea	7	13	16	14	16	25	41	34	49	43	42	23	7	-	1	-	
Dysentery	1	3	5	4	5	7	13	12	24	16	10	5	1	1	-	-	
Cholera	-	2	-	-	1	1	-	2	-	-	-	-	-	-	-	-	
Influenza	-	2	1	-	1	3	6	6	13	9	3	4	2	-	-	-	
Purpura	1	2	4	-	3	-	1	1	1	-	-	-	-	-	-	-	
Ague	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	20	22	19	30	25	16	13	11	8	4	3	-	-	-	-	-	
Enteric Fever	33	29	23	30	22	23	22	16	22	7	6	1	-	-	-	-	
Relapsing Fever . . .	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	
Simple Cont. Fever . .	1	1	2	1	3	1	3	1	2	-	2	-	-	-	-	-	
Infantile Remittent . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Metria	80	60	26	-	2	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever . . .	2	7	5	3	4	1	1	4	4	1	-	-	-	-	-	-	
Erysipelas	9	5	14	3	9	5	9	15	14	9	6	2	1	1	-	1	
Pyæmia	13	3	3	3	2	-	2	-	-	-	1	1	-	-	-	-	
Syphilis	4	2	4	1	3	2	1	2	1	-	-	-	-	-	-	-	
Noma	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. . .	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Hæmorrhage	3	6	4	1	1	-	2	-	3	1	1	-	-	-	-	-	
Dropsy	13	11	20	15	22	21	40	29	43	30	17	11	4	1	-	-	
Abscess	5	2	11	5	6	1	4	2	8	6	1	2	-	-	-	-	
Ulcer	-	1	3	2	3	4	2	6	9	6	4	1	1	-	1	-	
Fistula	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	
Mortification	-	-	-	3	3	6	9	11	17	10	5	4	5	-	-	-	
Cancer	29	45	93	120	134	134	143	111	109	69	42	18	5	2	-	-	
Gout	-	-	1	-	-	-	1	3	1	2	1	-	-	-	-	-	
Scrofula	13	5	11	6	5	7	3	4	-	3	1	-	-	-	-	-	
Tabes Mesenterica . .	6	4	4	1	4	-	1	-	1	2	-	-	-	-	-	-	
Phthisis	426	363	309	237	160	104	66	39	24	11	5	2	1	-	-	2	
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.												
		AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30	
IV. Cephalitis	353	15	21	37	46	28	20	15	42	42	19	19	11	
Apoplexy	889	15	8	13	21	8	10	9	23	9	9	15	16	
Paralysis	1004	-	1	1	4	-	1	1	8	5	3	6	5	
Delirium Tremens	14	-	-	-	-	-	-	-	-	-	-	-	1	
Chorea	8	-	-	-	-	-	1	-	-	-	-	-	-	
Epilepsy	119	3	1	2	1	1	-	1	1	6	12	14	8	
Tetanus	17	5	1	-	-	-	-	1	-	-	1	2	1	
Insanity	49	-	-	-	-	-	-	-	-	-	2	2	4	
Convulsions	411	153	59	50	68	32	15	8	26	-	-	-	-	
Brain Disease	507	8	11	14	21	11	8	6	22	14	14	16	17	
V. Pericarditis	52	1	-	-	-	-	-	1	5	1	4	3	5	
Aneurism	24	-	-	-	-	-	-	-	-	1	-	-	-	
Heart Disease	2098	7	4	6	3	1	2	2	19	39	37	55	62	
VI. Laryngitis	97	4	3	5	12	10	8	6	12	1	4	2	1	
Bronchitis	4387	315	251	499	510	201	80	49	105	30	25	33	38	
Pleurisy	106	6	-	1	3	2	2	3	6	4	7	4	4	
Pneumonia	1373	83	58	125	140	54	35	26	61	26	33	33	40	
Asthma	208	1	-	1	1	-	-	-	-	-	-	1	3	
Lung Disease	122	8	3	4	6	1	3	2	3	3	3	7	3	
VII. Teething	345	4	21	139	159	20	1	1	-	-	-	-	-	
Quinsey	43	5	4	5	6	4	1	1	2	4	-	2	-	
Gastritis	114	16	8	5	10	1	4	2	3	-	4	3	4	
Enteritis	426	105	41	43	38	13	8	3	24	11	10	11	7	
Peritonitis	294	9	7	3	8	2	2	1	9	5	18	37	25	
Ascites	47	1	-	-	-	-	1	-	3	1	2	-	2	
Ulceration of Intestines	104	2	-	2	5	2	-	-	1	-	1	6	4	
Hernia	63	2	-	-	-	-	-	-	-	-	-	-	-	
Ileus	133	16	7	4	2	-	1	1	2	2	2	-	5	
Intussusception	21	1	1	1	-	-	-	-	2	2	-	-	1	
Stricture of Intestines	12	-	-	-	-	-	-	-	-	-	-	-	-	
Stomach Disease	367	43	19	17	10	2	1	-	9	4	9	11	9	
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hepatitis	130	5	8	1	1	2	1	-	1	2	-	5	3	
Jaundice	118	26	2	-	3	3	1	-	5	1	1	1	1	
Liver Disease	352	11	1	4	3	-	1	-	5	2	7	7	9	
Spleen Disease	8	-	-	-	1	-	-	-	1	-	1	-	2	
VIII. Nephritis	57	-	1	1	4	3	3	2	7	2	2	2	4	
Nephria	207	-	-	-	2	3	1	1	7	6	7	17	17	
Addison's Disease	1	-	-	-	-	-	-	-	-	-	-	-	-	
Ischuria	11	-	-	-	-	-	-	-	-	1	-	-	1	
Diabetes	37	-	-	-	-	-	-	-	-	2	1	7	2	
Stone	8	1	-	-	-	-	1	-	-	-	-	-	-	
Cystitis	16	-	-	-	1	2	-	1	-	-	-	-	1	
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kidney Disease	145	-	-	-	1	2	2	2	7	2	5	10	5	
IX. Paramenia	19	-	-	-	-	-	-	-	-	-	2	5	4	
Ovarian Dropsy	92	-	-	-	-	-	-	-	-	-	1	5	6	
Childbirth	442	-	-	-	-	-	-	-	-	-	23	66	123	
Organs of Generation	101	1	-	1	-	1	-	-	-	-	3	6	11	
X. Bone Disease	32	1	-	-	-	1	-	1	2	5	5	-	-	
Rheumatism	135	-	-	-	-	-	-	-	2	4	2	2	4	
Joint Disease	107	1	1	2	4	5	2	2	13	17	12	8	3	
XI. Carbuncle	10	-	-	1	-	-	-	-	-	-	-	-	-	
Phlegmon	12	2	-	-	1	-	-	-	-	-	-	1	2	
Skin Disease	29	6	6	5	3	2	1	-	1	-	1	-	-	
XVII. Intemperance	81	-	-	-	-	-	-	-	-	-	-	-	2	
Privation	4	-	1	-	-	-	1	-	1	-	-	-	-	
Want of Breast Milk	57	39	11	7	-	-	-	-	-	-	-	-	-	
Neglect	4	2	1	-	-	1	-	-	-	-	-	-	-	
Cold	29	2	3	1	1	1	-	-	-	-	-	-	1	
Poison	21	1	-	-	1	2	-	-	2	1	-	1	2	
Poisoned Wounds	2	-	-	-	-	-	-	1	-	-	-	-	-	
Burns and Scalds	143	-	-	7	20	12	15	11	16	5	1	-	3	
Hanging, etc.	16	-	-	-	-	-	-	-	-	-	-	1	-	
Suffocation	152	73	34	10	1	-	-	-	1	1	2	-	2	
Drowning	107	1	-	1	10	7	1	3	12	3	3	13	6	
Fracture and Contusion	182	2	1	1	8	3	5	8	12	5	4	4	4	
Gunshot Wounds	3	-	-	-	-	-	-	-	-	-	-	1	-	
Cuts and Stabs	11	-	-	-	-	-	-	-	-	-	-	1	1	
Other Violent Causes	43	4	-	-	-	1	-	-	3	2	1	2	3	
Not specified	732	245	63	63	48	27	17	9	35	13	12	16	19	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1874.—FEMALES. (Continued.)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	6	4	3	3	6	3	6	3	4	—	—	—	—	—	—	—	
Apoplexy	14	32	30	47	76	80	98	86	107	83	48	21	9	1	1	—	
Paralysis	10	14	21	25	55	69	119	146	176	165	116	43	7	2	—	1	
Delirium Tremens	1	2	1	5	2	—	—	—	1	1	—	—	—	—	—	—	
Chorea	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	10	6	7	11	6	11	3	6	7	—	2	—	—	—	—	—	
Tetanus	—	—	—	2	—	2	—	1	1	—	—	—	—	—	—	—	
Insanity	2	4	5	4	—	7	7	4	4	3	—	—	—	—	—	1	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	19	20	17	33	34	31	36	42	59	28	20	6	—	—	—	1	
Pericarditis	5	1	2	—	5	5	4	5	3	2	—	—	—	—	—	—	
Aneurism	2	2	3	1	2	3	2	3	1	1	2	—	—	—	—	—	
Heart Disease	98	101	115	124	168	182	233	237	274	191	101	32	7	2	—	1	
Laryngitis	5	4	1	3	2	1	4	1	3	2	3	—	—	—	—	—	
Bronchitis	48	68	111	143	193	215	296	306	333	253	194	72	16	4	—	—	
Pleurisy	6	4	6	3	7	5	7	4	11	8	8	—	—	—	—	—	
Pneumonia	47	48	62	45	73	67	89	64	82	55	17	8	—	—	1	—	
Asthma	3	8	12	18	20	17	29	27	38	18	10	5	—	—	—	1	
Lung Disease	5	4	4	11	7	14	8	8	5	3	5	2	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	4	—	1	—	—	—	—	1	2	1	—	—	—	—	—	—	
Gastritis	3	10	4	1	9	2	9	3	10	2	1	—	—	—	—	—	
Enteritis	9	10	5	16	14	7	9	9	11	9	5	2	1	—	—	—	
Peritonitis	32	29	13	22	14	13	11	8	14	5	3	3	—	1	—	—	
Ascites	1	1	1	3	7	4	4	5	2	6	2	1	—	—	—	—	
Ulceration of Intestines	9	9	5	15	7	8	7	6	7	5	1	2	—	—	—	—	
Hernia	2	1	6	6	4	6	6	9	6	5	8	—	—	1	—	—	
Illeus	2	4	9	10	4	14	8	16	12	11	4	1	1	—	—	—	
Intussusception	—	2	1	—	3	—	3	2	1	1	—	—	—	—	—	—	
Stricture of Intestines	—	—	2	—	2	2	1	1	2	1	1	—	—	—	—	—	
Stomach Disease	6	16	16	15	23	24	32	23	27	26	8	5	1	—	—	1	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	8	10	11	5	19	10	10	11	14	6	2	—	—	—	—	—	
Jaundice	1	4	7	8	2	10	11	10	14	7	8	—	—	—	—	—	
Liver Disease	18	15	23	26	33	34	52	25	48	16	4	3	—	—	—	—	
Spleen Disease	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	
Nephritis	5	1	5	3	2	1	5	1	1	—	1	1	—	—	—	—	
Nephria	18	19	12	21	13	12	15	18	10	8	4	1	—	—	—	—	
Addison's Disease	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Ischuria	—	3	—	1	1	—	1	1	—	1	1	—	—	—	—	—	
Diabetes	3	3	4	4	3	2	—	1	3	—	2	—	—	—	—	—	
Stone	—	—	—	1	—	2	—	1	1	—	1	—	—	—	—	—	
Cystitis	2	1	—	—	1	1	2	—	2	1	—	1	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	6	12	7	9	13	9	13	5	17	12	2	3	1	—	—	—	
Paramenia	1	1	2	3	1	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	8	5	8	12	12	7	11	9	3	2	2	1	—	—	—	—	
Childbirth	90	84	46	9	2	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	9	10	14	10	10	7	5	5	5	2	1	—	—	—	—	—	
Bone Disease	1	4	2	—	1	1	2	3	—	2	1	—	—	—	—	—	
Rheumatism	3	8	4	5	10	11	21	12	21	14	9	2	—	1	—	—	
Joint Disease	4	5	2	—	7	—	4	2	5	1	—	1	—	—	—	—	
Carbuncle	2	—	—	—	1	1	1	1	2	1	—	—	—	—	—	—	
Phlegmon	—	1	2	1	1	1	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	1	—	—	—	—	1	—	1	1	—	—	—	—	—	—	
Intemperance	8	9	16	10	14	4	9	5	2	2	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	1	2	2	1	2	1	1	3	2	2	3	—	—	—	—	—	
Poison	1	1	1	2	—	1	1	3	1	—	—	—	—	—	—	—	
Poisoned Wounds	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	1	—	5	5	1	3	4	9	6	8	8	3	—	—	—	—	
Hanging, etc.	1	2	3	3	2	1	2	—	—	—	—	—	—	—	—	—	
Suffocation	4	1	4	3	6	3	1	1	1	2	1	1	—	—	—	—	
Drowning	3	9	4	4	8	8	2	5	4	—	—	—	—	—	—	—	
Fracture and Contusion	5	7	8	9	11	8	16	8	14	10	17	8	4	—	—	—	
Gunshot Wounds	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs	2	1	2	—	2	—	—	—	1	—	1	—	—	—	—	—	
Other Violent Causes	2	3	2	1	1	2	4	3	3	1	3	1	1	—	—	—	
Not specified	25	24	22	23	29	36	1	—	—	1	—	—	—	—	—	4	

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.												
		AGE UNDER											25	30
		MONTHS.			2	3	4	5	10	15	20			
		3	6	12										
ALL CAUSES	32124	2995	1252	2208	3138	1790	1222	920	2220	835	957	1149	1141	
SPECIFIED CAUSES	31980	2951	1237	2192	3130	1786	1220	914	2206	834	957	1148	1139	
I. Zymotic Class	3253	390	363	706	1345	979	769	608	1276	327	220	220	193	
II. Diseases of Uncertain Seat	1047	25	6	15	17	17	14	15	33	16	12	26	31	
III. Tubercular Class	4834	88	134	285	433	271	152	108	344	205	415	489	430	
IV. Brain and Nervous System	2825	226	114	163	196	97	72	81	129	70	53	60	64	
V. Organs of Circulation	1609	3	1	1	1	2	2	4	24	37	35	51	61	
VI. Respiratory Organs	6411	434	377	701	794	323	146	101	202	72	71	100	115	
VII. Organs of Digestion	1836	236	92	200	233	45	18	15	54	20	40	61	44	
VIII. Urinary Organs	514	1	-	2	7	10	8	11	37	18	23	26	25	
IX. Organs of Generation	236	2	-	-	-	1	-	-	-	-	9	28	63	
X. Organs of Locomotion	196	1	-	2	7	4	4	4	19	26	21	11	10	
XI. Skin, etc.	37	3	5	5	5	-	-	-	-	2	2	2	1	
XII. Malformation	85	69	11	1	2	1	-	-	1	-	-	-	-	
XIII. Premature Debility	1508	1336	92	80	-	-	-	-	-	-	-	-	-	
XIV. Atrophy	208	-	-	-	59	15	13	6	15	5	3	2	5	
XV. Age	1098	-	-	-	-	-	-	-	-	-	-	-	-	
XVI. Sudden Deaths	52	7	2	1	1	-	-	-	1	2	-	2	1	
XVII. Violent Deaths	1231	180	40	80	30	21	22	16	71	34	53	70	91	
I. Small-pox	356	25	24	9	5	6	6	11	32	27	49	54	51	
Measles	471	4	10	36	184	81	45	22	30	3	2	1	1	
Scarlatina	3353	16	29	153	453	544	505	421	937	187	47	22	16	
Diphtheria	308	8	3	16	63	49	39	41	62	12	4	2	1	
Whooping-cough	943	40	80	201	307	157	72	43	47	1	-	-	-	
Croup	358	10	13	45	110	60	50	31	34	5	-	-	-	
Thrush	15	9	4	1	1	-	-	-	-	-	-	-	-	
Diarrhoea	951	199	149	155	173	34	20	14	16	10	3	8	5	
Dysentery	79	3	5	3	5	1	-	1	3	1	-	2	4	
Cholera	30	2	5	4	-	2	2	1	5	1	-	1	1	
Influenza	28	-	-	4	-	2	1	-	2	-	2	-	-	
Purpura	20	-	-	-	-	-	2	1	1	2	3	2	-	
Ague	7	-	-	-	-	-	-	-	-	-	-	-	1	
Worms	2	-	-	-	-	-	2	-	-	-	-	-	-	
Typhus	372	2	1	-	3	6	5	4	24	20	33	33	35	
Enteric Fever	424	-	-	6	14	24	13	14	65	43	49	56	23	
Relapsing Fever	10	-	-	-	-	-	-	-	2	2	1	1	2	
Simple Continued Fever	20	-	-	1	2	2	2	-	7	-	1	-	-	
Infantile Remittent	25	1	1	-	6	7	3	2	5	-	-	-	-	
Metria	123	-	-	-	-	-	-	-	-	-	10	24	34	
Rheumatic Fever	54	-	-	-	-	1	1	1	4	5	2	2	3	
Erysipelas	140	30	4	4	5	-	1	-	1	-	3	7	7	
Pyæmia	38	1	-	1	1	-	-	-	1	3	5	4	3	
Syphilis	110	40	35	12	6	3	-	-	-	-	-	1	-	
Noma	5	-	-	-	2	-	-	1	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Diseases	1	-	-	-	-	-	-	-	-	-	-	-	1	
II. Hamorrhage	33	7	1	1	-	2	-	-	2	-	-	2	3	
Dropsy	247	4	-	3	4	12	12	11	25	8	4	5	7	
Abscess	114	11	1	9	6	-	-	2	4	6	7	14	4	
Ulcer	37	-	2	1	-	2	-	-	-	-	-	-	1	
Fistula	9	-	-	-	-	-	-	-	-	-	-	-	-	
Mortification	58	2	2	-	5	-	-	-	1	1	1	2	-	
Cancer	543	1	-	1	2	1	2	1	1	1	-	3	16	
Gout	6	-	-	-	-	-	-	-	-	-	-	-	-	
III. Scrofula	277	12	7	18	32	21	18	8	44	35	20	17	11	
Tabes Mesenterica	470	28	30	56	118	67	32	20	68	26	10	3	4	
Phthisis	3238	10	36	36	80	65	34	36	135	144	385	469	415	
Hydrocephalus	799	38	61	175	203	118	68	39	97	-	-	-	-	

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	1082	1118	1188	1152	1247	1196	1365	1134	1203	797	481	247	63	20	2	2
SPECIFIED CAUSES . .	1078	1114	1182	1148	1242	1189	1365	1133	1203	797	481	247	63	20	2	2
Zymotic Class . . .	147	122	98	89	95	51	75	47	57	31	24	16	3	2	-	-
Uncertain Seat . . .	39	47	84	85	106	96	114	89	92	35	25	5	1	1	1	-
Tubercular Class . .	341	319	271	206	146	95	60	24	14	8	1	-	-	-	-	-
Brain, etc.	59	89	93	112	148	179	219	197	203	150	71	27	3	-	-	-
Heart, etc.	97	110	129	130	157	171	189	147	154	64	27	9	1	1	-	1
Respiratory Organs .	138	184	242	293	344	370	408	375	296	187	81	43	8	3	-	1
Digestive Organs . .	68	81	97	80	92	85	98	62	67	34	15	3	-	1	-	-
Urinary Organs . . .	45	33	26	38	34	31	31	29	36	28	8	6	1	-	-	-
Generative Organs . .	38	34	29	10	4	3	5	3	1	1	-	-	-	-	-	-
Locomotive Organs .	5	14	9	5	10	9	13	8	4	4	6	-	-	-	-	-
Skin	-	1	3	-	2	1	2	1	1	1	-	-	-	-	-	-
Malformation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Debility . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atrophy	3	2	6	10	23	41	-	-	-	-	-	-	-	-	-	-
Age	-	-	-	-	-	-	99	112	244	238	215	182	45	12	1	-
Sudden Deaths . . .	5	3	3	4	2	5	5	4	3	-	-	1	-	-	-	-
Violent Deaths . . .	93	75	92	86	79	52	52	35	29	16	8	5	1	-	-	-
Small-pox	19	17	7	7	2	3	1	-	1	-	-	-	-	-	-	-
Measles	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	7	7	1	-	1	-	-	2	-	-	-	-	-	-	-	-
Diphtheria	-	2	1	1	2	-	1	1	-	-	-	-	-	-	-	-
Hooping-cough . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	3	7	9	13	18	14	23	14	23	17	10	2	-	-	-	-
Dysentery	1	2	6	2	5	1	12	4	7	4	3	3	-	1	-	-
Cholera	1	1	-	-	1	-	1	2	-	-	-	-	-	-	-	-
Influenza	-	1	-	-	2	1	3	1	4	2	1	1	1	-	-	-
Purpura	-	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-
Ague	1	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	30	29	30	34	35	16	12	6	5	1	2	1	-	-	-	-
Enteric Fever	25	17	17	11	15	3	10	6	7	1	-	-	-	-	-	-
Relapsing Fever . . .	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Simple Cont. Fever . .	-	1	-	-	-	-	1	-	2	1	-	-	-	-	-	-
Infantile Remittent . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Metria	32	19	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever . . .	7	7	3	5	4	1	1	1	1	-	-	-	-	-	-	-
Erysipelas	7	6	10	11	9	10	4	9	4	5	1	1	-	1	-	-
Pyæmia	8	2	3	1	1	1	2	1	-	-	-	-	-	-	-	-
Syphilis	4	-	3	1	2	1	1	-	1	-	-	-	-	-	-	-
Noma	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	2	2	2	4	1	1	1	-	1	-	-	-	-	-	-	-
Dropsy	13	7	14	6	18	16	24	16	18	10	8	-	1	1	-	-
Abscess	5	5	9	6	9	1	4	3	4	4	-	-	-	-	-	-
Ulcer	-	-	2	3	4	4	3	2	8	3	1	-	-	-	1	-
Fistula	1	2	1	3	-	1	1	-	-	-	-	-	-	-	-	-
Mortification	-	1	2	1	4	4	6	9	2	2	4	2	-	-	-	-
Cancer	18	30	54	62	70	68	75	57	49	16	12	3	-	-	-	-
Gout	-	-	-	-	-	1	-	2	3	-	-	-	-	-	-	-
Scrofula	12	3	6	5	-	4	1	-	1	1	1	-	-	-	-	-
Tabes Mesenterica . .	2	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-
Phthisis	327	314	264	200	145	91	58	24	13	7	-	-	-	-	-	-
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30	
IV. Cephalitis	367	12	22	47	63	34	32	10	43	28	14	14	15	
Apoplexy	678	17	10	24	24	13	9	3	24	8	9	12	14	
Paralysis	707	-	-	1	2	-	2	1	6	3	5	8	9	
Deltirium Tremens	31	-	-	-	-	-	-	-	-	-	1	1	5	
Chorea	2	-	-	-	-	-	1	-	-	-	-	-	-	
Epilepsy	87	-	1	-	-	-	-	-	-	9	11	10	5	
Tetanus	13	8	-	-	-	1	-	-	-	-	1	1	-	
Insanity	32	-	-	-	-	-	-	-	-	-	-	4	4	
Convulsions	514	181	72	75	91	36	22	8	29	-	-	-	-	
Brain Disease	399	8	9	16	16	13	6	9	27	22	12	10	12	
V. Pericarditis	41	-	-	-	-	-	-	1	6	5	5	2	2	
Aneurism	64	-	-	-	-	-	-	-	-	1	1	-	1	
Heart Disease	1504	3	1	1	1	2	2	3	18	31	29	49	58	
VI. Laryngitis	75	2	7	10	7	9	8	2	2	1	1	3	2	
Bronchitis	4391	333	308	514	609	243	96	67	119	30	18	29	44	
Pleurisy	106	1	1	-	-	-	3	1	5	8	10	7	6	
Pneumonia	1556	83	56	170	171	65	37	27	72	26	40	58	58	
Asthma	150	1	-	1	1	-	-	1	-	-	-	1	2	
Lung Disease	133	14	5	6	6	6	2	3	4	7	2	2	3	
VII. Teething	347	2	20	130	172	22	-	1	-	-	-	-	-	
Quinsey	22	4	2	2	5	4	-	1	1	-	-	2	-	
Gastritis	162	27	11	6	11	2	3	1	1	-	3	2	3	
Enteritis	302	85	28	40	26	10	7	7	21	8	7	8	3	
Peritonitis	159	4	4	-	5	1	4	-	6	6	15	19	8	
Ascites	24	-	-	-	-	-	1	2	3	-	-	-	1	
Ulceration of Intestines	50	1	-	-	1	-	-	-	1	1	2	5	5	
Hernia	45	1	-	-	1	-	-	-	1	-	-	1	2	
Illeus	86	21	7	4	2	-	-	2	2	1	-	1	3	
Intussusception	15	2	-	1	-	-	-	-	2	-	-	-	1	
Stricture of Intestines	7	-	-	-	-	-	-	-	-	-	-	-	-	
Stomach Disease	244	53	16	11	7	2	2	1	12	1	6	6	6	
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hepatitis	74	2	1	2	1	2	-	-	-	-	1	5	3	
Jaundice	64	22	-	-	-	1	1	-	1	-	-	-	-	
Liver Disease	291	12	2	4	2	1	-	-	3	3	6	12	9	
Spleen Disease	4	-	1	-	-	-	-	-	-	-	-	-	-	
VIII. Nephritis	78	1	-	2	5	5	4	5	17	4	6	2	4	
Nephria	174	-	-	-	1	2	2	4	8	6	9	13	13	
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ischuria	15	-	-	-	-	-	1	-	-	-	-	1	1	
Diabetes	34	-	-	-	-	-	-	-	1	2	2	3	2	
Stone	17	-	-	-	-	-	-	-	-	1	-	-	-	
Cystitis	33	-	-	-	-	-	-	-	-	1	1	1	-	
Stricture of Urethra	8	-	-	-	-	-	-	-	-	-	-	-	-	
Kidney Disease	155	-	-	-	1	3	1	2	11	4	5	6	5	
IX. Paramenia	3	-	-	-	-	-	-	-	-	-	1	1	-	
Ovarian Dropsy	30	-	-	-	-	-	-	-	-	-	-	2	1	
Childbirth	174	-	-	-	-	-	-	-	-	-	7	24	63	
Organs of Generation	29	2	-	-	-	1	-	-	-	-	1	1	4	
X. Bone Disease	38	1	-	-	2	1	-	1	6	4	7	1	4	
Rheumatism	64	-	-	-	-	1	-	-	2	3	2	1	2	
Joint Disease	94	-	-	2	5	2	4	3	11	19	12	9	4	
XI. Carbuncle	6	-	-	-	1	-	-	-	-	-	-	-	-	
Phlegmon	9	-	-	-	-	-	-	-	-	-	1	2	1	
Skin Disease	22	3	5	5	4	-	-	-	-	2	1	-	-	
XVII. Intemperance	117	-	-	-	-	-	-	-	-	-	-	1	11	
Privation	4	3	-	-	-	-	1	-	-	-	-	-	-	
Want of Breast Milk	62	43	11	7	1	-	-	-	-	-	-	-	-	
Neglect	3	-	1	1	-	1	-	-	-	-	-	-	-	
Cold	7	-	-	1	-	-	-	-	-	-	-	-	-	
Poison	24	1	-	1	1	2	-	-	1	1	-	1	4	
Poisoned Wounds	2	-	-	-	-	-	-	-	-	-	-	-	-	
Burns and Scalds	126	1	1	8	18	10	14	8	16	4	4	1	2	
Hanging, etc.	23	-	-	-	-	-	-	-	-	-	-	1	-	
Suffocation	141	72	26	10	1	-	-	1	1	1	3	2	2	
Drowning	180	2	-	1	2	2	2	1	13	5	18	23	20	
Fracture and Contusion	420	-	1	1	7	2	5	5	37	14	24	28	35	
Gunshot Wounds	7	-	-	-	-	-	-	-	-	2	-	2	1	
Cuts and Stabs	20	-	-	-	-	1	-	-	-	-	-	2	4	
Other Violent Causes	96	8	-	-	-	3	-	1	3	7	4	9	13	
Not specified	144	44	15	16	8	4	2	6	14	1	-	1	2	

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis . . .	8	4	6	5	—	2	6	1	1	—	—	—	—	—	—	—	
Apoplexy . . .	12	30	31	46	61	67	66	67	65	34	17	8	2	—	—	—	
Paralysis . . .	14	25	19	29	53	61	104	100	103	98	47	16	1	—	—	—	
Delirium Tremens . . .	1	7	4	6	3	2	1	—	—	—	—	—	—	—	—	—	
Chorea . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy . . .	8	3	4	4	7	11	5	5	2	1	—	1	—	—	—	—	
Tetanus . . .	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity . . .	—	2	4	3	2	5	3	3	2	—	—	—	—	—	—	—	
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease . . .	15	17	24	19	22	31	34	21	30	17	7	2	—	—	—	—	
Pericarditis . . .	5	1	3	3	3	1	1	1	2	—	—	—	—	—	—	—	
Aneurism . . .	6	11	9	11	10	8	5	5	1	—	—	—	—	—	—	—	
Heart Disease . . .	86	98	117	116	144	167	183	141	151	64	27	9	1	1	—	1	
Laryngitis . . .	3	1	3	6	1	1	2	2	1	1	—	—	—	—	—	—	
Bronchitis . . .	59	86	141	168	235	234	302	280	230	134	68	35	7	2	—	—	
Pleurisy . . .	4	6	10	9	4	6	7	8	6	3	1	—	—	—	—	—	
Pneumonia . . .	61	77	78	82	78	96	71	54	44	35	10	5	1	1	—	—	
Asthma . . .	6	9	9	19	13	18	20	23	12	11	—	2	—	—	—	1	
Lung Disease . . .	5	5	1	9	13	15	6	8	5	3	2	1	—	—	—	—	
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey . . .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Gastritis . . .	2	8	4	—	9	3	2	1	2	1	—	—	—	—	—	—	
Enteritis . . .	7	4	4	10	6	4	9	4	2	—	2	—	—	—	—	—	
Peritonitis . . .	20	16	5	9	6	8	5	6	9	3	—	—	—	—	—	—	
Ascites . . .	2	—	—	2	4	1	3	1	1	3	—	—	—	—	—	—	
Ulceration of Intestines . . .	4	4	6	5	4	3	5	1	2	—	—	—	—	—	—	—	
Hernia . . .	2	—	3	5	5	6	3	4	4	3	3	—	—	1	—	—	
Illeus . . .	—	6	6	3	4	8	2	4	5	4	1	—	—	—	—	—	
Intussusception . . .	—	2	1	1	2	—	2	—	—	1	—	—	—	—	—	—	
Stricture of Intestines . . .	—	—	2	—	1	3	—	—	—	—	1	—	—	—	—	—	
Stomach Disease . . .	3	8	12	11	17	10	16	19	9	12	2	2	—	—	—	—	
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis . . .	8	5	9	5	8	7	4	4	6	1	—	—	—	—	—	—	
Jaundice . . .	1	3	2	5	2	8	5	1	5	3	4	—	—	—	—	—	
Liver Disease . . .	19	25	42	22	24	24	37	17	22	3	1	1	—	—	—	—	
Spleen Disease . . .	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis . . .	5	—	2	6	5	3	1	—	—	—	1	—	—	—	—	—	
Nephria . . .	21	20	12	12	16	8	9	9	5	3	1	—	—	—	—	—	
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria . . .	1	1	1	1	—	1	—	2	2	2	1	—	—	—	—	—	
Diabetes . . .	8	3	5	3	1	1	—	2	1	—	—	—	—	—	—	—	
Stone . . .	—	—	1	—	—	3	4	2	3	3	—	—	—	—	—	—	
Cystitis . . .	—	—	—	1	2	—	3	—	9	8	2	4	1	—	—	—	
Stricture of Urethra . . .	—	—	1	2	1	3	—	—	1	—	—	—	—	—	—	—	
Kidney Disease . . .	10	9	4	13	9	12	14	14	15	12	3	2	—	—	—	—	
Paramenia . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy . . .	3	3	4	7	2	1	4	2	—	1	—	—	—	—	—	—	
Childbirth . . .	34	27	18	1	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation . . .	1	4	7	1	2	2	1	1	1	—	—	—	—	—	—	—	
Bone Disease . . .	1	3	—	1	—	2	1	2	—	1	—	—	—	—	—	—	
Rheumatism . . .	2	6	5	3	7	5	11	5	2	3	4	—	—	—	—	—	
Joint Disease . . .	2	5	4	1	3	2	1	1	2	—	2	—	—	—	—	—	
Carbuncle . . .	—	1	—	—	1	1	—	1	—	1	—	—	—	—	—	—	
Phlegmon . . .	—	—	3	—	1	—	1	—	—	—	—	—	—	—	—	—	
Skin Disease . . .	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	
Intemperance . . .	13	18	21	14	11	9	12	4	1	2	—	—	—	—	—	—	
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold . . .	—	2	1	1	—	—	—	—	—	1	—	1	—	—	—	—	
Poison . . .	3	1	—	—	2	3	—	1	2	—	—	—	—	—	—	—	
Poisoned Wounds . . .	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	
Burns and Scalds . . .	5	3	5	4	2	4	2	5	4	2	2	1	—	—	—	—	
Hanging, etc. . .	5	2	3	3	1	1	2	2	2	—	—	—	—	—	—	—	
Suffocation . . .	4	1	2	4	6	1	3	—	—	—	—	1	—	—	—	—	
Drowning . . .	9	21	12	15	15	7	4	4	2	2	—	—	—	—	—	—	
Fracture and Contusion . . .	40	22	39	36	36	24	21	14	15	6	5	2	1	—	—	—	
Gunshot Wounds . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs . . .	3	—	5	1	—	1	1	1	—	1	—	—	—	—	—	—	
Other Violent Causes . . .	9	5	4	8	5	2	7	3	3	2	1	—	—	—	—	—	
Not specified . . .	4	4	6	4	5	7	—	1	—	—	—	—	—	—	—	—	

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES.	ALL AGES.	MALES.												
		AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
ALL CAUSES	16245	1710	687	1232	1643	921	618	486	1193	436	465	555	549	
SPECIFIED CAUSES	16166	1682	681	1222	1640	920	616	482	1186	436	465	555	548	
I. Zymotic Class	4119	205	181	377	671	491	378	315	651	159	107	106	91	
II. Diseases of Uncertain Seat	424	11	5	7	11	10	7	8	22	10	5	12	16	
III. Tubercular Class	2357	53	80	167	237	135	79	53	190	94	166	210	188	
IV. Brain and Nervous System	1562	133	70	108	113	59	38	16	79	45	28	32	36	
V. Organs of Circulation	834	3	1	—	—	2	1	3	15	17	16	24	26	
VI. Respiratory Organs	3274	248	217	387	421	171	77	60	106	43	43	61	73	
VII. Organs of Digestion	919	135	52	113	126	22	9	6	29	14	21	26	25	
VIII. Urinary Organs	315	1	—	2	3	5	6	8	23	11	14	10	6	
IX. Organs of Generation	1	1	—	—	—	—	—	—	—	—	—	—	—	
X. Organs of Locomotion	93	—	—	1	3	2	3	1	10	13	14	6	7	
XI. Skin, etc.	22	1	2	4	3	—	—	—	—	2	1	2	—	
XII. Malformation	56	45	9	1	1	—	—	—	—	—	—	—	—	
XIII. Premature Debility	856	767	48	41	—	—	—	—	—	—	—	—	—	
XIV. Atrophy	95	—	—	—	36	10	5	4	9	3	1	2	2	
XV. Age	348	—	—	—	—	—	—	—	—	—	—	—	—	
XVI. Sudden Deaths	30	2	1	1	1	—	—	—	1	—	—	2	—	
XVII. Violent Deaths	861	77	15	13	14	13	13	8	51	25	49	62	73	
I. Small-pox	210	13	9	4	1	3	2	7	17	14	30	40	35	
Measles	248	2	6	51	100	39	19	10	15	1	2	1	—	
Scarlatina	1743	8	15	89	238	281	256	223	497	101	15	7	6	
Diphtheria	155	4	3	10	33	27	19	15	31	4	2	1	1	
Hooping-cough	414	21	34	96	131	64	33	18	17	—	—	—	—	
Croup	200	7	7	25	61	36	28	20	15	1	—	—	—	
Thrush	8	5	2	1	—	—	—	—	—	—	—	—	—	
Diarrhoea	455	106	77	83	84	16	9	7	6	3	1	2	2	
Dysentery	40	3	3	3	4	—	—	1	2	1	—	—	4	
Cholera	14	—	2	3	—	—	2	1	2	—	—	1	—	
Influenza	12	—	—	—	—	1	1	—	1	—	—	—	—	
Purpura	8	—	—	—	—	—	—	1	—	—	—	1	—	
Ague	5	—	—	—	—	—	—	—	—	—	—	—	1	
Worms	1	—	—	—	—	—	1	—	—	—	—	—	—	
Typhus	195	2	1	—	3	3	2	2	14	8	19	15	19	
Enteric Fever	209	—	—	4	7	13	4	8	25	22	30	29	8	
Relapsing Fever	5	—	—	—	—	—	—	—	—	1	2	—	2	
Simple Continued Fever	12	—	—	—	1	2	1	—	4	—	1	—	—	
Infantile Remittent	10	1	1	—	2	3	1	—	2	—	—	—	—	
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever	29	—	—	—	—	1	—	1	3	1	—	2	6	
Erysipelas	68	12	2	1	3	—	—	—	—	—	1	4	4	
Pyæmia	23	1	—	—	1	—	—	—	—	2	4	2	3	
Syphilis	52	20	19	7	1	2	—	—	—	—	—	1	—	
Noma	3	—	—	—	1	—	—	1	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	
II. Hæmorrhage	17	1	1	—	—	1	—	1	2	—	—	1	2	
Dropsy	116	3	—	1	3	8	6	5	15	4	1	2	4	
Abscess	65	6	1	6	5	—	—	1	3	5	4	6	2	
Ulcer	14	—	1	—	—	1	—	—	—	—	—	—	—	
Fistula	6	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification	28	1	2	—	2	—	—	—	1	1	—	2	—	
Cancer	174	—	—	—	1	—	1	1	1	—	—	1	8	
Gout	4	—	—	—	—	—	—	—	—	—	—	—	—	
III. Scrofula	162	9	4	6	21	10	8	6	24	18	15	10	8	
Tabes Mesenterica	262	16	18	30	67	37	16	12	41	16	4	1	1	
Phthisis	1495	6	24	24	37	35	18	19	68	60	147	199	179	
Hydrocephalus	438	22	34	107	112	53	37	16	57	—	—	—	—	

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	527	543	623	596	627	613	636	516	497	317	155	72	19	8	-	1
SPECIFIED CAUSES . . .	525	540	621	593	625	609	636	515	497	317	155	72	19	8	-	1
Zymotic Class . . .	58	56	50	43	55	28	35	21	16	13	7	4	1	-	-	-
Uncertain Seat . . .	16	21	26	33	32	40	38	41	34	9	10	-	-	-	-	-
Tubercular Class . . .	163	133	124	96	78	48	37	14	8	3	1	-	-	-	-	-
Brain, etc.	37	57	62	62	75	94	113	104	94	69	27	10	1	-	-	-
Heart, etc.	46	57	84	71	83	86	106	74	72	29	12	8	1	1	-	1
Respiratory Organs . . .	76	104	121	152	166	188	175	156	113	76	26	11	2	1	-	-
Digestive Organs . . .	24	35	55	38	41	41	40	25	25	10	6	1	-	-	-	-
Urinary Organs . . .	25	16	20	23	23	20	18	20	24	24	6	6	1	-	-	-
Generative Organs . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotive Organs . . .	1	6	6	4	4	6	1	1	2	-	2	-	-	-	-	-
Skin	-	1	1	-	1	1	2	-	-	1	-	-	-	-	-	-
Malformation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Debility . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atrophy	-	-	2	2	5	14	-	-	-	-	-	-	-	-	-	-
Age	-	-	-	-	-	-	34	34	93	75	58	35	13	6	-	-
Sudden Deaths . . .	5	-	2	3	1	4	4	2	-	-	-	1	-	-	-	-
Violent Deaths . . .	74	54	68	66	61	39	33	23	16	8	-	1	-	-	-	-
Small-pox	11	11	5	4	1	3	-	-	-	-	-	-	-	-	-	-
Measles	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	3	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Diphtheria	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-
Hooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	2	2	4	4	6	5	9	5	8	6	5	3	-	-	-	-
Dysentery	1	-	4	1	3	1	4	1	1	2	1	-	-	-	-	-
Cholera	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Influenza	-	1	-	-	2	-	1	1	1	1	1	-	1	-	-	-
Purpura	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Ague	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	17	16	17	16	21	8	7	2	2	-	-	1	-	-	-	-
Enteric Fever	12	12	10	3	10	2	4	3	2	1	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Cont. Fever . . .	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
Infantile Remittent . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	6	3	1	2	2	-	1	-	-	-	-	-	-	-	-	-
Erysipelas	2	4	4	7	5	8	2	6	1	2	-	-	-	-	-	-
Pyæmia	1	2	2	1	1	1	1	1	-	-	-	-	-	-	-	-
Syphilis	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Noma	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	1	-	1	3	1	1	-	-	1	-	-	-	-	-	-	-
Dropsy	5	4	5	4	6	7	14	7	7	1	4	-	-	-	-	-
Abscess	2	5	3	4	4	1	1	3	2	1	-	-	-	-	-	-
Ulcer	-	-	1	1	2	1	2	1	2	1	1	-	-	-	-	-
Fistula	-	-	1	3	-	1	1	-	-	-	-	-	-	-	-	-
Mortification	-	1	2	1	2	2	2	6	2	-	1	-	-	-	-	-
Cancer	8	11	13	17	17	26	18	23	18	6	4	-	-	-	-	-
Gout	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-
Scrofula	6	2	4	5	-	2	1	-	1	1	1	-	-	-	-	-
Tuberc Mesenterica . . .	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis	157	129	120	90	78	46	36	14	7	2	-	-	-	-	-	-
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.												
		AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30	
IV. Cephalitis	238	8	13	32	41	19	19	4	32	20	8	7	8	
Apoplexy	352	9	6	18	11	9	2	1	11	4	6	7	6	
Paralysis	356	-	-	1	-	-	1	-	3	1	3	5	8	
Delirium Tremens	24	-	-	-	-	-	-	-	-	-	1	1	4	
Chorea	1	-	-	-	-	-	-	-	-	-	-	-	-	
Epilepsy	46	-	1	-	-	-	-	-	-	7	3	3	3	
Tetanus	12	7	-	-	-	1	-	-	-	1	1	-	-	
Insanity	8	-	-	-	-	-	-	-	-	-	-	2	2	
Convulsions	308	105	44	48	52	23	14	5	17	-	-	-	-	
Brain Disease	217	4	6	9	9	7	2	6	16	13	6	6	5	
V. Pericarditis	22	-	-	-	-	-	-	1	4	4	2	1	-	
Aneurism	53	-	-	-	-	-	-	-	-	1	1	-	1	
Heart Disease	759	3	1	-	-	2	1	2	11	12	13	23	25	
VI. Laryngitis	43	2	5	9	3	6	3	-	-	1	-	2	1	
Bronchitis	2074	185	181	275	324	123	52	41	64	16	8	9	21	
Pleurisy	67	1	1	-	-	-	1	-	1	5	7	6	4	
Pneumonia	933	50	28	101	92	37	20	17	39	17	26	43	43	
Asthma	86	-	-	-	-	-	-	1	-	-	-	-	1	
Lung Disease	71	10	2	2	2	5	1	1	2	4	2	1	3	
VII. Teething	189	-	10	74	95	10	-	-	-	-	-	-	-	
Quinsey	9	2	-	1	3	2	-	-	-	-	-	-	-	
Gastritis	51	14	8	2	6	1	1	-	1	-	1	2	2	
Enteritis	153	49	18	23	12	7	3	2	8	4	5	3	3	
Peritonitis	69	1	3	-	2	-	3	-	6	5	10	3	3	
Ascites	12	-	-	-	-	-	-	2	3	-	-	-	-	
Ulceration of Intestines	29	-	-	-	-	-	-	-	-	1	1	3	4	
Hernia	21	1	-	-	1	-	-	-	1	-	-	1	2	
Ileus	36	10	2	1	1	-	-	1	-	1	-	1	2	
Intussusception	6	1	-	1	-	-	-	-	1	-	-	-	-	
Stricture of Intestines	2	-	-	-	-	-	-	-	-	-	-	-	-	
Stomach Disease	124	33	7	9	5	1	2	1	7	1	2	1	2	
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hepatitis	26	1	1	1	-	-	-	-	-	-	1	4	1	
Jaundice	34	14	-	-	-	-	-	-	1	-	-	-	-	
Liver Disease	164	9	2	1	1	1	-	-	-	2	1	8	7	
Spleen Disease	4	-	1	-	-	-	-	-	-	-	-	-	-	
VIII. Nephritis	50	1	-	2	2	3	3	4	11	3	4	2	1	
Nephria	78	-	-	-	-	-	2	3	5	1	5	4	3	
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ischuria	12	-	-	-	-	-	1	-	-	-	-	1	-	
Diabetes	22	-	-	-	-	-	-	-	1	2	1	1	1	
Stone	16	-	-	-	-	-	-	-	-	1	-	-	-	
Cystitis	31	-	-	-	-	-	-	-	-	1	1	1	-	
Stricture of Urethra	8	-	-	-	-	-	-	-	-	-	-	-	-	
Kidney Disease	98	-	-	-	1	2	-	1	6	3	3	1	1	
IX. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organs of Generation	1	1	-	-	-	-	-	-	-	-	-	-	-	
X. Bone Disease	22	-	-	-	2	-	-	-	5	2	4	1	4	
Rheumatism	21	-	-	-	-	1	-	-	1	2	1	1	-	
Joint Disease	50	-	-	1	1	1	3	1	4	9	9	4	3	
XI. Carbuncle	5	-	-	-	1	-	-	-	-	-	-	-	-	
Phlegmon	5	-	-	-	-	-	-	-	-	-	-	-	-	
Skin Disease	12	1	2	4	2	-	-	-	-	2	-	2	-	
XVII. Intemperance	71	-	-	-	-	-	-	-	-	-	-	1	9	
Privation	3	3	-	-	-	-	-	-	-	-	-	-	-	
Want of Breast Milk	37	27	6	3	1	-	-	-	-	-	-	-	-	
Neglect	2	-	1	1	-	-	-	-	-	-	-	-	-	
Cold	3	-	-	-	-	-	-	-	-	-	-	-	-	
Poison	14	1	-	1	-	1	-	-	-	-	-	1	2	
Poisoned Wounds	1	-	-	-	-	-	-	-	-	-	-	-	-	
Burns and Scalds	64	1	1	4	9	7	6	4	9	1	3	1	1	
Hanging, etc.	18	-	-	-	-	-	-	-	-	-	-	-	-	
Suffocation	66	38	7	4	1	-	-	1	1	-	2	2	-	
Drowning	156	2	-	-	1	2	2	-	11	4	18	20	18	
Fracture and Contusion	334	-	-	-	2	-	5	2	29	12	22	26	33	
Gunshot Wounds	5	-	-	-	-	-	-	-	-	2	-	1	1	
Cuts and Stabs	14	-	-	-	-	1	-	-	-	-	-	1	4	
Other Violent Causes	73	5	-	-	-	2	-	1	1	6	4	8	10	
Not specified	79	28	6	10	3	1	2	4	7	-	-	-	1	

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . .	6	4	6	4	—	2	3	1	1	—	—	—	—	—	—	—
Apoplexy . . .	8	15	18	26	29	35	32	40	35	15	6	2	1	—	—	—
Paralysis . . .	9	19	11	18	28	32	54	45	49	48	19	7	—	—	—	—
Delirium Tremens . . .	1	5	4	3	2	2	1	—	—	—	—	—	—	—	—	—
Chorea . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	4	2	3	2	4	5	4	2	1	1	—	1	—	—	—	—
Tetanus . . .	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . .	—	1	—	—	2	—	—	1	—	—	—	—	—	—	—	—
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . .	8	10	19	9	10	18	19	15	8	10	2	—	—	—	—	—
Pericarditis . . .	3	1	3	3	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . .	4	10	8	10	8	2	4	3	1	—	—	—	—	—	—	—
Heart Disease . . .	39	46	73	58	75	84	102	71	71	29	12	3	1	1	—	1
Laryngitis . . .	1	—	2	5	1	—	1	1	—	—	—	—	—	—	—	—
Bronchitis . . .	25	39	57	69	102	107	119	106	76	47	19	8	1	—	—	—
Pleurisy . . .	2	3	7	7	3	4	6	6	3	—	—	—	—	—	—	—
Pneumonia . . .	40	53	48	57	46	62	38	26	22	19	5	2	1	1	—	—
Asthma . . .	5	4	7	12	6	10	9	13	9	8	—	1	—	—	—	—
Lung Disease . . .	3	5	—	2	8	5	2	4	3	2	2	—	—	—	—	—
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quincy . . .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Gastritis . . .	—	2	3	—	4	2	—	—	1	1	—	—	—	—	—	—
Enteritis . . .	2	2	1	2	2	2	3	2	—	—	1	—	—	—	—	—
Peritonitis . . .	5	5	4	2	3	4	3	2	3	2	—	—	—	—	—	—
Ascites . . .	1	—	—	2	—	1	1	—	1	1	—	—	—	—	—	—
Ulceration of Intestines . . .	2	1	5	4	1	2	3	1	1	—	—	—	—	—	—	—
Hernia . . .	—	—	1	2	3	3	2	2	1	1	—	—	—	—	—	—
Ileus . . .	—	4	2	1	4	1	1	1	1	1	—	—	—	—	—	—
Intussusception . . .	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—
Stricture of Intestines . . .	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . .	1	—	8	7	8	5	6	9	5	2	1	1	—	—	—	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	2	2	2	2	1	4	1	1	2	—	—	—	—	—	—	—
Jaundice . . .	1	2	—	3	2	3	2	1	2	1	2	—	—	—	—	—
Liver Disease . . .	10	16	27	10	13	13	18	6	8	—	—	—	—	—	—	—
Spleen Disease . . .	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . .	2	—	2	4	4	2	—	—	—	—	—	—	—	—	—	—
Nephria . . .	9	11	9	5	9	3	3	4	1	1	—	—	—	—	—	—
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	1	—	1	1	—	1	—	1	2	2	1	—	—	—	—	—
Diabetes . . .	6	2	4	2	—	1	—	1	—	—	—	—	—	—	—	—
Stone . . .	—	—	1	—	—	2	4	2	3	3	—	—	—	—	—	—
Cystitis . . .	—	—	—	1	2	—	2	—	8	8	2	4	1	—	—	—
Stricture of Urethra . . .	—	—	1	2	1	3	—	—	1	—	—	—	—	—	—	—
Kidney Disease . . .	7	3	2	8	7	8	9	12	9	10	3	2	—	—	—	—
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease . . .	—	1	—	1	—	2	—	—	—	—	—	—	—	—	—	—
Rheumatism . . .	—	2	4	2	3	2	1	—	1	—	—	—	—	—	—	—
Joint Disease . . .	1	3	2	1	1	2	—	1	1	—	2	—	—	—	—	—
Carbuncle . . .	—	1	—	—	1	1	—	—	—	1	—	—	—	—	—	—
Phlegmon . . .	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Skin Disease . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Intemperance . . .	7	11	14	8	5	6	5	3	1	1	—	—	—	—	—	—
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Poison . . .	2	1	—	—	2	2	—	—	1	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Burns and Scalds . . .	4	3	1	1	2	3	1	—	1	1	—	—	—	—	—	—
Hanging, etc. . .	4	1	3	2	1	1	1	2	2	—	—	—	—	—	—	—
Suffocation . . .	1	1	—	2	3	—	3	—	—	—	—	—	—	—	—	—
Drowning . . .	9	16	11	14	12	4	4	4	2	2	—	—	—	—	—	—
Fracture and Contusion . . .	37	17	32	31	31	20	15	11	7	2	—	—	—	—	—	—
Gunshot Wounds . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	1	—	4	1	—	1	1	—	—	—	—	—	—	—	—	—
Other Violent Causes . . .	8	3	3	7	5	2	3	2	2	1	—	—	—	—	—	—
Not specified . . .	2	3	2	3	2	4	—	1	—	—	—	—	—	—	—	—

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.												
		AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30	
ALL CAUSES	15879	1285	565	976	1495	869	604	434	1027	399	492	594	592	
SPECIFIED CAUSES	15814	1269	556	970	1490	866	604	432	1020	398	492	593	591	
I. Zymotic Class	4134	185	182	829	674	488	391	293	625	168	113	114	102	
II. Diseases of Uncertain Seat	623	14	1	8	6	7	7	7	11	6	7	14	15	
III. Tubercular Class	2477	35	54	118	196	136	73	50	154	111	249	279	242	
IV. Brain and Nervous System	1263	93	44	55	83	38	34	15	50	25	25	28	28	
V. Organs of Circulation	775	-	-	1	1	-	1	1	9	20	19	27	35	
VI. Respiratory Organs	3137	186	160	314	373	152	69	41	96	29	28	39	42	
VII. Organs of Digestion	917	101	40	87	107	23	9	9	25	6	19	35	19	
VIII. Urinary Organs	199	-	-	-	4	5	2	3	14	7	9	16	19	
IX. Organs of Generation	235	1	-	-	-	1	-	-	-	-	9	23	68	
X. Organs of Locomotion	103	1	-	1	4	2	1	3	9	13	7	5	3	
XI. Skin, etc.	15	2	3	1	2	-	-	-	-	-	1	-	1	
XII. Malformation	29	24	2	-	1	1	-	-	1	-	-	-	-	
XIII. Premature Debility	652	569	44	39	-	-	-	-	-	-	-	-	-	
XIV. Atrophy	113	-	-	-	23	5	8	2	6	2	2	-	3	
XV. Age	750	-	-	-	-	-	-	-	-	-	-	-	-	
XVI. Sudden Deaths	22	5	1	-	-	-	-	-	-	2	-	-	1	
XVII. Violent Deaths	370	53	25	17	16	8	9	8	20	9	4	8	13	
I. Small-pox	146	12	15	5	4	3	4	4	15	13	19	14	16	
Measles	223	2	4	35	84	42	26	12	15	2	-	-	1	
Scarlatina	1615	8	14	69	220	263	249	198	440	86	32	15	10	
Diphtheria	153	4	-	6	30	22	20	26	31	8	2	1	-	
Hooping-cough	534	19	46	105	176	93	39	25	80	1	-	-	-	
Croup	158	3	6	20	49	24	22	11	19	4	-	-	-	
Thrush	7	4	2	-	1	-	-	-	-	-	-	-	-	
Diarrhoea	496	93	72	72	89	18	11	7	10	7	2	6	3	
Dysentery	39	-	2	-	1	1	-	-	1	-	-	2	-	
Cholera	16	2	3	1	-	2	-	-	3	1	-	-	1	
Influenza	16	-	-	4	-	1	-	-	1	-	2	-	-	
Purpura	12	-	-	-	-	-	2	-	1	2	3	1	-	
Ague	2	-	-	-	-	-	-	-	-	-	-	-	-	
Worms	1	-	-	-	-	-	1	-	-	-	-	-	-	
Typhus	177	-	-	-	-	3	3	2	10	12	19	18	16	
Enteric Fever	215	-	-	2	7	11	9	6	40	26	19	27	15	
Relapsing Fever	5	-	-	-	-	-	-	-	-	-	-	1	-	
Simple Continued Fever	8	-	-	1	1	-	1	-	3	-	-	-	-	
Infantile Remittent	15	-	-	-	4	4	2	2	3	-	-	-	-	
Metria	123	-	-	-	-	-	-	-	-	-	10	24	34	
Rheumatic Fever	25	-	-	-	-	-	1	-	1	4	2	-	2	
Erysipelas	72	18	2	3	2	-	1	-	1	-	2	8	3	
Pyæmia	15	-	-	1	-	-	-	-	1	1	1	2	-	
Syphilis	68	20	16	5	5	1	-	-	-	-	-	-	-	
Noma	2	-	-	-	1	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Diseases	1	-	-	-	-	-	-	-	-	-	-	-	1	
II. Hæmorrhage	16	6	-	1	-	1	-	-	-	-	-	1	1	
Dropsy	131	1	-	2	1	4	6	6	10	4	3	8	3	
Abscess	49	5	-	3	1	-	-	1	1	1	3	8	2	
Ulcer	23	-	1	1	-	1	-	-	-	-	-	-	1	
Fistula	3	-	-	-	-	-	-	-	-	-	-	-	-	
Mortification	30	1	-	-	3	-	-	-	-	-	1	-	-	
Cancer	369	1	-	1	1	1	1	-	-	1	-	2	8	
Gout	2	-	-	-	-	-	-	-	-	-	-	-	-	
III. Scrofula	115	3	3	12	11	11	10	2	20	17	5	7	3	
Tuberc Mesenterica	208	12	12	26	51	30	16	8	27	10	6	2	3	
Phthisis	1793	4	12	12	43	30	16	17	67	84	238	270	236	
Hydrocephalus	361	16	27	68	91	65	81	23	40	-	-	-	-	

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	555	575	565	556	620	583	729	618	706	480	326	175	44	12	2	1	
SPECIFIED CAUSES . .	553	574	561	555	617	580	729	618	706	480	326	175	44	12	2	1	
Zymotic Class . . .	89	66	48	46	40	23	40	26	41	18	17	12	2	2	-	-	
Uncertain Seat . . .	23	26	58	52	74	56	76	48	58	26	15	5	1	1	1	-	
Tubercular Class . .	178	186	147	110	68	47	23	10	6	5	-	-	-	-	-	-	
Brain, etc.	22	32	31	50	73	85	106	93	109	81	44	17	2	-	-	-	
Heart, etc.	51	53	45	59	74	85	83	73	82	35	15	6	-	-	-	-	
Respiratory Organs .	62	80	121	141	178	182	233	219	185	111	55	32	6	2	-	1	
Digestive Organs . .	44	46	42	42	51	44	53	37	42	24	9	2	-	1	-	-	
Urinary Organs . . .	20	17	6	15	11	11	13	9	12	4	2	-	-	-	-	-	
Generative Organs . .	38	34	29	10	4	3	5	3	1	1	-	-	-	-	-	-	
Locomotive Organs .	4	8	3	1	6	3	12	7	2	4	4	-	-	-	-	-	
Skin	-	-	2	-	1	-	-	1	1	-	-	-	-	-	-	-	
Malformation . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Premature Debility .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atrophy	3	2	4	8	18	27	-	-	-	-	-	-	-	-	-	-	
Age	-	-	-	-	-	-	65	78	151	163	157	97	32	6	1	-	
Sudden Deaths . . .	-	3	1	1	1	1	1	2	3	-	-	-	-	-	-	-	
Violent Deaths . . .	19	21	24	20	18	13	19	12	13	8	8	4	1	-	-	-	
Small-pox	8	6	2	3	1	-	1	-	1	-	-	-	-	-	-	-	
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	4	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
Diphtheria	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea	1	5	5	9	7	9	14	9	15	11	12	7	2	-	-	-	
Dysentery	-	2	2	1	2	-	8	3	6	2	2	3	-	1	-	-	
Cholera	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	
Influenza	-	-	-	-	-	1	2	-	3	1	-	1	-	-	-	-	
Purpura	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Ague	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	13	13	13	18	14	8	5	4	3	1	2	-	-	-	-	-	
Enteric Fever	13	5	7	8	5	1	6	3	5	-	-	-	-	-	-	-	
Relapsing Fever . . .	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	
Simple Cont. Fever . .	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Infantile Remittent . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Metria	32	19	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever . . .	1	4	2	3	2	1	-	1	1	-	-	-	-	-	-	-	
Erysipelas	5	2	6	4	4	2	2	3	3	3	1	1	-	1	-	-	
Pyæmia	7	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Syphilis	4	-	3	-	1	1	1	-	1	-	-	-	-	-	-	-	
Noma	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage	1	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	
Dropsy	8	3	9	2	12	9	10	9	11	9	4	-	1	1	-	-	
Abcess	3	-	6	2	5	-	3	-	2	3	-	-	-	-	-	-	
Ulcer	-	-	1	2	2	3	1	1	6	2	-	-	-	-	-	-	
Fistula	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mortification	-	-	-	-	2	2	4	3	7	2	3	2	-	-	-	-	
Cancer	10	19	41	45	53	42	57	34	31	10	8	3	-	-	-	-	
Gout	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
Scrofula	6	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	
Tuberc Mesenterica . .	2	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	
Phthisis	170	185	144	110	67	45	22	10	6	5	-	-	-	-	-	-	
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.												
		AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
	3	6	12											
IV. Cephalitis	129	4	9	15	22	15	13	6	11	8	6	7	7	
Apoplexy	321	8	4	6	13	4	7	2	13	4	3	5	8	
Paralysis	351	—	—	—	2	—	1	1	3	2	2	3	1	
Delirium Tremens	7	—	—	—	—	—	—	—	—	—	—	—	1	
Chorea	1	—	—	—	—	—	1	—	—	—	—	—	—	
Epilepsy	41	—	—	—	—	—	—	—	—	2	8	7	2	
Tetanus	1	1	—	—	—	—	—	—	—	—	—	—	—	
Insanity	24	—	—	—	—	—	—	—	—	—	—	2	—	
Convulsions	206	76	28	27	39	13	8	3	12	—	—	—	—	
Brain Disease	182	4	3	7	7	6	4	3	11	9	6	4	7	
V. Pericarditis	19	—	—	—	—	—	—	—	2	1	3	1	2	
Aneurism	11	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease	745	—	—	1	1	—	1	1	7	19	16	26	33	
VI. Laryngitis	32	—	2	1	4	3	5	2	2	—	1	1	1	
Bronchitis	2317	148	127	239	285	120	44	26	55	14	10	20	23	
Pleurisy	39	—	—	—	—	—	2	1	4	3	3	1	2	
Pneumonia	623	33	28	69	79	28	17	10	33	9	14	15	15	
Asthma	64	1	—	1	1	—	—	—	—	—	—	1	1	
Lung Disease	62	4	3	4	4	1	1	2	2	3	—	1	—	
VII. Teething	158	2	10	56	77	12	—	1	—	—	—	—	—	
Quinsey	13	2	2	1	2	2	—	1	1	—	—	2	—	
Gastritis	51	13	3	4	5	1	2	1	—	—	2	—	1	
Enteritis	149	36	10	17	14	3	4	5	13	4	2	5	1	
Peritonitis	90	3	1	—	3	1	1	—	—	1	5	16	5	
Ascites	12	—	—	—	—	—	1	—	—	—	—	—	1	
Ulceration of Intestines	21	1	—	—	1	—	—	—	1	—	1	2	1	
Hernia	24	—	—	—	—	—	—	—	—	—	—	—	—	
Ileus	50	11	5	3	1	—	—	1	2	—	—	—	1	
Intussusception	9	1	—	—	—	—	—	—	1	—	—	—	1	
Stricture of Intestines	5	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	120	20	9	2	2	1	—	—	5	—	4	5	4	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	48	1	—	1	1	2	—	—	—	—	—	1	2	
Jaundice	30	8	—	—	—	1	1	—	—	—	—	—	—	
Liver Disease	137	3	—	3	1	—	—	—	2	1	5	4	2	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	
VIII. Nephritis	28	—	—	—	3	2	1	1	6	1	2	—	3	
Nephria	96	—	—	—	1	2	—	1	3	5	4	9	10	
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	3	—	—	—	—	—	—	—	—	—	—	—	1	
Diabetes	12	—	—	—	—	—	—	—	—	—	1	2	1	
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—	
Cystitis	2	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	57	—	—	—	—	1	1	1	5	1	2	5	4	
IX. Paramenia	3	—	—	—	—	—	—	—	—	—	1	1	—	
Ovarian Dropsy	30	—	—	—	—	—	—	—	—	—	—	2	1	
Childbirth	174	—	—	—	—	—	—	—	—	—	7	24	63	
Organs of Generation	28	1	—	—	—	1	—	—	—	—	1	1	4	
X. Bone Disease	16	1	—	—	—	1	—	1	1	2	3	—	—	
Rheumatism	43	—	—	—	—	—	—	—	1	1	1	—	2	
Joint Disease	44	—	—	1	4	1	1	2	7	10	3	5	1	
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	4	—	—	—	—	—	—	—	—	—	—	—	1	
Skin Disease	10	2	3	1	2	—	—	—	—	—	1	—	—	
XVII. Intemperance	46	—	—	—	—	—	—	—	—	—	—	—	2	
Privation	1	—	—	—	—	—	1	—	—	—	—	—	—	
Want of Breast Milk	25	16	5	4	—	—	—	—	—	—	—	—	—	
Neglect	1	—	—	—	—	1	—	—	—	—	—	—	—	
Cold	4	—	—	1	—	—	—	—	—	—	—	—	—	
Poison	10	—	—	—	1	1	—	—	1	1	—	—	2	
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	62	—	—	4	9	3	8	4	7	3	1	—	1	
Hanging, etc.	4	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	75	34	19	6	—	—	—	—	—	1	1	—	2	
Drowning	24	—	—	1	1	—	—	—	2	1	—	3	2	
Fracture and Contusion	86	—	1	1	5	2	—	3	8	2	2	2	2	
Gunshot Wounds	2	—	—	—	—	—	—	—	—	—	—	1	—	
Cuts and Stabs	6	—	—	—	—	—	—	—	—	—	—	1	—	
Other Violent Causes	23	3	—	—	—	1	—	—	2	1	—	1	2	
Not specified	65	16	9	6	5	3	—	2	7	1	—	1	1	

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES. (Continued.)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	—	—	1	—	—	3	—	—	—	—	—	—	—	—	—
Apoplexy	4	15	13	20	32	32	34	27	30	19	11	6	1	—	—	—
Paralysis	5	6	8	11	25	29	50	55	54	55	28	9	1	—	—	—
Delirium Tremens	—	2	—	3	1	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	4	1	1	2	3	6	1	3	1	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	1	4	3	—	5	3	2	2	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	7	7	5	10	12	13	15	6	22	7	5	2	—	—	—	—
Pericarditis	2	—	—	—	3	1	1	1	2	—	—	—	—	—	—	—
Aneurism	2	1	1	1	2	1	1	2	—	—	—	—	—	—	—	—
Heart Disease	47	52	44	58	69	83	81	70	80	35	15	6	—	—	—	—
Laryngitis	2	1	1	1	—	1	1	1	1	1	—	—	—	—	—	—
Bronchitis	34	47	84	99	133	127	183	174	154	87	49	27	6	2	—	—
Pleurisy	2	3	3	2	1	2	1	2	3	3	1	—	—	—	—	—
Pneumonia	21	24	30	25	32	34	33	28	22	16	5	3	—	—	—	—
Asthma	1	5	2	7	7	8	11	10	3	3	—	1	—	—	—	1
Lung Disease	2	—	1	7	5	10	4	4	2	1	—	1	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	2	6	1	—	5	1	2	1	1	—	—	—	—	—	—	—
Enteritis	5	2	3	8	4	2	6	2	2	—	1	—	—	—	—	—
Peritonitis	15	11	1	7	3	4	2	4	6	1	—	—	—	—	—	—
Ascites	1	—	—	—	4	—	2	1	—	2	—	—	—	—	—	—
Ulceration of Intestines	2	3	1	1	3	1	2	—	1	—	—	—	—	—	—	—
Hernia	2	—	2	3	2	3	1	2	3	2	3	—	—	1	—	—
Ileus	—	2	4	2	—	7	1	3	4	3	—	—	—	—	—	—
Intussusception	—	1	1	—	2	—	2	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	1	—	1	2	—	—	—	1	—	—	—	—	—	—
Stomach Disease	2	8	4	4	9	5	10	10	4	10	1	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	6	3	7	3	7	3	3	3	4	1	—	—	—	—	—	—
Jaundice	—	1	2	2	—	5	3	—	3	2	2	—	—	—	—	—
Liver Disease	9	9	15	12	11	11	19	11	14	3	1	1	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	3	—	—	2	1	1	1	—	—	—	1	—	—	—	—	—
Nephria	12	9	3	7	7	5	6	5	4	2	1	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Diabetes	2	1	1	1	1	—	—	1	1	—	—	—	—	—	—	—
Stone	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	3	6	2	5	2	4	5	2	6	2	—	—	—	—	—	—
Paramenia	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	3	3	4	7	2	1	4	2	—	1	—	—	—	—	—	—
Childbirth	34	27	18	1	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	1	4	7	1	2	2	1	1	1	—	—	—	—	—	—	—
Bone Disease	1	2	—	—	—	—	1	2	—	1	—	—	—	—	—	—
Rheumatism	2	4	1	1	4	3	10	5	1	3	4	—	—	—	—	—
Joint Disease	1	2	2	—	2	—	1	—	1	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Phlegmon	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Intemperance	6	7	7	6	6	3	7	1	—	1	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	4	3	—	1	1	5	3	1	2	1	—	—	—	—
Hanging, etc.	1	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—
Suffocation	3	—	2	2	3	1	—	—	—	—	—	1	—	—	—	—
Drowning	—	5	1	1	3	3	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	3	5	7	5	5	4	6	3	8	4	5	2	1	—	—	—
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	2	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—
Other Violent Causes	1	2	1	1	—	—	4	1	1	1	1	—	—	—	—	—
Not specified	2	1	4	1	3	3	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	10026	991	402	664	911	479	356	278	684	278	344	382	345
SPECIFIED CAUSES	9897	944	390	655	901	473	353	275	678	276	344	382	341
I. Zymotic Class	2649	121	100	200	406	269	238	179	410	116	87	95	72
II. Diseases of Uncertain Seat	324	8	1	2	—	4	5	7	5	7	6	5	10
III. Tubercular Class	1526	36	67	112	152	70	32	31	105	60	156	171	133
IV. Brain and Nervous System	949	63	25	50	41	20	19	8	44	24	16	18	21
V. Organs of Circulation	454	3	—	2	—	—	2	1	11	9	9	10	16
VI. Respiratory Organs	1627	133	111	192	195	76	36	30	50	20	24	25	28
VII. Organs of Digestion	619	66	38	69	74	9	6	3	19	10	11	19	17
VIII. Urinary Organs	164	1	1	1	5	4	3	3	10	7	1	10	4
IX. Organs of Generation	70	—	—	—	—	—	—	—	—	—	6	9	21
X. Organs of Locomotion	55	—	1	—	—	4	—	—	6	6	8	2	1
XI. Skin, etc.	8	1	—	—	2	1	—	—	—	—	—	—	—
XII. Malformation	34	24	3	1	3	1	—	—	—	1	1	—	—
XIII. Premature Debility	516	455	38	23	—	—	—	—	—	—	—	—	—
XIV. Atrophy	53	—	—	—	12	7	3	3	5	1	1	—	—
XV. Age	535	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	14	2	—	—	3	—	—	1	—	—	—	—	—
XVII. Violent Deaths	300	31	5	3	8	8	9	9	13	15	18	18	18
I. Small-pox	314	23	14	9	9	5	3	10	25	42	31	37	35
Measles	166	2	3	17	66	23	26	10	14	1	1	—	—
Scarlatina	891	6	10	40	112	149	128	257	35	14	8	4	—
Diphtheria	168	3	—	11	33	23	27	18	35	7	2	1	—
Hooping-cough	203	12	13	47	81	19	19	3	7	—	—	—	—
Croup	127	4	6	6	36	25	21	10	18	—	—	—	—
Thrush	3	2	—	1	—	—	—	—	—	—	—	—	—
Diarrhoea	275	37	40	55	45	11	4	—	6	1	1	—	—
Dysentery	48	1	3	4	7	2	—	—	—	—	—	—	—
Cholera	5	1	1	2	—	—	—	—	1	—	—	—	—
Influenza	14	2	—	2	—	—	1	—	2	—	—	—	—
Purpura	11	—	1	—	1	1	—	1	2	1	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	78	—	1	1	2	1	1	2	8	7	6	8	6
Enteric Fever	161	—	1	—	6	7	6	5	28	16	20	16	8
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	8	1	—	—	1	—	—	—	3	1	—	—	—
Infantile Remittent	8	1	1	1	2	2	1	—	—	—	—	—	—
Metria	64	—	—	—	—	—	—	—	—	—	5	23	16
Rheumatic Fever	16	—	—	—	—	1	—	—	1	3	5	—	—
Erysipelas	55	18	1	2	3	—	—	—	1	1	1	1	—
Pyæmia	11	—	—	—	—	—	—	—	2	1	—	1	2
Syphilis	22	8	5	2	2	—	—	—	—	—	—	—	1
Noma	1	—	—	—	—	—	1	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	16	2	—	—	—	—	—	—	—	—	1	—	3
Dropsy	78	—	—	—	—	2	5	4	4	4	3	—	2
Abscess	32	4	1	2	—	1	—	1	1	1	2	1	1
Ulcer	6	2	—	—	—	—	—	—	—	—	—	1	—
Fistula	2	—	—	—	—	—	—	—	—	—	—	1	—
Mortification	12	—	—	—	—	1	—	1	—	—	—	—	—
Cancer	178	—	—	—	—	—	—	1	—	2	—	2	4
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	72	5	4	9	11	1	1	1	10	7	6	2	4
Tabes Mesenterica	134	13	15	19	29	14	10	5	14	1	3	5	2
Phthisis	1027	4	11	24	33	14	9	12	45	52	147	163	127
Hydrocephalus	293	14	37	60	79	41	12	13	36	—	—	1	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	316	321	303	298	358	356	419	378	447	331	230	102	31	9	2	11	
SPECIFIED CAUSES . .	312	317	299	294	351	354	419	378	447	330	230	102	31	9	2	10	
Zymotic Class . . .	63	56	36	28	31	30	29	21	31	17	8	2	3	—	—	1	
Uncertain Seat . . .	8	15	24	27	33	25	37	30	34	19	8	3	1	—	—	—	
Tubercular Class . .	101	86	74	39	34	27	17	15	4	1	—	—	—	—	—	3	
Brain, etc.	25	33	36	44	47	64	87	63	85	71	36	7	2	—	—	—	
Heart, etc.	27	22	26	24	40	44	54	59	49	32	9	4	—	—	—	1	
Respiratory Organs .	32	35	46	54	85	94	99	79	78	51	39	10	2	—	—	3	
Digestive Organs . .	24	24	24	33	30	33	26	33	26	10	8	4	1	—	—	2	
Urinary Organs . . .	7	11	10	10	13	6	20	11	13	8	4	—	1	—	—	—	
Generative Organs . .	7	10	4	5	2	3	1	—	1	1	—	—	—	—	—	—	
Locomotive Organs .	3	4	2	1	5	3	2	2	4	—	1	—	—	—	—	—	
Skin	—	—	—	1	—	—	1	1	—	1	—	—	—	—	—	—	
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	—	—	1	4	6	10	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	33	57	114	116	114	70	20	9	2	—	
Sudden Deaths . . .	1	—	2	—	2	2	1	—	—	—	—	—	—	—	—	—	
Violent Deaths . . .	14	21	14	24	23	13	12	7	8	3	3	2	1	—	—	—	
Small-pox	25	22	11	4	4	—	4	1	—	—	—	—	—	—	—	—	
Measles	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	2	4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Diphtheria	1	2	—	1	2	1	—	—	1	—	—	—	—	—	—	—	
Hooping-cough . . .	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	
Croup	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhoea	4	3	6	4	4	9	11	6	11	8	5	1	3	—	—	—	
Dysentery	2	1	—	5	3	7	1	4	5	3	—	—	—	—	—	—	
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Influenza	—	—	—	—	—	—	3	—	4	—	—	—	—	—	—	—	
Purpura	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	7	3	3	4	6	4	3	2	2	1	—	—	—	—	—	—	
Enteric Fever	6	8	5	7	4	5	3	2	4	4	—	—	—	—	—	—	
Relapsing Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Simple Cont. Fever . .	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
Infantile Remittent . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria	7	9	4	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever . . .	2	1	1	—	1	—	1	—	—	—	—	—	—	—	—	—	
Erysipelas	2	2	5	2	3	1	1	4	3	1	1	1	—	—	—	1	
Pyæmia	2	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	
Syphilis	—	1	1	—	1	—	—	1	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis. . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	2	2	1	2	1	—	1	—	1	—	—	—	—	—	—	—	
Dropsy	—	6	4	4	3	2	8	6	12	5	—	3	1	—	—	—	
Abscess	2	1	6	1	2	—	1	1	—	2	1	—	—	—	—	—	
Ulcer	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification	—	—	—	1	—	1	3	3	—	1	1	—	—	—	—	—	
Cancer	3	6	13	19	26	22	23	19	21	11	6	—	—	—	—	—	
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula	2	1	3	1	—	1	1	2	—	—	—	—	—	—	—	—	
Tabes Mesenterica . . .	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis	98	82	71	38	34	26	16	13	4	1	—	—	—	—	—	3	
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

**CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1874.—BOTH SEXES. (Continued.)**

DISEASES.	ALL AGES.	BOTH SEXES.												
		AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	108	3	7	20	9	8	9	1	19	11	6	1	2	
Apoplexy	242	7	2	2	6	3	5	2	3	3	—	10	3	
Paralysis	257	1	—	1	1	—	—	—	3	1	—	—	6	
Delirium Tremens	9	—	—	—	—	—	—	—	—	—	—	1	—	
Chorea	3	—	—	—	—	—	—	—	1	1	—	—	—	
Epilepsy	42	1	—	1	1	—	—	—	3	2	5	5	2	
Tetanus	7	3	1	—	—	—	—	—	—	1	—	—	—	
Insanity	17	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions	117	46	11	23	17	6	2	4	8	—	—	—	—	
Brain Disease	147	2	4	3	7	3	3	1	7	5	5	1	6	
V. Pericarditis	21	—	—	—	—	—	—	1	4	1	3	1	2	
Aneurism	13	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease	420	3	—	2	—	—	2	—	7	8	6	9	14	
VI. Laryngitis	17	1	1	1	2	1	1	—	1	—	—	—	1	
Bronchitis	1047	103	85	155	151	49	25	13	27	6	7	7	9	
Pleurisy	21	—	—	—	—	1	—	2	1	—	3	—	1	
Pneumonia	460	26	24	36	41	25	9	15	19	13	11	16	16	
Asthma	50	—	—	—	—	—	—	—	—	—	—	—	—	
Lung Disease	32	3	1	—	1	—	1	—	2	1	3	2	—	
VII. Teething	83	—	5	31	43	4	—	—	—	—	—	—	—	
Quinsey	10	1	—	3	1	1	1	—	2	—	—	—	—	
Gastritis	26	4	2	1	1	—	1	1	2	—	1	—	1	
Enteritis	98	22	15	13	11	1	1	—	2	4	2	6	2	
Peritonitis	63	1	2	2	2	—	1	1	5	3	2	7	6	
Ascites	14	—	—	—	—	—	—	—	2	1	—	1	—	
Ulceration of Intestines	24	1	—	2	1	—	—	—	1	—	—	1	1	
Hernia	14	2	1	—	—	—	1	—	—	—	—	—	—	
Ileus	32	1	—	2	1	—	1	1	1	1	2	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	116	21	9	13	12	2	—	—	3	1	—	1	4	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	27	—	2	—	—	—	—	—	—	—	1	1	—	
Jaundice	27	11	—	—	1	1	—	—	—	—	1	1	—	
Liver Disease	81	2	2	2	1	—	—	—	1	—	2	1	2	
Spleen Disease	2	—	—	—	—	—	—	—	—	—	—	—	1	
VIII. Nephritis	24	—	—	1	3	2	1	2	5	2	—	—	—	
Nephria	52	—	1	—	—	1	1	1	1	—	—	4	1	
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	2	1	—	—	—	—	—	—	—	—	—	—	—	
Diabetes	18	—	—	—	—	—	—	—	—	—	—	2	1	
Stone	3	—	—	—	—	—	—	—	—	—	—	—	—	
Cystitis	8	—	—	—	—	1	—	—	—	—	—	—	—	
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	56	—	—	—	2	—	1	—	4	5	1	4	2	
IX. Paramenia	2	—	—	—	—	—	—	—	—	—	—	—	2	
Ovarian Dropsy	9	—	—	—	—	—	—	—	—	—	—	—	2	
Childbirth	48	—	—	—	—	—	—	—	—	—	5	9	17	
Organs of Generation	11	—	—	—	—	—	—	—	—	—	1	—	—	
X. Bone Disease	3	—	—	—	—	—	—	—	1	—	—	—	—	
Rheumatism	21	—	—	—	—	—	—	—	—	3	1	—	—	
Joint Disease	31	—	1	—	—	4	—	—	5	3	7	2	1	
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	5	1	—	—	2	1	—	—	—	—	—	—	—	
XVII. Intemperance	28	—	—	—	—	—	—	—	—	—	—	—	3	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	11	9	—	2	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	3	1	—	—	—	—	—	—	—	—	—	—	—	
Poison	6	1	—	—	—	—	—	—	2	1	1	—	—	
Poisoned Wounds	1	—	—	—	—	—	1	—	—	—	—	—	—	
Burns and Scalds	30	1	—	—	4	5	3	5	2	—	1	—	1	
Hanging, etc.	8	—	—	—	—	—	—	—	—	—	—	1	—	
Suffocation	34	14	5	1	1	—	—	—	1	—	1	—	—	
Drowning	45	2	—	—	2	1	1	—	5	2	3	3	2	
Fracture and Contusion	113	—	—	—	1	2	3	4	3	9	9	14	10	
Gunshot Wounds	1	—	—	—	—	—	—	—	—	1	—	—	—	
Cuts and Stabs	2	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	18	3	—	—	—	—	1	—	—	2	3	—	2	
Not specified	129	47	12	9	10	6	3	3	6	2	—	—	4	

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES.—(Continued.)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis . . .	2	1	1	1	1	1	4	—	—	—	1	—	—	—	—	—	
Apoplexy . . .	9	13	9	9	18	20	27	19	24	27	15	5	1	—	—	—	
Paralysis . . .	3	5	16	17	14	29	35	30	44	33	16	1	1	—	—	—	
Delirium Tremens . . .	—	1	—	1	2	—	3	—	—	1	—	—	—	—	—	—	
Chorea . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy . . .	3	2	1	4	2	1	1	3	3	1	1	—	—	—	—	—	
Tetanus . . .	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
Insanity . . .	3	3	—	2	—	1	2	—	1	3	—	—	—	—	—	—	
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease . . .	4	8	9	9	10	11	15	11	13	6	3	1	—	—	—	—	
Pericarditis . . .	3	1	—	2	1	1	1	—	—	—	—	—	—	—	—	—	
Aneurism . . .	1	4	1	2	3	—	2	—	—	—	—	—	—	—	—	—	
Heart Disease . . .	23	17	25	20	36	43	51	59	49	32	9	4	—	—	—	1	
Laryngitis . . .	1	2	2	—	1	—	1	—	—	—	—	1	—	—	—	—	
Bronchitis . . .	11	14	21	31	38	54	60	48	54	36	30	8	2	—	—	3	
Pleurisy . . .	1	—	1	1	2	2	3	1	1	1	—	—	—	—	—	—	
Pneumonia . . .	16	17	16	16	35	27	28	23	12	12	6	1	—	—	—	—	
Asthma . . .	—	1	5	3	7	10	5	4	10	2	2	—	—	—	—	—	
Lung Disease . . .	3	1	1	3	2	1	2	3	1	—	1	—	—	—	—	—	
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis . . .	1	2	3	2	—	1	1	—	1	—	1	—	—	—	—	—	
Enteritis . . .	3	3	4	—	1	—	1	3	2	2	—	—	—	—	—	—	
Peritonitis . . .	6	3	5	5	1	5	1	2	1	—	—	2	—	—	—	—	
Ascites . . .	1	—	1	1	1	1	1	2	—	1	—	—	—	—	—	1	
Ulceration of Intestines . . .	2	1	1	4	1	1	1	1	3	1	—	1	—	—	—	—	
Hernia . . .	—	—	1	1	—	1	—	2	1	1	3	—	—	—	—	—	
Ileus . . .	—	1	1	3	1	3	2	5	3	1	1	—	1	—	—	—	
Intussusception . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines . . .	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	
Stomach Disease . . .	4	3	3	4	6	6	6	7	8	—	1	1	—	—	—	1	
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis . . .	2	6	1	1	3	1	2	4	1	1	1	—	—	—	—	—	
Jaundice . . .	—	—	—	3	1	1	2	1	3	1	—	—	—	—	—	—	
Liver Disease . . .	4	5	4	9	14	13	9	4	3	2	1	—	—	—	—	—	
Spleen Disease . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Nephritis . . .	—	1	3	—	1	—	3	—	—	—	—	—	—	—	—	—	
Nephria . . .	3	6	5	6	3	4	7	5	3	—	—	—	—	—	—	—	
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Diabetes . . .	3	1	1	3	4	—	3	—	—	—	—	—	—	—	—	—	
Stone . . .	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	
Cystitis . . .	—	—	—	—	—	—	1	2	3	1	—	—	—	—	—	—	
Stricture of Urethra . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease . . .	1	2	1	1	5	2	6	2	7	6	3	—	1	—	—	—	
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy . . .	—	1	1	—	2	1	1	—	—	1	—	—	—	—	—	—	
Childbirth . . .	6	8	1	2	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation . . .	1	1	2	3	—	2	—	—	1	—	—	—	—	—	—	—	
Bone Disease . . .	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Rheumatism . . .	1	2	2	1	3	3	1	1	3	—	—	—	—	—	—	—	
Joint Disease . . .	1	2	—	—	2	—	1	1	1	—	—	—	—	—	—	—	
Carbuncle . . .	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
Phlegmon . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Intemperance . . .	2	2	5	2	8	2	3	—	1	—	—	—	—	—	—	—	
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold . . .	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Poison . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds . . .	1	—	—	1	—	—	—	—	2	2	2	—	—	—	—	—	
Hanging, etc. . .	—	2	—	2	1	1	—	—	1	—	—	—	—	—	—	—	
Suffocation . . .	—	1	1	2	4	—	1	1	1	—	—	—	—	—	—	—	
Drowning . . .	1	6	1	3	4	3	2	3	—	—	1	—	—	—	—	—	
Fracture and Contusion . . .	9	8	6	13	5	6	5	3	1	1	—	1	—	—	—	—	
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs . . .	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes . . .	1	1	—	—	—	1	—	—	2	—	—	1	1	—	—	—	
Not specified . . .	4	4	4	4	7	2	—	—	—	1	—	—	—	—	—	—	

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES.	ALL AGES.	MALES.												
		AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
ALL CAUSES	5079	593	223	344	479	242	199	140	348	143	162	183	174	
SPECIFIED CAUSES	5011	565	215	341	476	239	196	138	347	141	162	183	172	
I. Zymotic Class	1296	68	47	91	208	184	123	84	194	53	42	50	40	
II. Diseases of Uncertain Seat	133	4	1	1	-	3	4	5	3	3	3	4	5	
III. Tubercular Class	727	25	35	63	85	33	17	16	53	27	62	67	66	
IV. Brain and Nervous System	510	42	12	35	25	11	13	3	28	14	10	9	13	
V. Organs of Circulation	230	3	-	-	-	-	2	-	9	3	4	4	9	
VI. Respiratory Organs	908	86	73	99	100	39	22	17	28	13	10	19	17	
VII. Organs of Digestion	322	38	26	39	46	8	5	2	11	5	8	8	3	
VIII. Urinary Organs	108	1	1	-	4	1	2	3	9	7	1	5	2	
IX. Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-	
X. Organs of Locomotion	21	-	-	-	-	-	-	-	3	1	2	2	-	
XI. Skin, etc.	5	1	-	-	1	1	-	-	-	-	-	-	-	
XII. Malformation	20	12	3	1	2	1	-	-	-	-	1	-	-	
XIII. Premature Debility	292	265	15	12	-	-	-	-	-	-	-	-	-	
XIV. Atrophy	21	-	-	-	3	3	2	1	1	1	1	-	-	
XV. Age	199	-	-	-	-	-	-	-	-	-	-	-	-	
XVI. Sudden Deaths	8	2	-	-	-	-	-	1	-	-	-	-	-	
XVII. Violent Deaths	211	18	2	-	2	5	6	6	8	14	18	15	17	
I. Small-pox	197	13	7	4	7	3	3	6	12	19	19	29	26	
Measles	75	2	1	7	32	10	14	3	5	-	-	-	-	
Scarlatina	441	3	7	19	53	76	67	56	127	18	5	3	3	
Diphtheria	78	1	-	7	16	10	13	10	13	2	2	1	-	
Whooping-cough	94	4	2	25	41	8	10	1	3	-	-	-	-	
Croup	73	3	5	4	21	14	10	6	9	-	-	-	-	
Thrush	3	2	-	1	-	-	-	-	-	-	-	-	-	
Diarrhoea	112	21	22	19	21	5	1	-	2	-	-	-	-	
Dysentery	27	1	-	4	6	1	-	-	-	-	-	-	-	
Cholera	3	1	-	1	-	-	-	-	1	-	-	-	-	
Influenza	7	2	-	-	-	-	-	-	-	-	-	-	-	
Purpura	9	-	-	-	1	1	-	1	2	1	1	-	-	
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	36	-	-	-	2	-	-	1	2	1	2	7	3	
Enteric Fever	85	-	1	-	4	4	4	-	13	10	9	9	6	
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	
Simple Continued Fever	4	1	-	-	-	-	-	-	2	-	-	-	-	
Infantile Remittent	5	1	-	-	1	2	1	-	-	-	-	-	-	
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever	9	-	-	-	-	-	-	-	1	1	3	-	-	
Erysipelas	25	10	-	-	2	-	-	-	1	1	1	1	-	
Pyæmia	4	-	-	-	-	-	-	-	1	-	-	-	1	
Syphilis	9	3	2	-	1	-	-	-	-	-	-	-	1	
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	
II. Hæmorrhage	8	1	-	-	-	-	-	-	-	-	1	-	2	
Dropsy	40	-	-	-	-	1	4	4	3	2	2	-	1	
Abscess	16	1	1	1	-	1	-	-	-	-	-	-	1	
Ulcer	4	2	-	-	-	-	-	-	-	-	-	1	-	
Fistula	1	-	-	-	-	-	-	-	-	-	-	1	-	
Mortification	7	-	-	-	-	1	-	1	-	-	-	-	-	
Cancer	57	-	-	-	-	-	-	-	-	1	-	2	1	
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	
III. Scrofula	46	4	2	6	6	1	-	-	9	7	3	2	2	
Tabes Mesenterica	68	8	9	8	12	9	5	4	6	-	2	4	-	
Phthisis	454	2	5	16	22	6	5	4	19	20	57	61	64	
Hydrocephalus	159	11	19	33	45	17	7	8	19	-	-	-	-	

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	153	167	143	160	178	187	207	175	198	137	83	40	10	4	-	7	
SPECIFIED CAUSES . .	152	165	141	158	175	185	207	175	198	137	83	40	10	4	-	6	
Zymotic Class . . .	32	24	17	14	13	18	17	6	10	8	2	-	1	-	-	-	
Uncertain Seat . . .	2	6	9	8	14	5	16	10	14	8	2	2	1	-	-	-	
Tubercular Class . .	38	40	26	18	19	15	9	8	2	1	-	-	-	-	-	2	
Brain, etc.	15	23	19	23	21	33	40	28	44	33	16	-	-	-	-	-	
Heart, etc.	16	10	14	17	20	20	29	33	22	12	2	1	-	-	-	-	
Respiratory Organs .	19	23	28	33	49	60	52	46	35	19	12	5	1	-	-	3	
Digestive Organs . .	10	11	10	15	12	18	9	14	11	6	5	-	1	-	-	1	
Urinary Organs . . .	5	9	6	6	7	1	14	5	9	6	3	-	1	-	-	-	
Generative Organs . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Locomotive Organs .	2	1	2	1	2	2	-	-	2	-	1	-	-	-	-	-	
Skin	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
Malformation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Premature Debility . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atrophy	-	-	1	2	1	5	-	-	-	-	-	-	-	-	-	-	
Age	-	-	-	-	-	-	12	20	45	42	39	32	5	4	-	-	
Sudden Deaths . . .	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	
Violent Deaths . . .	12	18	8	21	16	7	8	4	4	1	1	-	-	-	-	-	
Small-pox	19	12	9	3	2	-	3	1	-	-	-	-	-	-	-	-	
Measles	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
Hooping-cough . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Croup	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea	1	1	-	1	-	4	5	1	2	3	2	-	1	-	-	-	
Dysentery	1	-	-	4	2	4	-	2	1	1	-	-	-	-	-	-	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	
Purpura	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	4	-	2	1	3	4	2	-	1	1	-	-	-	-	-	-	
Enteric Fever	4	6	2	4	3	2	2	-	-	2	-	-	-	-	-	-	
Relapsing Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Simple Cont. Fever . .	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Infantile Remittent . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever . . .	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Erysipelas	1	-	2	-	1	-	1	1	2	1	-	-	-	-	-	-	
Pyæmia	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
Syphilis	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	
Dropsy	-	3	1	-	-	-	5	3	6	2	-	2	1	-	-	-	
Abcess	2	-	5	-	1	-	-	1	-	1	1	-	-	-	-	-	
Ulcer	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mortification	-	-	-	1	-	-	2	-	-	1	1	-	-	-	-	-	
Cancer	-	3	3	5	11	5	8	6	8	4	-	-	-	-	-	-	
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	
Tabes Mesenterica . .	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis	37	39	25	18	19	15	8	7	2	1	-	-	-	-	-	2	
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1874.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	46	1	4	9	7	5	5	-	9	1	1	-	1	
Apoplexy	65	3	-	1	2	-	-	-	1	2	-	5	2	
Paralysis	74	-	-	1	-	-	-	-	2	1	-	-	4	
Delirium Tremens	1	-	-	-	-	-	-	-	-	-	-	-	-	
Chorea	1	-	-	-	-	-	-	-	-	-	-	-	-	
Epilepsy	11	-	-	-	-	-	-	-	-	-	2	4	1	
Tetanus	2	-	-	-	-	-	-	-	-	1	-	-	-	
Insanity	2	-	-	-	-	-	-	-	-	-	-	-	-	
Convulsions	55	23	3	12	9	4	-	2	2	-	-	-	-	
Brain Disease	51	-	-	1	4	1	1	-	2	-	3	-	3	
V. Pericarditis	12	-	-	-	-	-	-	1	2	1	1	1	2	
Aneurism	3	-	-	-	-	-	-	-	-	-	-	-	-	
Heart Disease	102	-	-	1	-	-	1	-	1	2	3	1	3	
VI. Laryngitis	4	-	-	1	-	-	-	-	-	-	-	-	-	
Bronchitis	364	32	24	59	52	19	11	3	9	1	2	2	2	
Pleurisy	6	-	-	-	-	-	-	1	-	-	1	-	-	
Pneumonia	217	14	13	21	23	12	6	8	10	5	4	12	8	
Asthma	18	-	-	-	-	-	-	-	-	-	-	-	-	
Lung Disease	7	3	-	-	-	-	1	-	-	-	1	1	-	
VII. Teething	23	-	1	5	19	3	-	-	-	-	-	-	-	
Quinsey	5	1	-	2	1	-	1	-	-	-	-	-	-	
Gastritis	9	2	-	-	-	-	1	-	2	-	1	-	-	
Enteritis	33	3	5	6	4	-	-	-	1	2	1	4	1	
Peritonitis	18	-	1	-	1	-	1	-	1	-	-	3	3	
Ascites	2	-	-	-	-	-	-	-	-	-	-	-	-	
Ulceration of Intestines	7	1	-	1	1	-	-	-	-	-	-	-	-	
Hernia	2	1	-	-	-	-	-	-	-	-	-	-	-	
Ileus	7	1	-	1	-	-	1	-	-	1	-	-	-	
Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stomach Disease	33	8	2	8	5	1	-	-	2	-	-	-	-	
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hepatitis	8	-	-	-	-	-	-	-	-	-	-	-	-	
Jaundice	12	5	-	-	1	-	-	-	-	-	1	1	-	
Liver Disease	22	-	-	-	1	-	-	-	1	-	-	1	-	
Spleen Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. Nephritis	8	-	-	-	1	1	-	-	1	2	-	-	-	
Nephria	23	-	1	-	-	1	1	1	-	-	-	1	-	
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ischuria	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diabetes	5	-	-	-	-	-	-	-	-	-	-	1	-	
Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cystitis	2	-	-	-	-	1	-	-	-	-	-	-	-	
Stricture of Urethra	1	-	-	-	-	-	-	-	-	-	-	-	-	
Kidney Disease	13	-	-	-	1	-	-	-	2	1	-	-	1	
IX. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ovarian Dropsy	1	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth	17	-	-	-	-	-	-	-	-	-	1	4	8	
Organs of Generation	6	-	-	-	-	-	-	-	-	-	1	-	-	
X. Bone Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatism	14	-	-	-	-	-	-	-	-	3	-	-	-	
Joint Disease	13	-	1	-	-	2	-	-	3	2	1	1	-	
XI. Carbuncle	1	-	-	-	-	-	-	-	-	-	-	-	-	
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	
Skin Disease	2	-	-	-	1	1	-	-	-	-	-	-	-	
XVII. Intemperance	7	-	-	-	-	-	-	-	-	-	-	-	2	
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	
Want of Breast Milk	3	3	-	-	-	-	-	-	-	-	-	-	-	
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cold	-	-	-	-	-	-	-	-	-	-	-	-	-	
Poison	3	1	-	-	-	-	-	-	-	-	1	-	-	
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	
Burns and Scalds	9	1	-	-	1	3	-	3	-	-	-	-	-	
Hanging, etc.	2	-	-	-	-	-	-	-	-	-	-	-	-	
Suffocation	9	3	3	-	-	-	-	-	-	-	-	-	-	
Drowning	16	2	-	-	-	-	-	-	3	-	1	2	1	
Fracture and Contusion	41	-	-	-	1	1	1	2	-	5	4	4	2	
Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cuts and Stabs	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Violent Causes	4	2	-	-	-	-	-	-	-	-	-	-	1	
Not specified	52	19	4	4	2	-	3	2	2	1	-	-	1	

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—FEMALES. (Continued.)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	†	
Cephalitis	3	3	1	1	1	2	—	3	1	—	—	—	—	—	—	—	
Apoplexy	1	6	7	10	17	19	30	25	35	27	19	7	3	1	—	—	
Paralysis	3	4	2	3	12	12	23	36	49	57	40	21	5	2	—	1	
Delirium Tremens	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	3	1	3	3	1	2	2	—	1	—	1	—	—	—	—	—	
Tetanus	—	—	—	1	—	1	—	1	1	—	—	—	—	—	—	—	
Insanity	—	1	—	—	—	—	3	—	—	—	—	—	—	—	—	1	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	3	9	5	8	7	7	4	18	17	9	11	1	—	—	—	1	
Pericarditis	2	—	1	—	1	2	1	2	1	2	—	—	—	—	—	—	
Aneurism	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	
Heart Disease	16	20	26	33	36	34	63	59	102	78	45	18	3	2	—	—	
Laryngitis	2	1	—	—	1	—	3	—	2	—	3	—	—	—	—	—	
Bronchitis	3	7	6	13	13	28	33	56	87	76	74	27	7	2	—	—	
Pleurisy	3	1	2	—	3	1	4	1	4	8	1	—	—	—	—	—	
Pneumonia	13	5	16	9	14	10	21	19	28	16	6	3	—	—	1	—	
Asthma	1	—	4	4	3	4	9	4	20	8	5	1	—	—	—	—	
Lung Disease	2	2	1	—	2	2	1	1	1	—	3	1	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	2	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	
Gastritis	1	1	—	—	2	1	4	1	7	1	1	—	—	—	—	—	
Enteritis	1	3	1	3	5	3	1	3	3	4	3	2	1	—	—	—	
Peritonitis	4	6	4	7	7	6	5	3	6	2	1	1	—	1	—	—	
Ascites	—	—	—	2	1	3	—	1	1	2	1	—	—	—	—	—	
Ulceration of Intestines	4	3	1	7	—	3	2	4	4	4	1	1	—	—	—	—	
Hernia	—	—	2	1	—	1	2	4	1	3	—	—	—	—	—	—	
Ileus	—	1	3	4	2	4	2	7	4	6	1	1	1	—	—	—	
Intussusception	—	1	—	—	—	—	1	1	—	1	—	—	—	—	—	—	
Stricture of Intestines	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	
Stomach Disease	—	2	4	3	8	8	9	7	10	6	4	1	1	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	2	—	—	2	2	3	3	3	4	1	—	—	—	—	—	
Jaundice	1	1	3	1	1	3	1	4	5	1	4	—	—	—	—	—	
Liver Disease	4	—	6	3	7	11	13	9	21	5	1	2	—	—	—	—	
Spleen Disease	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	1	—	1	1	—	—	—	1	—	—	—	1	—	—	—	—	
Nephria	2	7	6	7	4	3	4	5	3	1	2	1	—	—	—	—	
Addison's Disease	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Ischuria	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	
Diabetes	—	2	1	2	1	1	—	—	1	—	—	—	—	—	—	—	
Stone	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	
Cystitis	—	1	—	—	—	1	1	—	—	1	—	1	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	1	4	4	2	5	—	4	2	3	5	—	3	—	—	—	—	
Paramenia	—	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	4	—	2	3	6	4	3	4	1	—	2	—	—	—	—	—	
Childbirth	26	24	13	2	1	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	3	4	1	3	6	3	2	2	1	1	1	—	—	—	—	—	
Bone Disease	—	—	2	—	—	1	—	—	—	1	1	—	—	—	—	—	
Rheumatism	—	1	1	1	2	4	5	3	6	4	4	1	—	1	—	—	
Joint Disease	—	2	—	—	2	—	1	—	2	—	—	—	—	—	—	—	
Carbuncle	2	—	—	—	1	1	—	—	1	1	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Intemperance	1	—	3	—	3	—	—	1	—	1	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	1	—	—	—	—	—	—	1	1	2	1	—	—	—	—	—	
Poison	—	1	—	—	—	—	1	2	—	—	—	—	—	—	—	—	
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	1	1	1	1	1	1	2	1	2	—	—	—	—	
Hanging, etc.	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	1	1	—	1	—	—	—	1	1	—	—	—	—	—	
Drowning	1	1	1	2	3	—	1	1	2	—	—	—	—	—	—	—	
Fracture and Contusion	1	2	—	1	1	2	4	3	4	3	5	3	—	—	—	—	
Gunshot Wounds	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
Not specified	8	10	5	11	8	15	1	—	—	—	—	—	—	—	—	3	

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES.	ALL AGES.	MALES.												
		MONTHS.			AGE UNDER									
		3	6	12	2	3	4	5	10	15	20	25	30	
ALL CAUSES	1083	110	25	30	48	22	14	9	22	28	33	48	50	
SPECIFIED CAUSES	946	62	14	21	36	17	13	9	17	27	33	42	43	
I. Zymotic Class	119	8	5	8	19	7	9	6	12	7	5	5	2	
II. Diseases of Uncertain Seat	32	-	-	-	-	-	-	-	-	-	-	-	-	
III. Tubercular Class	99	-	2	1	3	6	-	1	1	4	12	21	21	
IV. Brain and Nervous System	73	16	-	1	1	-	1	-	1	3	8	1	1	
V. Organs of Circulation	44	1	-	-	1	-	-	-	-	2	1	-	-	
VI. Respiratory Organs	107	12	4	5	8	3	1	1	2	-	-	2	6	
VII. Organs of Digestion	68	4	2	5	3	-	-	1	-	4	2	-	4	
VIII. Urinary Organs	21	-	-	-	-	-	-	-	-	-	-	1	-	
IX. Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-	
X. Organs of Locomotion	18	-	-	-	-	-	-	-	1	1	1	-	-	
XI. Skin, etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	
XII. Malformation	1	-	-	-	-	-	-	-	-	-	-	1	-	
XIII. Premature Debility	22	20	1	1	-	-	-	-	-	-	-	-	-	
XIV. Atrophy	2	-	-	-	-	-	-	-	-	-	-	1	-	
XV. Age	254	-	-	-	-	-	-	-	-	-	-	-	-	
XVI. Sudden Deaths	-	-	-	-	-	-	-	-	-	-	-	-	-	
XVII. Violent Deaths	85	1	-	-	1	1	2	-	-	6	9	10	9	
I. Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	10	-	-	1	7	1	-	-	-	-	-	-	-	
Scarlatina	20	1	-	1	-	4	4	-	6	3	-	-	-	
Diphtheria	5	-	-	-	1	-	2	-	-	1	-	-	-	
Whooping-cough	11	-	3	-	4	1	-	2	1	-	-	-	-	
Croup	26	5	2	2	6	1	2	4	3	-	-	-	-	
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea	5	2	-	-	-	-	1	-	-	-	-	-	-	
Dysentery	4	-	-	-	-	-	-	-	1	-	-	-	-	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	4	-	-	1	1	-	-	-	-	1	-	-	-	
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	12	-	-	1	-	-	-	-	-	-	1	4	1	
Enteric Fever	12	-	-	1	-	-	-	-	1	2	2	1	1	
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	
Simple Continued Fever	4	-	-	1	-	-	-	-	-	-	1	-	-	
Infantile Remittent	-	-	-	-	-	-	-	-	-	-	-	-	-	
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever	2	-	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas	2	-	-	-	-	-	-	-	-	-	-	-	-	
Pyæmia	1	-	-	-	-	-	-	-	-	-	-	-	1	
Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	
II. Hæmorrhage	2	-	-	-	-	-	-	-	-	-	-	-	-	
Dropsy	13	-	-	-	-	-	-	-	-	-	-	-	-	
Abscess	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ulcer	2	-	-	-	-	-	-	-	-	-	-	-	-	
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mortification	3	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer	12	-	-	-	-	-	-	-	-	-	-	-	-	
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	
III. Scrofula	5	-	-	-	-	-	-	-	-	-	1	-	2	
Tabes Mesenterica	6	-	2	-	1	3	1	-	-	-	-	-	-	
Phthisis	85	-	-	-	2	1	-	1	1	4	11	21	19	
Hydrocephalus	3	-	-	1	-	2	-	-	-	-	-	-	-	

CAUSES OF DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	68	54	61	45	74	78	91	129	186	207	209	119	49	20	2	18	
SPECIFIED CAUSES . .	57	41	49	40	55	60	91	129	186	207	209	119	49	20	2	18	
Zymotic Class . . .	5	3	10	5	5	4	4	5	4	9	2	3	2	-	-	-	
Uncertain Seat . . .	2	4	-	4	4	6	5	9	13	9	4	-	-	-	-	-	
Tubercular Class . .	23	13	7	7	11	10	-	2	1	2	-	-	-	-	-	-	
Brain, etc.	3	-	6	3	6	5	5	12	16	15	10	2	-	-	-	-	
Heart, etc.	1	3	3	4	5	7	12	13	9	8	4	3	1	-	-	-	
Respiratory Organs .	7	5	5	3	6	12	10	18	24	22	15	6	-	-	-	-	
Digestive Organs . .	4	1	5	9	10	8	14	13	11	10	2	2	-	-	-	-	
Urinary Organs . . .	-	1	2	2	-	2	-	3	5	9	3	1	-	-	-	-	
Generative Organs . .	4	4	5	1	-	-	2	1	-	1	-	-	-	-	-	-	
Locomotive Organs . .	1	1	1	2	1	1	4	3	11	5	3	1	-	-	-	-	
Skin	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malformation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Premature Debility . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atrophy	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	
Age	-	-	-	-	-	-	28	49	91	116	161	101	46	20	2	-	
Sudden Deaths . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths . . .	7	6	4	-	6	3	7	1	1	1	5	-	-	-	-	18	
Small-pox	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Measles	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Croup	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea	-	-	1	-	-	-	2	1	-	2	1	-	1	-	-	-	
Dysentery	-	-	-	-	-	-	-	2	1	3	-	1	-	-	-	-	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	-	2	4	1	2	-	-	-	-	1	-	1	-	-	-	-	
Enteric Fever	1	-	5	3	1	2	-	-	-	1	-	-	-	-	-	-	
Relapsing Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Simple Cont. Fever . .	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	
Infantile Remittent . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Metria	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever . . .	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pysæmia	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	
Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
Dropsy	-	2	-	-	3	1	2	3	5	4	3	-	-	-	-	-	
Abscess	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mortification	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	
Cancer	2	2	-	4	-	4	3	5	5	4	1	-	-	-	-	-	
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	
Tabes Mesenterica . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis	22	13	7	7	11	8	-	1	1	2	-	-	-	-	-	-	
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	12	—	—	—	1	—	1	—	—	3	1	2	—
Apoplexy	17	1	—	—	—	—	1	—	1	1	1	—	1
Paralysis	50	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	3	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	7	7	—	—	—	—	—	—	—	—	—	—	—
Insanity	4	—	—	—	—	—	—	—	—	—	1	—	—
Convulsions	12	9	—	1	1	—	1	—	—	—	—	—	—
Brain Disease	22	1	1	—	—	—	1	—	—	2	2	1	1
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	3	—	—	—	—	—	—	—	—	1	—	—	—
Heart Disease	77	1	—	—	1	—	—	1	1	1	1	—	—
VI. Laryngitis	2	—	—	—	1	—	—	—	—	—	—	—	—
Bronchitis	115	5	6	8	12	6	1	2	3	—	—	2	4
Pleurisy	29	9	—	1	4	1	—	2	1	—	—	3	1
Pneumonia	34	1	—	2	2	—	—	—	—	1	—	2	3
Asthma	28	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	11	—	1	—	—	—	—	—	—	—	—	—	1
VII. Teething	11	—	—	6	4	1	—	—	—	—	—	—	—
Quinsey	2	—	—	1	—	—	—	—	—	—	—	—	—
Gastritis	11	—	—	—	—	—	—	—	—	1	—	—	1
Enteritis	13	1	1	1	—	—	—	1	—	1	3	—	1
Peritonitis	5	—	1	—	—	—	—	—	—	—	—	—	—
Ascites	7	—	—	—	—	—	—	—	—	1	—	—	—
Ulceration of Intestines	5	—	—	—	—	—	—	—	—	—	—	—	1
Hernia	5	1	—	—	—	—	—	—	—	—	—	—	—
Ileus	12	2	1	—	—	—	—	—	—	—	1	—	1
Intussusception	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	22	—	—	—	1	—	—	—	—	1	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	8	2	—	—	—	—	—	—	—	—	—	—	—
Jaundice	9	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	14	—	—	—	—	—	—	—	—	—	1	—	—
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	3	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	5	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	4	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	4	—	—	—	—	—	—	—	—	—	—	1	—
Stone	6	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	6	—	—	—	—	—	—	—	—	—	—	1	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	5	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	18	—	—	—	—	—	—	—	—	—	—	3	5
Organs of Generation	3	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	2	—	—	—	—	—	—	—	—	1	—	—	—
Rheumatism	32	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	3	—	—	—	—	—	—	—	1	—	1	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	2	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	15	—	2	—	1	—	—	—	—	1	1	1	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	8	—	—	1	2	—	3	—	1	—	—	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	1	—	—	—	—	—	—	—	—	—	—	—
Drowning	65	—	—	—	—	2	—	—	—	6	7	9	8
Fracture and Contusion	8	—	—	—	—	—	—	—	—	—	—	—	2
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	2	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	5	—	—	—	—	—	—	—	—	—	—	—	—
Not specified	268	80	19	16	21	9	4	2	7	4	4	12	12

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	—	—	1	—	2	—	1	—	—	—	—	—	—	—	—	—	
Apoplexy	—	—	1	—	—	1	2	5	1	1	—	—	—	—	—	—	
Paralysis	1	—	2	1	3	2	1	4	11	13	10	1	—	—	—	—	
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	1	—	—	1	1	2	1	2	3	1	—	1	—	—	—	—	
Pericarditis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Aneurism	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	
Heart Disease	1	3	3	4	5	6	11	13	9	8	3	3	1	—	—	—	
Laryngitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	2	2	2	—	1	7	7	7	13	11	11	3	—	—	—	—	
Pleurisy	1	—	1	—	1	2	—	—	—	1	1	—	—	—	—	—	
Pneumonia	3	3	—	3	1	2	2	3	2	4	—	—	—	—	—	—	
Asthma	1	—	1	—	2	—	1	5	7	5	2	3	—	—	—	—	
Lung Disease	—	—	1	—	—	1	—	3	2	1	1	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Gastritis	—	—	1	1	1	2	1	3	—	—	—	—	—	—	—	—	
Enteritis	—	—	—	1	—	1	—	1	1	—	—	—	—	—	—	—	
Peritonitis	1	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	
Ascites	—	—	1	—	1	—	1	—	—	2	—	1	—	—	—	—	
Ulceration of Intestines	—	—	—	2	1	—	—	—	1	—	—	—	—	—	—	—	
Hernia	—	—	—	1	—	—	1	—	1	—	1	—	—	—	—	—	
Ileus	1	—	—	1	—	1	—	—	2	2	—	—	—	—	—	—	
Intussusception	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	2	—	2	1	2	1	4	2	2	3	1	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	—	—	—	2	1	1	—	1	1	—	—	—	—	—	—	
Jaundice	—	—	1	—	—	1	2	2	1	1	—	1	—	—	—	—	
Liver Disease	—	1	—	2	2	—	3	2	2	1	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Nephritis	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
Nephria	—	—	2	1	—	—	—	1	—	—	1	—	—	—	—	—	
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	
Diabetes	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	
Stone	—	—	—	1	—	—	—	—	1	3	—	1	—	—	—	—	
Cystitis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Kidney Disease	—	—	—	—	—	1	—	—	1	2	1	—	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	1	1	—	—	2	1	—	—	—	—	—	—	—	—	
Childbirth	3	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	
Bone Disease	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	1	—	1	2	1	1	3	3	11	5	3	1	—	—	—	—	
Joint Disease	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	1	—	1	—	2	1	1	1	—	—	2	—	—	—	—	—	
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	4	2	3	—	3	—	3	—	—	—	—	—	—	—	—	18	
Fracture and Contusion	—	1	—	—	—	1	1	—	—	—	2	—	—	—	—	—	
Gunshot Wounds	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Cuts and Stabs	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	1	—	—	1	1	1	—	1	—	—	—	—	—	—	—	
Not specified	11	13	12	5	19	18	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1083	110	25	30	48	22	14	9	22	28	33	48	50
SPECIFIED CAUSES	946	62	14	21	36	17	13	9	17	27	33	42	43
I. Zymotic Class	119	8	5	8	19	7	9	6	12	7	5	5	2
II. Diseases of Uncertain Seat	32	-	-	-	-	-	-	-	-	-	-	-	-
III. Tubercular Class	99	-	2	1	3	6	-	1	1	4	12	21	21
IV. Brain and Nervous System	73	16	-	1	1	-	1	-	1	3	3	1	1
V. Organs of Circulation	44	1	-	-	1	-	-	-	-	2	1	-	-
VI. Respiratory Organs	107	12	4	5	8	3	1	1	2	-	-	2	6
VII. Organs of Digestion	68	4	2	5	3	-	-	1	-	4	2	-	4
VIII. Urinary Organs	21	-	-	-	-	-	-	-	-	-	-	1	-
IX. Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-
X. Organs of Locomotion	18	-	-	-	-	-	-	-	1	1	1	-	-
XI. Skin, etc.	1	-	-	-	-	-	-	-	-	-	-	-	-
XII. Malformation	1	-	-	-	-	-	-	-	-	-	-	1	-
XIII. Premature Debility	22	20	1	1	-	-	-	-	-	-	-	-	-
XIV. Atrophy	2	-	-	-	-	-	-	-	-	-	-	1	-
XV. Age	254	-	-	-	-	-	-	-	-	-	-	-	-
XVI. Sudden Deaths	-	-	-	-	-	-	-	-	-	-	-	-	-
XVII. Violent Deaths	85	1	-	-	1	1	2	-	-	6	9	10	9
I. Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-
Measles	10	-	-	1	7	1	-	-	-	-	-	-	-
Scarlatina	20	1	-	1	-	4	4	-	6	3	-	-	-
Diphtheria	5	-	-	-	1	-	2	-	-	1	-	-	-
Hooping-cough	11	-	3	-	4	1	-	2	1	-	-	-	-
Croup	26	5	2	2	6	1	2	4	3	-	-	-	-
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	5	2	-	-	-	-	1	-	-	-	-	-	-
Dysentery	4	-	-	-	-	-	-	-	1	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	4	-	-	1	1	-	-	-	-	1	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	12	-	-	1	-	-	-	-	-	-	1	4	-
Enteric Fever	12	-	-	1	-	-	-	-	-	-	2	1	1
Relapsing Fever	-	-	-	-	-	-	-	-	1	2	-	-	-
Simple Continued Fever	4	-	-	1	-	-	-	-	-	-	1	-	-
Infantile Remittent	-	-	-	-	-	-	-	-	-	-	-	-	-
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	2	-	-	-	-	-	-	-	-	-	1	-	-
Erysipelas	2	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia	1	-	-	-	-	-	-	-	-	-	-	-	1
Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	2	-	-	-	-	-	-	-	-	-	-	-	-
Dropsy	13	-	-	-	-	-	-	-	-	-	-	-	-
Abscess	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer	2	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	3	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	12	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-
III. Scrofula	5	-	-	-	-	-	-	-	-	-	1	-	2
Tabes Mesenterica	6	-	2	-	1	3	-	-	-	-	-	-	-
Phthisis	85	-	-	-	2	1	-	1	1	4	11	21	19
Hydrocephalus	3	-	-	1	-	2	-	-	-	-	-	-	-

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES.

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	28	19	34	19	35	41	42	62	87	87	94	54	19	4	1	18	
SPECIFIED CAUSES . .	26	14	26	16	29	33	42	62	87	87	94	54	19	4	1	18	
Zymotic Class . . .	2	—	6	1	2	2	2	1	2	2	2	2	2	—	—	—	
Uncertain Seat . . .	1	3	—	—	3	3	2	6	7	5	2	—	—	—	—	—	
Tubercular Class . .	5	3	3	3	5	5	—	1	1	1	—	—	—	—	—	—	
Brain, etc.	3	—	4	2	4	3	2	6	7	7	5	2	—	—	—	—	
Heart, etc.	—	1	2	2	1	4	9	7	6	5	1	1	—	—	—	—	
Respiratory Organs .	6	2	3	2	2	7	4	9	11	10	5	2	—	—	—	—	
Digestive Organs . .	2	1	2	5	6	4	5	7	6	3	1	1	—	—	—	—	
Urinary Organs . . .	—	—	1	—	—	1	—	2	4	9	2	1	—	—	—	—	
Generative Organs . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Locomotive Organs . .	1	1	—	1	1	—	1	2	4	2	2	—	—	—	—	—	
Skin	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	11	21	39	42	74	45	17	4	1	—	
Sudden Deaths . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Violent Deaths . . .	6	3	4	—	5	3	6	—	—	1	—	—	—	—	—	18	
Small-pox	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Measles	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Diphtheria	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Hooping-cough . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhoea	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	
Dysentery	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Influenza	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Eyphus	—	—	4	—	1	—	—	—	—	—	—	1	—	—	—	—	
Enteric Fever	1	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	
Relapsing Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Simple Cont. Fever . .	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	
Infantile Remittent . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
Erysipelas	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Coma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis. . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	
Dropsy	—	2	—	—	2	—	—	1	3	3	2	—	—	—	—	—	
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulcer	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Portification	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	
Cancer	1	1	—	—	—	2	2	4	1	1	—	—	—	—	—	—	
Cut	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Erofula	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	
Abes Mesenterica . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
hthisis	5	3	3	3	5	3	—	1	1	1	—	—	—	—	—	—	
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.										
		AGE UNDER										30
		MONTHS.			2	3	4	5	10	15	20	
		3	6	12								
IV. Cephalitis	8	-	-	-	1	-	1	-	-	3	-	1
Apoplexy	8	-	-	-	-	-	-	-	1	-	1	-
Paralysis	28	-	-	-	-	-	-	-	-	-	1	-
Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	8	-	-	-	-	-	-	-	-	-	-	-
Tetanus	7	7	-	-	-	-	-	-	-	-	-	-
Insanity	1	-	-	-	-	-	-	-	-	-	-	-
Convulsions	9	8	-	1	-	-	-	-	-	-	-	-
Brain Disease	9	1	-	-	-	-	-	-	-	-	1	1
V Pericarditis	1	-	-	-	-	-	-	-	-	-	-	-
Aneurism	2	-	-	-	-	-	-	-	-	1	-	-
Heart Disease	41	1	-	-	1	-	-	-	-	1	1	-
VI Laryngitis	57	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	17	6	3	3	6	3	1	-	2	-	-	2
Pleurisy	18	1	-	1	2	-	-	1	-	-	-	1
Pneumonia	8	-	-	-	-	-	-	-	-	-	-	3
Asthma	7	-	1	-	-	-	-	-	-	-	-	-
Lung Disease	-	-	-	-	-	-	-	-	-	-	-	-
VII Teething	6	-	-	3	3	-	-	-	-	-	-	-
Quinsey	1	-	-	1	-	-	-	-	-	-	-	-
Gastritis	8	-	-	-	-	-	-	-	-	1	-	1
Enteritis	9	-	1	1	-	-	-	1	-	1	-	-
Peritonitis	3	-	-	-	-	-	-	-	-	-	-	-
Ascites	3	-	-	-	-	-	-	-	-	1	-	-
Ulceration of Intestines	3	-	-	-	-	-	-	-	-	-	-	1
Hernia	2	1	-	-	-	-	-	-	-	-	-	-
Ileus	9	2	1	-	-	-	-	-	-	-	1	1
Intussusception	1	-	-	-	-	-	-	-	-	-	-	-
Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	9	-	-	-	-	-	-	-	-	1	-	-
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	3	1	-	-	-	-	-	-	-	-	-	-
Jaundice	2	-	-	-	-	-	-	-	-	-	-	-
Liver Disease	8	-	-	-	-	-	-	-	-	-	1	-
Spleen Disease	1	-	-	-	-	-	-	-	-	-	-	-
VIII Nephritis	2	-	-	-	-	-	-	-	-	-	-	-
Nephria	1	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	4	-	-	-	-	-	-	-	-	-	-	-
Diabetes	4	-	-	-	-	-	-	-	-	-	-	1
Stone	5	-	-	-	-	-	-	-	-	-	-	-
Cystitis	1	-	-	-	-	-	-	-	-	-	-	-
Stricture of Urethra	1	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	3	-	-	-	-	-	-	-	-	-	-	-
IX Paramenia	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-
X Bone Disease	2	-	-	-	-	-	-	-	-	1	-	-
Rheumatism	14	-	-	-	-	-	-	-	-	-	-	-
Joint Disease	2	-	-	-	-	-	-	-	-	-	-	-
XI Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	1	-	-	-	-	-	-	-	-	-	-	-
XVII Intemperance	2	-	-	-	-	-	-	-	-	-	-	-
Privation	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-
Cold	7	-	-	-	-	-	-	-	-	1	1	1
Poison	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	3	-	-	-	1	-	2	-	-	-	-	-
Hanging, etc.	1	-	-	-	-	-	-	-	-	-	-	-
Suffocation	1	1	-	-	-	-	-	-	-	-	-	-
Drowning	60	-	-	-	-	1	-	-	-	5	7	9
Fracture and Contusion	6	-	-	-	-	-	-	-	-	-	-	7
Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	2
Cuts and Stabs	1	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	3	-	-	-	-	-	-	-	-	-	-	-
Not specified	137	48	11	9	12	6	1	-	5	1	-	6

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1874.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Apoplexy	-	-	1	-	-	1	1	2	-	1	-	-	-	-	-	-
Paralysis	1	-	1	1	2	2	-	3	5	6	5	1	-	-	-	-
Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Disease	1	-	-	-	1	-	-	1	2	-	-	1	-	-	-	-
Pericarditis	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Aneurism	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Heart Disease	-	1	2	2	1	3	8	7	6	5	1	1	-	-	-	-
Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	1	1	1	-	1	6	2	3	7	4	4	2	-	-	-	-
Pleurisy	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
Pneumonia	3	1	-	2	1	-	1	2	1	2	-	-	-	-	-	-
Asthma	1	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-
Lung Disease	-	-	1	-	-	-	-	3	1	-	1	-	-	-	-	-
Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quinsey	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis	-	-	-	1	1	2	-	2	-	-	-	-	-	-	-	-
Enteritis	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-
Peritonitis	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
Ascites	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Ulceration of Intestines	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Ileus	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
Intussusception	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	1	-	1	1	1	-	1	-	-	2	1	-	-	-	-	-
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Jaundice	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Liver Disease	-	1	-	1	1	-	2	1	1	-	-	-	-	-	-	-
Spleen Disease	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Nephritis	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Nephria	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-
Diabetes	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
Stone	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-
Cystitis	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Kidney Disease	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bone Disease	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism	1	-	-	1	1	-	1	2	4	2	2	-	-	-	-	-
Joint Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemperance	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanging, etc.	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Suffocation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	3	1	3	-	3	-	3	-	-	-	-	-	-	-	-	18
Fracture and Contusion	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Gunshot Wounds	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Cuts and Stabs	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
Not specified	2	5	8	8	6	8	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1874.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2111	200	72	126	200	137	111	73	167	52	74	82	78
SPECIFIED CAUSES	2107	200	72	126	200	137	111	73	164	52	74	82	78
I. Zymotic Class	696	31	27	48	100	89	88	56	117	28	16	28	10
II. Diseases of Uncertain Seat	80	2	-	-	1	2	2	2	-	-	3	-	3
III. Tubercular Class	289	3	1	18	25	13	5	3	12	11	39	30	35
IV. Brain and Nervous System	161	21	5	6	13	8	7	4	7	2	4	2	1
V. Organs of Circulation	101	-	-	-	-	-	-	-	1	4	1	5	6
VI. Respiratory Organs	392	32	26	46	47	15	8	6	15	1	5	6	5
VII. Organs of Digestion	76	7	2	3	5	5	1	-	3	-	5	7	1
VIII. Urinary Organs	22	-	-	-	1	2	-	-	1	1	-	1	4
IX. Organs of Generation	23	-	-	-	-	-	-	-	-	-	1	1	10
X. Organs of Locomotion	8	-	-	-	-	-	-	-	3	2	-	1	-
XI. Skin, etc.	2	-	-	-	-	-	-	-	-	-	-	-	1
XII. Malformation	7	6	1	-	-	-	-	-	-	-	-	-	-
XIII. Premature Debility	99	93	4	2	-	-	-	-	-	-	-	-	-
XIV. Atrophy	12	-	-	-	3	1	-	-	1	-	-	-	-
XV. Age	87	-	-	-	-	-	-	-	-	-	-	-	-
XVI. Sudden Deaths	4	1	1	-	-	-	-	-	-	1	-	-	-
XVII. Violent Deaths	48	4	5	3	5	2	-	2	4	2	-	1	2
I. Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-
Measles	18	-	-	3	6	3	2	3	-	1	-	-	-
Scarlatina	412	2	6	22	52	67	75	48	106	18	7	5	2
Diphtheria	18	-	-	-	8	2	3	3	2	-	-	-	-
Hooping-cough	30	2	4	3	12	4	2	1	2	-	-	-	-
Croup	11	-	-	4	2	5	-	-	-	-	-	-	-
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	84	20	13	11	15	3	3	1	2	2	-	1	-
Dysentery	11	-	-	-	1	-	-	-	-	-	-	1	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	38	-	-	-	-	2	1	-	1	4	2	7	4
Enteric Fever	20	-	-	1	-	1	2	-	4	3	1	5	-
Relapsing Fever	1	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever	1	-	-	-	-	-	-	-	-	-	-	-	-
Infantile Remittent	2	-	-	-	1	1	-	-	-	-	-	-	-
Metria	20	-	-	-	-	-	-	-	-	-	4	8	3
Rheumatic Fever	1	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	9	2	-	1	1	-	-	-	-	-	1	1	1
Pyæmia	3	-	-	-	-	-	-	-	-	-	1	-	-
Syphilis	15	5	4	3	1	1	-	-	-	-	-	-	-
Noma	1	-	-	-	1	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	2	2	-	-	-	-	-	-	-	-	-	-	-
Dropsy	19	-	-	-	-	2	2	1	-	-	2	-	1
Abscess	4	-	-	-	-	-	-	-	-	-	1	-	-
Ulcer	3	-	-	-	-	-	-	-	-	-	-	-	1
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	5	-	-	-	1	-	-	-	-	-	-	-	-
Cancer	47	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-
III. Scrofula	11	-	-	3	1	-	-	-	1	1	-	-	1
Tuberc Mesenterica	15	1	-	3	5	2	1	-	2	-	1	-	-
Phthisis	216	-	-	1	4	6	2	-	1	10	33	30	34
Hydrocephalus	47	2	1	11	15	5	2	3	8	-	-	-	-

CAUSES of DEATH in LEITH, at different Periods of Life, in 1874.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	50	35	36	41	35	46	43	40	51	33	11	12	7	1	-	-
SPECIFIED CAUSES . .	50	35	36	41	35	46	43	40	51	33	11	12	7	1	-	-
Zymotic Class . . .	8	6	2	5	1	-	-	1	1	1	-	1	-	-	-	-
Uncertain Seat . . .	4	1	4	5	6	4	6	4	2	1	-	1	-	-	-	-
Tubercular Class . .	16	18	8	7	5	-	1	-	-	2	-	-	-	-	-	-
Brain, etc.	2	2	1	4	5	14	11	6	10	9	2	2	-	-	-	-
Heart, etc.	4	6	7	9	5	9	11	7	8	1	-	-	-	-	-	-
Respiratory Organs .	3	2	2	7	7	8	6	13	14	6	-	2	1	-	-	-
Digestive Organs . .	3	2	5	1	3	3	4	4	4	1	-	-	-	-	-	-
Urinary Organs . . .	-	1	-	1	-	3	2	-	2	2	-	1	-	-	-	-
Generative Organs . .	7	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Locomotive Organs . .	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malformation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Debility . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atrophy	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-
Age	-	-	-	-	-	-	-	2	8	9	9	4	6	1	-	-
Sudden Deaths . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths . . .	3	1	5	2	2	1	2	3	2	1	-	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-
Dysentery	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	3	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-
Enteric Fever	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infantile Remittent . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Metria	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever . . .	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Droopy	2	1	-	1	3	1	2	1	-	1	-	-	-	-	-	-
Abscess	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Ulcer	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-
Fistula	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Cancer	2	-	3	2	2	2	3	1	2	-	-	1	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberc Mesenterica . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis	16	13	8	7	5	-	1	-	-	2	-	-	-	-	-	-
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in PERTH, at different Periods of Life, in 1874.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.												
		AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
IV. Cephalitis	6	-	-	-	-	-	-	-	-	1	1	1	-	1
Apoplexy	19	-	-	-	-	-	1	-	-	-	-	-	-	-
Paralysis	29	-	-	-	-	-	-	-	-	-	-	-	-	-
Delirium Tremens	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Brain Disease	14	1	-	-	-	-	1	-	-	1	-	-	-	-
V. Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurism	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart Disease	52	-	-	-	-	-	-	-	-	-	1	1	-	-
VI. Laryngitis	2	-	1	-	-	-	1	-	-	-	-	-	-	-
Bronchitis	54	6	5	6	4	4	-	-	-	-	-	-	-	-
Pleurisy	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia	20	2	-	-	-	2	-	-	3	2	-	2	3	-
Asthma	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lung Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. Teething	4	-	-	1	3	-	-	-	-	-	-	-	-	-
Quinsey	2	1	-	-	-	1	-	-	-	-	-	-	-	-
Gastritis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis	8	2	1	1	1	-	-	-	1	-	-	-	-	-
Peritonitis	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Ascites	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulceration of Intestines	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Jaundice	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Liver Disease	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Spleen Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. Nephritis	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Nephria	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	1	-	-	-	-	-	-	-	-	-	-	-	-	-
IX. Paramenia	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. Bone Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Joint Disease	1	-	-	-	-	-	-	-	-	-	-	1	-	-
XI. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVII. Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	4	-	-	-	-	-	-	1	1	-	-	-	-	-
Hanging, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	7	-	-	-	-	1	-	-	3	-	-	-	-	-
Fracture and Contusion	7	-	-	-	-	-	-	-	2	-	-	2	1	-
Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not specified	10	3	2	2	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in PERTH, at different Periods of Life, in 1874.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	85	40	45	50	55	60	65	70	75	80	85	90	95	100	105	!
Cephalitis	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Apoplexy	-	1	-	1	2	2	2	1	2	2	3	1	1	-	-	-
Paralysis	-	-	1	1	-	2	6	5	3	8	3	-	-	-	-	-
Delirium Tremens	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Disease	-	2	-	3	-	1	2	-	1	2	-	-	-	-	-	-
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurism	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart Disease	4	1	2	6	3	8	8	4	6	5	2	1	-	-	-	-
Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	-	-	2	1	4	1	5	5	3	4	3	1	-	-	-	-
Pleurisy	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Pneumonia	-	-	-	2	-	1	1	1	-	1	-	-	-	-	-	-
Asthma	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
Lung Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quinsey	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Enteritis	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
Peritonitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ascites	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
Ulceration of Intestines	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	-	-	2	-	1	1	-	-	1	-	-	1	-	-	-	-
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Jaundice	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Liver Disease	-	1	-	-	-	-	1	1	2	-	-	-	-	-	-	-
Spleen Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephria	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	-	-	-	-	-	-	1	-	2	1	-	-	1	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Paramenia	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Droopy	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bone Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Joint Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemperance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Hanging, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Fracture and Contusion	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Gunshot Wounds	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not specified	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-

Deaths in Scotland during each Month of 1874.

TABLE showing the Distribution of DEATHS according to MONTHS, or the influence of SEASON on the MORTALITY.

		DEATHS in 1874.												
		Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
MEAN TEMPERATURE in 1874		41°0	40°0	44°1	47°2	47°3	55°7	60°2	57°0	53°9	47°3	41°9	31°5	47°3
SCOTLAND		6933	6604	7238	6811	6455	6374	6265	6044	5790	6166	6815	9181	80676
PRINCIPAL TOWN DISTRICTS		2668	2464	2728	2636	2569	2465	2526	2418	2305	2537	2882	3920	32118
LARGE TOWN DISTRICTS		883	795	941	868	775	816	760	704	724	725	847	1191	10029
SMALL TOWN DISTRICTS		1578	1499	1612	1431	1405	1404	1393	1387	1298	1338	1466	1932	17743
MAINLAND-RURAL DISTRICTS		1632	1675	1774	1673	1525	1516	1395	1377	1319	1402	1450	1859	18597
INSULAR-RURAL DISTRICTS		172	171	183	203	181	173	191	158	144	164	170	279	2189
DIVISIONS.														
1	NORTHERN	142	133	176	166	182	155	171	123	133	150	118	189	1838
2	NORTH-WESTERN	253	230	255	256	240	236	224	205	211	225	248	353	2936
3	NORTH-EASTERN	676	629	717	629	566	577	546	499	534	555	521	727	7176
4	EAST-MIDLAND	1047	1055	1140	1094	1029	1015	1019	1069	994	1056	1098	1374	12990
5	WEST-MIDLAND	509	483	522	482	445	459	471	418	419	444	494	621	5767
6	SOUTH-WESTERN	2991	2840	3091	2946	2851	2790	2687	2636	2468	2672	3166	4346	35484
7	SOUTH-EASTERN	926	850	946	902	869	809	821	786	792	804	875	1197	10577
8	SOUTHERN	389	384	391	336	273	333	326	308	239	260	295	374	3908
COUNTIES.														
I. NORTHERN.														
1	Shetland	37	46	52	52	56	33	51	43	25	37	31	57	520
2	Orkney	39	26	25	36	43	46	34	22	32	37	27	38	405
3	Caithness	42	28	59	50	54	49	56	39	49	49	35	57	567
4	Sutherland	24	33	40	28	29	27	30	19	27	27	25	37	346
II. NORTH-WESTERN.														
5	Ross and Cromarty	112	109	121	112	107	103	104	110	115	141	145	200	1479
6	Inverness	141	121	134	144	133	133	120	95	96	84	103	153	1457
III. NORTH-EASTERN.														
7	Nairn	19	14	22	12	16	6	14	8	8	13	13	7	152
8	Elgin (or Moray)	70	65	87	73	80	73	58	54	52	58	53	80	803
9	Banff	67	80	90	72	82	79	74	62	81	92	69	90	938
10	Aberdeen	460	426	459	413	356	373	348	329	346	351	346	493	4700
11	Kincardine	60	44	59	59	32	46	52	46	47	41	40	57	583
IV. EAST-MIDLAND.														
12	Forfar	507	471	559	495	528	512	547	559	522	560	552	675	6487
13	Perth	206	250	224	214	189	183	197	221	195	234	215	277	2605
14	Fife	274	272	301	329	252	275	232	259	243	228	286	354	3303
15	Kinross	13	16	12	11	16	4	11	6	9	10	12	16	136
16	Clackmannan	47	46	44	45	44	41	32	24	25	26	33	52	459
V. WEST-MIDLAND.														
17	Stirling	191	183	195	178	181	186	196	148	156	195	211	236	2256
18	Dumbarton	158	141	167	124	129	141	119	131	125	107	129	196	1667
19	Argyll	122	119	125	146	100	101	114	113	114	111	114	151	1430
20	Bute	38	40	35	34	35	31	42	26	24	31	40	38	414
VI. SOUTH-WESTERN.														
21	Renfrew	492	419	456	435	414	411	380	391	359	330	414	595	5096
22	Ayr	474	464	457	408	386	391	348	383	340	384	423	540	4998
23	Lanark	2025	1967	2178	2103	2051	1988	1959	1862	1769	1958	2329	3211	25390
VII. SOUTH-EASTERN.														
24	Linlithgow	78	65	82	67	59	54	53	51	51	55	50	79	744
25	Edinburgh	691	624	700	710	664	614	607	581	580	609	657	912	7949
26	Haddington	50	57	48	38	67	65	66	71	75	65	73	74	749
27	Berwick	48	57	53	47	34	35	53	46	41	42	49	63	568
28	Peebles	15	17	20	15	17	12	19	13	12	10	17	15	182
29	Selkirk	44	30	43	25	28	29	23	24	33	23	29	54	385
VIII. SOUTHERN.														
30	Roxburgh	77	73	69	70	53	69	59	78	39	51	46	74	758
31	Dumfries	151	146	178	124	108	124	139	115	108	95	130	164	1582
32	Kirkcudbright	86	78	73	75	62	68	71	65	37	57	59	71	797
33	Wigtown	75	92	71	67	50	72	57	50	55	57	60	65	771

The numbers given above are taken from the Registrar-General's Quarterly Reports, which, being made up from the Returns furnished by the Registrars, do not correspond with those given in the foregoing tables.

**CONSTITUTION OF THE DISTRICTS DISTINGUISHED IN THE PRECEDING TABLES
BY AN ASTERISK (*).**

No.	Districts.	Component Parts (Parishes).
14	Deerness	Part of St Andrews.
15	Eday and Pharay	Part of Stronsay and Eday.
22	North Ronaldsay	Part of Cross and Burness.
26	Sanday	Lady, and part of Cross and Burness.
590	Carnoch	Parts of Contin, Fodderty, and Urray.
716	Kinlochluichart	Parts of Contin, Fodderty, and Urray.
865	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
147	Banff	Banff, and part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155b	Glenrines	Parts of Aberlour and Mortlach.
167	Seafeld	Parts of Cullen and Rathven.
222b	Millbren	Parts of Fyvie and Monquhitter.
227a	New Machar	New Machar, and part of Udney.
227b	New Pitaligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237b	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tairland.
249b	Ythan Wells	Parts of Auchterless and Fergie.
272	Arbroath	Arbroath, and part of St Vigeans.
282	Dundee	Dundee, and part of Liff, Benvie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
328b	Ardoch	Parts of Blackford, Dunblane, and Muthill.
331	Balquhiddier	Balquhiddier, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld and Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld and Dowally.
355a	Fortingall	Parts of Fortingall and Weem.
355b	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait.
375	Logiealmond	Parts of Fowls-Wester, Little Dunkeld, Methven, Monzie, and Redgorton.
379	Meigle	Meigle, and part of Coupar-Angus.
386a	Muthill	Muthill, and part of Ardoch. [Kinloch, and Rattray.
386b	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy and
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394b	Strathfillan	Part of Killin.
394c	Tenandry	Parts of Blair-Athol, Dull, and Moulis.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
424	Dunfermline	Parts of Dunfermline and Inverkeithing.
432	Inverkeithing	Parts of Inverkeithing and Dunfermline.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall, and Kinghorn.
461b	Grangemouth	Parts of Bothkennar, Falkirk, and Polmont.
490	Stirling	Stirling, and small part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, etc.	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
512	Glenorchy	Glenorchy, and part of Inishail.
515	Kilbrandon and Kilchattan	Kilbrandon and Kilchattan, and part of Jura.
517	Kilchrenan	(1) Parts of Kilchrenan, etc., and Inishail.
526	Lochgilthead	Parts of Glassary and South Knapdale.
529	Muckairn	Muckairn, and part of Inishail. [Knapdale.
535	Tarbert	Parts of Kilcalmonell and Kilberry, of Saddell and Skipness, and of South
536	Bowmore (or Kilarrow)	Part of Kilarrow and Kilmeny.
542	Kilfinichen and Kilvickeon	Parts of Kilfinichen and Kilvickeon, and of Torosay.
543	Kilmeny	Part of Kilarrow and Kilmeny.
545	Kinlochspelve	Part of Torosay.
546	Oa	Part of Kildalton.
547	Portmahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian and Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian and Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmorey.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew (2 and 3) Rest of Abbey.
573	Palasey	High, Middle, and Low Church Parishes.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, etc.	Parts of Newton-upon-Ayr, and St Quivox.
626b	Calderhead	Parts of Cambusmethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingston and South Leith.
685	Edinburgh	City of Edinburgh, including Canonsgate and parts of St Cuthberts, Duddingston, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton and East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
696b	Stobhill	Parts of Borthwick, Cockpen, Newbattle, and Temple.
774a	Caddonfoot	Parts of Galashiels, Selkirk, Yarrow, Innerleithen, and Stow.
776b	Ladhope	Part of Melrose.
787b	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813b	Brydekirk	Parts of Annan, Cummertrees, and Hoddum.
858b	Wanlockhead	Part of Sanquhar.
857b	Bargrennan	Parts of Minnigaff (Kirkcudbright) and of Penninghame (Wigtown)
862	Cornockbridge	Parts of Bahmacellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leewall.

LIST of REGISTRATION DISTRICTS which include BURGHS, or TOWNS of 2000 Inhabitants and upwards, or parts thereof, bearing a different name from the Districts in which they are situated.

No.	Registration Districts.	Burghs.	Towns.
80	Rosemarkie - - - -	* Fortrose.	
180	Drainie - - - -	- - - -	* Lossiemouth.
164	Rathven - - - -	- - - -	* Buckie.
167	Seafeld - - - -	Cullen.	
211	Kinnellar - - - -	Kintore.	
213	Kintore - - - -	Inverurie.	
251 ¹	Banchory-Devenick - -	Aberdeen.	
253	Benholm - - - -	Inverbervie.	
255	Dunnottar - - - -	- - - -	Stonehaven.
258 ¹	Fetteresso - - - -	- - - -	Do.
262	Kinnett, etc. - - - -	Inverbervie.	
274	Barry - - - -	- - - -	Carnoustie.
280	Craig - - - -	Montrose.	
282 ⁴	St Andrews (Dundee) -	- - - -	Broughty-Ferry.
310	Monifeth - - - -	- - - -	Do.
316	Panbride - - - -	- - - -	Carnoustie.
371	Lecropt - - - -	- - - -	Bridge of Allan.
374	Logie - - - -	Stirling,	Do.
385	Muckhart - - - -	- - - -	Dollar.
386 ^a	Muthill - - - -	- - - -	Crieff.
389	Rattray - - - -	- - - -	Blairgowrie.
400	Abdie - - - -	- - - -	Suburban of Newburgh.
405	Anchterderran - - -	- - - -	Lochgelly.
408	Ballingry - - - -	- - - -	Do.
427	Èile - - - -	- - - -	Suburban of Earlsferry.
436	Kilconquhar - - - -	* Earlsferry,	Do.
438	Kilrenny - - - -	Anstruther-Easter.	
456	Scoonie - - - -	- - - -	* Leven.
459	Wemyss - - - -	- - - -	Buckhaven.
466	Clackmannan - - - -	- - - -	Alloa.
475	Campsie - - - -	- - - -	* Lennoxtown.
478	Dunpace - - - -	- - - -	Denny.
488	St Ninians - - - -	- - - -	Bannockburn.
496	Bonhill - - - -	- - - -	* Alexandria.
494	Cardross - - - -	- - - -	* Renton.
500	New or East Kilpatrick	- - - -	* Milngavie.
503	Row - - - -	- - - -	* Helensburgh.
523	Kilmore and Kilbride	* Oban.	
559 ¹	Abbey - - - -	Paisley.	
559 ²	Do. (Landward), - -	- - - -	Barrhead.
560	Cathcart - - - -	- - - -	{ Busby.
562	Eastwood - - - -	- - - -	{ Crosshill (Suburban of Glasgow)
564	Greenock, East - - -	Port-Glasgow.	* Pollockshaws and Thornliebank.
571	Mearns - - - -	- - - -	Busby.
576 ¹	Old Ardrossan - - -	- - - -	Saltcoats.
577	Auchinleck - - - -	- - - -	Cummock.
593	Galston - - - -	- - - -	Newmilns.
597	Kilmarnock - - - -	- - - -	Hurford.
603	Londoun - - - -	- - - -	Galston and Newmilns.
611	Riccarton - - - -	Kilmarnock,	Hurford.
613	Born - - - -	- - - -	* Catrine.
616	Stevenston - - - -	- - - -	Saltcoats.
621	Avondale - - - -	- - - -	* Strathaven.
622 ²	Shettleston - - - -	- - - -	Tollicross.
625 ¹	Bothwell - - - -	- - - -	* Bellshill.
625 ²	Holytown - - - -	- - - -	Calderbank.
628	Cambusnethan - - -	- - - -	* Newmains and Wishaw.
639	Dalziel - - - -	- - - -	Motherwell.
643	East Kilbride - - -	- - - -	Busby.
646 ¹	Govan Church - - -	- - - -	Suburban of Glasgow.
646 ²	Partick - - - -	- - - -	{ Hillhead, Whiteinch, and Suburban
647	Hamilton - - - -	- - - -	{ of Glasgow.
651 ²	New Monkland (Landward)	- - - -	Larkhall and Motherwell.
652	Old Monkland - - -	- - - -	Suburban of Airdrie.
	(1) Western District -	- - - -	Bailliestone, and Tollcross.
	(2) Middle District -	- - - -	Coatbridge and Roseshall.
	(3) Eastern District -	- - - -	Do. do. and Calderbank.
654	Rutherglen - - - -	- - - -	Cambuslang.
664	Carriiden - - - -	- - - -	Bo'ness.
673 ²	Fauldhouse - - - -	* Musselburgh.	* Crofthead.
689	Inveresk - - - -	- - - -	Penicik.
691	Lasswade - - - -	- - - -	Eyemouth.
727	Ayton - - - -	- - - -	
776 ⁶	Ladhope - - - -	Galashiels.	
810	Wilton - - - -	Hawick.	
813 ⁶	Brydekirk - - - -	Annan.	
863	Crossmichael - - -	- - - -	Castle-Douglas.
868	Kells - - - -	* New Galloway.	
869	Kelton - - - -	- - - -	Castle-Douglas.
876	Minnigaff - - - -	- - - -	Newton-Stewart.
880	Terregles - - - -	Dumfries.	
882	Troqueer - - - -	Do.	
895	Penninghame - - -	- - - -	Newton-Stewart.

* The asterisk indicates that the entire Burgh or Town is embraced in the Registration District.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 to 901.**

Abbey, ... 559	Baldernock, ... 471	Bunkle and	Corstorphine, ... 678	Dornoch (Suth-	
Abbey St Bath-	Balfour, ... 472	Preston, ... 728	Cortachy & Clova 278	erland), ... 47	
ans, ... 726	Ballachulish &	Burntisland, ... 411	Coull, ... 182	Dornoch (Dum-	
Abbotshall, ... 399	Corran of Ard-	Burra & Quarff, ... 1	Coupar-Angus, ... 279	fries), ... 819	
Abdie, ... 400	gour, ... 506		Covington and	Douglas, ... 641	
Abercorn, ... 661	Ballantrae, ... 579	Cabrach, ... 177	Thankerton, ... 634	Dowally, ... 344	
Aberdalgia, ... 323	Ballingry, ... 408	Cadder, ... 626	Coylton, ... 583	Drainie, ... 130	
Aberdeen, ... 168	Balmacellian, ... 856	Caddonfoot, ... 774	Craig, ... 280	Dreghorn, ... 589	
Aberdour (Aber-	Balmaghie, ... 857	Cairney, ... 178	Craigie, ... 584	Dron, ... 345	
deen), ... 169	Balmerino, ... 409	Calderhead, ... 626	Craignish, ... 508	Drumblade, ... 188	
Aberdour (Fife), ... 401	Balquhiddier, ... 331	Callender, ... 336	Crail, ... 417	Drumelzier, ... 759	
Aberfeldy, ... 324	Banchory-Deve-	Calton, ... 644	Crailling, ... 786	Drumoak, ... 189	
Aberfoyle, ... 325	nick, ... 251	Cambuslang, ... 627	Cramond, ... 679	Dryfesdale, ... 820	
Aberlady, ... 702	Banchory-Ter-	Cambusnethan, ... 628	Cranshaw, ... 734	Drymen, ... 477	
Aberlemno, ... 269	nan, ... 252	Cameron, ... 412	Cranston, ... 680	Duddingston, ... 684	
Aberlour, ... 145	Banff, ... 147	Campoeltown, ... 507	Crathie and	Duffus, ... 131	
Abernethy, ... 326	Barnburn, ... 488	Campsie, ... 475	Braemar, ... 183	Duirinish, ... 110	
Abernethy and	Barnrennan, ... 857	Canisbay, ... 35	Crawford, ... 635	Dull, ... 346	
Kincardine, ... 90	Barony, ... 622	Canonbie, ... 814	Crawfordjohn, ... 636	Dumbarton, ... 496	
Abernryte, ... 327	Barr, ... 580	Canongate, ... 685	Creich (Fife), ... 418	Dumfries, ... 821	
Aboyne, ... 170	Barra (Inver-	Caputh, ... 337	Crichton, ... 681	Dun, ... 281	
Aharacle, ... 505	nees), ... 108	Cardross, ... 494	Creich (Suther-	Dunbar, ... 706	
Airdrie, ... 651	Barrhead, ... 572	Careston, ... 277	land), ... 46	Dunbarney, ... 347	
Airlie, ... 270	Barry (Forfar), ... 274	Cargill, ... 338	Crieff, ... 342	Dunblane, ... 348	
Airth, ... 469	Barvas, ... 86	Carluke, ... 629	Crimond, ... 184	Dunbog, ... 423	
Alford, ... 171	Bathgate, ... 662	Carmichael, ... 630	Cromarty, ... 61	Dundee, ... 282	
Alloa, ... 465	Beath (Fife), ... 410	Carmunnock, ... 631	Cromdale and	Dundonald, ... 590	
Alness, ... 57	Bedrule, ... 732	Carmyrie, ... 276	Advie, ... 128	Dunfermline, ... 424	
Alva (Stirling), ... 470	Beith (Ayr), ... 581	Carnbee, ... 413	Crossmichael, ... 863	Dunino, ... 425	
Alvah (Banff), ... 146	Belhelvie, ... 174	Carnock (Ross), ... 595	Croy & Dalcross, ... 94	Dunipace, ... 478	
Alves, ... 125	Bellie, ... 126	Carnock (Fife), ... 414	Cruden, ... 185	Dunkeld, ... 349	
Alvie, ... 90	Benbecula, ... 118	Carnwath, ... 632	Cullen, ... 150	Dunlop, ... 591	
Alyth, ... 328	Bendochy, ... 332	Carriden, ... 664	Culros, ... 343	Dunnet, ... 36	
Ancrum, ... 780	Benholm, ... 253	Carrington, ... 675	Culsamond, ... 186	Dunnichen, ... 283	
Anderston, ... 644	Bernera, ... 111	Carsephairn, ... 860	Culter, ... 687	Dunning, ... 350	
Annan, ... 812	Bervie, ... 254	Carstairs, ... 633	Culta, ... 419	Dunnotar, ... 255	
Anstruther-E., ... 402	Bigger, ... 623	Castleton, ... 784	Cumbernauld, ... 495	Dunoon & Kil-	
Anstruther-W., ... 403	Birnie, ... 127	Cathcart, ... 560	Cumbrasse, ... 552	mun, ... 510	
Anwoth, ... 855	Birsay, ... 18	Cavers, ... 785	Cumlodden and	Dunrossness, ... 3	
Appin, ... 525	Birse, ... 175	Cawdor, ... 122	Minard, ... 509	Dunscore, ... 822	
Applecross, ... 58	Blackford, ... 333	Ceres, ... 415	Cummertrees, ... 817	Dunse, ... 735	
Applegarth, ... 813	Blair-Athol, ... 334	Channelkirk, ... 729	Cupar, ... 420	Dunsyre, ... 642	
Arbirlot, ... 271	Blairgowrie, ... 335	Chapel-of-Gari-	Currie, ... 682	Durness, ... 48	
Arbroath, ... 272	Blantyre, ... 624	och, ... 179	Daily, ... 585	Duror, ... 525	
Arbuthnott, ... 250	Blythwood, ... 644	Chirnside, ... 730	Dairsie, ... 421	Durris, ... 256	
Ardoch, ... 323	Boharm, ... 128	och, ... 179	Dalbeattie, ... 864	Durriadeer, ... 823	
Ardrossan, ... 576	Boisdale, ... 118	Chirnside, ... 730	Dalgetty, ... 422	Duthill, ... 96	
Arisaig, ... 505	Boleskine, ... 92	Clackmannan, ... 466	Dalkeith, ... 683	Dyce, ... 190	
Armadales, ... 662	Bolton, ... 704	Clatt, ... 180	Dallas, ... 129	Dyke, ... 133	
Arngask, ... 404	Bonar, ... 46	Cleish, ... 460	Dalmellington, ... 586	Dysart, ... 426	
Arrochar, ... 492	Bonhill, ... 493	Cloeburn, ... 816	Dalmeny, ... 665	Eaglesham, ... 561	
Ashkirk, ... 781	Borgue, ... 858	Clunie (Perth), ... 839	Dalry (Ayr), ... 587	Earlsferry, ... 436	
Assynt, ... 44	Borthwick, ... 674	Cluny (Aberd'n), ... 181	Dalry (Kirkcud-	Earlston, ... 736	
Athelstaneford, ... 703	Borthkennar, ... 473	Clyde, ... 644	bright), ... 865	Eassie & Nevay, ... 284	
Auchindoir, ... 172	Bothwell, ... 625	Cockburnspath, ... 731	Dalrymple, ... 588	East Kilbride, ... 643	
Auchinleck, ... 577	Botriphnie, ... 148	Cockpen, ... 676	Dalsearf, ... 638	Eastwood, ... 562	
Auchterarder, ... 329	Bourdie, ... 176	Coigach, ... 75	Dalziel, ... 639	Eccles, ... 737	
Auchterderran, ... 405	Bowden, ... 783	Coldingham, ... 782	Dalziel, ... 639	Ecclesmachan, ... 666	
Auchtergaven, ... 330	Bower, ... 34	Coldestream, ... 733	Dalziel, ... 639	Echt, ... 191	
Auchterhouse, ... 273	Bowmore, ... 536	Colinton, ... 677	Dalziel, ... 639	Eckford, ... 787	
Auchterless, ... 173	Boydrie, ... 149	Coll, ... 551	Dalziel, ... 639	Eday & Pharay, ... 15	
Auchtermuchty, ... 406	Bracadale, ... 109	Collace, ... 340	Dalziel, ... 639	Edderton, ... 63	
Auchtertoul, ... 407	Brechin, ... 275	Collesie, ... 416	Dalziel, ... 639	Eddiestone, ... 760	
Auldearn, ... 121	Bressay, ... 1	Colmonell, ... 532	Dalziel, ... 639	Eddrachillis, ... 49	
Avoch, ... 59	Bridgeton, ... 644	Colonsay, ... 539	Dalziel, ... 639	Edgerston, ... 787	
Avondale, ... 621	Brodick, ... 553	Colvend, ... 861	Dalziel, ... 639	Edinburgh, ... 685	
Ayr, ... 578	Broughton, ... 758	Comrie, ... 341	Dalziel, ... 639	Edinkillie, ... 134	
Ayton, ... 727	Brydekirk, ... 813	Contin, ... 60	Dalziel, ... 639	Ednam, ... 788	
	Buchanan, ... 479	Cookney, ... 258	Dalziel, ... 639	Edrom, ... 738	
	Buithle, ... 859	Corsock-Bridge, ... 862	Dalziel, ... 639	Edzell, ... 285	
			Dalziel, ... 639	Elgin, ... 135	

* The actual number of Districts is 1025—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 14 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place compound names in the order in which they are pronounced.

Elie, . . .	427	Glencoe and	Johnstone (Ren-	Kinghorn, . .	439	Lasswade, . .	691
Ellon, . . .	192	Ballachulish, 525	frew), . . .	Kinglassie, .	440	Latheron, . .	38
Enzie, . . .	152	Glencross, . .	Jura, . . .	Kingoldrum, 295	Lauder, . . .	748	
Errol, . . .	351	Glendevon, 358		Kingsbarns, 441	Laurencekirk, 263		
Erskine, . .	563	Glenelg, . . .	Keig, . . .	Kingusie, &c., 102	Leadhills, . .	635	
Eskdalemuir, 824		Glenegarry, 97	Keir, . . .	Kinloch, . . .	Lecropt, . . .	371	
Ettrick, . . .	774	Glenholm, . .	Keith, . . .	Kinlochbervie, 49	Legerwood, . .	749	
Evie & Rendall, 16		Glenisla, . . .	Keith-hall, 206	Kinlochluichart, 71	Leith, . . .	692	
Ewee, . . .	825	Glenlivet, . .	Kells, . . .	Kinloch-Ran-	Leochel-Cush-		
Eyemouth, . .	739	Glenmoriston, 107	Kelso, . . .	noch, . . .	nie, . . .	214	
		Glenmuick, Tul-	Kelton, . . .	kinlochspelve, 545	Lerwick, . . .	5	
		lich, &c., . . .	Kelvin, . . .	Kinloss, . . .	Leslie (Aberd'n), 215		
Fair Isle, . . .	3	Glenorchy, . .	Kemback, . .	Kinnaird, . .	Leslie (Fife), . .	444	
Fala & Soutra, 686		Glenrines, . .	Kennay, . . .	and	Lesmahagow, 649		
Falkirk, . . .	479	Gleneshee, . .	Kennore, . .	Catterline, . .	Leswalt, . . .	891	
Falkland, . .	423	Gleneshiel, . .	Kennoway, .	Kinnell, . . .	Lethendy, . . .	372	
Farnell, . . .	236	Golspie, . . .	Kettins, . . .	Kinnellar, . .	Lethnot and		
Farr, . . .	50	Gordon, . . .	Kettle, . . .	Kinnethmont, 212	Navar, . . .	300	
Fearn (Forfar), 237		Gourcock, . .	Kilbarchan, 568	Kinnettles, . .	Leuchars, . . .	445	
Fearn (Ross), 64		Govan Church, 646	Kilberry, . .	Kinnoull, . .	Libberton (Lan-		
Fenwick, . . .	592	Graitney (or	Kilbirnie, . .	Kinross, . . .	ark), . . .	650	
Ferry-Port-on-		Gretna), . . .	Kilbrandon and	Kintail, . . .	Liberton (Edin.) 693		
Craig, . . .	429	Grange, . . .	Kilchattan, 515	Kintore, . . .	Liff, Benvie, &		
Fetlar, . . .	4	Grangemouth, 481	Kilbride, . .	Kippen, . . .	Invergowie, . .	301	
Fettercairn, .	257	Greenlaw, . .	Kilbucho, &c., 763	Kirkbean, . . .	Lilliesleaf, . .	795	
Fetteresso, . .	268	Greenock, . .	Kilcalmonell, 516	Kirkcaldy, . .	Linlithgow, . .	668	
Findo-Gask, .	352	Guthrie . . .	Kilchoman, 540	Kirkcolm, . .	Linton, . . .	796	
Fintray (Aber-			Kilchrenan, 517	Kirkconnel, .	Lintrathen, . .	302	
deen), . . .	193		Kilconquhar, 436	Kirkcowan, . .	Lismore, . . .	525	
Fintry (Stirling), 490		Haddington, 709	Kildalton, . .	Kirkcudbright, 871	Little Dunkeld, 373		
Firth & Stennes, 17		Halfmorton, 828	Kildonan, . .	Kirkden, . . .	Livingstone, . .	669	
Flisk, . . .	430	Halkirk, . . .	Kildrummy, 208	Kirkgunzeon, 872	Lochaber, . . .	99	
Flotta, . . .	32	Hamilton, . .	Kilflnan, . .	Kirkhill, . . .	Lochalsh, . . .	74	
Foddarty, . .	65	Harra, . . .	Kilfnichen and	Kirkhope, . .	Lochbroom, . .	75	
Fogo, . . .	740	Harris, . . .	Kilvickeon, 542	Kirkinner, . .	Lochcarron, . .	76	
Fordoun, . . .	259	Hawick, . . .	Killean and	Kirkintilloch, 493	Lochee, . . .	282	
Fordyce, . . .	153	Heriot, . . .	Kilchenzie, 519	Kirkliston, . .	Lochgillhead, 526		
Forfar, . . .	238	Hobkirk, . . .	Killearn, . .	Kirkmabreck, 873	Lochgillhead, 527		
Forgan, . . .	431	Hoddum, . . .	Kilearnan, . .	Kirkmahoe, . .	Lochlee, . . .	303	
Forgandenny, 353		Holm & Paplay, 19	Killin, . . .	Kirkmaiden, .	Lochmaben, . .	810	
Forglen, . . .	154	Holytown, . .	Kilmadock, 362	Kirkmichael	Lochranza, . .	556	
Forgue, . . .	194	Holywood, . .	Kilmalcolm, 569	(Ayr), . . .	Lochrutton, . .	875	
Forres, . . .	137	Houston and	Kilmallie, 520	Kirkmichael	Lochs, . . .	87	
Fort-Augustus		Killellan, . .	Kilmany (Fife), 437	(Banff), . . .	Lochwinnoch, 570		
(or Abertarf), 92		Howmore, . .	Kilmarnock, 597	Kirkmichael	Logie (Fife), . .	446	
Forteviot, . .	354	Hownam, . . .	Kilmarnock, 497	(Dumfries), . .	Logie (Perth), .	374	
Fortingall, . .	355	Hoy & Gramsay, 20	Kilmartin, . .	Kirkmichael	Logiesalmund, 375		
Fortrose, . .	80	Humbie, . . .	Kilmaurs, . .	(Perth), . . .	Logie-Buchan, 216		
Foss, . . .	355	Hume, . . .	Kilmelford, 524	Kirknewton and	Logie-Coldstone, 217		
Fossaway and		Huntly, . . .	Kilmeny (Ar-	East-Calder, . .	Logie-Easter, . .	77	
Tulliebole, . .	461	Hutchesontown, 644	gyl), . . .	Kirkoswald, .	Logie-Perth, . .	304	
Foula, . . .	12	Hutton (Ber-	Kilmodan, . .	Kirkpatrick-	Logierait, . . .	376	
Foulden, . . .	741	wick), . . .	Kilmonivaig, 99	Durham, . . .	Longforgan, . .	377	
Foveran, . . .	195	Hutton (Dumf.) 831	Kilmorack, 100	Kirkpatrick-	Longformacrus, 750		
Fowles-Easter, 356			Kilmore & Kil-	Fleming, . . .	Longside, . . .	218	
Fowles-Wester, 357			bride, . . .	Kirkpatrick-	Lonmay, . . .	219	
Fraserburgh, .	196		Kilmorich, . .	Juxta, . . .	Loth, . . .	54	
Fyvie, . . .	197		Kilmory, . . .	Kirkton (As-	Loudoun, . . .	603	
			Kilmuir, . . .	synt), . . .	Lumphanan, . .	220	
Gairloch, . . .	66		Kilmuir-Easter, 69	Kirkton (Farr), 50	Lunan, . . .	305	
Galashiels, . .	775		Kilmun, . . .	Kirktown (Rox-	Lundie, . . .	306	
Galston, . . .	593		Kilninian and	burgh), . . .	Lunnasting, . .	7	
Garnie, . . .	155		Kilmore, . . .	794	Luss, . . .	499	
Gargunnoch, .	481		Kilniver, . . .	Kirkwall & St Ola 291	Lyne, . . .	765	
Gartly, . . .	198		Kilreunty, . .	Kirkwall & St Ola 291			
Garvald, . . .	707		Kilspindie, .	Knockando, . .	Madderty, . . .	378	
Garvoock, . .	260		Kilseyth, . .	Knockbain, . .	Mains, . . .	307	
Gigha, . . .	537		Kiltarlity, . .	Knoydart, . . .	Makerston, . .	797	
Girthon, . . .	866		Kiltearn, . . .		Manor, . . .	766	
Girvan, . . .	594		Kilwinning, 599		Markinch, . . .	447	
Gladsmuir, . .	708		Kincardine		Marnock, . . .	161	
Glamis, . . .	239		(Perth), . . .		Maryculter, . .	264	
Glasgow, . . .	644		Kincardine		Maryhill, . . .	622	
Glas, . . .	199		(Ross), . . .		Marykirk, . . .	265	
Glassary, . . .	511		Kincardine		Marytown, . . .	308	
Glasserton, . .	885		O'Neil, . . .		Mauchline, . .	604	
Glassford, . .	645		Kinclaven, . .		Marton, . . .	798	
Glenbarvie, . .	261		Kinfauns, . .		Maybole, . . .	606	
Glenbucket, . .	200		Kingarth, . .		Mearns, . . .	571	
Glencairn, . .	826		King-Edward, 210		Mogget, . . .	766	

Meigle, . . .	379	North Morar, . . .	97	Rescobie, . . .	317	Slains, . . .	239	Tororay, . . .	550
Melrose, . . .	799	North Ronald-		Resolis, . . .	79	Slamannan, . .	489	Torphichen, .	671
Menmuir, . .	309	shay, . . .	22	Rhynd, . . .	391	Sleat, . . .	115	Torryburn, . .	458
Merton, . . .	751	North Uist, . .	113	Rhynie, . . .	237	Smailholm, . .	835	Torthorwald, .	850
Methlic, . . .	221	North Yell, . .	4	Riccarton, . .	611	Small Isles, . .	116	Tough, . . .	244
Methven, . .	330			Roberton, . . .	777	Snizort, . . .	117	Towie, . . .	245
Mid-Calder, .	694			Rogart, . . .	55	Sorbie, . . .	897	Tradeston, . .	644
Middlebie, . .	841	Oa, . . .	546	Rosehall, . . .	46	Sorn, . . .	613	Tranent, . . .	722
Midmar, . . .	222	Oathlaw, . . .	315	Rosemarkie, . .	80	Southdean, . .	806	Traquair, . . .	771
Mid & S. Yell, .	6	Oban, . . .	523	Roseueath, . .	502	Southend, . . .	532	Trinity-Gask, .	396
Millbrex, . .	222	Ochiltree, . . .	609	Rosskeen, . . .	81	South Knapdale, .	533	Troon, . . .	590
Milton, . . .	644	Old Ardrossan, .	576	Rothas, . . .	141	South Leith, . .	692	Troqueer, . . .	832
Minnigaff, . .	876	Old Cumnock, .	610	Rothessay, . . .	558	South Ronald-		Tulliallan, . .	397
Minto, . . .	800	Old Deer, . . .	228	Rothiemay, . . .	165	shay & Burray 29		Tullynessle and	
Monchrmd, . .	892	Oldhamstocks, .	714	Rothiemurchus, .	96	South Uist, . . .	118	Forbes, . . .	246
Moffat, . . .	842	Old, or West, . .		Rousay and . . .		Speymouth, . . .	143	Tundergarth, .	851
Moneydie, . .	381	Kilpatrick . . .	501	Edgilsay, . . .	24	Spott, . . .	720	Turriff, . . .	247
Monifieth, . .	810	Old Luce, . . .	894	Row, . . .	503	Springburn, . .	622	Tweedsmuir, . .	772
Monikie, . . .	311	Old Machar, . .	168	Roxburgh, . . .	803	Sprouston, . . .	807	Twynholm, . .	883
Monimail, . .	448	Old Meldrum, . .	229	Rutherglen, . .	654	Stair, . . .	614	Tynron, . . .	852
Monkton and .		Old Monkland, .	652	Ruthven, . . .	318	Stenscholl, . . .	112	Tyree, . . .	551
Prestwick, . .	606	Olrig, . . .	89	Ruthwell, . . .	846	Stenton, . . .	721	Tyrie, . . .	248
Monquhitter, .	223	Ordiquhill, . . .	163	Saddell, . . .	531	Stevenston, . . .	615	Udny, . . .	249
Montrose, . .	312	Ormiston . . .	715	St Andrew . . .		Stewarton, . . .	610	Uig, . . .	89
Monymusk, . .	224	Orphir . . .	23	(Dundee), . . .	282	Stirling, . . .	496	Uist, . . .	11
Monzie (Perth),	382	Orwell, . . .	463	St Andrew . . .		Stitchell, . . .	808	Unst, . . .	11
Monzievaird, .	383	Oxnam, . . .	802	(Edinburgh), .	635	Stobhill, . . .	698	Uphall, . . .	672
Moonsie (Fife),	449	Oyne, . . .	230	St Andrews . .		Stobo, . . .	770	Urquhart (El-	
Mordington, .	752			St Andrews . .		Stoer, . . .	44	gin), . . .	144
Morebattle, . .	801	Paisley, . . .	573	(Orkney), . . .	25	Stonehouse, . . .	656	Urquhart (In-	
Morham, . . .	712	Panbride, . . .	316	St Andrews- . .		Stoneykirk, . . .	898	verness), . . .	167
Mortlach, . .	162	Papa-Stour, . . .	12	Lhanbryde, . . .	142	Stornoway, . . .	88	Urquhart and	
Morton, . . .	845	Papa-Westray, .	33	St Andrews and		Stow, . . .	699	Logie-Wester, .	84
Morvern, . . .	523	Park, . . .	646	St Leonards . .		Stracathro, . . .	320	Urr, . . .	884
Moulin, . . .	834	Partick, . . .	646	(Fife), . . .	453	Strachan, . . .	268	Urray, . . .	85
Mousewald, . .	844	Parton, . . .	878	St Boswells, . .	804	Strachur, . . .	534		
Moy and Dala-		Peebles, . . .	768	St Clement, . .	232	Straiton, . . .	617		
rossie, . . .	105	Pencaitland, . .	716	St Cyrus, . . .	237	Stralachlan, . .	534	Walls (Shetland),	12
Muckairn, . .	529	Penicuik, . . .	697	St Fergus, . . .	166	Stranraer, . . .	899	Walls (Orkney),	32
Muckart, . . .	385	Penninghame, . .	895	St George, . . .	685	Strath, . . .	119	Walston, . . .	653
Muiravonside, .	486	Penpont, . . .	845	St Giles, . . .	635	Strathblane, . .	491	Wamphray, . .	853
Muirkirk, . . .	607	Persie, . . .	386	St Kilda, . . .	111	Strathdon, . . .	240	Wandall and	
Murroes, . . .	313	Perth, . . .	387	St Maddoes, . .	392	Strathfillan, . .	394	Lamington, . .	659

**EDINBURGH: PRINTED BY NEILL AND COMPANY,
FOR HER MAJESTY'S STATIONERY OFFICE.**

A handwritten signature or mark, possibly initials, in the bottom right corner of the page.

TWENTIETH
DETAILED ANNUAL REPORT
OF THE
REGISTRAR-GENERAL
OF
BIRTHS, DEATHS, AND MARRIAGES
IN SCOTLAND;

[ABSTRACTS OF 1874.]

Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH: EH
PRINTED BY NEILL AND COMPANY,
FOR HER MAJESTY'S STATIONERY OFFICE.
1878.

HV

**This book is under no circumstances to be
taken from the Building**

[illegible]

Form 410

